


ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामाग्रीहरुको
स्वीकृत जिल्ला दररेट



आ.व. २०८१/०८२




जिल्ला दररेट निर्धारण समिति

ललितपुर





२०८१ आषाढ २८



क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण	2
3	फलाम जन्व निर्माण सामग्री	4
4	सडक र पुल सम्बन्धि निर्माण सामग्री	8
5	स्थानीय निर्माण सामग्रीहरु	10
6	प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु	12
7	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	15
8	Aluminum Doors and Windows	21
9	काठ तथा प्लाइउड संबन्धि निर्माण सामग्री	25
10	UPVC Profile for Door/Window	29
11	छाना छाउने निर्माण सामग्री	31
12	Partition Board and Ceiling	37
13	Prefab Panel for wall Partition	41
14	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	46
15	रंगरोगन तथा पुटिका सामानहरु	49
16	Water Proofing Chemicals & Treatment works	54
17	Water Proofing Membrane	61
18	Structural Strengthening & Seismic Retrofitting	62
19	Cement Concrete Block	64
20	Non Destructive test for Forensic Engineering	72
21	Geocell Technology	74
22	WPS/Fibre, Concrete Prefabricated Doors & Windows	77
23	Flooring & Ceiling	78
24	Slope Stabilization Structures	86
25	Railway	90
26	Flooring Room Heating System	91
27	वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु	92
28	पाईप तथा फिटिङ्गहरु	98
29	DI पाईप तथा फिटिङ्गहरु	110
30	PE Electro Fusion Fittings and Combination Accessories	124



क्र.सं.	विषय	पृष्ठ संख्या
31	High Pressure Valves & Fittings	128
32	पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू	131
33	यु.पि.भि.सि. पाईप तथा फिटिङहरू	142
34	पि.भि.सि. पाईप तथा फिटिङहरू	145
35	पि.भि.सि.ओ. पाईप तथा फिटिङहरू	150
36	CP Accessories	153
37	सि.पि.भि.सि. पाईप तथा फिटिङहरू	155
38	GRP and HDPE/DWC Pipes	160
39	किचन र बाथरूममा प्रयोग हुने सामानहरू	167
40	विभिन्न प्रकारका वाटर टैंक र पम्पहरू	174
41	साधारण हाते औजारहरू	177
42	RCC Ring and Boring Work	179
43	Multilayer Composite Pipe	180
44	Rainwater Collection System	185
45	सिचाई संबन्धि कार्य	190
46	Plastic Dustbin, Compost-Bin, Planter & Road Divider	191
47	Sewage Treatment Plant	192
48	मेनहोल कभरहरू	193
49	विद्युतिय सामग्रीहरू	196
50	Solar Power	262

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
काठमाडौं

आज मिति २०८१ साल असार २८ गते शुक्रबारको दिन दिनेको ११:०० बजे ललितपुर जिल्लाका प्रमुख अधिकारी श्री तुलसी बहादुर श्रेष्ठज्यूको अध्यक्षतामा जिल्ला प्रशासन कार्यालय काठमाडौंमा आ.व. २०८१/०८२ को लागि निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र श्रमिकहरूको ज्यालादर निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ अनुसार जिल्ला दररेट निर्धारण समितिको बैठक देहायका पदाधिकारीहरूको उपस्थितिमा बसी देहाय बमोजिमको निर्णय गरियो ।

तपश्चिल

सि.क्र.	पद	नाम	कार्यालय	हस्ताक्षर
१	प्रमुख जिल्ला अधिकारी	तुलसी बहादुर श्रेष्ठ	जिल्ला प्रशासन कार्यालय, ललितपुर	
२	सदस्य	दिनेश प्रसाद थानी	जिल्ला समन्वय समिति, ललितपुर	
३	सदस्य	गोरख बहादुर शाही	कोष तथा लेखा नियन्त्रक कार्यालय, ललितपुर	
७	सदस्य	नीता कुमारी ईशर	जिल्ला समन्वय समिति, ललितपुर	
८	सदस्य	प्रविण ताम्राकार	ललितपुर उद्योग वाणिज्य संघ, ललितपुर	
९	सदस्य	पंचराम महर्जन	ललितपुर निर्माण व्यवसायी संघ, ललितपुर	
१०	सदस्य सचिव	नविन कुमार सिंह	पूर्वाधार विकास कार्यालय, ललितपुर	
११				
आमन्त्रित				
१	सहायक प्रमुख जिल्ला अधिकारी	कल्पना घिमिरे नेपाल	जिल्ला प्रशासन कार्यालय, ललितपुर	
४	इन्जिनियर	रविन खाती	इन्जिनियर पूर्वाधार विकास कार्यालय, ललितपुर	
५	इन्जिनियर	प्रतिक्षा सिलवाल	इन्जिनियर पूर्वाधार विकास कार्यालय, ललितपुर	
६		प्रमोद लामिछाने	नेपाल राष्ट्रिय निर्माण व्यवसायी महासंघ, काठमाडौं	
७				
८				
९				
१०				
११				
१२				
१३				



निर्णयहरु

निर्णय नं. १	: आ.व. २०८१/०८२ का लागि निर्माण सामग्री, र श्रमिकहरुको ज्याला दररेट स्वीकृत गर्ने निर्णय गरियो ।
निर्णय नं. २	: मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धमा मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै कायम गर्ने निर्णय गरियो ।
निर्णय नं. ३	: श्रमिकहरुको उपलब्धताको आधारमा (श्रमिकको उमेर १६ वर्ष र दैनिक काम गर्ने अवधि ८ घण्टा) लाई आधार मानी श्रमिकहरुको ज्यालादर सन्दर्भमा राष्ट्र बैंकको प्रकाशित Index अध्ययन गर्दा तथा चालु आ.व. २०८०/८१ को बैशाख महिना सम्मको Provisional Index अन्तर्गत National Salary and Wages Rate Index को निर्माण सम्बन्धी कामदारको हकमा NRB Index २०७९/८० को असारको तुलनामा यस आ.व. २०८०/८१ बैशाखको Index (April/May) ०.९७ % ले बढेको र समग्र Wages र Salary Index सम्बन्धमा २०७९/८० को तुलनामा यस आ.व. २०८०/८१ बैशाख महिनाको Index (April/May) २.८ % ले बढेको पाईएको हुँदा आ.व. २०८१/८२ को श्रमिकहरुको ज्यालादर आ.व. ०८०/८१ को Wages Salary लाई २% ले वृद्धि गरी रु. ५ मा Round गरी कायम गर्ने निर्णय गरियो ।
निर्णय नं. ४	: नगरपालिका/गाउँपालिकाका पहाडी वडाहरुमा हुने निर्माण कार्यको हकमा सार्वजनिक निकायले ढुवानी खर्च समावेश गर्नुपर्ने भएमा नगरपालिका/गाउँपालिकाको केन्द्रबाट आयोजना स्थलसम्मको दुरीको आधारमा हुन आउने नर्मस् बमोजिमको ढुवानी खर्च सम्बन्धीत निकायले दररेट विश्लेषण गर्दा थप गर्न सक्ने निर्णय गरियो ।
निर्णय नं. ५	: निर्माण सामग्रीहरुको दररेट काठमाडौं जिल्लाको दररेटसँग एकरूपता कायम गर्ने गरि दररेटलाई कायम गर्ने निर्णय गरियो ।
निर्णय नं. ६	: यसमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक निर्माण सामग्रीको हकमा सम्बन्धित कार्यालयले गुणस्तर र स्पेशिफिकेशन एकिन गरी निर्माण सामग्रीहरुको उत्पादक वा आधिकारीक बिक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वयन गराउन सक्ने निर्णय गरियो ।
निर्णय नं. ७	: निर्माण कार्य गरिने आयोजनाहरुमा श्रमिक मजदुरहरुको व्यवसाय जन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नका साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बीमा लगायतका अन्य प्रावधान समेत सम्बन्धीत ज्याला दर प्रयोग गर्ने निकायले अनिवार्य रूपमा कार्यान्वयन गर्ने निर्णय गरियो ।
निर्णय नं. ८	: आगामी आ.व. २०८२/८३ को जिल्ला दररेट निर्धारणको लागि आ. व. २०८२/८३ को जिल्ला दररेट निर्धारण समितिका अध्यक्षको समन्वयमा दररेट निर्धारणमा सम्बन्धित विषयगत कार्यालय र उद्योग वाणिज्य संघ समेतको संलग्नतामा आर्थिक वर्ष २०८१/८२ को तेस्रो चौमासिकको शुरु देखि नै वैज्ञानिक तवरमा विश्लेषण गरी/गराई थप यथार्थपरक बनाउन प्रतिवेदन पेश गर्न पूर्वाधार विकास कार्यालय, ललितपुरलाई जिम्मेवारी दिने निर्णय गरियो ।

प्रमुख जिल्ला अधिकारी



श्रमिकको ज्याला दर


नेपाल सरकार
गृह मन्त्रालय
प्रशासन कार्यालय

सि. नं.	कामदारहरुको विवरण	एकाई	ललितपुर ज्याला दर प्रतिदिन रु.		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	870.00	900.00	920.00
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	1065.00	1065.00	1225.00
३	उच्च माध्यमिक तह उत्तिर्ण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन	1500.00	1500.00	1500.00
४	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट आदी।	प्रति दिन	1185.00	1200.00	1225.00
५	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, सुपरभाइजर, नदी निरीक्षक, प्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन आदी।	प्रति दिन	980.00	1000.00	1020.00
६	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी।	प्रति दिन	845.00	845.00	860.00
७	निर्माण कार्यको क्याम्प वर्कर, जुनियर सुपरभाइजर, सेक्युरिटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator आदी।	प्रति दिन	795.00	795.00	810.00
८	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेरालु, चौकिदार, आदी।	प्रति दिन	725.00	725.00	740.00
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	25.00	25.00	25.00
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच व्यायलर	प्रति दिन	880.00	880.00	900.00
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने)।	प्रति दिन	870.00	870.00	885.00
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह।	प्रति दिन	905.00	905.00	925.00
४	प्याच वर्कर (रात्री समयमा काम गर्ने)।	प्रति दिन	1230.00	1230.00	1255.00
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	1230.00	1230.00	1255.00
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	890.00	890.00	910.00
७	बोलेरो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	6350.00	6350.00	6350.00
८	स्करपियो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	7620.00	7620.00	7620.00
माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ।					

प्रमुख जिल्ला अधिकारी

घर र जग्गा भाडा निर्धारण

घर र जग्गा भाडा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो ।



सि. नं.	घरको बनावट विवरण	स्तर	ईकाई	आ.व. २०८१/०८२को दर(रु)					
				व्यवसायिक भवनको हकमा			बावासीय भवनको हकमा		
				सिभिल कार्य	विद्युत कार्य	स्पाइटरी कार्य	सिभिल कार्य	विद्युत कार्य	स्पाइटरी कार्य
1	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3622.56	109.88	274.65	2848.24	93.40	233.45
2		मध्यम	व.फु.	3064.10	70.27	1185.00	2409.15	60.58	173.25
3		सामान्य	व.फु.	2701.77	32.25	135.24	2124.28	27.42	114.95
4	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3045.93	89.19	222.94	2394.86	75.81	189.50
5		मध्यम	व.फु.	2519.43	57.85	165.45	1980.90	49.17	140.63
6		सामान्य	व.फु.	2286.28	26.18	109.78	1797.58	22.25	93.31
7	आर.सि.सि.फ्रेम चार्डिनिज ईटा (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3551.57	109.88	274.65	2792.42	93.40	233.45
8		मध्यम	व.फु.	2958.93	71.27	203.82	2326.46	60.58	173.25
9		सामान्य	व.फु.	2714.91	32.25	135.24	2134.59	27.42	114.95
10	आर.सि.सि.फ्रेम चार्डिनिज ईटा (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3433.20	89.19	222.94	2699.38	75.81	189.50
11		मध्यम	व.फु.	2418.17	57.85	845.00	63.64	49.17	140.63
12		सामान्य	व.फु.	2299.10	26.18	109.78	1807.72	22.25	93.31
13	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	सामान्य	व.फु.	3564.42	109.88	274.65	2802.53	93.40	233.45
14		मध्यम	व.फु.	3013.94	71.27	203.82	2369.71	60.58	173.25
15		सामान्य	व.फु.	2753.13	32.25	135.24	2164.65	27.42	114.95
16	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3092.65	89.19	880.00	2431.60	75.81	189.50
17		मध्यम	व.फु.	2563.41	57.85	165.45	2015.48	49.17	140.63
18		सामान्य	व.फु.	2344.00	26.18	109.78	1842.97	22.25	93.31
19	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), टायल छाना	मध्यम	व.फु.	2929.01	57.85	1230.00	2302.99	49.17	140.63
20		सामान्य	व.फु.	2717.30	26.18	1230.00	2136.48	22.25	93.31
21	लोड वियरिङ्ग चार्डिनिज ईटाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3580.01	109.88	890.00	2814.78	93.40	233.45
22		मध्यम	व.फु.	3029.52	71.27	203.82	2382.00	60.58	173.25
23		सामान्य	व.फु.	2768.72	32.25	135.24	2176.90	27.42	114.95
24	लोड वियरिङ्ग चार्डिनिज ईटाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3107.53	89.19	222.94	2443.30	75.81	189.50
25		मध्यम	व.फु.	2578.28	57.85	165.45	2027.17	49.17	140.63
26		सामान्य	व.फु.	2358.88	26.18	109.78	1854.67	22.25	93.31
27	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), आर सि सि छाना	मध्यम	व.फु.	3492.60	57.85	165.45	2746.06	49.17	140.63
28		सामान्य	व.फु.	3231.79	26.18	109.78	2541.00	22.25	93.31
29	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना	मध्यम	व.फु.	2993.98	57.85	165.45	2354.02	49.17	140.63
30		सामान्य	व.फु.	2782.28	26.18	109.78	2187.56	22.25	93.31
31		मध्यम	व.फु.	3289.21	57.85	165.45	2586.14	49.17	140.63
32	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना	सामान्य	व.फु.	3069.81	26.18	109.78	2413.64	22.25	93.31
33		मध्यम	व.फु.	3357.57	57.85	165.45	2639.89	49.17	140.63
34	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	3190.23	26.18	109.78	2508.32	22.25	93.31
35		मध्यम	व.फु.	3657.48	57.85	165.45	2875.70	49.17	140.63
36	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	3190.15	26.18	109.78	2744.13	22.25	93.31
37		सामान्य	व.फु.	2697.92	26.18	109.78	2121.24	22.25	93.31
38	लोड वियरिङ्ग ढुङ्गाको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	2957.84	26.18	109.78	2357.05	22.25	93.31
39	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	3562.23	26.18	109.78	2800.80	22.25	93.31
40	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	3862.13	26.18	109.78	3036.61	22.25	93.31
41	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	4090.15	109.88	274.65	3215.88	93.40	233.45
42		मध्यम	व.फु.	3539.67	71.27	203.82	2783.07	60.58	173.25
43		सामान्य	व.फु.	3278.86	32.25	135.24	2578.01	27.42	114.95

भवनको बनावट र फिनिसिङ्ग तथा सामान/उपकरण जहानको आधारमा वर्गीकरण

क) लिफ्ट जहान भएको हकमा रु २५,४२,५००।०० (भ्याट समेत) थप गर्नु पर्नेछ । (६ व्यक्ति क्षमता भएको लिफ्ट)

ख) सेप्टिक ट्यांक तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मुल्यांकनमा रु १५९००३५ (भ्याट बाहेक) घटाउनुपर्नेछ ।

ग) संयुक्त आवास (Apartment) र Housing का भवनहरूको मुल्यांकन गर्दा भवनको ओपटेको जग्गा भवन परिसर भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरू तथा Land scaping कार्य हरूको मुल्यांकन यस दर रेटमा समावेश नगरिएकोले सो को छुट्टै मुल्यांकन गर्नुपर्ने छ ।

घ) माथीका सिभिल कार्यका दर रेटहरू सामान्य किसिमका जग भएका भवनहरूको लागि निर्धारण गरिएको हो । अन्य किसिमका जगहरूको हकमा जग complex (combined/ Mat) भएमा वा pile foundation भएमा सो छुट्टै मुल्यांकन गरी भवनको कुल मुल्यांकनमा समावेश गर्ने ।

Page 2

प्रमुख जिल्ला अधिकारी



छ) उपरोक्त अनुसारका दररेट प्रयोग गरी घरको मूल्यांकन गर्दा हासकछो, जग्गायुक्तका, मुल्यांकनका विधि र सूत्र (Formula) "भवनको लागत मूल्यांकन कार्य विधि २०७०" ले निर्दिष्ट गरे बमोजिम हुनेछ ।

जिल्ला प्रशासन कार्यालय
ललितपुर

उल्लेखित तालिकामा उच्च स्तर भएको भए 'क' वर्ग, मध्यम स्तर भएको भए 'ख' वर्ग र सामान्य स्तर भएको भए 'ग' वर्ग मानिने छ । यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ :

- अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ ।
- आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ ।
- इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायी र बायाँ निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १० प्रतिशत र जग्गाको हकमा IRR ५ प्रतिशत कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायी र बायाँ निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६ प्रतिशत सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३ प्रतिशत कायम गर्ने निर्णय गरियो ।

मुख्य सडकहरू :

- १) मनोहरा पुल (जडीवुटी) देखि कोटेश्वर-सुविधानगर-वानेश्वर-माईतीघर-त्रिपुरेश्वर-कलकी-थानकोट चेकपोस्ट-नागढुंगासम्मको सडक ।
- २) माईतीघर-सिंहदरवार-पुतलीसडक-कमलपोखरी-जय नेपाल हल-नागपोखरी-नक्साल-भाटभटेनी-प्रहरी तालिम केन्द्रसम्मको सडक ।
- ३) त्रिपुरेश्वर-सुन्धारा-न्यूरोडगेट-विशालवजार (इनद्रचोक)-न्यूरोड गेट-वीर अस्पताल-जमल-लैनचौर- लाजिम्पाट-टीचिङ्ग अस्पताल-महाराजगंज चोक-बूढानीलकण्ठसम्मको सडक ।
- ४) चक्रपथ पुरै ।
- ५) शंखमूल पुल -नयाँवानेश्वर-पुरानो वानेश्वर-गौशाला चोकसम्मको सडक ।
- ६) सिनामंगल पुरानो वानेश्वर चोक-मैतीदेवी-हिल्लीवजार-वागवजार हुँदै रत्नपार्कसम्मको सडक ।
- ७) गौशाला चोक - ज्ञानेश्वर - कमलपोखरी-एकेडेमी भवन-तीनधारा पाठशाला-महेन्द्र शालिकसम्मको सडक ।
- ८) चावहिल चोक -वौढ - जोरपाटी साँखु बसपार्क सम्मको सडक ।
- ९) लैनचौर - नयाँवजार- बालाजु चोक - बालाजु वार्डपास- काठमाडौँ र नुवाकोटको सिमानासम्मको सडक ।
- १०) कालिमाटी चोक-कुलेश्वर-बल्खुचोक-फर्पिङ्ग दक्षिणकालीको पार्किङ्गस्थलसम्मको सडक ।

Handwritten signatures and initials, including names like 'Aneta', 'Sushil', and 'Anuraj Samkar'.

प्रमुख जिल्ला अधिकारी



फलाम जन्य निर्माण सामग्री

नेपाल सं. परि
गृह मन्त्रालय
प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुर अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	99.00	100.00	94.00
	b) 10,12,16,20, mm dia	के.जी	98.00	99.00	90.00
	c) 25 mm dia	के.जी	99.00	100.00	94.00
	c) 28,32 mm dia	के.जी	99.00	100.00	94.00
2	विभिन्न साइजका TMT Bar (FE 500D)				
	a) 8 mm dia	के.जी			104.00
	b) 10,12,16,20, mm dia	के.जी			100.00
	c) 25 mm dia	के.जी			104.00
	c) 28,32 mm dia	के.जी			104.00
3	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	94.00	94.00	94.00
	b) 10-25mm TOR steel	के.जी	91.00	91.00	91.00
	c) 28-32mm TOR steel	के.जी	94.00	94.00	94.00
4	TOR kari-4.75, 7 mm dia	के.जी	101.00	101.00	96.00
5	Parallel thread rebars couplers				
	a) 16mm dia			104.00	95.00
	b) 20mm dia			210.00	180.00
	c) 25mm dia			298.00	250.00
	d) 28mm dia			380.00	300.00
	e) 32mm dia			480.00	380.00
	f) 36mm dia			640.00	512.00
	g) 40mm dia			875.00	700.00
6	Parallel threading of rebars with one thread cap				
	a) 16mm dia			27.00	27.00
	b) 20mm dia			40.00	40.00
	c) 25mm dia			74.00	74.00
	d) 28mm dia			90.00	90.00
	e) 32mm dia			99.00	99.00
	f) 36mm dia			165.00	165.00
	g) 40mm dia			180.00	180.00
7	डण्डी बाँधेतार	के.जी	106.00	106.00	120.00
8	एम.एस.सोलिड स्वायर रड	के.जी	80.00	80.00	80.00
9	विभिन्न साइजको एम.एस. एङ्गल	के.जी	93.00	93.00	93.00
10	विभिन्न साइजको व्याक पाईप	के.जी	93.00	93.00	93.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
जिल्ला अधिकारी

फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
11	विभिन्न साइजको एम.एस. च्यानल	के.जी	96.00	96.00	96.00
12	विभिन्न साइजको आइ.विम	के.जी	94.00	94.00	94.00
13	विभिन्न साइजको एम.एस. प्लेट	के.जी	161.00	161.00	161.00
14	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	161.00	161.00	161.00
15	G.I. Wire				
	i) Heavy Zinc coated				
	8 gauge	के.जी	129.00	129.00	129.00
	10 gauge	के.जी	129.00	129.00	129.00
	12 gauge	के.जी	129.00	129.00	129.00
	ii) Medium zinc Coated				
	8 gauge	के.जी	124.00	124.00	124.00
	10 gauge	के.जी	124.00	124.00	124.00
	12 gauge	के.जी	124.00	124.00	124.00
	iii) Light Zinc Coated/Commercial				
	8 gauge	के.जी	117.00	117.00	117.00
	10 gauge	के.जी	117.00	117.00	117.00
	12 gauge	के.जी	117.00	117.00	117.00
16	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	286.00	286.00	273.00
17	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	347.00	347.00	332.00
18	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन वाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	566.00	566.00	542.00
19	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	374.00	374.00	358.00
20	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.	336.00	336.00	322.00
21	Barbed Wire (काँडितार)				
	12 guage commercial, Medium duty	के.जी	115.00	115.00	115.00




फलाम जन्य निर्माण सामग्री

नेपाल
गृह मन्त्रालय
प्रणामन कार्यालय



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुरमु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	U-hook for barbed wire fencing	गोटा	0.89	0.89	0.89
22	Fabrication of chain link mesh of size				
	1"x1" 12 guage	बर्ग मी.	827.00	827.00	827.00
	1.5"x1.5" 12 guage	बर्ग मी.	774.00	774.00	774.00
	2"x2" 10 guage	बर्ग मी.	613.00	613.00	613.00
	3"x3" 10 guage	बर्ग मी.	501.00	501.00	501.00
	4"x4" 10 guage	बर्ग मी.	399.00	399.00	399.00
23	विभिन्न प्रकारको जालीहरु				
	मसिनो खालको Mosquito proof जाली	व.मि.	137.00	137.00	137.00
	बालुवा चाल्ने जाली	व.मि.	143.00	143.00	143.00
	कुखुरे जाली (Chicken wire mesh)	व.मि.	86.00	86.00	86.00
	ब्रास क्रसिङ्ग जाली	व.मि.	224.00	224.00	224.00
	स्टील जाली (crossing)	व.मि.	180.00	180.00	180.00
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	312.00	312.00	312.00
	फलामबाट निर्मित सामानहरु				
24	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	154.00	154.00	154.00
25	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	141.00	141.00	141.00
26	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	594.00	594.00	594.00
27	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	415.00	415.00	415.00
28	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	व.फि.	332.00	332.00	332.00
29	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	594.00	594.00	594.00
30	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	व.फि.	772.00	772.00	772.00
31	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3414.00	3414.00	3414.00
32	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	148.00	148.00	148.00
33	विभिन्न साइजको किला काटी	के.जी.	132.00	132.00	132.00
34	विभिन्न साइजको नट बोल्ट	के.जी.	195.00	195.00	195.00
35	फलामे सामग्रीको फेब्रिबेशन तथा जडान कार्य	के.जी.	52.00	52.00	52.00
36	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	166.00	166.00	166.00
37	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	2304.00	2304.00	2304.00
38	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	229.00	229.00	229.00

फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	१" व्यास भएको १६ गेज मोटाई	मीटर	288.00	288.00	288.00
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	367.00	367.00	367.00
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	446.00	446.00	446.00
	२" व्यास भएको १६ गेज मोटाई	मीटर	602.00	602.00	602.00
39	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with variable thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete	के.जी.	470.00	470.00	470.00





पशुशिक्षण जिल्ला अधिकारी

सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Bitumen				
	VG-10	के.जी	115.00	115.00	105.00
	VG-30	के.जी	116.00	119.00	108.30
2	CRMB-DIGO 55 Bitumen	के.जी	89.00	89.00	89.00
3	Cationic Bitumen Emulsion				
	छिटो जम्ने (RS 60%)	के.जी	84.00	86.50	86.50
	छिटो जम्ने (RS 65%)	के.जी	89.00	91.60	91.60
	छिटो जम्ने (RS 70%)	के.जी	94.00	96.80	96.80
	मध्यम जम्ने (MS 60%)	के.जी	85.00	87.50	87.50
	मध्यम जम्ने (MS 65%)	के.जी	89.00	91.60	91.60
	ढीलो जम्ने (SS60%)	के.जी	86.00	88.50	88.50
4	Slurry Seal with 60% bitumen	के.जी	93.00	95.70	95.70
5	Hi - seal Redymix	के.जी	112.00	112.00	112.00
6	Polymer Bitumen	के.जी	125.00	125.00	125.00
7	सडक कालोपत्रे गर्दा विटुमीन नउफ्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	370.00	370.00	370.00
8	कालोपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामग्री	के.जी	35.00	35.00	35.00
9	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामग्री				
	a) B.S. Grade	के.जि	198.00	198.00	198.00
	b) Most Grade	के.जी	219.00	219.00	219.00
	c) Glass beads	के.जी	180.00	180.00	180.00
10	Elastomeric Bearing Pad				
	Free Type	गोटा	24031.00	24031.28	24031.28
	Fix end Dowel Type	गोटा	50993.00	50993.00	50993.00
11	Expansion Joint Works				
	Single strip seal	र. मि.	10036.00	10132.00	10132.00
	Slab seal (320*50)	र. मि.	19999.00	19999.00	19999.00
12	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	178500.00	178500.00	178500.00
13	मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	178500.00	178500.00	178500.00
14	High density polyethene geo-membrane				
	1.00 mm thickness	व.मि.	684.00	684.00	684.00
	2.00 mm thickness	व.मि.	1364.00	1364.00	1364.00

सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
15	Needle punched non woven geo-textile				
	weight-120gm/sqm	व.मि.	77.00	77.00	77.00
	weight-150gm/sqm	व.मि.	86.00	86.00	86.00
	weight-200gm/sqm	व.मि.	126.00	126.00	126.00
16	Tendon sheath	मी.	388.00	388.00	388.00
17	Tendon wire	टन	151796.00	151796.00	151796.00
18	Ancorage block with cap	गोटा	10348.00	10447.00	10447.00
19	Road divider (polythene)	गोटा	1732.00	1732.00	1732.00
20	Dust bin (polythene) 165 ltr	गोटा	3291.00	3291.00	3291.00
21	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	193800.00	193800.00	193800.00
22	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	6240.00	6240.00	6240.00
23	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	10920.00	10920.00	10920.00
24	Geogrids	ब. मि.	140.00	140.00	140.00
	फोल्डे पुल सम्बन्धि				
1	Φ 13 mm thimble	गोटा	79.00	79.00	79.00
2	Φ 26 mm thimble	गोटा	401.00	401.00	401.00
3	Φ 32 mm thimble	गोटा	687.00	687.00	687.00
4	Φ 36 mm thimble	गोटा	1373.00	1373.00	1373.00
5	Φ 40 mm thimble	गोटा	1716.00	1716.00	1716.00
6	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	457.00	457.00	457.00
7	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	7223.00	7223.00	7223.00
8	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	312.00	312.00	312.00
9	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	410.00	410.00	410.00
10	High tensile friction grip nut bolts	के.जी.	377.00	377.00	377.00
11	Hot deep galvinazation	के.जी.	51.00	51.00	51.00
12	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) 3D; , Approx. Wt. 3.0 kg/m2	ब. मि.	3898.00	3898.00	3898.00
13	Binding loops stainless steel , appprox wt 6.0 Kg/Bundle	प्रति बण्डल	22900.00	22900.00	22900.00



स्थानीय निर्माण सामग्रीहरू प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुर मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	मेशिनबाट उत्पादित ईटा (१-नं.)	प्रति हजार	16508.00	16508.00	16508.00
2	चिम्नी भट्टाको ईटा	प्रति हजार	15429.00	15429.00	15145.00
3	तराई को १ नं.ईटा	प्रति हजार	17500.00	17500.00	17400.00
4	टुक्रा ईटा	घ.मि.	2625.00	2625.00	2625.00
5	सिमेन्टको ईटा				
	BK108N	प्रति हजार	15450.00	15450.00	15450.00
	BK118As	प्रति हजार	16274.00	16274.00	16274.00
	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2*8*4"	गोटा	137.00	137.00	137.00
	Size 2*8*6"	गोटा	205.00	205.00	205.00
	Size 2*8*8"	गोटा	276.00	276.00	276.00
	ECO BRICK (Sada)	गोटा	19.00	19.00	19.00
	ECO BRICK (Colour)	गोटा	21.00	21.00	21.00
6	खानीको ढुंगा	घ.फि	77.00	77.00	73.00
7	विभिन्न प्रकारको खानीको बालुवा	घ.फि	88.00	88.00	90.00
8	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि	घ.फि	85.00	85.00	90.00
9	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि	घ.फि.	90.00	90.00	95.00
10	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि	घ.फि.	84.00	84.00	90.00
11	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि	घ.फि.	81.00	81.00	84.00
12	Crusher run sub-base material (63mm down	घ.फि.	67.00	67.00	70.00
13	40 mm down crushed Base material (Wet)	घ.फि.	78.00	78.00	82.00
14	छानामा छाउने क्ले टायलहरू				
	मेशिनबाट उत्पादित टायल	गोटा	19.00	19.00	19.00
	चिम्नी भट्टाको टायल	गोटा	17.00	17.00	17.00
	मेशिनबाट उत्पादित धुरी	गोटा	34.00	34.00	34.00
	चिम्नी भट्टाको धुरी	गोटा	28.00	28.00	28.00
15	भुईमा/ कौसीमा छाप्ने क्ले टायलहरू				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	10.00	10.00	10.00
	चिम्नी भट्टाको क्ले टायल	गोटा	9.00	9.00	9.00
16	छाप्ने ढुङ्गा (Flag stone)				
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	82.00	82.00	82.00
	१ १/२" सम्म बाक्लो " "	व.फि	94.00	94.00	94.00
	2 सम्म बाक्लो ढुङ्गा " "	व.फि	111.00	111.00	111.00
	2.5 सम्म बाक्लो ढुङ्गा " "	व.फि	119.00	119.00	119.00
	2.5" - ३" सम्म बाक्लो ढुङ्गा " "	व.फि	148.00	148.00	148.00
17	खोलाको बोल्डर कोवल १०० मि.मि. सम्म	घ.फि.	113.00	113.00	113.00

Page 10

जिल्ला अधिकारी



स्थानीय निर्माण सामग्रीहरूको

नेपाल सरकार
गृह मन्त्रालय
प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुर अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
18	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे वेसि खानी बाहेकको)	घ.फि.	61.00	61.00	61.00
19	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	70.00	70.00	70.00
20	भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	”	48.00	48.00	48.00
21	ढुगांको धुलो (Stone dust)	घ.फि.	35.00	35.00	35.00
22	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	318.00	318.00	318.00
23	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	550.00	550.00	550.00
24	भुस	के.जि.	5.00	5.00	5.00
25	गोबर	के.जि.	5.00	5.00	5.00
26	निर्माण कार्यको लागि पानी				
	३ कि.मी. सम्म को दुरीमा	लिटर	0.28	0.28	0.28
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.33	0.33	0.33
27	५०० गेज प्लाष्टिक सिट	ब.मी.	33.00	33.00	33.00
28	Plastic felt (२०मी. × १मी.)	रोल	2541.00	2541.00	2541.00
29	१८-२० फिट लामो बाँस	गोटा	240.00	240.00	240.00
32	Compressed Stabilized Earthen Block (CSEB)				
	230x110x60 mm	गोटा			14.00

प्रमुख जिल्ला अधिकारी




प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/०८०	आ.व. २०८०/०८१	आ.व. २०८१/०८२
1	NP-2 Class Pipes(Plain)				
	150 mm dia.	र.मि	570.00	570.00	570.00
	200 mm dia.	र.मि	740.00	740.00	740.00
	250 mm dia.	र.मि	925.00	925.00	925.00
	300 mm dia.	र.मि	1260.00	1260.00	1260.00
	350 mm dia.	र.मि	1325.00	1325.00	1325.00
	375 mm dia.	र.मि	1520.00	1520.00	1520.00
	400 mm dia.	र.मि	1750.00	1750.00	1750.00
	450 mm dia.	र.मि	1852.00	1852.00	1852.00
	500 mm dia.	र.मि	2080.00	2080.00	2080.00
	600 mm dia.	र.मि	2740.00	2740.00	2740.00
	700 mm dia.	र.मि	3575.00	3575.00	3575.00
	750 mm dia.	र.मि	3870.00	3870.00	3870.00
	800 mm dia.	र.मि	4320.00	4320.00	4320.00
	900 mm dia.	र.मि	5835.00	5835.00	5835.00
	1000 mm dia.	र.मि	6805.00	6805.00	6805.00
	1200 mm dia.	र.मि	8301.00	8301.00	8301.00
	1500 mm dia.	र.मि	17450.00	17450.00	17450.00
2	NP-3 Class Pipes(Plain)				
	150 mm dia.	र.मि	1310.00	1310.00	1310.00
	200 mm dia.	र.मि	1745.00	1745.00	1745.00
	250 mm dia.	र.मि	2185.00	2185.00	2185.00
	300 mm dia.	र.मि	3140.00	3140.00	3140.00
	350 mm dia.	र.मि	3520.00	3520.00	3520.00
	375 mm dia.	र.मि	3760.00	3760.00	3760.00
	400 mm dia.	र.मि	4010.00	4010.00	4010.00
	450 mm dia.	र.मि	4500.00	4500.00	4500.00
	500 mm dia.	र.मि	5020.00	5020.00	5020.00
	600 mm dia.	र.मि	6200.00	6200.00	6200.00
	700 mm dia.	र.मि	7485.00	7485.00	7485.00
	750 mm dia.	र.मि	8600.00	8600.00	8600.00
	800 mm dia.	र.मि	9385.00	9385.00	9385.00
	900 mm dia.	र.मि	12172.00	12172.00	12172.00
	1000 mm dia.	र.मि	13525.00	13525.00	13525.00
	1200 mm dia.	र.मि	16100.00	16100.00	16100.00
	1500 mm dia.	र.मि	25300.00	25300.00	25300.00
3	NP-2 RCC Collar				
	150 mm dia	गोटा	145.00	145.00	145.00
	200 mm dia	गोटा	193.00	193.00	193.00



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/०८०	आ.व. २०८०/०८१	ललितपुर आ.व. २०८१/०८२
	250 mm dia	गोटा	239.00	239.00	239.00
	300 mm dia	गोटा	324.00	324.00	324.00
	350 mm dia	गोटा	357.00	357.00	357.00
	375 mm dia	गोटा	392.00	392.00	392.00
	400 mm dia	गोटा	451.00	451.00	451.00
	450 mm dia	गोटा	476.00	476.00	476.00
	500 mm dia	गोटा	535.00	535.00	535.00
	600 mm dia	गोटा	706.00	706.00	706.00
	700 mm dia	गोटा	920.00	920.00	920.00
	750 mm dia	गोटा	995.00	995.00	995.00
	800 mm dia	गोटा	1110.00	1110.00	1110.00
	900 mm dia	गोटा	1500.00	1500.00	1500.00
	1000 mm dia	गोटा	1752.00	1752.00	1752.00
	1200 mm dia	गोटा	2137.00	2137.00	2137.00
	1500 mm dia	गोटा	4492.00	4492.00	4492.00
4	NP-3 Class Collars				
	150 mm dia.	गोटा	327.00	327.00	327.00
	200 mm dia.	गोटा	436.00	436.00	436.00
	250 mm dia.	गोटा	544.00	544.00	544.00
	300 mm dia.	गोटा	783.00	783.00	783.00
	350 mm dia.	गोटा	879.00	879.00	879.00
	375 mm dia.	गोटा	940.00	940.00	940.00
	400 mm dia.	गोटा	1000.00	1000.00	1000.00
	450 mm dia.	गोटा	1125.00	1125.00	1125.00
	500 mm dia.	गोटा	1255.00	1255.00	1255.00
	600 mm dia.	गोटा	1550.00	1550.00	1550.00
	700 mm dia.	गोटा	1871.00	1871.00	1871.00
	750 mm dia.	गोटा	2150.00	2150.00	2150.00
	800 mm dia.	गोटा	2344.00	2344.00	2344.00
	900 mm dia.	गोटा	3042.00	3042.00	3042.00
	1000 mm dia.	गोटा	3382.00	3382.00	3382.00
	1200 mm dia.	गोटा	4024.00	4024.00	4024.00
	1500 mm dia.	गोटा	6324.00	6324.00	6324.00
5	NP-3 Pipes Socket and Spigot				
	150 mm dia.	र.मि	1480.00	1480.00	1480.00
	200 mm dia.	र.मि	2010.00	2010.00	2010.00
	250 mm dia.	र.मि	2510.00	2510.00	2510.00
	300 mm dia.	र.मि	3605.00	3605.00	3605.00
	400 mm dia.	र.मि	4610.00	4610.00	4610.00
	450 mm dia.	र.मि	5180.00	5180.00	5180.00
	500 mm dia.	र.मि	5770.00	5770.00	5770.00



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/०८०	आ.व. २०८०/०८१	आ.व. २०८१/०८२
	600 mm dia.	र.मि	7130.00	7130.00	7130.00
	700 mm dia.	र.मि	8610.00	8610.00	8610.00
	800 mm dia.	र.मि	10790.00	10790.00	10790.00
	900 mm dia.	र.मि	14000.00	14000.00	14000.00
	1000 mm dia.	र.मि	14814.00	14814.00	14814.00
	1200 mm dia.	र.मि	18600.00	18600.00	18600.00
	1400 mm dia.	र.मि	25750.00	25750.00	25750.00
	1600 mm dia.	र.मि	32600.00	32600.00	32600.00
	1800 mm dia.	र.मि	43600.00	43600.00	43600.00

प्रमुख जिल्ला अधिकारी

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	700.00	700.00	
	53 grade				600.00
	43 grade				585.00
2	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	600.00	600.00	500.00
3	सेतो सिमेन्ट (40kg/bag)	ब्याग	1230.00	1230.00	1230.00
4	Ready Made dry mortar (40kg/bag)	ब्याग	1200.00	1200.00	1200.00
5	सिमेन्ट लोड र अनलोड	ब्याग	11.55	11.55	11.55
6	Ready Mix Concrete (चक्रपथबाट ३ कि.मि. बाहिर सम्म)				
	M 10 Grade	घ. मि	13650.00	13650.00	11600.00
	M 15 Grade	घ. मि	14700.00	14700.00	12388.50
	M 20 Grade	घ. मि	15225.00	15225.00	13392.45
	M 25 Grade	घ. मि	16275.00	16275.00	14393.00
	M 30 Grade	घ. मि	17115.00	17115.00	17000.00
	M 35 Grade	घ. मि	18382.00	18382.00	17460.00
	M 40 Grade	घ. मि	19950.00	19950.00	18989.00
	Ready Mix- Concrete Premix M45 -KTM	घ. मि	21450.00	21450.00	21000.00
6	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	1260.00	1260.00	1260.00
7	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	1102.00	1102.00	1102.00
8	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेसा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	1016.00	1016.00	1016.00
9	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	52.00	52.00	52.00
	३.५ मी.मी.	व.फि.	59.00	59.00	59.00
	४ मी.मी.	व.फि.	69.00	69.00	69.00
	५ मी.मी.	व.फि.	79.00	79.00	79.00
	६ मी.मी.	व.फि.	106.00	106.00	106.00
	८ मी.मी.	व.फि.	159.00	159.00	159.00
	१० मी.मी.	व.फि.	202.00	202.00	202.00
	१२ मी.मी.	व.फि.	234.00	234.00	234.00
10	बुट्टेदार सिसा				
	३.मी.मी.	व.फि.	51.00	51.00	51.00
	४ मी.मी.	व.फि.	60.00	60.00	60.00
11	पोलि फाईबर ग्लास				
	६ मी.मी.	व.फि.	164.00	164.00	164.00

भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
12	कालो रङ्गको सिसा				
	३.मी.मी.	व.फि.	102.00	102.00	102.00
	४ मी.मी.	व.फि.	109.00	109.00	109.00
	५ मी.मी.	व.फि.	127.00	127.00	127.00
	६ मी.मी.	व.फि.	184.00	184.00	184.00
	८ मी.मी.	व.फि.	264.00	264.00	264.00
	१० मी.मी.	व.फि.	373.00	373.00	373.00
	१२ मी.मी.	व.फि.	426.00	426.00	426.00
13	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	123.00	123.00	123.00
14	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	6510.00	6510.00	6510.00
15	विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मी मोटो	व.फि.	196.00	196.00	196.00
16	Readymade Plaster of Parish cornice and molding				
	POP Molding 1" to 1½"	र.मि	253.00	253.00	253.00
	Up to 5" wide	र.मि	303.00	303.00	303.00
	Up to 8" wide	र.मि	419.00	419.00	419.00
	Above 8" wide	र.मि	171.00	171.00	171.00
17	Plaster of paris	कि.ग्रा.	24.00	24.00	24.00
18	Wall putty-Normal	कि.ग्रा.	37.00	37.00	37.00
19	Wall putty-water proof	कि.ग्रा.	63.00	63.00	63.00
20	राजस्थानी मार्बल				
	१३ मी.मी बाक्लो राजस्थानी	ब.फि.	179.00	179.00	179.00
	१६ मी.मी बाक्लो राजस्थानी	ब.फि.	196.00	196.00	196.00
21	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	ब.फि.	279.00	279.00	279.00
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	366.00	366.00	366.00
	१८ मी.मी बाक्लो ग्रेनाइट	ब.फि.	421.00	421.00	421.00
22	कोटा स्टोन				
	1" thick	ब.फि.	159.00	159.00	159.00
	3/4" thick	ब.फि.	146.00	146.00	146.00
23	Porcelain Glazed Tiles (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	ब.फि.	134.00	134.00	134.00
	floor tile	ब.फि.	90.00	90.00	90.00
	Ordinary Floor and Wall tiles	ब.फि.	57.00	57.00	57.00
	Border Tile - 2"x8"	र.फि.	45.00	45.00	45.00



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Ceramic Wall Tile (31*45cm)	व.फि.	191.00	191.00	191.00
	Ceramic Floor Tile (31*45cm)	व.फि.	155.00	155.00	155.00
	24" x 24" GVT	व.फि.	155.00	155.00	155.00
	24" x 24" GRES Vitrified (Digital Floor)	व.फि.	153.00	153.00	153.00
	12" x 12" GRES homogenous Vitrified parking Tile	व.फि.	106.00	106.00	106.00
	24" x 24" Vitrified	व.फि.	118.00	118.00	118.00
	Floor tiles-				
	16"X16"	व.फि.	104.00	104.00	103.00
	12"x12"	व.फि.	93.00	93.00	92.00
	12'X12" (White / Ivory)	व.फि.	82.00	82.00	81.00
	24"x24" (Digital)	व.फि.	129.00	129.00	127.00
	12"x24" (Walls)	व.फि.	137.00	137.00	135.00
	12"x18"(wall)	व.फि.	109.00	109.00	107.00
	Artificial Granite (800mmx2600mm)	व.फि.	479.00	479.00	479.00
	GVT Floor Tile (900mm x 1800mm)	व.फि.	373.00	373.00	373.00
	Double Charge Floor tile (800mmx800mm)	व.फि.	159.00	159.00	158.00
	Double Charge Floor tile (600mmx600mm)	व.फि.	127.00	127.00	127.00
	GVT Floor Tile (800mm x 1600mm)	व.फि.	213.00	213.00	213.00
	10"x24" (Walls)	व.फि.	133.00	133.00	133.00
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.	238.00	238.00	237.00
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.	170.00	170.00	170.00
	Planks Tile-GVT (200mm x 1200mm)	व.फि.	235.00	235.00	233.00
	Planks tile-Ceramic (148mm x 600mm)	व.फि.	161.00	161.00	158.00
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.	121.00	121.00	120.00
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.	121.00	121.00	120.00
	Ceramic Floor-(600mm x 600 mm)	व.फि.	139.00	139.00	115.00
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.	121.00	121.00	120.00
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.	142.00	142.00	140.00
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm)	व.फि.	155.00	155.00	153.00
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.	198.00	198.00	197.00
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.	167.00	167.00	167.00
	DCH Floor Tile(Double Charge) (600mm x 1200mm)	व.फि.	180.00	180.00	178.00
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.	149.00	149.00	147.00
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.	158.00	158.00	157.00


Page 17

अधिकारी



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Vitrified Floor-Matte (600mm x 600mm)	व.फि.	149.00	149.00	148.00
24	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	664.00	664.00	664.00
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	79.00	79.00	79.00
25	Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि	92.00	92.00	92.00
	Heritage flakes	व.फि	114.00	114.00	114.00
	Heritage granite finish	व.फि	92.00	92.00	92.00
	Heritage Top coat (plastic lamination)	व.फि	23.00	23.00	23.00
	Plastic Sheet 500 guage	व.मि	40.00	40.00	40.00
	Plastic Tripal 500 guage	व.मि	43.00	43.00	43.00
28.0	Sandwich/EPS Non burn Panel				
28.1	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि	216.00	216.00	216.00
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि	252.00	252.00	252.00
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि	288.00	288.00	288.00
28.2	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि	240.00	240.00	240.00
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि	276.00	276.00	276.00
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि	312.00	312.00	312.00
28.3	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि	300.00	300.00	300.00
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि	336.00	336.00	336.00
28.4	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	288.00	288.00	288.00
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	324.00	324.00	324.00
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	360.00	360.00	360.00
28.5	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	252.00	252.00	252.00
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	288.00	288.00	288.00
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	324.00	324.00	324.00
28.6	Steel Door (900*2100) 80 T	गोटा	15274.34	15274.34	15274.34
	Steel Door (1000*2100) 80 T	गोटा	16159.29	16159.29	16159.29
28.7	ABS Door (900*2100) 80 T	गोटा	13504.42	13504.42	13504.42
28.8	Panel Door (900*2100) 80 T	गोटा	11734.51	11734.51	11734.51
28.9	Window (115mm)	व.फि	766.02	766.02	766.02
	Steel door				



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8~0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि	1100.00	1100.00	1100.00
	Providing and fitting 60 Minute Fire-Rated Steel Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि		2525.00	2525.00
	Providing and fitting 60 Minute Fire-Rated Steel Emergency Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि		3400.00	3400.00
	Providing and fitting Lead Line Radiation Proof Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI sheet and 2mm lead sheet frame inside its section, 2 mm lead sheet pasted inside the door leaf.	व.फि		6700.00	6700.00
	Panel door				
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	व.फि	720.00	720.00	720.00
	UPVC Window				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि	888.00	888.00	888.00
	CLADDING				
1	MCM Brick Cladding	व.फि	405.00	405.00	405.00
2	MCM Slate Stone Cladding	व.फि	479.00	479.00	479.00
3	MCM Oasis Stone Cladding	व.फि	522.00	522.00	522.00
4	MCM Wood Cladding	व.फि	597.00	597.00	597.00
5	MCM Travertine Stone Cladding	व.फि	735.00	735.00	735.00
	Laminates				
1	Liner 0.7mm	per sheet (8'X4')	1119.00	1119.00	1119.00
2	0.8 mm SUD		1599.00	1599.00	1599.00
3	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8 mm		1812.00	1812.00	1812.00
4	PGL 0.8 mm		1812.00	1812.00	1812.00
5	Marker Grade MGD 0.8 mm		1919.00	1919.00	1919.00
6	SUD 0.8 mm		1599.00	1599.00	1599.00
7	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm		1812.00	1812.00	1812.00
8	gloss PRG 0.8 mm		1812.00	1812.00	1812.00
9	marker grade MGD 0.8 mm		1919.00	1919.00	1919.00
10	metal ZRL 0.8 mm		5864.00	5864.00	5864.00
11	Plain 1mm		2665.00	2665.00	2665.00
12	Texture 1mm		3198.00	3198.00	3198.00
13	SUD 1mm		2772.00	2772.00	2772.00



Page 19



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
14	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM		3731.00	3731.00	3731.00
15	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm		4264.00	4264.00	4264.00
16	HDG 1mm		4797.00	4797.00	4797.00
17	Unicore 1mm		7996.00	7996.00	7996.00
18	Metal 1mm		7996.00	7996.00	7996.00
19	EXTERIOR FAÇADE				
	Clads Solids 6mm	sq.ft	693.00	693.00	693.00
	Clads Wood Grains 6mm	sq.ft.	772.00	772.00	772.00
20	Ceramic, glazed & glossy bathroom wall tiles size of 30X60 cm of 9mm thickness	व.फि		105.00	105.00
21	Porcelain, unglazed, matte & unpolished bathroom floor tiles sizes of 30X30 cm of 8mm thickness	व.फि		80.00	80.00
22	Ceramic, glazed, matte, glossy kitchen wall tile size of 30X45cm of 9mm thickness	व.फि		80.00	80.00
23	Porcelain unglazed & unpolished kitchen floor tile size of 60X60 cm of 10mm thickness	व.फि		105.00	105.00
24	Porcelain unglazed & unpolished Indoor Floor Area/Corridor Tile sizes of 60X60 cm of 10mm thickness	व.फि		105.00	105.00
25	Vitrified body unglazed, matt outdoor floor area tile sizes of 60X60 cm of 10mm thickness	व.फि		135.00	135.00
26	Vitrified body unglazed, matt Terrace/Balcony Tile sizes of 40X40 cm of 10 mm thickness	व.फि		135.00	135.00
27	Vitrified body unglazed Parking tile sizes of 30X30 cm of thickness 10 mm thickness	व.फि		125.00	125.00
28	Vitrified body unglazed facade tile size of 30X60 cm of thickness 10 mm thickness	व.फि		160.00	160.00
29	Ceramic matte facade tile size of 30X45 cm of thickness of 9 mm thickness	व.फि		110.00	110.00
30	Vitrified body unglazed matt tile of size 60X120 cm of 10 mm thickness	व.फि		175.00	175.00
31	Vitrified body unglazed matt tile of size 60X60 cm of 10 mm thickness	व.फि		135.00	135.00

प्रमुख जिल्ला अधिकारी



Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
102 SERIES WINDOWS					
1	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	689.00	689.00	689.00
2	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	759.00	759.00	759.00
3	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	877.00	877.00	877.00
4	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	966.00	966.00	966.00
5	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed seprately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr	15666.00	15666.00	15666.00
90 SERIES WINDOWS					



Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87x56x1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	550.00	550.00	550.00
2	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	634.00	634.00	634.00
3	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x65x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	599.00	599.00	599.00
4	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	690.00	690.00	690.00
5	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	456.00	456.00	456.00
6	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12x1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	524.00	524.00	524.00
7	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	200.00	200.00	200.00
102 SERIES PARTITION					
1	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	553.00	553.00	553.00
2	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102x45x1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	600.00	600.00	600.00
64 SERIES PARTITION					
1	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	415.00	415.00	415.00
2	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	509.00	509.00	509.00


(Handwritten signatures and marks)

(Handwritten signatures and marks)
पुस्तक जिल्ला अधिकारी



Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
ACOUSTIC PARTITION					
	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.	46800.00	46800.00	46800.00
STRUCTURAL GLAZING					
1	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	584.00	584.00	584.00
2	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	678.00	678.00	678.00
3	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	824.00	824.00	824.00
GLASS DOOR & PARTITION					
1	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	1321.00	1321.00	1321.00
2	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	871.00	871.00	871.00
3	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	1421.00	1421.00	1421.00
Aluminium Composite Panel (ACP).					
1	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	355.00	355.00	355.00
2	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	476.00	476.00	476.00
FABRIC LINED ACOUSTIC PANEL					
1	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m	26000.00	26000.00	26000.00
ALUMINIUM DOOR & WINDOW					



Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	<p>Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns), available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares, weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m³/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.</p>	Sq Mtr	16900.00	16900.00	16900.00
2	<p>EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite</p>	Sq.m	102000.00	102000.00	102000.00
3	Steel Door & Windows				
	Steel Door (a set with frame)				
	900x2100	set	21840.00	21840.00	21840.00
	1000x2100	set	22880.00	22880.00	22880.00
	ABS Door				
	900x2100	set	18720.00	18720.00	18720.00
	Panel Door				
	900x2100	set	14560.00	14560.00	14560.00
	Window				
	115mm	set	932.00	932.00	932.00



नेपाल सरकार
मूठ मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

काठ तथा प्लाइउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	६' सम्मको सालकाठ	घ. फि	5880.00	5880.00	5880.00
2	६' देखि ८' सम्मको सालकाठ	घ. फि	6090.00	6090.00	6090.00
3	८' देखि १२' सम्मको सालकाठ	घ. फि	6562.00	6562.00	6562.00
4	१२ फिट देखि माथिको साल काठ	घ. फि	6930.00	6930.00	6930.00
5	साज काठ	घ. फि	3517.00	3517.00	3517.00
6	जामुन काठ	घ. फि	2257.00	2257.00	2257.00
7	सल्लाको काठ	घ. फि	1627.00	1627.00	1627.00
8	सिसौ काठ	घ. फि	3675.00	3675.00	3675.00
9	जंगली सिसौ काठ ,,	घ. फि	5533.00	5533.00	5533.00
10	उतीस को काठ	घ. फि	668.00	668.00	668.00
11	काठ दाउरा	के.जी	19.00	19.00	19.00
12	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेट मेसिनमेड वाटरप्रुफ, बोरर फि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	253.00	253.00	253.00
	Ordinary-one side teak water proof	व.फि	301.00	301.00	301.00
	Both side teak water Proof	व.फि	350.00	350.00	350.00
	वाटर प्रुफ गरिएको				
	Plain	व.फि	264.00	264.00	264.00
	One side teak	व.फि	310.00	310.00	310.00
	Both side teak	व.फि	358.00	358.00	358.00
13	कुदिएको काठको काम तयारी				
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	1080.00	1080.00	1080.00
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	1323.00	1323.00	1323.00
	भन्याङ्को रेलिङ तथा बार्दली आदिमा कुदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	724.00	724.00	724.00
	भन्याङ्को रेलिङको घुम्ने ठाउँमा कुदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	2362.00	2362.00	2362.00
	देवी देवताको मुर्ति कुदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	13500.00	13500.00	13500.00
	देवी देवताको मुर्ति कुदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	22500.00	22500.00	22500.00
	विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	3150.00	3150.00	3150.00

(Handwritten signatures and marks)

(Handwritten signature)
जिल्ला अधिकांश



काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	7280.00	7280.00	7280.00
	सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	1350.00	1350.00	1350.00
	मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	1620.00	1620.00	1620.00
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	2398.00	2362.00	2362.00
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	1980.00	1980.00	1980.00
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	360.00	360.00	360.00
	कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	र.फि.	1620.00	1620.00	1620.00
	४"X ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	1710.00	1710.00	1710.00
14	Wooden Parquet Flooring				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	220.00	220.00	220.00
15	विभिन्न मोटाईको प्लाइउडहरू				
	साधारण प्लाइउड				
	३ मी.मी	व.फि	36.00	36.00	36.00
	३.५ मी.मी.	व.फि	26.00	26.00	26.00
	४ मी.मी	व.फि	28.00	28.00	28.00
	६ मी.मी	व.फि	53.00	53.00	53.00
	८ मी.मी	व.फि	57.00	57.00	57.00
	१२ मी.मी	व.फि	80.00	80.00	80.00
	१९ मी.मी B/B	व.फि	112.00	112.00	112.00
	१८ मी.मी PLY	व.फि	115.00	115.00	115.00
16	वाटर प्रुफ प्लाइउड				
	४ मी.मी	व.फि	52.00	52.00	52.00
	६ मी.मी	व.फि	65.00	65.00	65.00
	८ मी.मी.	व.फि	67.00	67.00	67.00
	९ मी.मी.	व.फि	89.00	89.00	89.00
	१२ मी.मी	व.फि	99.00	99.00	99.00
	१५ मी.मी PLY	व.फि	113.00	113.00	113.00
	१८ मी.मी B/B	व.फि	139.00	139.00	139.00
17	Natural Teak Plywood				

Handwritten signatures and initials at the bottom left of the page.

Page 26
Handwritten signature and initials in the center of the page.

Handwritten signature and stamp at the bottom right of the page, including the text 'पत्रक जिल्ला अधिकारी' (District Officer).



काठ तथा प्लाइउड संबन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	३ मी. मी	व.फि	51.00	51.00	51.00
	४ मी. मी (Group Match of in 5 pcs)	व.फि	74.00	74.00	74.00
	४ मी. मी (Regular)	व.फि	64.00	64.00	64.00
	४ मी. मी (Crown)	व.फि	46.00	46.00	46.00
	४ मी. मी (Beri)	व.फि	52.00	52.00	52.00
	४ मी. मी (Whitest line)	व.फि	42.00	42.00	42.00
	४ मी. मी (Beach)	व.फि	49.00	49.00	49.00
	४ मी. मी (Recon 18 No.)	व.फि	39.00	39.00	39.00
18	सनमाईका तथा फरमाईका				
	सनमाईका (4' x 8')	व.फि	18.00	18.00	18.00
	फोरमाईका	व.फि	80.00	80.00	80.00
	हार्डवोर्ड (Hard board) 12 mm thick	व.फि	47.00	47.00	47.00
19	DECORATIVE (THICKER)				
	6 OST	व.फि	135.00	135.00	135.00
	6 BST	व.फि	172.00	172.00	172.00
	9 OST	व.फि	150.00	150.00	150.00
	9 BST	व.फि	186.00	186.00	186.00
	12 OST	व.फि	164.00	164.00	164.00
	12 BST	व.फि	201.00	201.00	201.00
	19 B/B OST	व.फि	177.00	177.00	177.00
	19 B/B BST	व.फि	215.00	215.00	215.00
	18 OST	व.फि	201.00	201.00	201.00
	18 BST	व.फि	238.00	238.00	238.00
20	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	187.00	187.00	187.00
	Readymade door shutter Recon, Special (1 side teak)	व.फि	255.00	255.00	255.00
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	214.00	214.00	214.00
	Readymade door shutter Recon, Special (1 side teak)	व.फि	288.00	288.00	288.00
21	काठको लिष्टि				
	1/2" wide	र.फि.	15.00	15.00	15.00
	3/4" wide	र.फि.	17.00	17.00	17.00
	1.5" wide	र.फि.	29.00	29.00	29.00
	Decorative	र.फि.	40.00	40.00	40.00
22	Infill Material				

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom center of the page.

Handwritten signature and initials at the bottom right of the page, along with a stamp that reads "जिल्ला अदालत" (District Court).



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर.

काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	409.00	409.00	409.00
	Frame U - Studs(0.55mm*0.75mm*3m)	गोटा	409.00	409.00	409.00
	Board 9 mm	गोटा	2400.00	2400.00	2400.00
	Fiber mess tape (for 90mm/roll)	गोटा	323.00	323.00	323.00
	PU sasuage rod	गोटा	1890.00	1890.00	1890.00
23	Parquet(sisam,saaj & Teak)				
	1"x3"x6mm thickness	व.फि	215.00	215.00	215.00
	1"x6"x8mm thickness	व.फि	323.00	323.00	323.00
	2"x10"x10mm thickness	व.फि	431.00	431.00	431.00
	3"x14"x12mm thickness	व.फि	588.00	588.00	588.00
	3"x18"x14mm thickness	व.फि	695.00	695.00	695.00
24	Tounge & Groove(T.G.)Flooring	व.फि			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि	749.00	749.00	749.00
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि	695.00	695.00	695.00
25	Wall panelling	व.फि			
	pine	व.फि	535.00	535.00	535.00
	saaj,Teak	व.फि	642.00	642.00	642.00
	Sisam	व.फि	749.00	749.00	749.00
	3"Skirting				
	pine	र.फि.	161.00	161.00	161.00
	saaj,Teak	र.फि.	215.00	215.00	215.00
	Sisam	र.फि.	323.00	323.00	323.00
	4"Skirting	र.फि.			
	pine	र.फि.	215.00	215.00	215.00
	saaj,Teak	र.फि.	269.00	269.00	269.00
	Sisam	र.फि.	377.00	377.00	377.00
	5"Skirting				
	pine	र.फि.	269.00	269.00	269.00
	saaj,Teak	र.फि.	323.00	323.00	323.00
	Sisam	र.फि.	431.00	431.00	431.00

प्रमुख जिल्ला अधिकारी



UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन		
			आ.व. २०७९/८०	आ.व. २०८०/८१	ललितपुर आ.व. २०८१/८२
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm.sash 60*78mm, Casement Door				
A	Single glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	7575.00	7575.00	7575.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	6997.00	6997.00	6997.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	7867.00	7867.00	7867.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	7867.00	7867.00	7867.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	8624.00	8624.00	8624.00
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	8744.00	8744.00	8744.00
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	9328.00	9328.00	9328.00
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	9328.00	9328.00	9328.00
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	9036.00	9036.00	9036.00
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	10490.00	10490.00	10490.00
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि	9057.00	9057.00	9057.00
11	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि	10285.00	10285.00	10285.00
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	10767.00	10767.00	10767.00
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	11145.00	11145.00	11145.00
13	UPVC60x60mm white colour swing door with 5mm glass pannel	व.मि	7063.00	7063.00	7063.00
B	Double glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	9906.00	9906.00	9906.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	9381.00	9381.00	9381.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	10203.00	10203.00	10203.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	10203.00	10203.00	10203.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	10856.00	10856.00	10856.00
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	10968.00	10968.00	10968.00
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	11547.00	11547.00	11547.00
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	11258.00	11258.00	11258.00
9	Supply & fixing of 80*50 mm white colour casement window	व.मि	10091.00	10091.00	10091.00


Handwritten signatures and notes at the bottom left of the page.


Handwritten signature and notes at the bottom center of the page.


Handwritten signature and notes at the bottom right of the page.


UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Supplying and installation of RoHS Complint, 100% lead free, 100% recyclable UPVC profile:sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass ,insect net,patented standard hard ware like :rollers,gaskets,brush,seal,moon locks,push locks,drining cover.etc.				
	Single glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm , whit colour with 5mm glass)	व.मि	14601.00	14601.00	14601.00
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि	14159.00	14159.00	14159.00
3	upvc top hung window (frame 60x60mm ,sash 60x78mm, white colour with 5mm glass)	व.मि	14867.00	14867.00	14867.00
4	upvc casement window (fream 60x60mm ,sash 60x78mm ,white colour with 5mm glass)	व.मि	14867.00	14867.00	14867.00
5	upvc single door with half pannel half glass (fream 60x60mm , sash 60x104mm ,white colour with 5mm glass)	व.मि	15044.00	15044.00	15044.00
6	upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour)	व.मि	15044.00	15044.00	15044.00
7	upvc double door (fream 60x60mm,sash 60x104mm ,white colour with 5mm glass)	व.मि	15486.00	15486.00	15486.00
8	upvc sliding door with net (fream 52x88mm,sash 88x42mm ,white coliuir with 5mm glass)	व.मि	15486.00	15486.00	15486.00
9	upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि	14159.00	14159.00	14159.00
10	upvc swing door with half glass half upvc pannel (fream 60x60mm)	व.मि	15929.00	15929.00	15929.00
11	upvc 88x60 mm sliding white colour window with 5mm glass pannel.	व.मि	15486.00	15486.00	15486.00
12	upvc 60x64mm white colour casement window with 5mm glass pannel.	व.मि	15929.00	15929.00	15929.00
13	upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour.	व.मि	16814.00	16814.00	16814.00
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि	17256.00	17256.00	17256.00
15	upvc 60x60mmx white colour swing door with 5mm glass pannel.	व.मि	14159.00	14159.00	14159.00
	Double glazing				
1	upvc sliding window with net (fream 50x80mm,sash 58x 36mm,white colour with 5mm double glass)	व.मि	15752.00	15752.00	15752.00
2	upvc sliding window without net (fream 60x60mm, sash 66x42mm ,white colour with 5mm double glass)	व.मि	15486.00	15486.00	15486.00
3	upvc tophung window (fream 60x60mm ,sash 60x78mm,ehite colour with 5mm double glass)	व.मि	15929.00	15929.00	15929.00
4	upvc casement window (fream 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि	15929.00	15929.00	15929.00
5	upvc single door with half pannel half glass (fream 60x60mm,sash 60x104mm ,white colour with 5mm double glass)	व.मि	17079.00	17079.00	17079.00
6	upvc double door (fream 60x60mm,sash60x78mm, white colour with 5mm double glass)	व.मि	17256.00	17256.00	17256.00
7	upvc sliding dooe with net (fream 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	17699.00	17699.00	17699.00
8	upvc sliding door without net (fream 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	17256.00	17256.00	17256.00
9	supply and fixing of 80x50mm white colour casement window	व.मि	15929.00	15929.00	15929.00


 आ. व. २०८१/८२ को दररेट


 Page 30


 प्रमुख/जिल्ला अधिकारी



छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	ग्याल्भनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	4781.00	4781.00	4781.00
	0.22 mm (30 guage Medium)	बण्डल	5239.00	5239.00	5239.00
	0.24 mm (30 guage Heavy)	बण्डल	5592.00	5592.00	5592.00
	0.26 mm (28 guage light)	बण्डल	5890.00	5890.00	5890.00
	0.28 mm (28 guage Medium)	बण्डल	6277.00	6277.00	6277.00
	0.31 mm (28 guage Heavy)	बण्डल	6860.00	6860.00	6860.00
	0.35 mm (26 guage light)	बण्डल	7603.00	7603.00	7603.00
	0.37 mm (26 guage Medium)	बण्डल	8097.00	8097.35	8097.35
	0.41 mm (26 guage Heavy)	बण्डल	8743.00	8743.00	8743.00
	0.45 mm (24 guage light)	बण्डल	9485.00	9485.00	9485.00
	0.50 mm (24 guage Medium)	बण्डल	10433.00	10433.00	10433.00
	0.52 mm (24 guage Heavy)	बण्डल	10798.00	10798.00	10798.00
	0.75 mm	बण्डल	15502.00	15502.00	15502.00
2	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	6246.00	6246.00	6151.00
	0.22 mm (30 guage Medium)	बण्डल	6680.00	6680.00	6578.00
	0.24 mm (30 guage Heavy)	बण्डल	7152.00	7152.00	7043.00
	0.26 mm (28 guage light)	बण्डल	7529.00	7529.00	7415.00
	0.28 mm (28 guage Medium)	बण्डल	7925.00	7925.00	7805.00
	0.31 mm (28 guage Heavy)	बण्डल	8510.00	8510.00	8381.00
	0.35 mm (26 guage light)	बण्डल	9416.00	9416.00	9273.00
	0.37 mm (26 guage Medium)	बण्डल	10077.00	10077.00	9923.00
	0.41 mm (26 guage Heavy)	बण्डल	10746.00	10746.00	10482.00
	0.45 mm (24 guage light)	बण्डल	11652.00	11652.00	11366.00
	0.50 mm (24 guage Medium)	बण्डल	12728.00	12728.00	12415.00
	0.52 mm (24 guage Heavy)	बण्डल	13200.00	13200.00	12875.00
	0.55 mm (24 guage Medium)	बण्डल	13822.00	13822.00	13483.00
	0.75 mm	बण्डल	18568.00	18568.00	18112.00
3	ग्याल्भानाईज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	4825.00	4825.00	4825.00
	0.22 mm (30 guage Medium)	बण्डल	5233.00	5233.00	5233.00
	0.24 mm (30 guage Heavy)	बण्डल	5623.00	5623.00	5623.00
	0.26 mm (28 guage light)	बण्डल	5950.00	5950.00	5950.00
	0.28 mm (28 guage Medium)	बण्डल	6295.00	6295.00	6295.00
	0.31 mm (28 guage Heavy)	बण्डल	6848.00	6848.00	6848.00
	0.35 mm (26 guage light)	बण्डल	7592.00	7592.00	7592.00

Page 31

 प्रमुख जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर


छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	0.37 mm (26 guage Medium)	बण्डल	8236.00	8236.00	8236.00
	0.41 mm (26 guage Heavy)	बण्डल	8780.00	8780.00	8780.00
	0.45 mm (24 guage light)	बण्डल	9596.00	9596.00	9596.00
	0.50 mm (24 guage Medium)	बण्डल	10603.00	10603.00	10603.00
	0.52 mm (24 guage Heavy)	बण्डल	10984.00	10984.00	10984.00
	0.75 mm	बण्डल	15801.00	15801.00	15801.00
4	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	1649.00	1649.00	1649.00
	0.22 mm base metal	बण्डल	1795.00	1795.00	1795.00
	0.24 mm base metal	बण्डल	1923.00	1923.00	1923.00
	0.26 mm base metal	बण्डल	2032.00	2032.00	2032.00
	0.28 mm base metal	बण्डल	2151.00	2151.00	2151.00
	0.31 mm base metal	बण्डल	2333.00	2333.00	2333.00
	0.35 mm base metal	बण्डल	2588.00	2588.00	2588.00
	0.38 mm base metal	बण्डल	2798.00	2798.00	2798.00
	0.41 mm base metal	बण्डल	2980.00	2980.00	2980.00
5	४ फिट X ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	3396.00	3396.00	3396.00
	0.90 mm base metal	पिस	2807.00	2807.00	2807.00
	0.80 mm base metal	पिस	2530.00	2530.00	2530.00
	0.75 mm base metal	पिस	2374.00	2374.00	2374.00
	0.70 mm base metal	पिस	2218.00	2218.00	2218.00
	0.62 mm base metal	पिस	1987.00	1987.00	1987.00
	0.55 mm base metal	पिस	1776.00	1776.00	1776.00
	0.50 mm base metal	पिस	1619.00	1619.00	1619.00
	0.48 mm base metal	पिस	1555.00	1555.00	1555.00
	0.45 mm base metal	पिस	1472.00	1472.00	1472.00
	0.42 mm base metal	पिस	1380.00	1380.00	1380.00
	0.40 mm base metal	पिस	1316.00	1316.00	1316.00
	0.37 mm base metal	पिस	1224.00	1224.00	1224.00
	0.35 mm base metal	पिस	1178.00	1178.00	1178.00
	0.30 mm base metal	पिस	1030.00	1030.00	1030.00
	0.28 mm base metal	पिस	966.00	966.00	966.00
6	४ X ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	3071.00	3071.00	3071.00
	0.80 mm base metal	पिस	2789.00	2789.00	2789.00
	0.75 mm base metal	पिस	2616.00	2616.00	2616.00

पुनः जिल्ला अधिकारी

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट प्रशासन		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	0.70 mm base metal	पिस	2506.00	2506.00	2506.00
	0.62 mm base metal	पिस	2242.00	2242.00	2242.00
	0.55 mm base metal	पिस	2014.00	2014.00	2014.00
	0.50 mm base metal	पिस	1841.00	1841.00	1841.00
	0.48 mm base metal	पिस	1768.00	1768.00	1768.00
	0.45 mm base metal	पिस	1668.00	1668.00	1668.00
	0.42 mm base metal	पिस	1558.00	1558.00	1558.00
	0.40 mm base metal	पिस	1531.00	1531.00	1531.00
	0.37 mm base metal	पिस	1431.00	1431.00	1431.00
	0.35 mm base metal	पिस	1367.00	1367.00	1367.00
	0.30 mm base metal	पिस	1212.00	1212.00	1212.00
	0.28 mm base metal	पिस	1148.00	1148.00	1148.00
7	GI Expanded metal Mesh				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	159.00	159.00	159.00
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	212.00	212.00	212.00
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	132.00	132.00	132.00
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	176.00	176.00	176.00
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	123.00	123.00	123.00
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	159.00	159.00	159.00
8	UPVC Roofing Sheet (3mm thick)				
	PMMA coating & Mesh (Regular)	व.मि.	1605.00	1605.00	1581.00
	Stone coated (18 inch* 4 feet)	व.मि.	1279.00	1279.00	1260.00
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	2052.00	2052.00	2021.00
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	2052.00	2052.00	2021.00
	UPVC Clip	गोटा	27.00	27.00	27.00
	self tapping screw 3"	गोटा	31.00	31.00	31.00
	self tapping screw 2.2"	गोटा	21.00	21.00	21.00
	self tapping screw 2"	गोटा	11.00	11.00	11.00
	self tapping screw 1.5"	गोटा	9.00	9.00	9.00
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.	1548.00	1548.00	1525.00
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.	1376.00	1376.00	1355.00
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.	1204.00	1204.00	1186.00
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	1492.00	1492.00	1470.00
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	1386.00	1386.00	1365.00
9	UPVC Roofing Sheet				
	Corrugated sheets(2mm)	व.फि.	70.00	70.00	70.00
	Corrugated ridge (2mm) (3'1.4')	गोटा	794.00	794.00	794.00




छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Corrugated ridge side(2mm)(3*1.4')	गोटा	477.00	477.00	477.00
	Spanish tile without fiber mesh(3mm)	व.फि.	108.00	108.00	108.00
	Spanish tile with fiber mesh(3mm)	व.फि.	117.00	117.00	117.00
	Spanish ridge(3mm)(3*1.4')	गोटा	1432.00	1432.00	1410.00
	Spanish ridge side(3mm)	गोटा	794.00	794.00	794.00
	Spanish tile tripod(3mm)	गोटा	1062.00	1062.00	1062.00
	Clip Set	गोटा	9.00	9.00	9.00
10	एल्युमिनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	30.00	30.00	30.00
	(ख) ३० गेज	व.फि.	28.00	28.00	28.00
11	Corrugated/Plain Fiber Glass Sheet				
	०.८ मी. मी. मोटो प्लेन	व.फि.	122.00	122.00	122.00
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	135.00	135.00	135.00
	१.२ मी.मी. मोटो प्लेन	व.फि.	135.00	135.00	135.00
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	155.00	155.00	155.00
	२ मी.मी. मोटो प्लेन	व.फि.	230.00	230.00	230.00
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	271.00	271.00	271.00
	३ मी. मी. मोटो प्लेन	व.फि.	312.00	312.00	312.00
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	407.00	407.00	407.00
12	ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft				
	Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm)	व.मिटर	1147.00	1147.00	1129.00
	Ridge Cover corrugated	र.मिटर	1652.00	1652.00	1627.00
	Self tapping screw 75mm with clip set	गोटा	21.00	21.00	21.00
	Ridge Cover regular Profile 1.10 RM	र.मिटर	1705.00	1705.00	1680.00
	Ridge Cover regular Profile 1.05 RM	र.मिटर	1705.00	1705.00	1680.00
	Self tapping screw 3" with clip set	गोटा	31.00	31.00	31.00
	Self tapping screw 2.2" with clip set	गोटा	26.00	26.00	26.00
13	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	71.00	71.00	71.00
14	Fiber Glass छानाको लागि Ribet nut	गोटा	7.00	7.00	7.00
15	विभिन्न साईजको जे-हुक, यु-हुक	केजी	146.00	146.00	146.00
16	२" साइज रुफिङ्ग नेल्स	गोटा	7.00	7.00	7.00
17	३" साइज रुफिङ्ग नेल्स	गोटा	10.00	10.00	10.00
18	Roofing Material				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मि	4264.00	4264.00	4200.00
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मि	3198.00	3198.00	3150.00
19	Fiber Plain Sheet			0.00	

छाना छाउने निर्माण सामग्री


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर.		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.	106.00	106.00	106.00
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.	127.00	127.00	127.00
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.	154.00	154.00	154.00
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.	165.00	165.00	165.00
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.	207.00	207.00	207.00
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.	255.00	255.00	255.00
20	Fiber Corrugated Sheet				
	Fiber S span Thickness 2mm, width 42"	र. फि	682.00	682.00	682.00
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र. फि	133.00	133.00	133.00
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र. फि	181.00	181.00	181.00
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र. फि	517.00	517.00	517.00
21	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	ब.मी.	3155.00	3155.00	3108.00
22	Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	ब.मी.	426.00	426.00	426.00
23	Providing and installing 12mm thick Cement Fiber Board complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	ब.मी.	1663.00	1663.00	1638.00



 प्रमुख जिल्ला अधिकारी

छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
24	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
24.1	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm	ब.फी.	486.00	486.00	486.00
	75mm	ब.फी.	493.00	493.00	493.00
	100mm	ब.फी.	545.00	545.00	545.00
	125mm	ब.फी.	648.00	648.00	648.00
	150mm	ब.फी.	695.00	695.00	695.00
24.2	Blue & Orange Color Roofing Panel				
	50mm	ब.फी.	424.00	424.00	424.00
	75mm	ब.फी.	476.00	476.00	476.00
	100mm	ब.फी.	571.00	571.00	571.00
	125mm	ब.फी.	581.00	581.00	581.00
	150mm	ब.फी.	632.00	632.00	632.00



 प्रमुख जिल्ला अधिकारी

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Plain Particle Board (Exteriors Grade)				
	९ मी .मी	व.फि	40.00	40.00	40.00
	१२ मी .मी	व.फि	45.00	45.00	45.00
	१८ मी .मी	व.फि	58.00	58.00	58.00
	२५ मी .मी	व.फि	78.00	78.00	78.00
2	PPB One side lamination Melaminated faced (Exterior Grade)				
	९ मी .मी	व.फि	82.00	82.00	82.00
	१२ मी .मी	व.फि	91.00	91.00	91.00
	१८ मी .मी	व.फि	108.00	108.00	108.00
	२५ मी .मी	व.फि	140.00	140.00	140.00
3	PPB Both side lamination Melaminated faced (Exteriors Grade)				
	९ मी .मी	व.फि	91.00	91.00	91.00
	१२ मी .मी	व.फि	105.00	105.00	105.00
	१८ मी .मी	व.फि	121.00	121.00	121.00
	२५ मी .मी	व.फि	154.00	154.00	154.00
4	Plain Particle Board (Interiors Grade)				
	९ मी .मी	व.फि	29.00	29.00	29.00
	१२ मी .मी	व.फि	34.00	34.00	34.00
	१८ मी .मी	व.फि	51.00	51.00	51.00
	२५ मी .मी	व.फि	65.00	65.00	65.00
5	PPB One side lamination Melaminated faced (Interior Grade)				
	३ मी .मी	व.फि	44.00	44.00	44.00
	६ मी .मी	व.फि	62.00	62.00	62.00
	९ मी .मी	व.फि	72.00	72.00	72.00
	१२ मी .मी	व.फि	82.00	82.00	82.00
	१८ मी .मी	व.फि	94.00	94.00	94.00
	२५ मी .मी	व.फि	118.00	118.00	118.00
6	PPB Both side lamination Melaminated faced (Interiors Grade)				
	३ मी .मी	व.फि	51.00	51.00	51.00
	६ मी .मी	व.फि	68.00	68.00	68.00
	९ मी .मी	व.फि	82.00	82.00	82.00
7	PPB One side lamination Melaminated faced (Interior Grade)				
	३ मी .मी	व.फि	51.00	51.00	51.00
	४ मी .मी	व.फि	58.00	58.00	58.00
	६ मी .मी	व.फि	72.00	72.00	72.00
	९ मी .मी	व.फि	93.00	93.00	93.00
	१२ मी .मी	व.फि	105.00	105.00	105.00
	१८ मी .मी	व.फि	135.00	135.00	135.00

Partition Board and Ceiling


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	२५ मी .मी	व.फि	187.00	187.00	187.00
8	PPB Both side lamination Melaminated faced - (Interiors Grade)				
	३ मी .मी	व.फि	58.00	58.00	58.00
	४ मी .मी	व.फि	65.00	65.00	65.00
	६ मी .मी	व.फि	81.00	81.00	81.00
	९ मी .मी	व.फि	101.00	101.00	101.00
	१२ मी .मी	व.फि	111.00	111.00	111.00
	१८ मी .मी	व.फि	141.00	141.00	141.00
	२५ मी .मी	व.फि	191.00	191.00	191.00
9	Alstone Hybrid Board (WPC Board)				
	६ मी .मी (१२२० X २४४०)	व.फि	186.00	186.00	186.00
	१२ मी .मी	व.फि	298.00	298.00	298.00
	१८ मी .मी	व.फि	451.00	451.00	451.00
10	Alstone Hybrid Board				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	89.00	89.00	89.00
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	127.00	127.00	127.00
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	235.00	235.00	235.00
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	325.00	325.00	325.00
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	394.00	394.00	394.00
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	589.00	589.00	589.00
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	760.00	760.00	760.00
	WPC door framme 100*50 mm upto ht 7 ft	व.फि	405.00	405.00	405.00
	WPC door shutter 30 mm th. (7*3) size	व.फि	575.00	575.00	575.00
	18 mm th. WPC OLIGO (colour)	व.फि	613.00	613.00	613.00
11	Alstone Hybrid Board (WPC Board),				
	६ मी .मी size (1220*2440) mm	व.फि	179.00	179.00	179.00
	१२ मी .मी size (1221*2440) mm	व.फि	340.00	340.00	340.00
	१८ मी .मी size (1222*2440) mm	व.फि	473.00	473.00	473.00
12	Supplying and fixing of Thai gypsum board				
	Wall partition	व.फि	132.00	132.00	132.00
	Wall paneling	व.फि	87.00	87.00	87.00
	12.5mm thick Gypsum Board False ceiling	व.फि	88.00	88.00	88.00
13	Fiber cement board (Wall)				
	3.2 MM (2'x2')	व.फि.	27.00	27.00	27.00
	3.2 MM (4'x8')	व.फि.	29.00	29.00	29.00
	3.5 MM (4'x8')	व.फि.	34.00	34.00	34.00

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	4MM (4'x8')	व.फि.	35.00	35.00	35.00
	6MM (4'x8')	व.फि.	50.00	50.00	50.00
	8MM (4'x8')	व.फि.	67.00	67.00	67.00
	9MM (4'x8')	व.फि.	75.00	75.00	75.00
	10MM (4'x8')	व.फि.	85.00	85.00	85.00
	12MM (4'x8')	व.फि.	94.00	94.00	94.00
	Fiber cement board (Floor)				
	15MM (4'x8')	व.फि.	143.00	143.00	143.00
	18MM (4'x8')	व.फि.	171.00	171.00	171.00
	20MM (4'x8')	व.फि.	192.00	192.00	192.00
	Fiber cement board (Cassiano)				
	8MM (4'x8')	व.फि.	94.00	94.00	94.00
14	Fiber Cement Board (Planck)				
	8MM (3"x 9'-10") 9'-10"Rft	व.फि.	34.00	34.00	34.00
	8MM (6"x 9'-10") 9'-10"Rft	व.फि.	55.00	55.00	55.00
	8MM (8"x 9'-10") 9'-10"Rft	व.फि.	74.00	74.00	74.00
	8MM Coloured Teak Texture Walnut (6"x 9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
	8MM Coloured Teak Texture GST (6"x 9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
	8MM Coloured Teak Texture Cherry Red (6"x 9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
	8MM Coloured Teak Texture Afromosia -Brown (6"x 9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
15	Infill wall Partition using 6mm Board on 74mm Stud	ब.मि	5247.00	5247.00	5247.00
	Infill wall Partition using 10mm Board on 74mm Stud	ब.मि	6261.00	6261.00	6261.00
	Infill wall Partition using 6mm Board on 50mm Stud	ब.मि	4259.00	4259.00	4259.00
	Dry wall Partition using 10mm Board on 74mm Stud	ब.मि	5264.00	5264.00	5264.00
16	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	95.00	95.00	95.00
17	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	ब.मि	15600.00	15600.00	15600.00
18	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3-0.4mm PPGL with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m-13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
18.1	Ivory Color Flat Wall Panel				

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	50mm	ब.फी.	365.00	365.00	365.00
	75mm	ब.फी.	373.00	373.00	373.00
	100mm	ब.फी.	424.00	424.00	424.00
	125mm	ब.फी.	528.00	528.00	528.00
	150mm	ब.फी.	581.00	581.00	581.00
18.2	Gray Color RP Wall Panel				
	50mm	ब.फी.	399.00	399.00	399.00
	75mm	ब.फी.	407.00	407.00	407.00
	100mm	ब.फी.	459.00	459.00	459.00
	125mm	ब.फी.	562.00	562.00	562.00
	150mm	ब.फी.	615.00	615.00	615.00
18.3	Wooden Color Siding Wall Panel				
	75mm	ब.फी.	493.00	493.00	493.00
	100mm	ब.फी.	545.00	545.00	545.00
	125mm	ब.फी.	605.00	605.00	605.00
	150mm	ब.फी.	650.00	650.00	650.00



 ग.क.

 पञ्चम जिल्ला अधिकारी



Prefab Panel for wall Partition


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Supply and erection of different mm th. cement base prefabricated everest solid wall panel (RAPION) non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	321.00	321.00	321.00
	b)50 mm thick	व.फि	254.00	254.00	254.00
2	False Ceiling/Partition/External cladding of SCG/Shera or equivalent Fiber Board				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	99.00	99.00	99.00
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with everest fibre cemnet board	व.फि	297.00	297.00	297.00
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with everest fibre cemnet board	व.फि	260.00	260.00	260.00
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with everest fibre cemnet board	व.फि	331.00	331.00	331.00
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm everest sliding board	व.फि	292.00	292.00	292.00
	Supplying, making, fixing of 50mm thick full height of partirion with everest RAPICON wall panels	व.फि	231.00	231.00	231.00
	Supplying, making, fixing of 75mm thick full height of partirion with everest RAPICON wall panels	व.फि	307.00	307.00	307.00
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	37.00	37.00	37.00
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा	2940.00	2940.00	2940.00
	150X300 Tile	गोटा	3675.00	3675.00	3675.00
	300X300 Tile	गोटा	4200.00	4200.00	4200.00
3	Cement board Aerocon C Board				
	6 mm thick	व.फि	36.00	36.00	36.00
	8 mm thick	व.फि	44.00	44.00	44.00
	10 mm thick	व.फि	56.00	56.00	56.00
	12 mm thick	व.फि	68.00	68.00	68.00
4	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	419.00	419.00	419.00
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	452.00	452.00	452.00
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	558.00	558.00	558.00
	Joint less false celling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				0.00
	50 mm thick	व.फि	280.00	280.00	280.00
	75 mm thick	व.फि	369.00	369.00	369.00
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	300.00	300.00	300.00

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	304.00	304.00	304.00
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	266.00	266.00	266.00
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO	व.फि	340.00	340.00	340.00
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	382.00	382.00	382.00
5	EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos) as face board on both sides (Size 2270*610mm)- excluding installation				
	50mm thickness	व.फि	191.00	191.00	191.00
	60mm thickness	व.फि	293.00	293.00	293.00
	75mm thickness	व.फि	351.00	351.00	351.00
	90mm thickness	व.फि	410.00	410.00	410.00
	120mm thickness	व.फि	495.00	495.00	495.00
	Installation charge	व.फि	26.00	26.00	26.00
	Other Accessories	व.फि	47.00	47.00	47.00
6	Precast boundary wall, Precast slab, Precast Beam				
	H-beam	र.फि	197.00	197.00	197.00
	50 mm wall slab	व.फि	170.00	170.00	170.00
	120 mm floor slab (with installation)	व.फि	373.00	373.00	373.00
	70 mm water permeable				0.00
	Color Block	व.फि	143.00	143.00	143.00
	Non Color Block	व.फि	127.00	127.00	127.00
7	PUF रुफिङ्ग प्यानल				
	३० मि.मि.मोटाई,रङ्गिन	व.फि	245.00	250.00	250.00
	४० मि.मि.मोटाई,रङ्गिन	व.फि	266.00	271.00	271.00
	५० मि.मि.मोटाई,रङ्गिन	व.फि	293.00	299.00	299.00
	६० मि.मि.मोटाई,रङ्गिन		345.00	345.00	345.00
8	PUF बाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	250.00	255.00	255.00
	५० मि.मि.मोटाई,रङ्ग किम	व.फि	271.00	276.00	276.00
	६० मि.मि.मोटाई,रङ्ग किम	व.फि	345.00	345.00	345.00
	७५ मि.मि.मोटाई,रङ्ग किम	व.फि	351.00	358.00	358.00
	८० मि.मि.मोटाई,रङ्ग किम	व.फि	400.00	400.00	400.00
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि	442.00	425.00	425.00
	१२५ मि.मि.मोटाई,रङ्ग किम	व.फि	538.00	538.00	538.00
	१५० मि.मि.मोटाई,रङ्ग किम	व.फि	522.00	522.00	522.00
9	पफ स्लेब सिट				
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	175.00	175.00	175.00

Prefab Panel for wall Partition


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट/ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	200.00	200.00	200.00
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	225.00	225.00	225.00
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	285.00	285.00	285.00
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	340.00	340.00	340.00
10	EPE Sandwich Pannel (Puff Density=20kg±2)				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	245.00	245.00	245.00
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	280.00	280.00	280.00
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	315.00	315.00	315.00
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	370.00	370.00	370.00
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	430.00	430.00	430.00
11	PUF ब्रिक बाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	298.00	298.00	298.00
	५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	319.00	319.00	319.00
	७५ मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	399.00	399.00	399.00
	१०० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	490.00	490.00	490.00
	१५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	570.00	570.00	570.00
12	PUF ब्रिक बाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	271.00	271.00	271.00
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	293.00	293.00	293.00
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	373.00	373.00	373.00
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	463.00	463.00	463.00
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	549.00	549.00	549.00
13	पोलिकार्बोनेट रुफिङ सिट				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई ०.८ मि.मि चौडाई ३२ इन्च	व.फि	126.00	126.00	126.00
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि	158.00	158.00	158.00
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १.२ मि.मि चौडाई ४२ इन्च	व.फि	188.00	188.00	188.00
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाई १.५ मि.मि चौडाई ४३ इन्च	व.फि	238.00	238.00	238.00
14	पोलिकार्बोनेट प्लेन तथा क्रिस्टल सिट				
	नर्मल तथा क्रिस्टल सिट मोटाई १.५ मि.मि चौडाई ३२ इन्च	व.फि	197.00	197.00	197.00
	नर्मल तथा क्रिस्टल सिट मोटाई २ मि.मि चौडाई ३२ इन्च	व.फि	263.00	263.00	263.00
	नर्मल तथा क्रिस्टल सिट मोटाई १ मि.मि चौडाई ३२ इन्च	व.फि	165.00	165.00	165.00
	टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाई ०.५ मि.मि चौडाई ३२ इन्च	व.फि	127.00	127.00	127.00
15	सि एण्ड जेड पर्लिन्				
	सि एण्ड जेड पर्लिन्(२१० मि.मि. सिट),मोटाई १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी	158.00	158.00	158.00
	सि एण्ड जेड पर्लिन्(३२०/३६०/४१० मि.मि. सिट),मोटाई २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	156.00	156.00	156.00



Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
16	अल्युमिनियम				
	पेन्टेडअल्युमिनियम एस स्पास सिट मोटाई ०.६ मि.मि	प्रति वण्डल	19240.00	19240.00	19240.00
	पेन्टेड अल्युमिनियम एस स्पास सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल	15080.00	15080.00	15080.00
	पेन्टेडअल्युमिनियम एस स्पास सिट मोटाई ०.५ मि.मि	प्रति वण्डल	17160.00	17160.00	17160.00
	पेन्टेड अल्युमिनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल	13000.00	13000.00	13000.00
17	Metal Tile Roofing Sheet			0.00	
	0.45 Thickness - (Red, Green, Blue)	बन्डल	23036.00	23036.00	23036.00
	0.5 Thickness - (Chocolate)	बन्डल	25532.00	25532.00	25532.00
18	Ridge Cap(0.4 Thickness)	र फि	200.00	200.00	200.00
	Gutter				
	0.50 mm Thickness (Size- 12")	र फि	101.00	101.00	101.00
	0.50 mm Thickness (Size- 16")	र फि	125.00	125.00	125.00
	0.50 mm Thickness (Size- 18")	र फि	175.00	175.00	175.00
	0.40 mm Thickness (Size- 12")	र फि	122.00	122.00	122.00
	0.40 mm Thickness (Size- 16")	र फि	130.00	130.00	130.00
	0.40 mm Thickness (Size- 12")	र फि	175.00	175.00	175.00
19	Polycarbonate Corrugated Sheet				
	0.8 mm Thickness	व.फि		105.00	105.00
	1 mm Thickness	व.फि	106.00	108.00	108.00
	1.25mm Thickness	व.फि	127.00	130.00	130.00
	1.5 mm Thickness	व.फि	154.00	157.00	157.00
	1.75mm Thickness	व.फि	175.00	179.00	179.00
	2mm Thickness	व.फि	202.00	206.00	206.00
	2.5 mm Thickness	व.फि	245.00	250.00	250.00
	3 mm Thickness	व.फि	385.00	385.00	385.00
20	Polycarbonate Plain Sheet				
	1 mm Thickness	व.फि	90.00	87.00	90.00
	1.5 mm Thickness	व.फि	138.00	138.00	138.00
	2 mm Thickness	व.फि	186.00	190.00	190.00
	2.5 mm Thickness	व.फि	229.00	221.00	221.00
	3 mm Thickness	व.फि	277.00	255.00	255.00
	4 mm Thickness	व.फि	373.00	360.00	360.00
	5 mm Thickness	व.फि	463.00	420.35	420.35
	6 mm Thickness	व.फि	559.00	508.85	508.85
	7 mm Thickness	व.फि	643.00	606.19	606.19
	8 mm Thickness	व.फि	746.00	761.00	761.00
	9 mm Thickness	व.फि	821.00	821.00	821.00
	10 mm Thickness	व.फि	938.00	957.00	957.00
	12 mm Thickness	व.फि	1107.00	1129.00	1129.00
21	Angle & U channel				
	CZU Non Galvanized 2mm thickness	के जी		159.00	159.00

प्रमुख जिल्ला अधिकारी



Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	CZU Galvanized 2mm thickness	के जी		238.00	238.00
	Angle 0.5 mm thickness	र फि		9.00	9.00
22	False Ceiling boards and zinc coated metal profile 120 GSM				
	Standard plaster board plain 12.5 mm thick	व.मि.		298.00	298.00
	Metal ceiling section 80x26x51x0.5x3660 mm	गोटा		327.00	327.00
	Intermediate Channel 45x15x15x0.9x3660 mm	गोटा		314.00	314.00
	Perimeter channel 20x28x30x0.5x3660 mm	गोटा		195.00	195.00
	Ceiling Angle 25x10x0.5x3660 mm	गोटा		109.00	109.00
23	Thermal and Acoustic Insulation for roofing & Drywall				
	Roofing Insulation				
	Glass wool 50 mm thickness	व.फि		50.00	50.00
	Stone wool 50mm thickness	व.फि		65.00	65.00
	Stone wool 100mm thickness	व.फि		115.00	115.00
	Drywall Insulation				
	Stone wool 50mm thickness	व.फि		60.00	60.00
	Stone wool 75mm thickness	व.फि		100.00	100.00
	Stone wool 100mm thickness	व.फि		120.00	120.00

प्रमुख जिल्ला अधिकारी

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	फलामको कब्जा				
	(क) ३" साइज	गोटा	15.00	15.00	15.00
	(ख) ४" साइज	गोटा	29.00	29.00	29.00
	(ग) ५" साइज	गोटा	45.00	45.00	45.00
	(घ) ६" साइज	गोटा	59.00	59.00	59.00
2	Locking Set (L-drop)				
	300 mm	गोटा	277.00	277.00	277.00
	225 mm	गोटा	242.00	242.00	242.00
	150 mm	गोटा	207.00	207.00	207.00
3	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	21.00	21.00	21.00
	(ख) ४" लामो	गोटा	42.00	42.00	42.00
	(ग) ६" लामो	गोटा	71.00	71.00	71.00
	(घ) ८" लामो	गोटा	85.00	85.00	85.00
	(ङ) १०" लामो	गोटा	100.00	100.00	100.00
	(च) १२" लामो	गोटा	114.00	114.00	114.00
4	Aluminum Handle (हतकल)				
	Ordinary	गोटा	34.00	34.00	34.00
	Special	गोटा	50.00	50.00	50.00
5	ब्रासको कब्जा				
	2" x 1/2"	गोटा	67.00	67.00	67.00
	2 1/2 x 3/4"	गोटा	75.00	75.00	75.00
	3" x 3/4"	गोटा	92.00	92.00	92.00
	2" x 3/4"	गोटा	75.00	75.00	75.00
	2 1/2" x 3/4"	गोटा	84.00	84.00	84.00
	3" x 3/4"	गोटा	92.00	92.00	92.00
	3" x 1"	गोटा	201.00	201.00	201.00
	4" x 1"	गोटा	302.00	302.00	302.00
	5" x 1"	गोटा	404.00	404.00	404.00
	6" x 1"	गोटा	488.00	488.00	488.00
6	Brass Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	151.00	151.00	151.00
	(ख) ४" लामो	गोटा	201.00	201.00	201.00
	(ग) ६" लामो	गोटा	302.00	302.00	302.00
	(घ) ८" लामो	गोटा	404.00	404.00	404.00
	(ङ) १०" लामो	गोटा	504.00	504.00	504.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]






[Handwritten signature]
प्रमुख/जिल्ला अधिकारी

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	(च) १२" लामो	गोटा	605.00	605.00	605.00
7	Brass Handle (हतकल)				
	6" Brass handle	गोटा	159.00	159.00	159.00
	8" Brass handle	गोटा	488.00	488.00	488.00
	10" Brass handle	गोटा	1009.00	1009.00	1009.00
8	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	1009.00	1009.00	1009.00
	(ख) १०" लामो	गोटा	1665.00	1640.00	1640.00
	(ग) १२" लामो	गोटा	1849.00	1821.00	1821.00
	Special Fittings				
9	एल ड्रप				
	८" लामो	गोटा	1132.00	1115.00	1115.00
	१०" लामो	गोटा	1278.00	1258.00	1258.00
	१२" लामो	गोटा	1331.00	1311.00	1311.00
10	ह्याण्डल ८" लामो	गोटा	1331.00	1311.00	1311.00
11	टावर बोल्ट				
	६" लामो	गोटा	239.00	239.00	239.00
	८" लामो	गोटा	319.00	319.00	319.00
	१०" लामो	गोटा	399.00	399.00	399.00
12	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	951.00	951.00	951.00
	१०" लामो	गोटा	1204.00	1186.00	1186.00
	१२" लामो	गोटा	1331.00	1311.00	1311.00
	ह्याण्डल				
	६" लामो	गोटा	266.00	266.00	266.00
	८" लामो	गोटा	399.00	399.00	399.00
	मोर्टिस लक				
	Ordinary	गोटा	666.00	666.00	666.00
	Chinese	गोटा	443.00	443.00	443.00
	Indian Godrej Company	गोटा	2726.00	2684.00	2684.00
	Brass		1204.00	1186.00	1186.00
13	Door Spring (Door Closer)				
	Ordinary	गोटा	189.00	189.00	189.00
	hydraulic	गोटा	1998.00	1967.00	1967.00
	Window I-hook	गोटा	19.00	19.00	19.00

भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
14	Gate Hook				
	4" Gate hook	गोटा	33.00	33.00	33.00
	5" Gate hook	गोटा	37.00	37.00	37.00
	6" Gate hook	गोटा	44.00	44.00	44.00
	Brass Gate hook	गोटा	79.00	79.00	79.00
15	Door stopper				
	Butterfly	गोटा	157.00	157.00	157.00
	Bell catch 2" size	गोटा	208.00	208.00	208.00
	C.P. handle	गोटा	453.00	453.00	453.00
	Power coated handle	गोटा	432.00	432.00	432.00
	Brass coated handle	गोटा	931.00	931.00	931.00
	Door stopper, single brass stopper	गोटा	106.00	106.00	106.00
	Door stopper double brass stopper	गोटा	189.00	189.00	189.00
16	Screw Brass				
	20mm	गोटा	2.00	2.00	2.00
	25mm	गोटा	2.00	2.00	2.00
	35mm	गोटा	4.00	4.00	4.00
	50mm	गोटा	12.00	12.00	12.00
	75mm	गोटा	16.00	16.00	16.00
17	Screw Steel				
	20mm	गोटा	1.00	1.00	1.00
	25mm	गोटा	2.00	2.00	2.00
	35mm	गोटा	2.00	2.00	2.00
	50mm	गोटा	7.00	7.00	7.00
	75mm	गोटा	8.00	8.00	8.00
18	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	98.00	98.00	98.00
19	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	104.00	104.00	104.00

प्रमुख जिल्ला अधिकारी

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	सिमेन्ट पेन्ट	के.जि.	69.00	69.00	69.00
2	सिमेन्ट प्राइमर सेतो	के.जि.	288.00	288.00	288.00
3	उड प्राइमर	लिटर	389.00	389.00	389.00
4	सेन्थेटिक इनामेल पेन्ट	लिटर	542.00	542.00	542.00
5	नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	523.00	523.00	523.00
6	कोरुगेटेड रुफ पेन्ट	लिटर	492.00	492.00	492.00
7	तयारी अलुमिनियम पेन्ट	लिटर	565.00	565.00	565.00
8	तयारी बार्नेस	लिटर	455.00	455.00	455.00
9	तयारी बार्नेर सेन्थेटिक	लिटर	351.00	351.00	351.00
10	भारतीय थिनर	लिटर	238.00	238.00	238.00
11	उड एण्ड ग्लास पुटिन	के.जी	136.00	136.00	136.00
12	मेटल पुटिन	के.जी	160.00	160.00	160.00
13	चुना पेन्ट गर्न राख्ने गम	के.जी	210.00	210.00	210.00
14	नेपाली थिनर	लिटर	224.00	224.00	224.00
15	तारपिन तेल	लिटर	221.00	221.00	221.00
16	रेड अकसाइड पेन्ट	लिटर	270.00	270.00	270.00
17	उड प्रिजरभेटिव पेन्ट	लिटर	236.00	236.00	236.00
18	व्याक जापान	लिटर	496.00	496.00	496.00
19	राम तिलक	के.जि.	57.00	57.00	57.00
20	गेरु रंग	के.जि.	141.00	141.00	141.00
21	चप्रा	के.जि.	1344.00	1344.00	1344.00
22	स्प्रीट	लिटर	92.00	92.00	92.00
23	वासेवल डिस्टेम्पर	लिटर	231.00	231.00	231.00
24	प्लास्टिक्स इमल्सन पेन्ट (interior)	लिटर	544.00	544.00	544.00
25	वेदरकोट पेन्ट (exterior)	लिटर	652.00	652.00	652.00
26	प्लास्टिक ईमल्सन पेन्ट	लिटर	693.00	693.00	693.00
27	लिनसिड आयल	लिटर	203.00	203.00	203.00
28	स्थानीय स्प्रीट	लिटर	121.00	121.00	121.00
29	मोविकल/फेविकल	के.जि.	271.00	271.00	271.00
30	मैन पालिस	के.जि.	367.00	367.00	367.00
31	अक्रालिक एसिड	के.जि.	125.00	125.00	125.00
32	1" चौडा पेन्ट ब्रस	गोटा	74.00	74.00	74.00
33	2" चौडा पेन्ट ब्रस	गोटा	149.00	149.00	149.00
34	3" चौडा पेन्ट ब्रस	गोटा	223.00	223.00	223.00
35	4" चौडा पेन्ट ब्रस	गोटा	298.00	298.00	298.00



रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
36	रंग लगाउने रोलर	गोटा	426.00	426.00	426.00
37	Sand paper	गोटा	6.00	6.00	6.00
38	Wall putty plain	के.जि.	38.00	38.00	38.00
39	Wall putty- water Proof	के.जि.	63.00	63.00	63.00
40	Plaster of Parish (POP)	के.जि.	23.00	23.00	23.00
41	Redoxide zink cromate primer For Bridge	लिटर	479.00	479.00	479.00
43	Epoxy Paint for Operation theater	व.मी.	12174.00	12174.00	12174.00
44	Exterior Primer	लिटर	248.00	248.00	248.00
45	Interior Primer	लिटर	179.00	179.00	179.00
46	Enamel Paints	लिटर	534.00	534.00	534.00
	Decorative Painting Material				
A	Specialized paints				
1	Anti bacterial Hospital Paint	लिटर	1153.00	1153.00	1153.00
2	Anti carbonisation paint	लिटर	812.00	812.00	812.00
3	Heat Reflecting Energy Saving Insulation Paint	लिटर	1186.00	1186.00	1186.00
4	Instumescent weather resistant chlorinated rubber fire resistant retardant coating	लिटर	1166.00	1166.00	1166.00
5	Silver Ion higeinic Coating Paint	के.जि.	97.35	97.35	970.00
6	Self Sanitizing Silver Ion Higienic Coating	लिटर	970.00	970.00	970.00
B	Texture paints				
1	Mediterrano	के.जि.	187.00	187.00	187.00
2	Stucco Veneziano	के.जि.	1316.00	1316.00	1316.00
3	Velvetino	के.जि.	4520.00	4520.00	4520.00
4	Travertino	के.जि.	362.00	362.00	362.00
5	Gtone plaster	के.जि.	129.00	129.00	129.00
6	Colorato (Multi color)	के.जि.	950.00	950.00	950.00
7	Pearl skin texture	के.जि.	158.00	158.00	158.00
8	TS 52 Spray white	के.जि.	212.00	212.00	212.00
9	Rustic	के.जि.	199.00	199.00	199.00
10	Rockart	लिटर	196.00	196.00	196.00
11	Manhattan	के.जि.	240.00	240.00	240.00
12	Sabbia	के.जि.	240.00	240.00	240.00
13	Sandy Stone	के.जि.	185.00	185.00	185.00
14	Insulplast	के.जि.	237.00	237.00	237.00
15	Poly Under White	के.जि.	281.00	281.00	281.00
16	Antica(Top coat)	के.जि.	1330.00	1330.00	1330.00
17	T.C 100(Top coat)	के.जि.	764.00	764.00	764.00

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
18	Dekorica White	के.जि.	2757.00	2757.00	2757.00
19	Poly Plaster	के.जि.	112.35	112.35	112.35
20	Granite tone	के.जि.	170.00	170.00	170.00
21	Graffiato	के.जि.	165.00	165.00	165.00
22	Elligance stone	के.जि.	192.00	192.00	192.00
23	Marmorino Base	के.जि.	412.00	412.00	412.00
24	Acro fine	लिटर	186.00	186.00	186.00
25	Marmocastro base	के.जि.	146.00	146.00	146.00
26	Selva Granite	के.जि.	215.00	215.00	215.00
27	Romart	के.जि.	239.00	239.00	239.00
28	Renstu plaster putty	के.जि.	91.00	91.00	91.00
29	Hyperion base putty	के.जि.	507.00	507.00	507.00
30	Cementzio base putty	के.जि.	245.00	245.00	245.00
31	Helios base putty	के.जि.	497.00	497.00	497.00
32	Cratere base putty	के.जि.	488.00	488.00	488.00
33	Cerrotta base putty	के.जि.	488.00	488.00	488.00
34	Coppotto Di cemento	के.जि.	1708.00	1708.00	1708.00
35	Muroplast putty	के.जि.	75.00	75.00	75.00
36	Acro pure (PU top coat)	के.जि.	1145.00	1145.00	1145.00
37	Satenatto emulsion	लिटर	630.00	630.00	630.00
38	StuccoPlaster	लिटर	289.00	289.00	289.00
39	Elegantile	के.जि.	199.50	199.50	199.50
40	Multi Granite	के.जि.	199.50	199.50	199.50
41	Hermes Base	के.जि.	246.75	246.75	246.75
42	Botticelli Base	के.जि.	296.10	296.10	296.10
43	Granito Wall	के.जि.	155.00	155.00	160.00
C	Weather coat paints				
1	Guard	लिटर	536.00	536.00	536.00
2	Guard -3x	लिटर	626.00	626.00	626.00
3	Shield	लिटर	343.00	343.00	343.00
4	Acrotex matt	लिटर	520.00	520.00	520.00
5	Ext wall Primer	लिटर	253.00	253.00	253.00
6	SPC ExterShield Premium	लिटर	614.00	614.00	614.00
7	SPC ExterShield Smooth	लिटर	525.00	525.00	525.00
8	SPC ExterShield Standard	लिटर	336.00	336.00	336.00
D	Emulsion Paints/Distemper				
1	silk Emulsion paints	लिटर	556.00	556.00	556.00
2	Aqualin Int.Emulsion	लिटर	298.00	298.00	298.00
3	pearl Emulsion paints	लिटर	823.00	823.00	823.00
4	int. wall Primer	लिटर	183.00	183.00	183.00
5	Acrylic Washable Distemper	लिटर	151.00	151.00	151.00



रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
6	Gold Enamel	लिट्र	545.00	545.00	545.00
7	Universal primer (wood primer)	लिट्र	333.00	333.00	333.00
8	Red oxide metal primer	लिट्र	294.00	294.00	294.00
9	Water seal stretch (Damp coat)	लिट्र	527.00	527.00	527.00
10	Construction Chemical / waterproof coating system				
	crack sill	लिट्र	412.00	412.00	412.00
	crack fill A+B	लिट्र	181.00	181.00	181.00
10	Silicon Bases water repellent impregnation				
	Acropreg	लिट्र	496.00	496.00	496.00
	Acropreg W	लिट्र	659.00	659.00	659.00
	Wall putty	के.जि.	40.00	40.00	40.00
11	Premium Emulsion	लिट्र	754.00	754.00	754.00
12	Smooth Emulsion	लिट्र	545.00	545.00	545.00
13	Standard Emulsion	लिट्र	292.00	292.00	292.00
E	Wall Paper				
	Wall paper (10m.x 0.53m)	रोल	1317.00	1317.00	1317.00
	Fittings for wall paper	व.फि	7.00	7.00	7.00
	White glue for wall paper	लि.	115.00	115.00	115.00
F	Pro_Plaster Material	के.जी	34.00	34.00	34.00
	Environment Friendly Paints				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L	21506.00	21506.00	21506.00
		10 L	11783.00	11783.00	11783.00
		4 L	4717.00	4717.00	4717.00
		1 L	1184.00	1184.00	1184.00
2	Environmentally Friendly Natural Exterior Paint				
		20 L	14214.00	14214.00	14214.00
		10 L	7313.00	7313.00	7313.00
		4 L	3069.00	3069.00	3069.00
		1 L	844.00	844.00	844.00
3	Environmentally Friendly Constant Color Exterior Paint				
		20 L	11206.00	11206.00	11206.00
		10 L	6118.00	6118.00	6118.00
		4 L	2657.00	2657.00	2657.00
		1 L	669.00	669.00	669.00
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint				
		20 L	12154.00	12154.00	12154.00
		10 L	6592.00	6592.00	6592.00



रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
		4 L	2842.00	2842.00	2842.00
		1 L	721.00	721.00	721.00
5	Eco - Friendly High glossy Interior Wall Paint				
		20 L	19364.00	19364.00	19364.00
		10 L	10197.00	10197.00	10197.00
		4 L	4078.00	4078.00	4078.00
		1 L	1019.00	1019.00	1019.00
6	Environmentally Friendly Natural Interior Wall paint				
		20 L	13184.00	13184.00	13184.00
		10 L	6798.00	6798.00	6798.00
		4 L	2842.00	2842.00	2842.00
		1 L	741.00	741.00	741.00
7	Environmentally Friendly Constant Interior wall Paint				
		20 L	10094.00	10094.00	10094.00
		10 L	5253.00	5253.00	5253.00
		4 L	2224.00	2224.00	2224.00
		1 L	597.00	597.00	597.00
8	Eco Friendly Interior Wall Paint				
		20 L	6077.00	6077.00	6077.00
		10 L	3244.00	3244.00	3244.00
		4 L	1421.00	1421.00	1421.00
		1 L	412.00	412.00	412.00
9	Environmentally Efficient Exterior Wall Primer				
		20 L	11124.00	11124.00	11124.00
		10 L	6798.00	6798.00	6798.00
		4 L	4078.00	4078.00	4078.00
		1 L	1277.00	1277.00	1277.00
10	Environmentally Friendly Alkali Resistant wall primer interior				
		20 L	8652.00	8652.00	8652.00
		10 L	5356.00	5356.00	5356.00
		4 L	2636.00	2636.00	2636.00
		1 L	1112.00	1112.00	1112.00
11	Eco Friendly Primer				
		20 L	6592.00	6592.00	6592.00
		10 L	4429.00	4429.00	4429.00
		4 L	2266.00	2266.00	2266.00
		1 L	906.00	906.00	906.00
12	Granite texture Spray / Imitation Stone Paint				
		1 sq ft	149.00	149.00	149.00
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg	5994.00	5994.00	5994.00
	Intermediate Coating Paint	7 Kg	7210.00	7210.00	7210.00
	Granite Surface Paint	9 kg	15450.00	15450.00	15450.00
	Dust proof Surface Paint	3 kg	5129.00	5129.00	5129.00

Handwritten signature/initials.

Handwritten signature/initials.

Handwritten signature/initials.

प्रमुख जिल्ला अधिकारी



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
A	CONCRETE ADMIXTURES (Chemical)				
1	Form Oil	लिट्र	106.00	106.00	106.00
2	Polymer for M35, M 40 or higher concrete	लिट्र	373.00	373.00	373.00
3	Epoxy Bonding agent for old and new construction	लिट्र	2100.00	2100.00	2100.00
4	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिट्र	250.00	250.00	250.00
5	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	373.00	373.00	373.00
	Waterproof Coating with Polymer	के.जी.	479.00	479.00	479.00
6	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS 9103/2645 /1981	के.जी.	159.00	159.00	159.00
7	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formialdehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of	के.जी.	266.00	266.00	266.00
8	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999 /1981	के.जी.	479.00	479.00	479.00
9	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	319.00	319.00	319.00
10	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991	के.जी.	1050.00	1050.00	1050.00
11	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991	के.जी.	1050.00	1050.00	1050.00
12	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991	के.जी.	1312.00	1312.00	1312.00
13	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part	के.जी.	191.00	191.00	191.00
14	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	266.00	266.00	266.00
15	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	373.00	373.00	373.00
16	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	373.00	373.00	373.00
17	Retarding Superplasticizer for Concrete [Napthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	266.00	266.00	266.00
18	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	479.00	479.00	479.00
B	CONCRETE ADMIXTURES (Mineral)				
1	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	351.00	351.00	351.00
2	Micro Silica for High Performance Concrete ASTM C 1240 - 2005 , IS 15388-2003.	के.जी.	117.00	117.00	117.00
3	Processed FA Based Mineral Additives	के.जी.	90.00	90.00	90.00
C	FOR JOINT SEALANTS & SYSTEMS				
1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	1890.00	1890.00	1890.00
2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	1890.00	1890.00	1890.00
3	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	3150.00	3150.00	3150.00
4	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	2100.00	2100.00	2100.00
5	Low Viscosity Primer For Polyurethane Sealant	के.जी.	3150.00	3150.00	3150.00
6	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	1260.00	1260.00	1260.00

Page 54

जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
नलितपुर

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
7	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	373.00	373.00	373.00
8	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	479.00	479.00	479.00
9	Butyl Tape for various Applications	र. मि.	133.00	133.00	133.00
10	Waterproofing Joint Tape [120 mm]	र. मि.	586.00	586.00	586.00
11	Waterproofing Joint Tape [200 mm]	र. मि.	799.00	799.00	799.00
12	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	4200.00	4200.00	4200.00
13	Joint Tape Epoxy Adhesive	के.जी.	3150.00	3150.00	3150.00
14	Glass Fiber Joint Tape	र. मि.	293.00	293.00	293.00
15	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	1575.00	1575.00	1575.00
16	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	2835.00	2835.00	2835.00
17	Construction Joint Tape [100 mm]	र. मि.	852.00	852.00	852.00
18	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	2572.00	2572.00	2572.00
19	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	5092.00	5092.00	5092.00
20	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	852.00	852.00	852.00
21	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	1575.00	1575.00	1575.00
22	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	2625.00	2625.00	2625.00
23	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	3675.00	3675.00	3675.00
24	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	4725.00	4725.00	4725.00
D	INDUSTRIAL FLOORING SOLUTIONS				
1	Hardwearing, abrasion resistant monolithic Industrial flooring compound [Metallic]	के.जी.	127.00	127.00	127.00
2	Liquid Concrete Hardener & Dust Proofer	के.जी.	479.00	479.00	479.00
3	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.	746.00	746.00	746.00
4	Anti Bacterial Wall Coating [Polyurethane] Walgard WBA	के.जी.	1097.00	1097.00	1097.00
5	Anti bacterial Wall Coating Clearseal	के.जी.	836.00	836.00	836.00
6	Self Levelling Flooring System [Epoxy] Florgard SL	के.जी.	1370.00	1370.00	1370.00
7	Flooring System [Polyurethane] Florthane	के.जी.	1370.00	1370.00	1370.00
3	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	2625.00	2625.00	2625.00
4	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	3150.00	3150.00	3150.00
5	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	2100.00	2100.00	2100.00
6	Self Levelling Flooring System [Epoxy]	के.जी.	1581.25	2200.00	2200.00
7	Self Levelling Flooring System [Polyurethane]	के.जी.	2386.25	3000.00	3000.00
8	Self Levelling Cementitious Flooring System	के.जी.	481.85	500.00	500.00
E	ENGINEERING GROUTS				
1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	117.00	117.00	117.00
2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	133.00	133.00	133.00
3	Hard wearing cementitious tile grout	के.जी.	170.00	170.00	170.00
4	Hard wearing epoxy based tile grout	के.जी.	1050.00	1050.00	1050.00
5	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	533.00	533.00	533.00
6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	2625.00	2625.00	2625.00

अ.स.क. १०८१/८२
१०८१/८२

नलितपुर जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 MI Cartridge]	मिलि लिटर	4725.00	4725.00	4725.00
8	Low Viscosity Injection Epoxy Grout	के.जी.	7875.00	7875.00	7875.00
9	Low Viscosity Polyurethane Injection Grout	के.जी.	13000.00	13000.00	13000.00
10	Low Viscosity Acrylate Gel Injection Grout	के.जी.	8925.00	8925.00	8925.00
11	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	14560.00	14560.00	14560.00
12	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	9975.00	9975.00	9975.00
13	Resin Capsule (32*300mm)	पिस	138.00	138.00	138.00
14	Cement Capsule(32*300mm)	पिस	63.00	63.00	63.00
15	Microfine Cement (MFC)	के.जी.	266.00	266.00	266.00
16	Durasport (Sport court coating)		1370.00	1370.00	1370.00
17	Eposeal (for water storage tanks)		1370.00	1370.00	1370.00
18	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)		742.00	742.00	742.00
19	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)		742.00	742.00	742.00
20	K10 Sovacryl (Waterproofs external surfaces)		1097.00	1097.00	1097.00
21	Zinc Rich Primer (Cathodic protection to the base metal)		836.00	836.00	836.00
22	Coaltar Epoxy (Excellent resistance to water and alkali in steel surface)		417.00	417.00	417.00
23	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)		836.00	836.00	836.00
24	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)		742.00	742.00	742.00
25	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)		742.00	742.00	742.00
26	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)		371.00	371.00	371.00
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)				
1	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	799.00	799.00	799.00
2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	1012.00	1012.00	1012.00
3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	1260.00	1260.00	1260.00
4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	1890.00	1890.00	1890.00
G	FIBERS (Steel & Polypropylene)				
1	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	1260.00	1260.00	1260.00
2	FIBERMESH FB [Collated PP Fibers]	के.जी.	1575.00	1575.00	1575.00
3	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	2100.00	2100.00	2100.00
4	Loose steel Fibers	के.जी.	266.00	266.00	266.00
5	Glued Steel Fibers	के.जी.	373.00	373.00	373.00
6	Crimped Steel Fibers	के.जी.	266.00	266.00	266.00
H	SURFACE TREATMENT				
1	Protective, Decorative Anti Carbonation Coating	के.जी.	1260.00	1260.00	1260.00
2	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	1417.00	1417.00	1417.00
3	Concrete Penetrating Corrosion Inhibitor	के.जी.	4725.00	4725.00	4725.00
4	Protective Acrylic Sealer	के.जी.	1575.00	1575.00	1575.00

[Handwritten signatures and marks]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
5	Protective Polyurethane Sealer	के.जी.	1890.00	1890.00	1890.00
6	Water Based Fire Retardant Coating	के.जी.	1575.00	1575.00	1575.00
7	High Performance Water Repellent Paint	लिट्र	959.00	959.00	959.00
8	Concentrated & Emulsified Chemical Mould Release Agent	लिट्र	533.00	533.00	533.00
9	Ready to use Chemical Mould Release Agent	लिट्र	533.00	533.00	533.00
10	Concrete Curing Aid	के.जी.	479.00	479.00	479.00
I	CONCRETE REPAIRS				
1	Rust Remover & Passivator	लिट्र	1050.00	1050.00	1050.00
2	Corrosion Inhibitor	के.जी.	1260.00	1260.00	1260.00
3	Micro Concrete [M60] for Permanant Repairs	के.जी.	149.00	149.00	149.00
4	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	186.00	186.00	186.00
5	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	266.00	266.00	266.00
6	Cementitious, Waterproof Crack Repair Mortar	के.जी.	213.00	213.00	213.00
7	Acrylic Based Crack Filling Putty	के.जी.	1260.00	1260.00	1260.00
J	PREPACKED MORTARS				
1	Tile, Mabrrble, Granite etc. Adhesive	के.जी.	90.00	90.00	90.00
2	Marble & Granite etc. Adhesive	के.जी.	373.00	373.00	373.00
3	Coarse and water resistant Readymix plastering Mortar	के.जी.	90.00	90.00	90.00
4	High Performanance Polymer Based Wall Putty (Skim Coat)	के.जी.	90.00	90.00	90.00
5	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	के.जी.	95.00	95.00	95.00
K	WATERPROOFING SYSTEMS				
	INTEGRAL				
1	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	293.00	293.00	293.00
2	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	7875.00	7875.00	7875.00
L	LIQUID APPLIED				
1	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	746.00	746.00	746.00
2	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	533.00	533.00	533.00
3	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	799.00	799.00	799.00
4	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	906.00	906.00	906.00
5	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	799.00	799.00	799.00
6	Crystalline Based Waterproofing System	के.जी.	373.00	373.00	373.00
7	Fast setting plugging compound for stopping running water system	के.जी.	426.00	426.00	426.00
8	Polyurethane based waterproof coating system	के.जी.	1732.00	1732.00	1732.00
9	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	1312.00	1312.00	1312.00
10	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	639.00	639.00	639.00
M	PREFORMED				



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	1890.00	1890.00	1890.00
2	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	2100.00	2100.00	2100.00
3	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	1102.00	1102.00	1102.00
4	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	1575.00	1575.00	1575.00
5	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	1575.00	1575.00	1575.00
6	1.2 mm High Polymer PVC Membranes	ब. मि.	2100.00	2100.00	2100.00
7	PVC Adhesive	के.जी.	2625.00	2625.00	2625.00
8	1.2 mm EPDM Membranes	ब. मि.	2625.00	2625.00	2625.00
9	EPDM Adhesive	के.जी.	2625.00	2625.00	2625.00
10	EPDM Primer	के.जी.	3150.00	3150.00	3150.00
11	2mm TPO Membranes	ब. मि.	3675.00	3675.00	3675.00
12	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	852.00	852.00	852.00
13	100% Synthetic Rubber Roof Coating	के.जी.	4725.00	4725.00	4725.00
N	SPECIALTY				
1	Antistripping Agent for Bitumen	के.जी.	586.00	586.00	586.00
2	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	239.00	239.00	239.00
3	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	559.00	559.00	559.00
4	Bituminous based Aluminized Heat Reflective Paint	के.जी.	693.00	693.00	693.00
5	Cold Applied Sealing & Calking Compound	के.जी.	1312.00	1312.00	1312.00
6	ROAD REPAIR PRE-MIX	के.जी.	1050.00	1050.00	1050.00
7	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	799.00	799.00	799.00
8	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	1050.00	1050.00	1050.00
9	Anti Termite [Imidacloprid 30.5%]	के.जी.	12000.00	12000.00	12000.00
10	Expanding Concrete Joint WATERSTOP	र. मि.	2625.00	2625.00	2625.00
11	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	7875.00	7875.00	7875.00
12	Swellable WATERSTOP	र. मि.	2625.00	2625.00	2625.00
13	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	2625.00	2625.00	2625.00
14	Nodular Drain with Geotextile Roof Garden	ब. मि.	2625.00	2625.00	2625.00
15	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	117.00	117.00	117.00
16	XPS - Extruded Polystyrene Boards [25 mm]	ब. मि.	2800.00	2800.00	2800.00
17	XPS - Extruded Polystyrene Boards [50 mm]	ब. मि.	3675.00	3675.00	3675.00
	Water Treatment Components				
a	Pump				
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	गोटा		100000.00	100000.00
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	गोटा		123000.00	123000.00
b	Motorized Actuator Butterfly Valve with CI Materials				

Page 58

पुम्स जिल्ला अधिकारी



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	6" Dia	गोटा		118000.00	118000.00
2	4" Dia	गोटा		68500.00	68500.00
3	3" Dia	गोटा		57500.00	57500.00
4	2.5" Dia	गोटा		42000.00	42000.00
5	2" Dia	गोटा		37500.00	37500.00
c	Vessel Strainer Top and Bottom (2 pieces= 1 set)				
1	40m ³ /Hour	सेट		26125.00	26125.00
2	25m ³ /Hour	सेट		21375.00	21375.00
3	15m ³ /Hour	सेट		14250.00	14250.00
4	9m ³ /Hour	सेट		7125.00	7125.00
d	Air Release And Vaccum Breaker valve(1 unit per Vessel)				
1	1" Small	गोटा		1500.00	1500.00
2	1" Big	गोटा		3325.00	3325.00
3	2" Big	गोटा		8075.00	8075.00
e	Rotameter				
1	Small(upto 5m ³ /h in 3/4" or 1" Male or Female Thread)	गोटा		7600.00	7600.00
2	Medium(upto 10m ³ /h in 1.5" or 2" Male or Female Thread)	गोटा		19000.00	19000.00
3	Big(40m ³ -60m ³ /h in 3" Thread or Flange type)	गोटा		26125.00	26125.00
f	Pressure Gauze(Glycerenine/Liquid Filled)				
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Buttom Thread	गोटा		1250.00	1250.00
g	Automatic Vessel Control Panel				
1	Semi Scada Control Panel with GSM/GPRS-Support features(MASTER)	गोटा		120000.00	120000.00
2	Semi Scada Control Panel (Slave)	गोटा		70000.00	70000.00
h	FRP Water Filter Vessels				
1	14" Dia x 65" Height T/B 4"/Threaded	गोटा		21850.00	21850.00
2	16" Dia x 65" Height T/B 4"/ Threaded	गोटा		22800.00	22800.00
3	18" Dia x 65" Height T/B 4"/ Threaded	गोटा		26125.00	26125.00
4	24" Dia x 72" Height T/B 4"/ Threaded	गोटा		52250.00	52250.00
5	30" Dia x 72" Height T/B 4"/ Threaded	गोटा		104500.00	104500.00
6	36" Dia x 72" Height T/B 4"/ Threaded	गोटा		116850.00	116850.00
7	42" Dia x 72" Height T/B 6"/Flange	गोटा		152000.00	152000.00
8	42" Dia x 72" Height T/B 6"/Threaded	गोटा		190000.00	190000.00
9	48" Dia x 72" Height T/B 6"/ Threaded	गोटा		213750.00	213750.00
10	48" Dia x 72" Height T/B 6"/Flange	गोटा		242250.00	242250.00
i	Chemical Dosing Pump and Components				
1	4 Liter Per Hour at 4Kg pressure	गोटा		21375.00	21375.00




Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	गोटा		5225.00	5225.00
3	Float switch Heavy with 16A wire/ 3 meter	गोटा		2375.00	2375.00
4	100Ltrs Poly tank as Chemical tank	गोटा		1425.00	1425.00
5	Zeolite Sub Sand	के.जी.		616.00	616.00
7	Manganese Dioxide(MnO ₂)	के.जी.		118.80	118.80
8	Calcite	के.जी.		315.00	315.00
9	Anthracite	के.जी.		277.50	277.50
10	Katlox lite	के.जी.		506.25	506.25
11	Catalytic Carbon	के.जी.		1800.00	1800.00
12	Titansorb	के.जी.		2700.00	2700.00



WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२	
1	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	4620.00	4620.00	4620.00	
2	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.	3990.00	3990.00	3990.00	
3	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	1260.00	1260.00	1260.00	
4	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.	4410.00	4410.00	4410.00	
5	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system-Integritank @ 2mm thick(No protection required)	व.मि.	2940.00	2940.00	2940.00	
6	Providing and Applying polymer modified acrylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	1076.00	1076.00	1076.00	
7	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-1C that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	629.00	629.00	629.00	
8	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.	175.00	175.00	175.00	
9	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.	1055.00	1055.00	1055.00	
10	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2					
		12 cm	र.मि.	421.00	421.00	421.00
		20 cm	र.मि.	613.00	613.00	613.00



STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
A	STRUCTURAL STRENGTHENING				
1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	8925.00	8925.00	8925.00
2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	10400.00	10400.00	10400.00
3	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	8400.00	8400.00	8400.00
4	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	12480.00	12480.00	12480.00
5	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	16640.00	16640.00	16640.00
6	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	12480.00	12480.00	12480.00
7	EPOXY PRIMER	के.जी.	3675.00	3675.00	3675.00
8	SATURANT	के.जी.	3675.00	3675.00	3675.00
9	LAMINATE ADHESIVE	के.जी.	2625.00	2625.00	2625.00
10	EPOXY TOPCOAT	के.जी.	3675.00	3675.00	3675.00
11	POLYURETHANE TOPCOAT	के.जी.	4725.00	4725.00	4725.00
12	Glass Fiber anchor system 5to 10 mm	र. मि.	2625.00	2625.00	2625.00
13	Carbon Fiber anchor system 5to 10 mm	र. मि.	3675.00	3675.00	3675.00
14	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	10400.00	10400.00	10400.00
15	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	12480.00	12480.00	12480.00
B	Horizontal Expansion Joint for Slab				
1	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	10909.00	10909.00	10909.00
2	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	12958.00	12958.00	12958.00
3	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	15350.00	15350.00	15350.00
4	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	20467.00	20467.00	20467.00
C	Expansion Joint for Basement				
1	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	18761.00	18761.00	18761.00
D	Expansion Joint for Roof				
1	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	13083.00	13083.00	13083.00
2	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	15553.00	15553.00	15553.00
3	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	18418.00	18418.00	18418.00
4	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	24559.00	24559.00	24559.00
E	Inside Vertical Expansion Joint				



नेपाल सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	6888.00	6888.00	6888.00
2	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	8610.00	8610.00	8610.00
3	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	10332.00	10332.00	10332.00
4	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	13644.00	13644.00	13644.00
F	Outside Vertical Expansion Joint				
1	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	7917.00	7917.00	7917.00
2	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	9901.00	9901.00	9901.00
3	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	11762.00	11762.00	11762.00
4	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	15683.00	15683.00	15683.00

[Handwritten signatures and stamps, including a circular official stamp of the Lalitpur District Administration.]



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Interlocking Cement Concrete Block (Not less than M20 concrete				
	Curb stone-Not less than M20 concrete	र.मि.	1103.00	1103.00	1103.00
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि	42.00	42.00	42.00
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि	44.00	44.00	44.00
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	51.00	51.00	51.00
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	52.00	52.00	52.00
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	53.00	53.00	53.00
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	55.00	55.00	55.00
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	62.00	62.00	62.00
2	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	गोटा	10.00	10.00	10.00
	Hexagon (22*22 cm) non colour	गोटा	23.00	23.00	23.00
	Hexagon (22*22 cm) colour	गोटा	25.00	25.00	25.00
	Squire paver (30*30*4.5cm)non colour	गोटा	31.00	31.00	31.00
	Squire paver (30*30*4.5cm)colour	गोटा	35.00	35.00	35.00
	inter block(24*13*6cm)	गोटा	15.00	15.00	15.00
	Isave paver (20*16*6cm)	गोटा	17.00	17.00	17.00
3	Concrete Block different items				
	Hollow Block (16**8**6")	गोटा	79.00	79.00	79.00
	Hollow Block (16**8**4")	गोटा	70.00	70.00	70.00
	Comer Hollow Block (16**8**6")	गोटा	89.00	89.00	89.00
	Lintel Block (16**8**6")	गोटा	89.00	89.00	89.00
	Pavers Block (fish or other shape) 60mm thick	गोटा	20.00	20.00	20.00
	concrete Brick (9**4**2.5")	गोटा	12.00	12.00	12.00
5	Concrete block				
	Concrete block size (40*15*20) cm	गोटा	40.00	40.00	40.00
	Concrete block size (40*10*20) cm	गोटा	35.00	35.00	35.00
	Concrete block size (39*14*19) cm	गोटा	55.00	55.00	55.00
6	Cellular light weight concrete(CLC) block				
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	124.00	124.00	124.00
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	187.00	187.00	187.00
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	250.00	250.00	250.00
7	Interlock Concrete Paving Blocks				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	2391.00	2391.00	2391.00
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	2968.00	2968.00	2968.00
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	3639.00	3639.00	3639.00
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	1768.00	1768.00	1768.00

Page 64



Cement Concrete Block


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2223.00	2223.00	2223.00
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2701.00	2701.00	2701.00
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	1920.00	1920.00	1920.00
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2439.00	2439.00	2439.00
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2958.00	2958.00	2958.00
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	1668.00	1668.00	1668.00
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	1944.00	1944.00	1944.00
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	1136.00	1136.00	1136.00
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	1362.00	1362.00	1362.00
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	1768.00	1768.00	1768.00
८	CONCRETE PAVING BLOCKS				
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	1656.45	1656.45	1656.45
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	1987.74	1987.74	1987.74
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	2098.17	2098.17	2098.17
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	2080.00	2080.00	2080.00
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	2325.00	2325.00	2325.00
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	2428.00	2428.00	2428.00
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	1336.39	1336.39	1336.39
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	1603.67	1603.67	1603.67
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	1692.76	1692.76	1692.76
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm)	व.मी.	1848.00	1848.00	1848.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm)	व.मी.	2014.00	2014.00	2014.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80mm)	व.मी.	2097.00	2097.00	2097.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	1324.00	1324.00	1324.00

Page 65

पुष्प जिल्ला अधिकारी

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	1490.00	1490.00	1490.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	1572.00	1572.00	1572.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.	1076.00	1076.00	1076.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.	1296.00	1296.00	1296.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm)	व.मी.	1379.00	1379.00	1379.00
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	1930.34	1930.34	1930.34
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	2138.23	2138.23	2138.23
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	2227.32	2227.32	2227.32
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	1848.00	1848.00	1848.00
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2014.00	2014.00	2014.00
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2097.00	2097.00	2097.00
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.	2055.00	2055.00	2055.00
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.	2349.00	2349.00	2349.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.	2459.00	2459.00	2459.00
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.	3766.00	3766.00	3766.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.	4051.00	4051.00	4051.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.	4332.00	4332.00	4332.00
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.	5648.49	5648.49	5648.49
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.	6043.49	6043.49	6043.49
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.	6477.99	6477.99	6477.99
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	1784.00	1784.00	1784.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	2275.00	2275.00	2275.00
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	2814.00	2814.00	2814.00
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	3921.00	3921.00	3921.00
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	4297.00	4297.00	4297.00
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	4618.00	4618.00	4618.00
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	1618.00	1618.00	1618.00
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	1782.00	1782.00	1782.00
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm)	व.मी.	1837.00	1837.00	1837.00
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	1480.00	1480.00	1480.00
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	1706.00	1706.00	1706.00
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	1802.00	1802.00	1802.00
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	1774.68	1774.68	1774.68
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	2249.59	2249.59	2249.59
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	2799.49	2799.49	2799.49
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1749.00	1749.00	1749.00
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	2060.00	2060.00	2060.00
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	2332.00	2332.00	2332.00
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	1710.00	1710.00	1710.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	2022.00	2022.00	2022.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	2333.00	2333.00	2333.00
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1610.00	1610.00	1610.00
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1783.00	1783.00	1783.00
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1858.00	1858.00	1858.00

Page 67

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1579.00	1579.00	1579.00
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1741.00	1741.00	1741.00
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1834.00	1834.00	1834.00
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.	1741.00	1741.00	1741.00
९	CONCRETE PAVING TILES (M35 Grade)				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1361.00	1361.00	1361.00
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1507.00	1507.00	1507.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1701.00	1701.00	1701.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2625.66	2625.66	2625.66
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2938.23	2938.23	2938.23
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	3282.07	3282.07	3282.07
१०	CONCRETE KERB-STONES				0.00
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	350.00	350.00	350.00
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	363.00	363.00	363.00
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	401.00	401.00	401.00
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	449.00	449.00	449.00
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	465.00	465.00	465.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेटललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	513.00	513.00	513.00
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300mm)	र.फि.	391.00	391.00	391.00
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	447.00	447.00	447.00
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	477.00	477.00	477.00
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	1775.00	1775.00	1775.00
११	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	20.00	20.00	20.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	22.00	22.00	22.00
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	18.00	18.00	18.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	19.00	19.00	19.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	152.00	152.00	152.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	180.00	180.00	180.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	109.00	109.00	109.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	125.00	125.00	125.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	92.00	92.00	92.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	104.00	104.00	104.00
१२	CONCRETE PAVING BLOCKS				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	1545.00	1545.00	1545.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	1738.00	1738.00	1738.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm)	व.मी.	1821.00	1821.00	1821.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	1333.00	1333.00	1333.00
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	1590.00	1590.00	1590.00
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm)	व.मी.	1675.00	1675.00	1675.00
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	2055.00	2055.00	2055.00
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	2349.00	2349.00	2349.00
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm)	व.मी.	2459.00	2459.00	2459.00
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	2501.00	2501.00	2501.00
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	2769.00	2769.00	2769.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	2858.00	2858.00	2858.00
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm)	व.मी.	1741.00	1741.00	1741.00
१३	CONCRETE PAVING TILES (M35 Grade)				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1481.00	1481.00	1481.00
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1618.00	1618.00	1618.00
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1803.00	1803.00	1803.00
१४	CONCRETE KERB-STONES				
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325mm)	र.फि.	278.00	278.00	278.00
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	297.00	297.00	297.00

Page 70



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	330.00	330.00	330.00
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	451.78	451.78	451.78
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	492.39	492.39	492.39
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250mm)	र.फि.	350.00	350.00	350.00
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH)	र.फि.	363.00	363.00	363.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH)	र.फि.	401.00	401.00	401.00
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm)	र.फि.	391.00	391.00	391.00
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	419.00	419.00	419.00
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	448.00	448.00	448.00
	EPS-C(Expanded polystyreneconcrete) Block				
1	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	146.00	146.00	146.00
2	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	219.00	219.00	219.00
3	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	292.00	292.00	292.00



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Surface Hardness	Element	1027.00	1027.00	1027.00
2	Cover Survey/ Rebar Orientation	Element	4108.00	4108.00	4108.00
3	Homogeneity	Element	5135.00	5135.00	5135.00
4	Crack Depth Measurement	Element	5135.00	5135.00	5135.00
5	E-Modulus Calculation Test	Element	5135.00	5135.00	5135.00
6	Resistivity	Element	2567.00	2567.00	2567.00
7	Curing Efficiency Test	Element	2567.00	2567.00	2567.00
8	Corrosion Mapping	Element	15405.00	15405.00	15405.00
9	Half Cell Potential	Element	7189.00	7189.00	7189.00
10	Sonic Echo/ Void Detection Test	Element	10270.00	10270.00	10270.00
11	Pulloff Test/ Bond Test	Element	7189.00	7189.00	7189.00
12	Concrete Tensile Strength Test	Element	7189.00	7189.00	7189.00
13	Moisture Content	Element	4621.00	4621.00	4621.00
14	Core Extraction				
	32 mm Dia	Element	7702.00	7702.00	7702.00
	52 mm Dia	Element	8216.00	8216.00	8216.00
	75 mm Dia	Element	8729.00	8729.00	8729.00
	100 mm Dia	Element	1027.00	1027.00	1027.00
	150 mm Dia	Element	12837.00	12837.00	12837.00
	200 mm Dia	Element	15405.00	15405.00	15405.00
	250 mm Dia	Element	17972.00	17972.00	17972.00
	300 mm Dia	Element	20540.00	20540.00	20540.00
	350 mm Dia	Element	25675.00	25675.00	25675.00
15	Rapid Chloride Penetration Test	Element	15405.00	15405.00	15405.00
16	Anchor Pullout Test	Element	20540.00	20540.00	20540.00
17	Infrared Thermography	Element	3594.00	3594.00	3594.00
18	Low Strain Pile Integrity Test	Element	11297.00	11297.00	11297.00
19	High Strain Dynamic Pile Load Test	Element	513500.00	513500.00	513500.00
20	Fresh Concrete Resistivity (Smart Box)	Element	4108.00	4108.00	4108.00
21	Fine/ Coarse Aggregate Moisture Content	Element	3594.00	3594.00	3594.00
22	Fresh Concrete Moisture Content (W/C Ratio)	Element	3594.00	3594.00	3594.00
23	Cross Hole Sonic Logging	Element	12837.00	12837.00	12837.00
24	Impulse Echo	Element	10270.00	10270.00	10270.00
25	Maturity Meter Test	Element	35945.00	35945.00	35945.00
26	Chloride Profile	Element	12837.00	12837.00	12837.00
27	Carbonation Depth Detection Test	Element	2567.00	2567.00	2567.00
28	Boroscope	Element	35945.00	35945.00	35945.00
29	Videoscope	Element	87295.00	87295.00	87295.00
30	Ground Penetrating Radar	Element	51350.00	51350.00	51350.00
31	CAPO Test	Element	12837.00	12837.00	12837.00
32	Permeability Test	Element			
	Air		30810.00	30810.00	30810.00
	Water		41080.00	41080.00	41080.00
33	Concrete Cutting Services	R. M.	30810.00	30810.00	30810.00
34	Wall Cutting Services	R. M.	51350.00	51350.00	51350.00
35	Impact Echo	Element	10270.00	10270.00	10270.00
36	Mortar Strength Test (Penetrometer)	Element	5135.00	5135.00	5135.00
37	ASR Detection Test	Element	10270.00	10270.00	10270.00
38	Moisture Content Test				
	Concrete	Element	2054.00	2054.00	2054.00
	Brick	Element	2054.00	2054.00	2054.00

Page 72

मन्त्रालयका कार्यालय

ललितपुर




NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Masonry	Element	2054.00	2054.00	2054.00
	Wood	Element	2567.00	2567.00	2567.00

[Handwritten signatures: *Reeba*, *Prakash*, *Prakash*, *Prakash*, *Prakash*, *Prakash*, *Prakash*]

प्रमुख जिल्ला अधिकारी




Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मि.	630.00	630.00	630.00
	cell height-75 mm	व.मि.	900.00	900.00	900.00
	cell height-100 mm	व.मि.	1200.00	1200.00	1200.00
	cell height-120 mm	व.मि.	1500.00	1500.00	1500.00
	cell height-150 mm	व.मि.	1750.00	1750.00	1750.00
	cell height-200 mm	व.मि.	2425.00	2425.00	2425.00
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मि.	650.00	650.00	650.00
	cell height-75 mm	व.मि.	925.00	925.00	925.00
	cell height-100 mm	व.मि.	1250.00	1250.00	1250.00
	cell height-120 mm	व.मि.	1550.00	1550.00	1550.00
	cell height-150 mm	व.मि.	1800.00	1800.00	1800.00
	cell height-200 mm	व.मि.	2500.00	2500.00	2500.00
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मि.	950.00	950.00	950.00
	cell height-75 mm	व.मि.	1350.00	1350.00	1350.00
	cell height-100 mm	व.मि.	1800.00	1800.00	1800.00
	cell height-120 mm	व.मि.	2300.00	2300.00	2300.00
	cell height-150 mm	व.मि.	2600.00	2600.00	2600.00
	cell height-200 mm	व.मि.	3650.00	3650.00	3650.00
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मि.	600.00	600.00	600.00
	cell height-75 mm	व.मि.	850.00	850.00	850.00
	cell height-100 mm	व.मि.	1150.00	1150.00	1150.00
	cell height-120 mm	व.मि.	1450.00	1450.00	1450.00
	cell height-150 mm	व.मि.	1675.00	1675.00	1675.00
	cell height-200 mm	व.मि.	2300.00	2300.00	2300.00
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मि.	600.00	600.00	600.00
	cell height-75 mm	व.मि.	850.00	850.00	850.00
	cell height-100 mm	व.मि.	1200.00	1200.00	1200.00
	cell height-120 mm	व.मि.	1500.00	1500.00	1500.00
	cell height-150 mm	व.मि.	1700.00	1700.00	1700.00

Page 74


Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	cell height-200 mm	व.मि.	2400.00	2400.00	2400.00
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मि.	900.00	900.00	900.00
	cell height-75 mm	व.मि.	1250.00	1250.00	1250.00
	cell height-100 mm	व.मि.	1700.00	1700.00	1700.00
	cell height-120 mm	व.मि.	2150.00	2150.00	2150.00
	cell height-150 mm	व.मि.	2500.00	2500.00	2500.00
	cell height-200 mm	व.मि.	3450.00	3450.00	3450.00
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मि.	525.00	525.00	525.00
	cell height-75 mm	व.मि.	750.00	750.00	750.00
	cell height-100 mm	व.मि.	1000.00	1000.00	1000.00
	cell height-120 mm	व.मि.	1275.00	1275.00	1275.00
	cell height-150 mm	व.मि.	1475.00	1475.00	1475.00
	cell height-200 mm	व.मि.	2050.00	2050.00	2050.00
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मि.	550.00	550.00	550.00
	cell height-75 mm	व.मि.	775.00	775.00	775.00
	cell height-100 mm	व.मि.	1050.00	1050.00	1050.00
	cell height-120 mm	व.मि.	1300.00	1300.00	1300.00
	cell height-150 mm	व.मि.	1500.00	1500.00	1500.00
	cell height-200 mm	व.मि.	2100.00	2100.00	2100.00
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मि.	800.00	800.00	800.00
	cell height-75 mm	व.मि.	1100.00	1100.00	1100.00
	cell height-100 mm	व.मि.	1500.00	1500.00	1500.00
	cell height-120 mm	व.मि.	1950.00	1950.00	1950.00
	cell height-150 mm	व.मि.	2200.00	2200.00	2200.00
	cell height-200 mm	व.मि.	3100.00	3100.00	3100.00
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मि.	365.00	365.00	365.00
	cell height-75 mm	व.मि.	525.00	525.00	525.00
	cell height-100 mm	व.मि.	725.00	725.00	725.00
	cell height-120 mm	व.मि.	900.00	900.00	900.00
	cell height-150 mm	व.मि.	1000.00	1000.00	1000.00
	cell height-200 mm	व.मि.	1400.00	1400.00	1400.00



Geocell Technology

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मि.	375.00	375.00	375.00
	cell height-75 mm	व.मि.	550.00	550.00	550.00
	cell height-100 mm	व.मि.	725.00	725.00	725.00
	cell height-120 mm	व.मि.	900.00	900.00	900.00
	cell height-150 mm	व.मि.	1050.00	1050.00	1050.00
	cell height-200 mm	व.मि.	1450.00	1450.00	1450.00
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मि.	550.00	550.00	550.00
	cell height-75 mm	व.मि.	800.00	800.00	800.00
	cell height-100 mm	व.मि.	1050.00	1050.00	1050.00
	cell height-120 mm	व.मि.	1325.00	1325.00	1325.00
	cell height-150 mm	व.मि.	1550.00	1550.00	1550.00
	cell height-200 mm	व.मि.	2100.00	2100.00	2100.00
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मि.	290.00	290.00	290.00
	cell height-75 mm	व.मि.	425.00	425.00	425.00
	cell height-100 mm	व.मि.	590.00	590.00	590.00
	cell height-120 mm	व.मि.	760.00	760.00	760.00
	cell height-150 mm	व.मि.	865.00	865.00	865.00
	cell height-200 mm	व.मि.	1200.00	1200.00	1200.00
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मि.	300.00	300.00	300.00
	cell height-75 mm	व.मि.	450.00	450.00	450.00
	cell height-100 mm	व.मि.	600.00	600.00	600.00
	cell height-120 mm	व.मि.	750.00	750.00	750.00
	cell height-150 mm	व.मि.	900.00	900.00	900.00
	cell height-200 mm	व.मि.	1250.00	1250.00	1250.00
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मि.	450.00	450.00	450.00
	cell height-75 mm	व.मि.	625.00	625.00	625.00
	cell height-100 mm	व.मि.	900.00	900.00	900.00
	cell height-120 mm	व.मि.	1100.00	1100.00	1100.00
	cell height-150 mm	व.मि.	1300.00	1300.00	1300.00
	cell height-200 mm	व.मि.	1800.00	1800.00	1800.00



 Page 76



WPS/Fibre, Concrete Prefabricated Doors & Windows

नेपाल सरकार
गृह मन्त्रालय
ललितपुर जिल्ला प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	WPC Single Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि	703.00	703.00	703.00
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि	815.00	815.00	815.00
2	WPC Single Room Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि	703.00	703.00	703.00
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि	815.00	815.00	815.00
3	FRP Composite Door Frame				
	Thickness: 100 mm	र.फि	463.00	463.00	463.00
	Thickness: 110 mm	र.फि	600.00	600.00	600.00
4	FRP Composite Window or Ventilation Frame				
	Thickness: 110 mm	र.फि	523.00	523.00	523.00
5	FRP Composite Window Net Panel				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	गोटा	4977.00	4977.00	4977.00
6	FRP Composite Window Panel				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	गोटा	5229.00	5229.00	5229.00
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	4977.00	4977.00	4977.00
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black,	गोटा	4713.00	4713.00	4713.00
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	3717.00	3717.00	3717.00
7	FRP Composite Ventilation Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा	4000.00	4000.00	4000.00
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा	3528.00	3528.00	3528.00
8	FRP Composite Ventilation Net Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा	3528.00	3528.00	3528.00
9	Fiber Door Panel				
	Single Fiber Door (Galaxy)	व.फि	1010.00	1010.00	1010.00
	Double Fiber Door (D Model)	व.फि	1310.00	1310.00	1310.00
	Double Fiber Door (New Muti)	व.फि	1950.00	1950.00	1950.00






सि.नं. ६


मन्त्रालय

प्रमुख जिल्ला अधिकारी

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Vinyl Flooring				
1	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	4800.00	4800.00	4800.00
2	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free.Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	3700.00	3700.00	3700.00
3	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m ² ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100µg/m ³). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी	3500.00	3500.00	3500.00



प्रमुख जिल्ला अधिकारी




FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	ललितपुर आ.व. २०८१/८२
4	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of $\leq 1g$ as per EN ISO 5470-1; Resistance to indentation should be $\leq 0.16mm$ confirming to EN 1516 and shock absorption $\geq 17\%$ as per EN 14808; Vertical deformation $\leq 5mm$ confirming to EN 14809 with Vertical ball behavior $\geq 90\%$ as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class Cfls1 with slip resistance to rolling load $\leq 0.50mm$ on EN 1569. NFS 31-074 certified Class A $\leq 65db$ noise reduction with Thermal resistance Approx. 0.07m2 K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The honeycomb backing, creating a suction effect.	व.मी	6200.00	6200.00	6200.00
5	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogenous Acoustic PVC Vinyl Phthalate free, flooring Tarkett/Mohawk/Polyflor or equivalent brand, total weight is 3250g/m2, PUR, No wax no polish for life (, Abrasion group T: ≤ 2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability $\leq 0.40\%$, impact sound reduction approx +19db with acoustic improvement <65Db class A, Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than $\leq 10\mu g/m^3$) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor	व.मी	5000.00	5000.00	5000.00

(Handwritten signatures and initials)

(Handwritten signature)

(Handwritten signature)
प्रमुख जिल्ला अधिकारी



FLOORING AND CEILING

मु.अ.क. बाहेकको दररेट प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन कार्यालय ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
6	<p>Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m² (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical insulation Ri≥5x10⁴ Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches. Thermal resistance Approx. 0.01m² K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.</p>	व.मी	5800.00	5800.00	5800.00
7	<p>Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m² (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. As Carbon coated on the top of the floor it will prevent any kind of electric shock. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with surface treatment new IQ PUR. Flooring follows excellent dry buffing system which always give new looks to the floor. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425. Flooring containing Electrical insulation Ri≥5x10⁴ Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m² K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions.</p>	व.मी	5800.00	5800.00	5800.00
	False Ceiling				



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन क. ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	2152.00	2152.00	2152.00
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4750.00	4750.00	4750.00
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4842.00	4842.00	4842.00



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन कार्यालय		
			आ.व. २०७९/८०	आ.व. २०८०/८१	ललितपुर आ.व. २०८१/८२
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4626.00	4626.00	4626.00
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4626.00	4626.00	4626.00
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	11836.00	11836.00	11836.00



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट प्रशासन कक्षा, ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
7	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	12374.00	12374.00	12374.00
8	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	12912.00	12912.00	12912.00
	Levelling Compund for Vinyl Flooring				0.00
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for Vinyl flooring.	व.मी	592.00	592.00	592.00
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी	295.00	295.00	295.00
	WPC Items				0.00

[Handwritten signature]
Adeh

[Handwritten signature]
N. D.




[Handwritten signature]
Zambikar

[Handwritten signature]
प्रमुख जिल्ला अधिकारी



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	9469.00	9469.00	9469.00
2	Providing and installing WPC Wall panel cladding in pre-painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	6510.00	6510.00	6510.00
Ceiling					




प्रमुख जिल्ला अधिकारी



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेटशासन कार्यालय		
			आ.व. २०७९/८०	आ.व. २०८०/८१	ललितपुर आ.व. २०८१/८२
1	<p>Supply & Fixing of U-Baffle Ceiling System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005 carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.</p>	व.मी	14526.00	14526.00	14526.00



Slope Stabilizing Structures

मु.अ.क. बाहेकको दररेट
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२	
1	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.					
		Upto 5 Height (in Metre)	व.मी	18295.00	18295.00	18295.00
		10 Height (in Metre)	व.मी	23029.00	23029.00	23029.00
		15 Height (in Metre)	व.मी	27944.00	27944.00	27944.00
		20 Height (in Metre)	व.मी	35944.00	35944.00	35944.00
		25 Height (in Metre)	व.मी	48989.00	48989.00	48989.00
		30 Height (in Metre)	व.मी	61858.00	61858.00	61858.00
2	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.					
		10 Height (in meter)	व.मी	29049.00	29049.00	29049.00
		20 Height (in meter)	व.मी	39586.00	39586.00	39586.00
		30 Height (in meter)	व.मी	57410.00	57410.00	57410.00
3	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.					
		10 Height (in meter)	व.मी	36352.00	36352.00	36352.00
4	Geo-composite Drainage with mini pipes					

प्रमुख जिल्ला अधिकारी



Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. बाहेकको दररेट	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	991.00	991.00	991.00
	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	1280.00	1280.00	1280.00
	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	1524.00	1524.00	1524.00
	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	2192.00	2192.00	2192.00
5	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm ² , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी.	149865.00	149865.00	149865.00
	Capacity 1000 KJ and height 5m	र.मी.	299524.00	299524.00	299524.00
	Capacity 1500 KJ and height 5m	र.मी.	349156.00	349156.00	349156.00
	Capacity 2000 KJ and height 5m	र.मी.	432434.00	432434.00	432434.00
	Capacity 3000 KJ and height 5m	र.मी.	509465.00	509465.00	509465.00

Page 87

पुस्तकालय अधिकारी



Slope Stabilizing Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Capacity 5000 KJ and height 7m	र.मी.	930212.00	930212.00	930212.00
6	High Tensile Wire mesh (wire strength ≥ 1770 N/mm ²) Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength ≥ 1770 N/mm ²) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m ² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी	13697.00	13697.00	13697.00
7	High Strength Geogrid coated with linear low-density polyethylene (LLDPE) Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	2192.00	2192.00	2192.00
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	9469.00	9469.00	9469.00
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	2824.00	2824.00	2824.00
	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	12165.00	12165.00	12165.00
8	Fabric formed erosion and scour protection concrete mattresses				

Slope Stabilizing Structures


सि.नं.	निर्माण सामग्रीहरूको विवरण	मु.अ.क. बाहेकको दररेट			
		आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२	
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	6117.00	6117.00	6117.00
	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	7121.00	7121.00	7121.00
	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी	3920.00	3920.00	3920.00
	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी	4272.00	4272.00	4272.00
	Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	8491.00	8491.00	8491.00
	Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	19902.00	19902.00	19902.00

प्रयास जिल्ला अधिकारी

Railway

नेपाल सरकार
गृह मन्त्रालय
निर्माण प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा	8379.00	8379.00	8379.00
2	Spherical bearing = > 2250 KN Fixed type	गोटा	133372.00	133372.00	133372.00
3	Spherical bearing =>2250 KN Free type	गोटा	148530.00	148530.00	148530.00
4	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि	15708.00	15708.00	15708.00
5	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा	14538.00	14538.00	14538.00
6	Ultra sonic cross-hole test Machine hire	गोटा	2341.00	2341.00	2341.00
7	Sheath tube, D75mm (Mild steel)	र.मि	377.00	377.00	377.00
8	Carrying out Dynamic pile load test	गोटा	294465.00	294465.00	294465.00
9	Earthing cable(GV70)	र.मि	615.00	615.00	615.00
10	Cad Mold(Medium) for earthing job in bridge	गोटा	4431.00	4431.00	4431.00
11	Unbonded Pre stressed concrete strand	के.जी.	162.00	162.00	162.00



 Multiple handwritten signatures and stamps are present below the table. One prominent stamp reads "प्रमुख जिल्ला अधिकारी" (Chief District Officer). Other signatures are in various styles, some with names like "Rajesh" and "S. K." visible.



Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Electric Hot Film	व.मी.	1150.00	1150.00	1150.00
2	Thermostat UTH-200/Sensor	गोटा	5500.00	5500.00	5500.00
3	Insulation Pad	व.मी.	350.00	350.00	350.00
4	Eye Clip	गोटा	50.00	50.00	50.00
5	2.5 mm Multi Strand wire	र.मि	60.00	60.00	60.00
6	Installation Charge	व.मी.	300.00	300.00	300.00
7	Parqueting	व.फि.	170.00	170.00	170.00
8	Scoting readymade	र.फि.	170.00	170.00	170.00
9	Scoting Local mare	र.फि.	130.00	130.00	130.00
10	Protected Mat	व.मी.	300.00	300.00	300.00
11	Special Tape	र.फि.	100.00	100.00	100.00

प्रमुख जिल्ला अधिकारी



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	हेज न इन्च पोली	गोटा	44.00	44.00	44.00
2	कार्पेट दुबो	व.फि	38.00	38.00	38.00
3	कार्पेट दुबोको लागि टाप्ने कार्य ज्याला	व.फि	29.00	29.00	29.00
4	निगालो (जरा सहित)	गोटा	14.00	14.00	14.00
5	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	12.00	12.00	12.00
6	गाई भैसीको मल/गोठे मल	के.जी.	6.00	6.00	6.00
7	लेयर्स कुखुराको मल	के.जी.	7.00	7.00	7.00
8	ब्रोईलर कुखुराको मल	के.जी.	5.00	5.00	5.00
9	तोरीको पिना	के.जी.	48.00	48.00	48.00
10	नरिवल डोरी	के.जी.	172.00	172.00	172.00
11	नाइलन डोरी	के.जी.	332.00	332.00	332.00
12	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	261.00	261.00	261.00
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु				
1	पोलिथिन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	444.00	444.00	444.00
2	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	162.00	162.00	162.00
3	ठूला विरुवा रोपन ४ फिट देखि ६ फिट सम्म	प्रति विरुवा	182.00	182.00	182.00
4	अग्ला विरुवा रोपन ६ फिट देखि ८ फिट सम्म	प्रति विरुवा	274.00	274.00	274.00
5	दाउरा लोड	चट्टा	3560.00	3560.00	3560.00
7	दाउरा अनलोड	चट्टा	1307.00	1307.00	1307.00
8	सकलन कटान, मुछान	चट्टा	4747.00	4747.00	4747.00
9	ढुवानी (५ कि.मी.सम्म)	चट्टा	4747.00	4747.00	4747.00
10	अनलोडिङ	चट्टा	1661.00	1661.00	1661.00
11	चट्टा निर्माण	चट्टा	1780.00	1780.00	1780.00
12	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	32.00	32.00	32.00
13	वन सुपारी	प्रति विरुवा	47.00	47.00	47.00
	शहरी वृक्षारोपणकार्य				
1	४ फिट सम्मको विरुवा	प्रति विरुवा	166.00	166.00	166.00
2	५ फिट सम्मको विरुवा	प्रति विरुवा	183.00	183.00	183.00
3	६ फिट सम्मको विरुवा	प्रति विरुवा	183.00	183.00	183.00
4	८ फिट सम्मको विरुवा	प्रति विरुवा	284.00	284.00	284.00
5	४ फिट गोलाई ४ फिट उचाईको	प्रति विरुवा	4316.00	4316.00	4316.00
6	५ फिट गोलाई ५ फिट उचाईको	प्रति विरुवा	5179.00	5179.00	5179.00
	४ फिट सम्मको विरुवाको मुल्य				
1	कपूर	प्रति विरुवा	913.00	913.00	913.00
2	रुद्राक्ष	प्रति विरुवा	1127.00	1127.00	1127.00
3	कल्की बोटल ब्रस	प्रति विरुवा	783.00	783.00	783.00
4	ज्याकारण्डा गोल्डसोनि	प्रति विरुवा	783.00	783.00	783.00

Page 92

प्रमुख जिल्ला अधिकारी



वनजंगल संरक्षण विड तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
5	असारे	प्रति बिरुवा	783.00	783.00	783.00
9	पैयू	प्रति बिरुवा	522.00	522.00	522.00
10	लप्सी	प्रति बिरुवा	522.00	522.00	522.00
11	धूपी	प्रति बिरुवा	586.00	586.00	586.00
12	बगमबेली	प्रति बिरुवा	783.00	783.00	783.00
13	काइयो	प्रति बिरुवा	783.00	783.00	783.00
14	रक्तकमल	प्रति बिरुवा	1495.00	1495.00	1495.00
15	समी	प्रति बिरुवा	1156.00	1156.00	1156.00
16	बर	प्रति बिरुवा	1495.00	1495.00	1495.00
17	पिपल	प्रति बिरुवा	1495.00	1495.00	1495.00
18	५ फिट सम्मको करविर बिरुवा	प्रति बिरुवा	1424.00	1424.00	1424.00
19	५ फिट सम्मको तिकोमा बिरुवा	प्रति बिरुवा	1424.00	1424.00	1424.00
20	५ फिट सम्मको चापको बिरुवा	प्रति बिरुवा	1542.00	1542.00	1542.00
	४ फिट देखि ६ फिट सम्मको बिरुवाको मुल्य				
1	तिकोमा	प्रति बिरुवा	1834.00	1834.00	1834.00
	वायो इन्जिनियरिङ सम्बन्धि काम				
	घासको विड				
1	जई	कि.ग्रा	88.00	88.00	88.00
2	भेच	कि.ग्रा	201.00	201.00	201.00
3	नेपीयर	सेट	3.00	3.00	3.00
4	वर्सिम	कि.ग्रा	207.00	207.00	207.00
5	घाँसको विड र औषधि जिल्ला भित्र ढुवानी गर्दा	कि.ग्रा	189.00	189.00	189.00
6	घाँसको विड जिल्ला बाहिरबाट ढुवानी गर्दा	कि.ग्रा	1.00	1.00	1.00
7	माटो भर्ने खाली बोरा	गोटा	3.00	3.00	3.00
8	बास काटेको सिंगो घाना	घाना	415.00	415.00	415.00
9	बासको कटिंग स्टम्प बिरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	64.00	64.00	64.00
	Vegitation/Shrubs Cuttings/Slip/Plants/etc.				
1	अम्रिसो(राइजोम)	प्रति बिरुवा	7.00	7.00	7.00
2	अलैची गानो	प्रति बिरुवा	12.00	12.00	12.00
3	अलैची बिरुवा	प्रति बिरुवा	11.00	11.00	11.00
4	हाईउड कटिङ्गस् (वैस) पेन्सिल साइज	प्रति बिरुवा	6.00	6.00	6.00
5	नेपीयर कटिङ्गस्	प्रति बिरुवा	2.00	2.00	2.00
6	NB ₂₁ घाँस	प्रति बिरुवा	2.00	2.00	2.00
7	निगालो राइजोम	प्रति बिरुवा	59.00	59.00	59.00
8	बासको बेर्ना (कटिंग राइजोम)	प्रति बिरुवा	415.00	415.00	415.00
9	बाबियो ताइवानी ढुबो	प्रति बिरुवा	3.00	3.00	3.00



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
10	सिजनल फुल ८ इन्च पोली	गोटा	29.00	29.00	29.00
11	गुलाफ फुल ८ इन्च पोली	गोटा	178.00	178.00	178.00
12	कार्पेट दुबो	व.फी.	38.00	38.00	38.00
13	कार्पेट दुबो को लागी छापने कार्यको ज्याला	व.फी.	29.00	29.00	29.00
14	निगालो (जरा सहीत)	गोटा	14.00	14.00	14.00
15	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	गोटा	12.00	12.00	12.00
16	डाले घासको बिरुवा	गोटा	12.00	12.00	12.00
17	मोलाटो बिरुवा	गोटा	2.00	2.00	2.00
18	लौठ सल्ला नेपाली	गोटा	156.00	156.00	156.00
19	लौठ सल्ला अमेरिकन	गोटा	332.00	332.00	332.00
20	खर	गोटा	91.00	91.00	91.00
21	अम्बा	प्रति बिरुवा	142.00	142.00	142.00
22	उतिस, धयेरो, असुरो, वकाइनो, निम आदी	गोटा	442.00	442.00	442.00
23	भुजेत्रो	के.जी.	1672.00	1672.00	1672.00
24	खर, फुकेँ सिटो आदिको विउ	के.जी.	1564.00	1564.00	1564.00
25	जुट नेट	व.मी.	523.00	523.00	523.00
द टिम्बर कर्पोरेशनबाट सम्पादन गरिने कार्यहरु					
1	चिरान उत्पादन(बाकल, भुष, फाल्ने कस काटिंग समेत)	क्यू.फि.	76.00	76.00	76.00
2	चिरान लोड	क्यू.फि.	25.00	25.00	25.00
3	चिरान पाइलिंग	क्यू.फि.	8.00	8.00	8.00
4	चिरान अनलोड	क्यू.फि.	9.00	9.00	9.00
5	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	12.00	12.00	12.00
6	भाडाको समिलबाट गोलिया चिरान ज्याला(गोलियामा)	क्यू.फि.	106.00	106.00	106.00
7	दाउरा लोड	क्वीन्टल	59.00	59.00	59.00
8	दाउरा अनलोड	क्वीन्टल	19.00	19.00	19.00
9	पोल लोड	प्रति गोटा	71.00	71.00	71.00
10	पोल अनलोड	प्रति गोटा	35.00	35.00	35.00
पाल्मका प्रजाति					
1	फिस्टेल पाल्म	प्रति गोटा	1618.00	1618.00	1618.00
2	रोयल पाल्म	प्रति गोटा	1942.00	1942.00	1942.00
3	बोटल पाल्म	प्रति गोटा	1025.00	1025.00	1025.00
4	किं पाल्म	प्रति गोटा	1942.00	1942.00	1942.00
5	हवाई पाल्म	प्रति गोटा	2589.00	2589.00	2589.00
6	होचो हुने प्रजाति १ देखि २ फिट सम्म	प्रति गोटा			
7	साइकस पाल्म	प्रति गोटा	1294.00	1294.00	1294.00
8	स्याक्सिस पाल्म	प्रति गोटा	1025.00	1025.00	1025.00
9	रेक्सोन पाल्म	प्रति गोटा	1294.00	1294.00	1294.00
10	फोनिक्स पाल्म	प्रति गोटा	755.00	755.00	755.00
11	च्यामडोरा पाल्म	प्रति गोटा	755.00	755.00	755.00

Page 94

प्रमुख जिल्ला अधिकारी



वनजंगल संग्रह सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
12	सिपेरिया पाल्म	प्रति गोटा	539.00	539.00	539.00
13	फयान पाल्म	प्रति गोटा	809.00	809.00	809.00
14	एरिका पाल्म	प्रति गोटा	809.00	809.00	809.00
	४ देखि ५ फिट उचाई सम्म				
1	हेवि सक्स	प्रति गोटा	107.00	107.00	107.00
2	एजेलिया	प्रति गोटा	1942.00	1942.00	1942.00
3	क्याभेलिया	प्रति गोटा	1942.00	1942.00	1942.00
4	ग्राउण्ड कमर	प्रति गोटा	323.00	323.00	323.00
	स्थानिय वास्नादार प्रजाति ४ देखि ६ फिट				
1	पारिजात	प्रति गोटा	1510.00	1510.00	1510.00
2	चमेली	प्रति गोटा	1294.00	1294.00	1294.00
3	जाई	प्रति गोटा	1025.00	1025.00	1025.00
4	बेलपत्र	प्रति गोटा	1025.00	1025.00	1025.00
	स्थानिय प्रजाति २ देखि ४ फिट				
1	मालती	प्रति गोटा	539.00	539.00	539.00
2	बगमवेली	प्रति गोटा	647.00	647.00	647.00
3	बेली	प्रति गोटा	647.00	647.00	647.00
4	पेशान फ्लावर	प्रति गोटा	755.00	755.00	755.00
5	मान्डोमिल्ला	प्रति गोटा	1294.00	1294.00	1294.00
6	फाइकस पुमिला	प्रति गोटा	215.00	215.00	215.00
7	आडीम प्लाण्ट	प्रति गोटा	323.00	323.00	323.00
8	कपुर	प्रति गोटा	871.00	871.00	871.00
9	रुद्राक्ष	प्रति गोटा	1075.00	1075.00	1075.00
10	कल्की	प्रति गोटा	747.00	747.00	747.00
11	जाकारन्डा	प्रति गोटा	747.00	747.00	747.00
12	असारे	प्रति गोटा	747.00	747.00	747.00
13	शिरिस	प्रति गोटा	809.00	809.00	809.00
14	पैयू	प्रति गोटा	498.00	498.00	498.00
15	लप्सी	प्रति गोटा	498.00	498.00	498.00
16	धुपी	प्रति गोटा	560.00	560.00	560.00
17	बगनवेली	प्रति गोटा	747.00	747.00	747.00
18	काईयो	प्रति गोटा	747.00	747.00	747.00
19	अम्नीसो(सानो बिरुवा)	प्रति गोटा	6.00	6.00	6.00
20	तेजपात	प्रति गोटा	1079.00	1079.00	1079.00
21	अमला	प्रति गोटा	841.00	841.00	841.00
22	हरौं	प्रति गोटा	917.00	917.00	917.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी



वनजंगल संग सम्बन्धित बिउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
23	वरो	प्रति गोटा	917.00	917.00	917.00
24	वकाईनो	प्रति गोटा	917.00	917.00	917.00
25	इनद्रकमल	प्रति गोटा	1942.00	1942.00	1942.00
26	लालीगुरास	प्रति गोटा	1780.00	1780.00	1780.00
27	स्यालफुसरे	प्रति गोटा	1780.00	1780.00	1780.00
28	पुवाले	प्रति गोटा	1780.00	1780.00	1780.00
29	देवदार	प्रति गोटा	2859.00	2859.00	2859.00
30	किसमस	प्रति विरुवा	3237.00	3237.00	3237.00
31	गोल्डेन धुपि	प्रति विरुवा	2589.00	2589.00	2589.00
32	गुन्सी	प्रति विरुवा	2104.00	2104.00	2104.00
33	अन्य	प्रति विरुवा	1780.00	1780.00	1780.00
	बस्ती क्षेत्र भित्रका रुख कटान मुद्दान गरी गिण्डा पार्ने				
1	सामान्य जोखिम भएको	प्रति गोटा	84.00	84.00	84.00
2	मध्यम	प्रति गोटा	141.00	141.00	141.00
3	अति जोखिम	प्रति गोटा	226.00	226.00	226.00
	वन पैदावर संकलन तथा घाटगद्दी खर्च				
1	रुख नम्बरीङ्ग/छपान/व्लेजीङ्ग गर्न ०१००२ जना प्रति क्यू.फि.)	क्यू.फि.	2.00	2.00	2.00
2	ढलापडा रुख कटान मुद्दान	क्यू.फि.	43.00	43.00	43.00
3	गोलिया काठ नम्बरिङ्ग तथा नाप पैमाइस (०१००८ जना प्रति क्यू.फि.)	क्यू.फि.	64.00	64.00	64.00
4	बोक्रा ताछ्ने (आवश्यकता अनुसार) (०१००८ जना प्रति क्यू.फि.)	क्यू.फि.	6.00	6.00	6.00
5	यार्डिङ्ग गर्ने (भिरालो भौगोलिक अवस्थामा मात्र) (०१९६७ जना प्रति क्यू.फि.)	क्यू.फि.	124.00	124.00	124.00
6	गोलिया काठ लोड गर्ने (०१०३२ जना प्रति क्यू.फि.)	क्यू.फि.	21.00	21.00	21.00
7	गोलिया काठ दुवानी घाटगद्दी सम्म (५ कि.मी दुरीसम्म) (०१०६७ जना प्रति क्यू.फि.)	क्यू.फि.	48.00	48.00	48.00
8	गोलिया काठ अनलोड गर्ने (०१०२१ जना प्रति क्यू.फि.)	क्यू.फि.	19.00	19.00	19.00
9	ग्रेडिङ्ग अनुसार घाटगद्दी गर्ने (०१०२७ जना प्रति क्यू.फि.)	क्यू.फि.	26.00	26.00	26.00
10	कूल संकलन खर्च (०१३७१ जना प्रति क्यू.फि.)	क्यू.फि.	248.00	248.00	248.00
ख	मूल्य				
1	टिमुर	गोटा	59.00	59.00	59.00
2	सतुवा	गोटा	140.00	140.00	140.00
3	ओखर	गोटा	269.00	269.00	269.00
4	बडहर	गोटा	75.00	75.00	75.00
5	कटहर	गोटा	75.00	75.00	75.00
6	सुपारी	गोटा	280.00	280.00	280.00
7	नरिवल	गोटा	280.00	280.00	280.00
8	अर्गेलि कटिग	गोटा	43.00	43.00	43.00
9	चिराइतो	गोटा	43.00	43.00	43.00

प्रमुख जिल्ला अधिकारी



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट प्रशासन		
			आ.व. २०७९/८०	आ.व. २०८०/८१	ललितपुर आ.व. २०८१/८२
10	सल्लो	गोटा	43.00	43.00	43.00
11	वकाइनो	गोटा	26.00	26.00	26.00
12	बयर	गोटा	172.00	172.00	172.00
13	सिमल	गोटा	32.00	32.00	32.00
14	सुगन्धकोफिला	गोटा	52.00	52.00	52.00
15	कल्किफुल	गोटा	75.00	75.00	75.00
16	दालचिनी	गोटा	37.00	37.00	37.00
17	बाँस विउवाट एक वर्षे	गोटा	91.00	91.00	91.00
19	वन सुपारी	प्रति विरुवा	53.00	53.00	53.00
20	अगर उड	प्रति विरुवा	296.00	296.00	296.00
22	करविर फूल	प्रति विरुवा	1046.00	1046.00	1046.00
23	चाँप	प्रति विरुवा	1834.00	1834.00	1834.00
25	ठूलो साईजको बाँसको विरुवा (विउवाट उत्पादित)	गोटा	323.00	323.00	323.00
26	बोधिचित्त	गोटा	135.00	135.00	135.00
27	दाते ओखर	गोटा	215.00	215.00	215.00
28	रिटठा	गोटा	53.00	53.00	53.00
29	निम	गोटा	86.00	86.00	86.00
30	चिउरी	गोटा	75.00	75.00	75.00
31	श्रीखण्ड	गोटा	399.00	399.00	399.00
32	रक्तचन्दन	गोटा	291.00	291.00	291.00
33	खयर	गोटा	75.00	75.00	75.00
घ	बाली एलानी पर्ति जग्गामा लगाउन आवश्यक फलफूल विरुवा				
1	कागती	प्रति विरुवा	237.00	237.00	237.00
2	सुन्तला	प्रति विरुवा	237.00	237.00	237.00
3	जुनार	प्रति विरुवा	237.00	237.00	237.00
4	हलुवावेद	प्रति विरुवा	237.00	237.00	237.00
5	आँप	प्रति विरुवा	237.00	237.00	237.00
6	कागति	गोटा	53.00	53.00	53.00
7	सुन्तला	गोटा	53.00	53.00	53.00
8	निवुवा	गोटा	53.00	53.00	53.00
9	नास्पाति	गोटा	237.00	237.00	237.00
10	एभोकाडो	गोटा	280.00	280.00	280.00

[Handwritten signatures and stamps]

प्रमुख जिल्ला अधिकारी

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	High Density Polythene Pipe NS-40	के. जी.	287.00	287.00	287.00
2	G.I Pipe threaded - Light class				
	15mm	र.मी	170.00	170.00	170.00
	20mm	र.मी	232.00	232.00	232.00
	25mm	र.मी	322.00	322.00	322.00
	32mm	र.मी	411.00	411.00	411.00
	40mm	र.मी	508.00	508.00	508.00
	50mm	र.मी	641.00	641.00	641.00
	65mm	र.मी	885.00	885.00	885.00
	80mm	र.मी	1038.00	1038.00	1038.00
	100mm	र.मी	1485.00	1485.00	1485.00
	125mm	र.मी	2377.00	2377.00	2377.00
	150mm	र.मी	2823.00	2823.00	2823.00
	200mm	र.मी	4051.00	4051.00	4051.00
3	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	519.00	519.00	519.00
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	623.00	623.00	623.00
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	782.00	782.00	782.00
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	964.00	964.00	964.00
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	1104.00	1104.00	1104.00
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	1417.00	1417.00	1417.00
	73mm OD 3" SCH.40, 5.16 .mm thickness	र.मी	2179.00	2179.00	2179.00
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	2300.00	2300.00	2300.00
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	3312.00	3312.00	3312.00
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	4060.00	4060.00	4060.00
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	5499.00	5499.00	5499.00
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	7138.00	7138.00	7138.00
	65 mm ID SCH.40	र.मी	2185.00	2185.00	2185.00
	80 mm ID SCH.40	र.मी	2645.00	2645.00	2645.00
	125 mm ID SCH.40	र.मी	4370.00	4370.00	4370.00
	150 mm ID SCH.40	र.मी	5094.00	5094.00	5094.00
	200 mm ID SCH.40	र.मी	6348.00	6348.00	6348.00
	250mm ID SCH.40	र.मी	8199.00	8199.00	8199.00
	300 mm ID SCH.40	र.मी	11247.00	11247.00	11247.00
	350 mm ID SCH.40	र.मी	21160.00	21160.00	21160.00
	400 mm ID SCH.40	र.मी	27600.00	27600.00	27600.00
	450 mm ID SCH.40	र.मी	34879.00	34879.00	34879.00
	500 mm ID SCH.40	र.मी	41055.00	41055.00	41055.00
4	G.I Pipe threaded -Medium class				
	15mm	र.मी	181.00	181.00	181.00
	20mm	र.मी	225.00	225.00	225.00

Page 98



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	25mm	र.मी	344.00	344.00	344.00
	32mm	र.मी	447.00	447.00	447.00
	40mm	र.मी	514.00	514.00	514.00
	50mm	र.मी	706.00	706.00	706.00
	65mm	र.मी	901.00	901.00	901.00
	80mm	र.मी	1122.00	1122.00	1122.00
	100mm	र.मी	1680.00	1680.00	1680.00
	125mm	र.मी	2196.00	2196.00	2196.00
	150mm	र.मी	2656.00	2656.00	2656.00
	200mm	र.मी	4596.00	4596.00	4596.00
5	G.I Pipe threaded - Heavy duty				
	15mm	र.मी	212.00	212.00	212.00
	20mm	र.मी	265.00	265.00	265.00
	25mm	र.मी	396.00	396.00	396.00
	32mm	र.मी	468.00	468.00	468.00
	40mm	र.मी	593.00	593.00	593.00
	50mm	र.मी	872.00	872.00	872.00
	65mm	र.मी	992.00	992.00	992.00
	80mm	र.मी	1285.00	1285.00	1285.00
	100mm	र.मी	2208.00	2208.00	2208.00
	125mm	र.मी	2503.00	2503.00	2503.00
	150mm	र.मी	2833.00	2833.00	2833.00
	200mm	र.मी	5083.00	5083.00	5083.00
6	G.M. Gate valve				
	15mm	र.मी	751.00	751.00	751.00
	20mm	र.मी	1050.00	1050.00	1050.00
	25mm	र.मी	1600.00	1600.00	1600.00
	32mm	र.मी	2350.00	2350.00	2350.00
	40mm	र.मी	3133.00	3133.00	3133.00
	50mm	र.मी	4883.00	4883.00	4883.00
	65mm	र.मी	8772.00	8772.00	8772.00
	80mm	र.मी	12050.00	12050.00	12050.00
	100mm	र.मी	20590.00	20590.00	20590.00
7	G.M Check valve				
	15mm	गोटा	893.00	893.00	893.00
	20mm	गोटा	1200.00	1200.00	1200.00
	25mm	गोटा	1775.00	1775.00	1775.00
	32mm	गोटा	2623.00	2623.00	2623.00
	40mm	गोटा	3035.00	3035.00	3035.00
	50mm	गोटा	5033.00	5033.00	5033.00


[Handwritten signatures and marks]


[Handwritten signature]

प्रमुख जिल्ला अधिकारी


पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	65mm	गोटा	10225.00	10225.00	10225.00
	80mm	गोटा	13657.00	13657.00	13657.00
	100mm	गोटा	19301.00	19301.00	19301.00
8	G.I. Elbow				
	15mm	गोटा	42.00	42.00	42.00
	20mm	गोटा	66.00	66.00	66.00
	25mm	गोटा	105.00	105.00	105.00
	32mm	गोटा	162.00	162.00	162.00
	40mm	गोटा	223.00	223.00	223.00
	50mm	गोटा	344.00	344.00	344.00
	65mm	गोटा	653.00	653.00	653.00
	80mm	गोटा	880.00	880.00	880.00
	100mm	गोटा	1570.00	1570.00	1570.00
	125mm	गोटा	2103.60	2103.60	2103.60
	150mm	गोटा	2524.32	2524.32	2524.32
9	G.I. Tee				
	15mm	गोटा	66.00	66.00	66.00
	20mm	गोटा	104.00	104.00	104.00
	25mm	गोटा	142.00	142.00	142.00
	32mm	गोटा	219.00	219.00	219.00
	40mm	गोटा	282.00	282.00	282.00
	50mm	गोटा	492.00	492.00	492.00
	65mm	गोटा	828.00	828.00	828.00
	80mm	गोटा	1187.00	1187.00	1187.00
	100mm	गोटा	1953.00	1953.00	1953.00
	125mm	गोटा	2465.00	2465.00	2465.00
	150mm	गोटा	2960.00	2960.00	2960.00
10	G.I Union				
	15mm	गोटा	113.00	113.00	113.00
	20mm	गोटा	153.00	153.00	153.00
	25mm	गोटा	210.00	210.00	210.00
	32mm	गोटा	329.00	329.00	329.00
	40mm	गोटा	401.00	401.00	401.00
	50mm	गोटा	611.00	611.00	611.00
	65mm	गोटा	1138.00	1138.00	1138.00
	80mm	गोटा	1586.00	1586.00	1586.00
	100mm	गोटा	2205.00	2205.00	2205.00
	125mm	गोटा	2770.00	2770.00	2770.00





पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	150mm	गोटा	3324.00	3324.00	3324.00
11	G.I. Socket				
	15mm	गोटा	38.00	38.00	38.00
	20mm	गोटा	57.00	57.00	57.00
	25mm	गोटा	75.00	75.00	75.00
	32mm	गोटा	115.00	115.00	115.00
	40mm	गोटा	144.00	144.00	144.00
	50mm	गोटा	241.00	241.00	241.00
	65mm	गोटा	391.00	391.00	375.00
	80mm	गोटा	586.00	586.00	586.00
	100mm	गोटा	951.00	951.00	951.00
	125mm	गोटा	1140.00	1140.00	1140.00
	150mm	गोटा	1368.00	1368.00	1368.00
12	C.I. Plug				
	15mm	गोटा	30.00	30.00	30.00
	20mm	गोटा	40.00	40.00	40.00
	25mm	गोटा	49.00	49.00	49.00
	32mm	गोटा	98.00	98.00	98.00
	40mm	गोटा	124.00	124.00	124.00
	50mm	गोटा	149.00	149.00	149.00
	65mm	गोटा	214.00	214.00	214.00
	80mm	गोटा	437.00	437.00	437.00
	100mm	गोटा	838.00	838.00	838.00
13	Hex Nipple				
	15mm	गोटा	56.00	56.00	56.00
	20mm	गोटा	86.00	86.00	86.00
	25mm	गोटा	139.00	139.00	139.00
	32mm	गोटा	217.00	217.00	217.00
	40mm	गोटा	275.00	275.00	275.00
	50mm	गोटा	409.00	409.00	409.00
	65mm	गोटा	750.00	750.00	750.00
	80mm	गोटा	968.00	968.00	968.00
	100mm	गोटा	1484.00	1484.00	1484.00
14	Reducing Tee				
	20mm	गोटा	120.00	120.00	120.00
	25mm	गोटा	148.00	148.00	148.00
	32mm	गोटा	162.00	162.00	162.00
	40mm	गोटा	325.00	325.00	325.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signatures and a stamp at the bottom right of the page. The stamp reads 'प्रमुख जिल्ला अधिकारी' (Chief District Officer).

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	50mm	गोटा	517.00	517.00	517.00
	65mm	गोटा	918.00	918.00	918.00
	80mm	गोटा	1450.00	1450.00	1450.00
	100mm	गोटा	2750.00	2750.00	2750.00
	125mm	गोटा	3300.00	3300.00	3300.00
	150mm	गोटा	3960.00	3960.00	3960.00
15	Reducing Elbow				
	20mm	गोटा	103.00	103.00	103.00
	25mm	गोटा	160.00	160.00	160.00
	32mm	गोटा	244.00	244.00	244.00
	40mm	गोटा	342.00	342.00	342.00
	50mm	गोटा	511.00	511.00	511.00
	65mm	गोटा	883.00	883.00	883.00
	80mm	गोटा	1361.00	1361.00	1361.00
	100mm	गोटा	2410.00	2410.00	2410.00
	125mm	गोटा	5878.00	5878.00	5878.00
	150mm	गोटा	7073.00	7073.00	7073.00
16	Reducing socket				
	15mm(1/2")	गोटा			50.00
	20mm	गोटा	80.00	80.00	80.00
	25mm	गोटा	100.00	100.00	100.00
	32mm	गोटा	150.00	150.00	150.00
	40mm	गोटा	210.00	210.00	210.00
	50mm	गोटा	320.00	320.00	320.00
	65mm	गोटा	450.00	450.00	450.00
	80mm	गोटा	720.00	720.00	720.00
	100mm	गोटा	1140.00	1140.00	1140.00
	125mm	गोटा	1368.00	1368.00	1368.00
	150mm	गोटा	1482.00	1482.00	1482.00
17	Short bend				
	15mm	गोटा	130.00	130.00	130.00
	20mm	गोटा	150.00	150.00	150.00
	25mm	गोटा	190.00	190.00	190.00
	32mm	गोटा	290.00	290.00	290.00
	40mm	गोटा	400.00	400.00	400.00
	50mm	गोटा	590.00	590.00	590.00
	65mm	गोटा	1500.00	1500.00	1500.00
	80mm	गोटा	1800.00	1800.00	1800.00

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	100mm	गोटा	2500.00	2500.00	2500.00
18	Cross Tee				
	15mm	गोटा	131.00	131.00	131.00
	20mm	गोटा	186.00	186.00	186.00
	25mm	गोटा	293.00	293.00	293.00
	32mm	गोटा	509.00	509.00	509.00
	40mm	गोटा	611.00	611.00	611.00
	50mm	गोटा	990.00	990.00	990.00
	65mm	गोटा	1670.00	1670.00	1670.00
	80mm	गोटा	2420.00	2420.00	2420.00
	100mm	गोटा	3268.00	3268.00	3268.00
19	Tank Nipple				
	15mm	गोटा	154.00	154.00	154.00
	20mm	गोटा	214.00	214.00	214.00
	25mm	गोटा	319.00	319.00	319.00
	32mm	गोटा	480.00	480.00	480.00
	40mm	गोटा	611.00	611.00	611.00
	50mm	गोटा	990.00	990.00	990.00
	65mm	गोटा	1906.00	1906.00	1906.00
	80mm	गोटा	2538.00	2538.00	2538.00
	100mm	गोटा	3367.00	3367.00	3367.00
20	G.I. Nipple Medium Class - 2" Long				
	15mm	गोटा	22.00	22.00	22.00
	20mm	गोटा	34.00	34.00	34.00
	25mm	गोटा	44.00	44.00	44.00
	32mm	गोटा	57.00	57.00	57.00
	40mm	गोटा	71.00	71.00	71.00
	50mm	गोटा	127.00	127.00	127.00
21	G.I. Nipple Medium Class - 3" Long				
	15mm	गोटा	34.00	34.00	34.00
	20mm	गोटा	47.00	47.00	47.00
	25mm	गोटा	66.00	66.00	66.00
	32mm	गोटा	85.00	85.00	85.00
	40mm	गोटा	106.00	106.00	106.00
	50mm	गोटा	134.00	134.00	134.00
	65mm	गोटा	186.00	186.00	186.00
	80mm	गोटा	220.00	220.00	220.00
22	G.I. Nipple Medium Class - 4" Long				

[Handwritten signatures and marks]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी

[Handwritten signature]

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	15mm	गोटा	45.00	45.00	45.00
	20mm	गोटा	63.00	63.00	63.00
	25mm	गोटा	88.00	88.00	88.00
	32mm	गोटा	113.00	113.00	113.00
	40mm	गोटा	142.00	142.00	142.00
	50mm	गोटा	179.00	179.00	179.00
	65mm	गोटा	248.00	248.00	248.00
	80mm	गोटा	204.00	204.00	204.00
	100mm	गोटा	422.00	422.00	422.00
	125mm	गोटा	643.00	643.00	643.00
	150mm	गोटा	763.00	763.00	763.00
23	G.I. Nipple Medium Class -6" Long				
	15mm	गोटा	68.00	68.00	68.00
	20mm	गोटा	94.00	94.00	94.00
	25mm	गोटा	122.00	122.00	122.00
	32mm	गोटा	132.00	132.00	132.00
	40mm	गोटा	140.00	140.00	140.00
	50mm	गोटा	269.00	269.00	269.00
	65mm	गोटा	373.00	373.00	373.00
	80mm	गोटा	439.00	439.00	439.00
	100mm	गोटा	633.00	633.00	633.00
	125mm	गोटा	965.00	965.00	965.00
	150mm	गोटा	1146.00	1146.00	1146.00
24	G.I. Nipple Medium Class -9" Long				
	15mm	गोटा	102.00	102.00	102.00
	20mm	गोटा	142.00	142.00	142.00
	25mm	गोटा	199.00	199.00	199.00
	32mm	गोटा	255.00	255.00	255.00
	40mm	गोटा	319.00	319.00	319.00
	50mm	गोटा	403.00	403.00	403.00
	65mm	गोटा	560.00	560.00	560.00
	80mm	गोटा	658.00	658.00	658.00
	100mm	गोटा	949.00	949.00	949.00
	125mm	गोटा	1448.00	1448.00	1448.00
	150mm	गोटा	1719.00	1719.00	1719.00
25	G.I. Nipple Medium Class -12" Long				
	15mm	गोटा	136.00	136.00	136.00
	20mm	गोटा	189.00	189.00	189.00



पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	25mm	गोटा	265.00	265.00	265.00
	32mm	गोटा	340.00	340.00	340.00
	40mm	गोटा	425.00	425.00	425.00
	50mm	गोटा	537.00	537.00	537.00
	65mm	गोटा	746.00	746.00	746.00
	80mm	गोटा	877.00	877.00	877.00
	100mm	गोटा	1266.00	1266.00	1266.00
	125mm	गोटा	1931.00	1931.00	1931.00
	150mm	गोटा	2291.00	2291.00	2291.00
26	G.I. Nipple Medium Class -18" Long				
	15mm	गोटा	227.00	227.00	227.00
	20mm	गोटा	280.00	280.00	280.00
	25mm	गोटा	378.00	378.00	378.00
	32mm	गोटा	614.00	614.00	614.00
	40mm	गोटा	755.00	755.00	755.00
	50mm	गोटा	1136.00	1136.00	1136.00
	65mm	गोटा	1536.00	1536.00	1536.00
	80mm	गोटा	2249.00	2249.00	2249.00
	100mm	गोटा	2743.00	2743.00	2743.00
27	GI End Cap				
	15mm	गोटा	25.00	25.00	25.00
	20mm	गोटा	40.00	40.00	40.00
	25mm	गोटा	65.00	65.00	65.00
	32mm	गोटा	80.00	80.00	80.00
	40mm	गोटा	175.00	175.00	175.00
	50mm	गोटा	250.00	250.00	250.00
28	G.I./G.I. Flange				
	32mm	गोटा	964.00	964.00	964.00
	40mm	गोटा	1186.00	1186.00	1186.00
	50mm	गोटा	1453.00	1453.00	1453.00
	65mm	गोटा	1699.00	1699.00	1699.00
	80mm	गोटा	1892.00	1892.00	1892.00
	100mm	गोटा	2348.00	2348.00	2348.00
	125mm	गोटा	3358.00	3358.00	3358.00
	150mm	गोटा	3488.00	3488.00	3488.00
	200mm	गोटा	6948.00	6948.00	6948.00
29	G.I./ Flange Set				
	32mm(1-1/4")	गोटा	660.00	660.00	660.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature in the middle of the page.

Handwritten signature and initials at the bottom center of the page.

प्रमुख जिल्ला अधिकारी
Handwritten signature and text at the bottom right of the page.

Handwritten signature at the bottom right of the page.



पाईप तथा फिटिङ्गहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	40mm(1-1/2")	गोटा	880.00	880.00	880.00
	50mm(2")	गोटा	1375.00	1375.00	1375.00
	65mm(2-1/2")	गोटा	1775.00	1775.00	1775.00
	80mm(3")	गोटा	2350.00	2350.00	2350.00
	100mm(4")	गोटा	2720.00	2720.00	2720.00
	125mm(5")	गोटा	2992.00	2992.00	2992.00
	150mm(6")	गोटा	3291.00	3291.00	3291.00
	200mm(8")	गोटा	3620.00	3620.00	3620.00
30	G.I./HDP Flange				
	32mm	गोटा	1038.00	1038.00	1038.00
	40mm	गोटा	1322.00	1322.00	1322.00
	50mm	गोटा	1562.00	1562.00	1562.00
	65mm	गोटा	1824.00	1824.00	1824.00
	80mm	गोटा	1950.00	1950.00	1950.00
	100mm	गोटा	2406.00	2406.00	2406.00
	125mm	गोटा	3358.00	3358.00	3358.00
	150mm	गोटा	3505.00	3505.00	3505.00
	200mm	गोटा	7627.00	7627.00	7627.00
31	GI/HDPE Flange set with adaptor				
	50mm(2")	गोटा	1280.00	1280.00	1280.00
	65mm(2-1/2")	गोटा	1980.00	1980.00	1980.00
	80mm(3")	गोटा	2420.00	2420.00	2420.00
	100mm(4")	गोटा	2775.00	2775.00	2775.00
	125mm(5")	गोटा	3053.00	3053.00	3053.00
	150mm(6")	गोटा	3358.00	3358.00	3358.00
	200mm(8")	गोटा	3694.00	3694.00	3694.00
32	HDP/HDP Flange set with adaptor				
	32mm	गोटा	1038.00	1038.00	1038.00
	40mm	गोटा	1322.00	1322.00	1322.00
	50mm	गोटा	1562.00	1562.00	1562.00
	65mm	गोटा	1824.00	1824.00	1824.00
	80mm	गोटा	1950.00	1950.00	1950.00
	100mm	गोटा	2406.00	2406.00	2406.00
	125mm	गोटा	3814.00	3814.00	3814.00
	150mm	गोटा	3505.00	3505.00	3505.00
	200mm	गोटा	7627.00	7627.00	7627.00
33	Brass Compression Fittings				
	15mm	गोटा	210.00	210.00	210.00
	20mm	गोटा	320.00	320.00	320.00
	25mm	गोटा	810.00	810.00	810.00
	32mm	गोटा	1380.00	1380.00	1380.00
	40mm	गोटा	1580.00	1580.00	1580.00
	1/2" dia Brass Ferrule (400gm)	गोटा	380.00	380.00	380.00
	1/2"(25-50mm dia) HDPE Saddle	गोटा	180.00	180.00	180.00





Page 106
 प्रमुख जिल्ला अधिकारी


पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
34	Brass tap - 1/2"				
	15mm 400 gm heavy	गोटा	750.00	750.00	750.00
	Ordinary	गोटा	205.00	205.00	205.00
35	Globe Valve (GM)				
	15mm	गोटा	924.00	924.00	924.00
	20mm	गोटा	1505.00	1505.00	1505.00
	25mm	गोटा	1859.00	1859.00	1859.00
	32mm	गोटा	2953.00	2953.00	2953.00
	40mm	गोटा	3716.00	3716.00	3716.00
	50mm	गोटा	4640.00	4640.00	4640.00
	65mm	गोटा	9114.00	9114.00	9114.00
	80mm	गोटा	15060.00	15060.00	15060.00
	100mm	गोटा	24350.00	24350.00	24350.00
36	Float Valve				
	15mm	गोटा	1134.00	1134.00	1134.00
	20mm	गोटा	1283.00	1283.00	1283.00
	25mm	गोटा	1556.00	1556.00	1556.00
	32mm	गोटा	2690.00	2690.00	2690.00
	40mm	गोटा	4042.00	4042.00	4042.00
	50mm	गोटा	5381.00	5381.00	5381.00
37	C.I. Air valve (Heavy)				
	15mm	गोटा	2500.00	2500.00	2500.00
	20mm	गोटा	5182.00	5182.00	5182.00
	25mm	गोटा	5746.00	5746.00	5746.00
38	Brass Union with Adopter				
	15mm	गोटा	150.00	150.00	150.00
	20mm	गोटा	270.00	270.00	270.00
	25mm	गोटा	345.00	345.00	345.00
	32mm	गोटा	530.00	530.00	530.00
	40mm	गोटा	675.00	675.00	675.00
	50mm	गोटा	940.00	940.00	940.00
39	Saddle Ferrule				
	40mm	गोटा	185.00	185.00	185.00
	50mm	गोटा	242.00	242.00	242.00
	65mm	गोटा	272.00	272.00	272.00
	80mm	गोटा	301.00	301.00	301.00
	100mm	गोटा	480.00	480.00	480.00
40	Flow Regulating Valve (G.M.)				
	15mm	गोटा	1322.00	1322.00	1322.00
41	C.I Sluice Valve				
	40mm	गोटा	6846.00	6846.00	6846.00
	50mm	गोटा	7000.00	7000.00	7000.00
	65mm	गोटा	8450.00	8450.00	8450.00

पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	80mm	गोटा	10500.00	10500.00	10500.00
	100mm	गोटा	14000.00	14000.00	14000.00
	125mm	गोटा	17500.00	17500.00	17500.00
	10mm	गोटा	21000.00	21000.00	21000.00
	200mm	गोटा	30000.00	30000.00	30000.00
42	Brass Ferrule Cock				
	15mm	गोटा	600.00	600.00	600.00
	20mm	गोटा	1372.00	1372.00	1372.00
	25mm	गोटा	2015.00	2015.00	2015.00
43	Ball valve				
	15mm	गोटा	514.00	514.00	514.00
	20mm	गोटा	650.00	650.00	650.00
	25mm	गोटा	872.00	872.00	872.00
	32mm	गोटा	1051.00	1051.00	1051.00
	40mm	गोटा	2035.00	2035.00	2035.00
	50 mm	गोटा	3341.00	3341.00	3341.00
44	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	451.00	451.00	451.00
	Single Socket (R/R)	गोटा	838.00	838.00	838.00
	Single Socket (R/R)	गोटा	903.00	903.00	903.00
	Single Socket Self Fit	गोटा	1164.00	1164.00	1164.00
	Single Socket Self Fit	गोटा	1423.00	1423.00	1423.00
	Single Socket Self Fit	गोटा	1956.00	1956.00	1956.00
	Single Socket Self Fit	गोटा	2302.00	2302.00	2302.00
	Single Socket Self Fit	गोटा	3075.00	3075.00	3075.00
	Single Socket Self Fit	गोटा	3664.00	3664.00	3664.00
	Long Radius Bend - 45 Degree	गोटा	1191.00	1191.00	1191.00
	Long Radius Bend - 45 Degree	गोटा	2175.00	2175.00	2175.00
	Long Radius Bend - 45 Degree	गोटा	3926.00	3926.00	3926.00
	Long Radius Bend - 45 Degree	गोटा	7613.00	7613.00	7613.00
	Long Radius Bend - 60 Degree	गोटा	1312.00	1312.00	1312.00
	Long Radius Bend - 60 Degree	गोटा	2405.00	2405.00	2405.00
	Long Radius Bend - 60 Degree	गोटा	4411.00	4411.00	4411.00
	Long Radius Bend - 60 Degree	गोटा	8352.00	8352.00	8352.00
	Long Radius Bend - 90 Degree	गोटा	644.00	644.00	644.00
	Long Radius Bend - 90 Degree	गोटा	1554.00	1554.00	1554.00
	Long Radius Bend - 90 Degree	गोटा	2867.00	2867.00	2867.00
	Long Radius Bend - 90 Degree	गोटा	5361.00	5361.00	5361.00
	Long Radius Bend - 90 Degree	गोटा	9878.00	9878.00	9878.00
	Fab. Coupler	गोटा	185.00	185.00	185.00
	Fab. Coupler	गोटा	444.00	444.00	444.00
	Fab. Coupler	गोटा	956.00	956.00	956.00
	Fab. Coupler	गोटा	1870.00	1870.00	1870.00
	Fab. Coupler	गोटा	3440.00	3440.00	3440.00



पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	End Cap	गोटा	396.00	396.00	396.00
	End Cap	गोटा	651.00	651.00	651.00
	End Cap	गोटा	1040.00	1040.00	1040.00
	End Cap	गोटा	1518.00	1518.00	1518.00
	Equal Tee	गोटा	11333.00	11333.00	11333.00
	Equal Tee	गोटा	6522.00	6522.00	6522.00
	Equal Tee	गोटा	3620.00	3620.00	3620.00
	Gully Trap with grating	गोटा	1058.00	1058.00	1058.00
	Rodding Point	गोटा	627.00	627.00	627.00
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	669.00	669.00	669.00
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	917.00	917.00	917.00
	Inspection Chamber Body	गोटा	3300.00	3300.00	3300.00
	Inspection Chamber Riser	गोटा	1639.00	1639.00	1639.00
	Inspection Chamber Lid with Cover	गोटा	3112.00	3112.00	3112.00
	Inspection Chamber Body	गोटा	9112.00	9112.00	9112.00
	Inspection Chamber Riser	गोटा	2897.00	2897.00	2897.00
	Inspection Chamber Lid with Cover	गोटा	4835.00	4835.00	4835.00

प्रमुख जिल्ला अधिकारी



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी	2299.00	2299.00	2299.00
	DN150 C40	र.मी	3160.00	3160.00	3160.00
	DN200 C40	र.मी	4347.00	4347.00	4347.00
	DN250 C40	र.मी	6048.00	6048.00	6048.00
	DN300 C40	र.मी	7539.00	7539.00	7539.00
	DN350 C40	र.मी	8809.00	8809.00	8809.00
	DN400 C30	र.मी	10489.00	10489.00	10489.00
	DN450 C30	र.मी	12240.00	12240.00	12240.00
	DN500 C30	र.मी	14466.00	14466.00	14466.00
	DN600 C30	र.मी	19604.00	19604.00	19604.00
	DN700 C25	र.मी	25012.00	25012.00	25012.00
	DN800 C25	र.मी	32115.00	32115.00	32115.00
	DN900 C25	र.मी	42328.00	42328.00	42328.00
	DN1000 C25	र.मी	50970.00	50970.00	50970.00
	DI pipes with flanged end				
	Dia 1000mm C25	र.मी	68608.00	68608.00	68608.00
	Dia 900mm C25	र.मी	66568.00	66568.00	66568.00
	Dia 800mm C25	र.मी	55012.00	55012.00	55012.00
	Dia 700mm C25	र.मी	44252.00	44252.00	44252.00
	Dia 600mm C30	र.मी	36233.00	36233.00	36233.00
	Dia 500mm C30	र.मी	26769.00	26769.00	26769.00
	Dia 450mm C30	र.मी	22464.00	22464.00	22464.00
	Dia400mm C30	र.मी	18730.00	18730.00	18730.00
	Dia 350mm C30	र.मी	15516.00	15516.00	15516.00
	Dia 300mm C30	र.मी	12240.00	12240.00	12240.00
	Dia250mm C40	र.मी	9817.00	9817.00	9817.00
	Dia200mm C40	र.मी	7339.00	7339.00	7339.00
	Dia150mm C40	र.मी	5439.00	5439.00	5439.00
	Dia100mm C40	र.मी	4011.00	4011.00	4011.00
	Dia80mm C40	र.मी	3475.00	3475.00	3475.00
	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				

प्रमुख जिल्ला अधिकारी

DI पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI double socket bends				
	90 deg bend				
	Dia 700mm	गोटा	107712.00	107712.00	107712.00
	Dia 600mm	गोटा	75200.00	75200.00	75200.00
	Dia 500mm	गोटा	48807.00	48807.00	48807.00
	Dia 450mm	गोटा	43430.00	43430.00	43430.00
	Dia 300mm	गोटा	17607.00	17607.00	17607.00
	Dia250mm	गोटा	12906.00	12906.00	12906.00
	Dia200mm	गोटा	8956.00	8956.00	8956.00
	Dia150mm	गोटा	5544.00	5544.00	5544.00
	Dia100mm	गोटा	3118.00	3118.00	3118.00
	45 deg bend				
	Dia 1000mm	गोटा	186843.00	186843.00	186843.00
	Dia 700mm	गोटा	84676.00	84676.00	84676.00
	Dia 600mm	गोटा	62098.00	62098.00	62098.00
	Dia 500mm	गोटा	40528.00	40528.00	40528.00
	Dia 450mm	गोटा	32936.00	32936.00	32936.00
	Dia400mm	गोटा	25646.00	25646.00	25646.00
	Dia 350mm	गोटा	19312.00	19312.00	19312.00
	Dia 300mm	गोटा	14882.00	14882.00	14882.00
	Dia250mm	गोटा	10847.00	10847.00	10847.00
	Dia200mm	गोटा	7759.00	7759.00	7759.00
	Dia150mm	गोटा	4977.00	4977.00	4977.00
	22.5 deg bend				
	Dia 1000mm	गोटा	140811.00	140811.00	140811.00
	Dia 900mm	गोटा	109956.00	109956.00	109956.00
	Dia 700mm	गोटा	61326.00	61326.00	61326.00
	Dia 600mm	गोटा	41984.00	41984.00	41984.00
	Dia 500mm	गोटा	30815.00	30815.00	30815.00
	Dia 450mm	गोटा	24169.00	24169.00	24169.00
	Dia400mm	गोटा	18730.00	18730.00	18730.00
	Dia 350mm	गोटा	15100.00	15100.00	15100.00
	Dia 300mm	गोटा	12084.00	12084.00	12084.00
	Dia250mm	गोटा	9166.00	9166.00	9166.00
	Dia200mm	गोटा	6646.00	6646.00	6646.00
	Dia150mm	गोटा	4368.00	4368.00	4368.00
	11.25 deg bend				
	Dia 1000mm	गोटा	119819.00	119819.00	119819.00

Handwritten signatures and initials at the bottom left of the page.


Handwritten signatures and stamps at the bottom right of the page, including a stamp that reads 'जिल्ला प्रशासन कार्यालय, ललितपुर'.

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia 900mm	गोटा	94924.00	94924.00	94924.00
	Dia 800mm	गोटा	72007.00	72007.00	72007.00
	Dia 700mm	गोटा	54651.00	54651.00	54651.00
	Dia 600mm	गोटा	36140.00	36140.00	36140.00
	Dia 300mm	गोटा	11065.00	11065.00	11065.00
	Dia250mm	गोटा	8410.00	8410.00	8410.00
	Dia200mm	गोटा	6132.00	6132.00	6132.00
	Dia150mm	गोटा	4578.00	4578.00	4578.00
DI double flanged bends					
90 deg bend					
	Dia 900mm	गोटा	214404.00	214404.00	214404.00
	Dia 600mm	गोटा	91680.00	91680.00	91680.00
	Dia 300mm	गोटा	19676.00	19676.00	19676.00
	Dia250mm	गोटा	9975.00	9975.00	9975.00
	Dia200mm	गोटा	8851.00	8851.00	8851.00
	Dia150mm	गोटा	5796.00	5796.00	5796.00
	Dia100mm	गोटा	3433.00	3433.00	3433.00
45 deg bend					
	Dia 900mm	गोटा	164750.00	164750.00	164750.00
	Dia 800mm	गोटा	127846.00	127846.00	127846.00
	Dia 600mm	गोटा	76941.00	76941.00	76941.00
	Dia 300mm	गोटा	21455.00	21455.00	21455.00
	Dia250mm	गोटा	16088.00	16088.00	16088.00
	Dia200mm	गोटा	10722.00	10722.00	10722.00
	Dia150mm	गोटा	5407.00	5407.00	5407.00
	Dia100mm	गोटा	3286.00	3286.00	3286.00
22.5 deg bend					
	Dia 900mm	गोटा	168952.00	168952.00	168952.00
	Dia 700mm	गोटा	95800.00	95800.00	95800.00
	Dia 300mm	गोटा	21912.00	21912.00	21912.00
	Dia200mm	गोटा	8106.00	8106.00	8106.00
	Dia150mm	गोटा	5544.00	5544.00	5544.00
11.25 deg bend					
	Dia 900mm	गोटा	167076.00	167076.00	167076.00
	Dia 600mm	गोटा	76601.00	76601.00	76601.00
	Dia 500mm	गोटा	51698.00	51698.00	51698.00
	Dia 300mm	गोटा	21985.00	21985.00	21985.00
	Dia200mm	गोटा	8295.00	8295.00	8295.00
	Dia150mm	गोटा	5628.00	5628.00	5628.00
DI mechanical joint bends					
90 deg bend					
	Dia 600mm	गोटा	82029.00	82029.00	82029.00
	Dia400mm	गोटा	41610.00	41610.00	41610.00

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia 350mm	गोटा	33363.00	33363.00	33363.00
	Dia 300mm	गोटा	26187.00	26187.00	26187.00
	Dia250mm	गोटा	18792.00	18792.00	18792.00
	Dia200mm	गोटा	14040.00	14040.00	14040.00
	Dia150mm	गोटा	10353.00	10353.00	10353.00
	Dia100mm	गोटा	6457.00	6457.00	6457.00
	Dia80mm	गोटा	5512.00	5512.00	5512.00
	DI Duck Foot 90 deg Bend				
	Dia 80mm	गोटा	3990.00	3990.00	3990.00
	Dia100mm	गोटा	4987.00	4987.00	4987.00
	Dia150mm	गोटा	7350.00	7350.00	7350.00
	Dia200mm	गोटा	10405.00	10405.00	10405.00
	Dia250mm	गोटा	15761.00	15761.00	15761.00
	Dia300mm	गोटा	21216.00	21216.00	21216.00
	DI long radius bend				
	Dia 100mm	गोटा	4987.00	4987.00	4987.00
	Dia 150mm	गोटा	8421.00	8421.00	8421.00
	Dia 200mm	गोटा	12542.00	12542.00	12542.00
	Dia 250mm	गोटा	18501.00	18501.00	18501.00
	DI double socket reducer				
	Dia 1000mmX900mm	गोटा	100579.00	100579.00	100579.00
	Dia 900mmx800mm	गोटा	81194.00	81194.00	81194.00
	Dia 800mmx700mm	गोटा	63334.00	63334.00	63334.00
	Dia 300mmx200mm	गोटा	10691.00	10691.00	10691.00
	Dia 200mmx150mm	गोटा	5785.00	5785.00	5785.00
	DI double flanged reducer				
	Dia 900mmx700mm	गोटा	105906.00	105906.00	105906.00
	Dia 700mmx600mm	गोटा	71152.00	71152.00	71152.00
	Dia 700mmx400mm	गोटा	61789.00	61789.00	61789.00
	Dia 600mmx500mm	गोटा	57618.00	57618.00	57618.00
	Dia 600mmx400mm	गोटा	52653.00	52653.00	52653.00
	Dia 500mmx400mm	गोटा	38032.00	38032.00	38032.00
	Dia 400x350mm	गोटा	19354.00	19354.00	19354.00
	Dia 400mmx300mm	गोटा	24793.00	24793.00	24793.00
	Dia 400mmx250mm	गोटा	23587.00	23587.00	23587.00
	Dia 300mmx250mm	गोटा	11939.00	11939.00	11939.00
	Dia 300mmx200mm	गोटा	14986.00	14986.00	14986.00
	Dia300mmx150mm	गोटा	14154.00	14154.00	14154.00
	Dia250mmx200mm	गोटा	9019.00	9019.00	9019.00
	Dia250mmx150mm	गोटा	8568.00	8568.00	8568.00
	Dia 200mmx150mm	गोटा	6342.00	6342.00	6342.00
	Dia 200mmx100mm	गोटा	7770.00	7770.00	7770.00
	Dia 150mmx100mm	गोटा	4452.00	4452.00	4452.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and official stamp at the bottom right of the page.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia 150mmx80mm	गोटा	4609.00	4609.00	4609.00
	Dia 150mmx65mm	गोटा	4620.00	4620.00	4620.00
	DI Blank flange				
	Dia 1000mm	गोटा	114658.00	114658.00	114658.00
	Dia 900mm	गोटा	86324.00	86324.00	86324.00
	Dia 800mm	गोटा	65178.00	65178.00	65178.00
	Dia 700mm	गोटा	47694.00	47694.00	47694.00
	Dia 600mm	गोटा	36795.00	36795.00	36795.00
	Dia 500mm	गोटा	23410.00	23410.00	23410.00
	Dia 450mm	गोटा	18397.00	18397.00	18397.00
	Dia 400mm	गोटा	13592.00	13592.00	13592.00
	Dia 350mm	गोटा	10164.00	10164.00	10164.00
	Dia 300mm	गोटा	6972.00	6972.00	6972.00
	Dia 250mm	गोटा	5229.00	5229.00	5229.00
	Dia 200mm	गोटा	3318.00	3318.00	3318.00
	Dia 150mm	गोटा	2247.00	2247.00	2247.00
	Dia 100mm	गोटा	1333.00	1333.00	1333.00
	Dia 80mm	गोटा	1186.00	1186.00	1186.00
	Double Socket Tee with Flanged Branch				
	Dia 900mmx150mm	गोटा	104754.00	104754.00	104754.00
	Dia 800mmx600mm	गोटा	164281.00	164281.00	164281.00
	Dia 800mmx400mm	गोटा	110078.00	110078.00	110078.00
	Dia 700mmx150mm	गोटा	67289.00	67289.00	67289.00
	Dia 600mmx150mm	गोटा	47184.00	47184.00	47184.00
	Dia 600mmx100mm	गोटा	41880.00	41880.00	41880.00
	Dia 500mmx100mm	गोटा	31231.00	31231.00	31231.00
	Dia 400mmx150mm	गोटा	28797.00	28797.00	28797.00
	Dia 300mmx100mm	गोटा	14861.00	14861.00	14861.00
	Dia 300mmx80mm	गोटा	14612.00	14612.00	14612.00
	Dia 300mmx65mm	गोटा	14539.00	14539.00	14539.00
	Dia 250mmx250mm	गोटा	18345.00	18345.00	18345.00
	Dia 250mmx150mm	गोटा	15319.00	15319.00	15319.00
	Dia 250mmx100mm	गोटा	12053.00	12053.00	12053.00
	Dia 250mmx80mm	गोटा	11845.00	11845.00	11845.00
	Dia 250mmx65mm	गोटा	11726.00	11726.00	11726.00
	Dia 200mmx150mm	गोटा	10774.00	10774.00	10774.00
	Dia 200mmx100mm	गोटा	9313.00	9313.00	9313.00
	Dia 200mmx80mm	गोटा	8400.00	8400.00	8400.00
	Dia 200mmx65mm	गोटा	8316.00	8316.00	8316.00
	Dia 150mmx150mm	गोटा	8221.00	8221.00	8221.00
	Dia 150mmx100mm	गोटा	6783.00	6783.00	6783.00
	Dia 150mmx80mm	गोटा	6321.00	6321.00	6321.00

[Handwritten signatures and marks]

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia150mmx65mm	गोटा	6257.00	6257.00	6257.00
	Mechanical joint Tee with flanged branch				
	Dia 600mmx600mm	गोटा	107328.00	107328.00	107328.00
	Dia 500mmx500mm	गोटा	76648.00	76648.00	76648.00
	Dia 400mmx400mm	गोटा	51552.00	51552.00	51552.00
	Dia 350mmx350mm	गोटा	41184.00	41184.00	41184.00
	Dia 300mmx300mm	गोटा	32115.00	32115.00	32115.00
	Dia250mmx250mm	गोटा	23576.00	23576.00	23576.00
	Dia200mmx200mm	गोटा	17180.00	17180.00	17180.00
	Dia 150mmx150mm	गोटा	12500.00	12500.00	12500.00
	Dia100mmx100mm	गोटा	7938.00	7938.00	7938.00
	Dia 80mmx80mm	गोटा	6835.00	6835.00	6835.00
	All Socket Tee				
	Dia 300mmx200mm	गोटा	19188.00	19188.00	19188.00
	Dia 300mmx150mm	गोटा	18272.00	18272.00	18272.00
	Dia 250mmx200mm	गोटा	16005.00	16005.00	16005.00
	Dia 250mmx150mm	गोटा	14664.00	14664.00	14664.00
	Dia 200mmx200mm	गोटा	12407.00	12407.00	12407.00
	Dia 200mmx150mm	गोटा	10174.00	10174.00	10174.00
	Dia 150mmx150mm	गोटा	7644.00	7644.00	7644.00
	All Flanged Tee				
	Dia 900mmx900mm	गोटा	266760.00	266760.00	266760.00
	Dia 700mmx300mm	गोटा	102454.00	102454.00	102454.00
	Dia 600mmx500mm	गोटा	118646.00	118646.00	118646.00
	Dia 600mmx400mm	गोटा	109527.00	109527.00	109527.00
	Dia 600mmx300mm	गोटा	105559.00	105559.00	105559.00
	Dia 500mmx300mm	गोटा	74489.00	74489.00	74489.00
	Dia500mmx200mm	गोटा	67444.00	67444.00	67444.00
	Dia450mmx150mm	गोटा	52705.00	52705.00	52705.00
	Dia400mmx400mm	गोटा	54229.00	54229.00	54229.00
	Dia400mmx300mm	गोटा	49483.00	49483.00	49483.00
	Dia 400mmx150mm	गोटा	47195.00	47195.00	47195.00
	Dia 350mmx350mm	गोटा	44345.00	44345.00	44345.00
	Dia 350mmx300mm	गोटा	43399.00	43399.00	43399.00
	Dia 300mmx300mm	गोटा	34840.00	34840.00	34840.00
	Dia 300mmx250mm	गोटा	30368.00	30368.00	30368.00
	Dia 300mmx200mm	गोटा	28080.00	28080.00	28080.00
	Dia 300mmx150mm	गोटा	27040.00	27040.00	27040.00
	Dia 300mmx100mm	गोटा	25542.00	25542.00	25542.00
	Dia 300mmx80mm	गोटा	24939.00	24939.00	24939.00
	Dia250mmx250mm	गोटा	23441.00	23441.00	23441.00
	Dia250mmx200mm	गोटा	21455.00	21455.00	21455.00

Page 115

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia250mmx150mm	गोटा	20841.00	20841.00	20841.00
	Dia250mmx100mm	गोटा	19104.00	19104.00	19104.00
	Dia250mmx80mm	गोटा	18813.00	18813.00	18813.00
	Dia250mmx65mm	गोटा	15943.00	15943.00	15943.00
	Dia200mmx200mm	गोटा	13936.00	13936.00	13936.00
	Dia200mmx150mm	गोटा	12885.00	12885.00	12885.00
	Dia200mmx100mm	गोटा	11856.00	11856.00	11856.00
	Dia200mmx80mm	गोटा	11679.00	11679.00	11679.00
	Dia150mmx150mm	गोटा	9345.00	9345.00	9345.00
	Dia150mmx100mm	गोटा	8463.00	8463.00	8463.00
	Dia150mmx80mm	गोटा	8274.00	8274.00	8274.00
	Dia150mmx65mm	गोटा	8148.00	8148.00	8148.00
	Dia125mmx125mm	गोटा	8977.00	8977.00	8977.00
	Dia125mmx100mm	गोटा	8410.00	8410.00	8410.00
	Dia125mmx80mm	गोटा	8064.00	8064.00	8064.00
	Dia125mmx65mm	गोटा	7717.00	7717.00	7717.00
	Dia100mmx100mm	गोटा	6930.00	6930.00	6930.00
	Dia100mmx80mm	गोटा	6772.00	6772.00	6772.00
	Dia100mmx65mm	गोटा	6510.00	6510.00	6510.00
	Level invert/ Tangential socket Tee with flanged branch				
	Dia 1000mmx200mm	गोटा	147063.00	147063.00	147063.00
	Dia 900mmx150mm	गोटा	120482.00	120482.00	120482.00
	Dia 700mmx150mm	गोटा	75210.00	75210.00	75210.00
	Dia 600mmx100mm	गोटा	44688.00	44688.00	44688.00
	Dia 500mmx100mm	गोटा	34496.00	34496.00	34496.00
	Dia 400mmx80mm	गोटा	25220.00	25220.00	25220.00
	Dia 300mmx80mm	गोटा	16068.00	16068.00	16068.00
	Dia 250mm x 80mm	गोटा	12781.00	12781.00	12781.00
	Dia 200mmx80mm	गोटा	10048.00	10048.00	10048.00
	Dia 150mmx80mm	गोटा	10006.00	10006.00	10006.00
	DI Flanged Socket (FS)				
	Dia 1400mm	गोटा	355337.00	355337.00	355337.00
	Dia 1200mm	गोटा	256060.00	256060.00	256060.00
	Dia 1100mm	गोटा	331877.00	331877.00	331877.00
	Dia 1000mm	गोटा	169473.00	169473.00	169473.00
	Dia 900mm	गोटा	132457.00	132457.00	132457.00
	Dia 800mm	गोटा	108120.00	108120.00	108120.00
	Dia 700mm	गोटा	82389.00	82389.00	82389.00
	Dia 600mm	गोटा	73943.00	73943.00	73943.00
	Dia 500mm	गोटा	49108.00	49108.00	49108.00
	Dia400mm	गोटा	34580.00	34580.00	34580.00

District Engineer

District Engineer

District Engineer




DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia 350mm	गोटा	31387.00	31387.00	31387.00
	Dia 300mm	गोटा	22339.00	22339.00	22339.00
	Dia250mm	गोटा	16650.00	16650.00	16650.00
	Dia200mm	गोटा	10847.00	10847.00	10847.00
	Dia150mm	गोटा	9187.00	9187.00	9187.00
	Dia100mm	गोटा	6867.00	6867.00	6867.00
	DI Single Flanged Tail Piece (SFTP)				
	1400mmdia	गोटा	359764.00	359764.00	359764.00
	1200mmdia	गोटा	370076.00	370076.00	370076.00
	1100mmdia	गोटा	335865.00	335865.00	335865.00
	1000mmdia	गोटा	182233.00	182233.00	182233.00
	900mmdia	गोटा	146676.00	146676.00	146676.00
	800mmdia	गोटा	121288.00	121288.00	121288.00
	700mmdia	गोटा	93194.00	93194.00	93194.00
	600mmdia	गोटा	70503.00	70503.00	70503.00
	500mmdia	गोटा	49909.00	49909.00	49909.00
	450mmdia	गोटा	41267.00	41267.00	41267.00
	400mmdia	गोटा	31262.00	31262.00	31262.00
	350mmdia	गोटा	23379.00	23379.00	23379.00
	300mmdia	गोटा	18668.00	18668.00	18668.00
	250mmdia	गोटा	13572.00	13572.00	13572.00
	200mmdia	गोटा	9817.00	9817.00	9817.00
	150mmdia	गोटा	6930.00	6930.00	6930.00
	100mmdia	गोटा	4116.00	4116.00	4116.00
	80mmdia	गोटा	3328.00	3328.00	3328.00
	DI Double Flanged Tail Piece (DFTP-1m)				
	1400mmdia	गोटा	414844.00	414844.00	414844.00
	1200mmdia	गोटा	211843.00	211843.00	211843.00
	1000mmdia	गोटा	165576.00	165576.00	165576.00
	900mmdia	गोटा	135150.00	135150.00	135150.00
	800mmdia	गोटा	102989.00	102989.00	102989.00
	700mmdia	गोटा	92432.00	92432.00	92432.00
	600mmdia	गोटा	60800.00	60800.00	60800.00
	500mmdia	गोटा	43222.00	43222.00	43222.00
	400mmdia	गोटा	39239.00	39239.00	39239.00
	300mmdia	गोटा	27924.00	27924.00	27924.00
	250mmdia	गोटा	20810.00	20810.00	20810.00
	200mmdia	गोटा	13561.00	13561.00	13561.00
	150mmdia	गोटा	11377.00	11377.00	11377.00
	100mmdia	गोटा	8589.00	8589.00	8589.00
	80mmdia	गोटा	7213.00	7213.00	7213.00
	DI all Flanged cross				
	Dia 900mm	गोटा	300747.00	300747.00	300747.00

Page 117

DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia 800mm	गोटा	237445.00	237445.00	237445.00
	Dia 700mm	गोटा	187822.00	187822.00	187822.00
	Dia 600mm	गोटा	156376.00	156376.00	156376.00
	Dia 500mm	गोटा	102601.00	102601.00	102601.00
	Dia400mm	गोटा	69494.00	69494.00	69494.00
	Dia 300mm	गोटा	41953.00	41953.00	41953.00
	Dia250mm	गोटा	30690.00	30690.00	30690.00
	Dia200mm	गोटा	18231.00	18231.00	18231.00
	Dia150mm	गोटा	12199.00	12199.00	12199.00
	DI all socket cross				
	Dia 900mm	गोटा	325155.00	325155.00	325155.00
	Dia 800mm	गोटा	243484.00	243484.00	243484.00
	Dia 700mm	गोटा	181274.00	181274.00	181274.00
	Dia 600mm	गोटा	109303.00	109303.00	109303.00
	Dia 500mm	गोटा	74541.00	74541.00	74541.00
	Dia400mm	गोटा	48932.00	48932.00	48932.00
	Dia 300mm	गोटा	28048.00	28048.00	28048.00
	Dia250mm	गोटा	20196.00	20196.00	20196.00
	Dia200mm	गोटा	14445.00	14445.00	14445.00
	Dia150mm	गोटा	9555.00	9555.00	9555.00
	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा	103611.00	103611.00	103611.00
	Dia 900mm	गोटा	83996.00	83996.00	83996.00
	Dia 800mm	गोटा	68422.00	68422.00	68422.00
	Dia 700mm	गोटा	55527.00	55527.00	55527.00
	Dia 600mm	गोटा	42827.00	42827.00	42827.00
	Dia 500mm	गोटा	32895.00	32895.00	32895.00
	Dia 450mm	गोटा	26728.00	26728.00	26728.00
	Dia 400mm	गोटा	22276.00	22276.00	22276.00
	Dia350mm	गोटा	17586.00	17586.00	17586.00
	Dia 300mm	गोटा	13093.00	13093.00	13093.00
	Dia 250mm	गोटा	10441.00	10441.00	10441.00
	Dia 200mm	गोटा	7675.00	7675.00	7675.00
	Dia 150mm	गोटा	5628.00	5628.00	5628.00
	Dia 100mm	गोटा	3465.00	3465.00	3465.00
	Dia 80mm	गोटा	3181.00	3181.00	3181.00
	Dia 65mm	गोटा	2205.00	2205.00	2205.00




 प्रमुख जिल्ला अधिकारी

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा	266577.00	266577.00	266577.00
	Dia 900mm	गोटा	208447.00	208447.00	208447.00
	Dia 800mm	गोटा	162802.00	162802.00	162802.00
	Dia 700mm	गोटा	137139.00	137139.00	137139.00
	Dia 600mm	गोटा	109027.00	109027.00	109027.00
	Dia 500mm	गोटा	85871.00	85871.00	85871.00
	Dia 450mm	गोटा	66435.00	66435.00	66435.00
	Dia 400mm	गोटा	54044.00	54044.00	54044.00
	Dia350mm	गोटा	41797.00	41797.00	41797.00
	Dia 300mm	गोटा	32427.00	32427.00	32427.00
	Dia 250mm	गोटा	24128.00	24128.00	24128.00
	Dia 200mm	गोटा	17409.00	17409.00	17409.00
	Dia 150mm	गोटा	13624.00	13624.00	13624.00
	Dia 100mm	गोटा	8106.00	8106.00	8106.00
	Dia 80mm	गोटा	7035.00	7035.00	7035.00
	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा	50627.00	50627.00	50627.00
	Dia 700mm	गोटा	32427.00	32427.00	32427.00
	Dia 600mm	गोटा	21143.00	21143.00	21143.00
	Dia 500mm	गोटा	16983.00	16983.00	16983.00
	Dia 450mm	गोटा	14705.00	14705.00	14705.00
	Dia 400mm	गोटा	14372.00	14372.00	14372.00
	Dia350mm	गोटा	11221.00	11221.00	11221.00
	Dia 300mm	गोटा	7980.00	7980.00	7980.00
	Dia 250mm	गोटा	6447.00	6447.00	6447.00
	Dia 200mm	गोटा	4578.00	4578.00	4578.00
	Dia 150mm	गोटा	3664.00	3664.00	3664.00
	Dia 100mm	गोटा	2268.00	2268.00	2268.00
	Dia 80mm	गोटा	2058.00	2058.00	2058.00
	Dia65mm	गोटा	2058.00	2058.00	2058.00
	DI basket type strainer (FE xFE) with all compelte nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा	166984.00	166984.00	166984.00
	Dia350mm	गोटा	126143.00	126143.00	126143.00

DI पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.श.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Dia 300mm	गोटा	69349.00	69349.00	69349.00
	Dia 250mm	गोटा	46924.00	46924.00	46924.00
	Dia 200mm	गोटा	29244.00	29244.00	29244.00
	Dia 150mm	गोटा	16879.00	16879.00	16879.00
	Dia 100mm	गोटा	8358.00	8358.00	8358.00
	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा	75468.00	75468.00	75468.00
	900 mm dia	गोटा	73222.00	73222.00	73222.00
	800 mm dia	गोटा	60512.00	60512.00	60512.00
	700 mm dia	गोटा	48682.00	48682.00	48682.00
	600 mm dia	गोटा	39852.00	39852.00	39852.00
	500 mm dia	गोटा	29442.00	29442.00	29442.00
	450 mm dia	गोटा	24710.00	24710.00	24710.00
	400 mm dia	गोटा	20602.00	20602.00	20602.00
	350 mm dia	गोटा	17066.00	17066.00	17066.00
	300 mm dia	गोटा	13468.00	13468.00	13468.00
	250 mm dia	गोटा	10701.00	10701.00	10701.00
	200 mm dia	गोटा	8074.00	8074.00	8074.00
	150 mm dia	गोटा	5985.00	5985.00	5985.00
	100 mm dia	गोटा	4410.00	4410.00	4410.00
	80 mm dia	गोटा	3822.00	3822.00	3822.00
	DI Flange Bell Mouth				
	Dia 700mm	गोटा	75828.00	75828.00	75828.00
	Dia 600mm	गोटा	54878.00	54878.00	54878.00
	Dia 500mm	गोटा	38552.00	38552.00	38552.00
	Dia 450mm	गोटा	17648.00	17648.00	17648.00
	Dia 400mm	गोटा	17243.00	17243.00	17243.00
	Dia 350mm	गोटा	13468.00	13468.00	13468.00
	Dia 300mm	गोटा	9576.00	9576.00	9576.00
	Dia 250mm	गोटा	7738.00	7738.00	7738.00
	Dia 200mm	गोटा	5491.00	5491.00	5491.00
	Dia 150mm	गोटा	4399.00	4399.00	4399.00
	Dia 100mm	गोटा	2719.00	2719.00	2719.00
	Dia 80mm	गोटा	2467.00	2467.00	2467.00
	Dia 65mm	गोटा	2467.00	2467.00	2467.00
	DI Strainer				
	1200 mm dia	गोटा	370729.00	370729.00	370729.00
	1100 mm dia	गोटा	292005.00	292005.00	292005.00
	1000 mm dia	गोटा	213271.00	213271.00	213271.00
	900 mm dia	गोटा	160170.00	160170.00	160170.00

[Handwritten signatures]

[Handwritten signatures]

प्रमुख जिल्ला अधिकारी



DI पाईप तथा फिटिङहरू

मु.ब.क. कार
प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	ललितपुर मु.ब.क बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	Supply of double flanged butterfly vaive PN16 as per specification all complete				
	Dia 1000mm	गोटा	742152.00	742152.00	742152.00
	Dia 900mm	गोटा	592569.00	592569.00	592569.00
	Dia 800mm	गोटा	424646.00	424646.00	424646.00
	Dia 700mm	गोटा	343780.00	343780.00	343780.00
	Dia 600mm	गोटा	230203.00	230203.00	230203.00
	Dia 500mm	गोटा	173828.00	173828.00	173828.00
	Dia 450mm	गोटा	130141.00	130141.00	130141.00
	Dia 400mm	गोटा	103713.00	103713.00	103713.00
	Dia350mm	गोटा	76876.00	76876.00	76876.00
	Dia 300mm	गोटा	63096.00	63096.00	63096.00
	Dia 250mm	गोटा	49670.00	49670.00	49670.00
	Dia 200mm	गोटा	40830.00	40830.00	40830.00
	Dia 150mm	गोटा	16026.00	16026.00	16026.00
	Supply of double flanged Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा	527085.00	527085.00	527085.00
	Dia 500mm	गोटा	291383.00	291383.00	291383.00
	Dia 450mm	गोटा	201766.00	201766.00	201766.00
	Dia 400mm	गोटा	142228.00	142228.00	142228.00
	Dia350mm	गोटा	104223.00	104223.00	104223.00
	Dia 300mm	गोटा	64086.00	64086.00	64086.00
	Dia 250mm	गोटा	48193.00	48193.00	48193.00
	Dia 350mm	गोटा	95960.00	95960.00	95960.00
	Dia 300mm	गोटा	58822.00	58822.00	58822.00
	Dia 250mm	गोटा	45000.00	45000.00	45000.00
	Dia 200mm	गोटा	26852.00	26852.00	26852.00
	Dia 150mm	गोटा	20644.00	20644.00	20644.00
	Dia 125mm	गोटा	17160.00	17160.00	17160.00
	Dia 100mm	गोटा	18564.00	18564.00	18564.00
	Dia 80mm	गोटा	13380.00	13380.00	13380.00
	Dia 65mm	गोटा	10153.00	10153.00	10153.00
	Dia 50mm	गोटा	9084.00	9084.00	9084.00
	Fire Hydrant				
	Dia 80mm	गोटा	11928.00	11928.00	11928.00
	Dia 100mm	गोटा	23961.00	23961.00	23961.00
	160mm dia CI ROAD SURFACE BOX	गोटा	3307.00	3307.00	3307.00
	Ball Valve				
	15mm	गोटा	191.00	191.00	191.00
	25mm	गोटा	341.00	341.00	341.00
	32mm	गोटा	906.00	906.00	906.00
	40mm	गोटा	1407.00	1407.00	1407.00


[Handwritten signatures and marks]

[Handwritten signature]


प्रमुख जिल्ला अधिकारी



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	50mm	गोटा	2310.00	2310.00	2310.00
	Check valve (Horizontal Flow)				
	15mm	गोटा	554.00	554.00	554.00
	20mm	गोटा	874.00	874.00	874.00
	25mm	गोटा	1480.00	1480.00	1480.00
	Check valve (vertical Flow)				
	15mm	गोटा	341.00	341.00	341.00
	20mm	गोटा	437.00	437.00	437.00
	25mm	गोटा	479.00	479.00	479.00
	Check valve				
	150mm	गोटा	18688.00	18688.00	18688.00
	200mm	गोटा	28028.00	28028.00	28028.00
	250mm	गोटा	42047.00	42047.00	42047.00
	300mm	गोटा	62469.00	62469.00	62469.00
	Pressure Gauge (Pressure up to) including Fitting & accessories				
	PN10	गोटा	2572.00	2572.00	2572.00
	PN15	गोटा	3360.00	3360.00	3360.00
	PN30	गोटा	4830.00	4830.00	4830.00
	PN45	गोटा	5775.00	5775.00	5775.00
	Bulk Water Meter				
	300mm	गोटा	156712.00	156712.00	156712.00
	200mm	गोटा	104478.00	104478.00	104478.00
	150mm	गोटा	78012.00	78012.00	78012.00
	100mm	गोटा	45448.00	45448.00	45448.00
	80mm	गोटा	30295.00	30295.00	30295.00
	65mm	गोटा	20196.00	20196.00	20196.00
	15mm	गोटा	1575.00	1575.00	1575.00
	Supply of water meter volumetric type including fittings and accessories				
	15mm	गोटा	1690.00	1690.00	1690.00
	20mm	गोटा	2404.00	2404.00	2404.00
	25mm	गोटा	6237.00	6237.00	6237.00
	Float Valve				
	15mm	गोटा	778.00	778.00	778.00
	20mm	गोटा	1480.00	1480.00	1480.00
	25mm	गोटा	2436.00	2436.00	2436.00
	GM Gate/ Globe Valve				
	15mm	गोटा	820.00	820.00	820.00
	20mm	गोटा	1144.00	1144.00	1144.00
	25mm	गोटा	1764.00	1764.00	1764.00
	32mm	गोटा	2341.00	2341.00	2341.00


DI पाईप तथा फिटिङहरू
 ललितपुर नगरपालिका
 निर्माण प्रशासन कार्यालय

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. २०८१/८२
	40mm	गोटा	2709.00	2709.00	2709.00
	50mm	गोटा	4488.00	4488.00	4488.00
	65mm	गोटा	9124.00	9124.00	9124.00
	80mm	गोटा	12064.00	12064.00	12064.00
	100mm	गोटा	17056.00	17056.00	17056.00
	DI Sluice Valve				
	65mm(2-1/2")	गोटा	12730.00	12730.00	12730.00
	80mm(3")	गोटा	17730.00	17730.00	17730.00
	100mm(4")	गोटा	25000.00	25000.00	25000.00
	125mm(5")	गोटा	30450.00	30450.00	30450.00
	150mm(6")	गोटा	37500.00	37500.00	37500.00


 Multiple handwritten signatures and stamps are present below the table. On the right side, there is a prominent stamp that reads "प्रमुख जिल्ला अधिकारी" (Chief District Officer) with a signature over it.


 A handwritten mark or signature located at the bottom right of the page.



PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	गोटा	102.00	102.00	102.00
	25mm	गोटा	127.00	127.00	127.00
	32mm	गोटा	137.00	137.00	137.00
	40mm	गोटा	267.00	267.00	267.00
	50mm	गोटा	254.00	254.00	254.00
	63mm	गोटा	263.00	263.00	263.00
	75mm	गोटा	405.00	405.00	405.00
	90mm	गोटा	473.00	473.00	473.00
	110mm	गोटा	636.00	636.00	636.00
	125mm	गोटा	855.00	855.00	855.00
	140mm	गोटा	1323.00	1323.00	1323.00
	160mm	गोटा	1490.00	1490.00	1490.00
	180mm	गोटा	2236.00	2236.00	2236.00
	200mm	गोटा	2648.00	2648.00	2648.00
	225mm	गोटा	3643.00	3643.00	3643.00
	250mm	गोटा	5794.00	5794.00	5794.00
	280mm	गोटा	6953.00	6953.00	6953.00
	Electorfusion Reducer				
	50mm x40mm	गोटा	217.00	217.00	217.00
	63mm x50mm	गोटा	253.00	253.00	253.00
	75mm x63mm	गोटा	504.00	504.00	504.00
	90mm x75mm	गोटा	627.00	627.00	627.00
	90mm x63mm	गोटा	687.00	687.00	687.00
	90mm x50mm	गोटा	941.00	941.00	941.00
	110mm x63mm	गोटा	827.00	827.00	827.00
	110mm x75mm	गोटा	1521.00	1521.00	1521.00
	110mm x90mm	गोटा	895.00	895.00	895.00
	125mm x63mm	गोटा	1069.00	1069.00	1069.00
	125mm x75mm	गोटा	1778.00	1778.00	1778.00
	125mm x90mm	गोटा	1151.00	1151.00	1151.00
	125mm x110mm	गोटा	900.00	900.00	900.00
	140mm x90mm	गोटा	3564.00	3564.00	3564.00
	140mm x110mm	गोटा	4173.00	4173.00	4173.00
	140mm x125mm	गोटा	4641.00	4641.00	4641.00
	160mm x90mm	गोटा	4535.00	4535.00	4535.00
	160mm x110mm	गोटा	4814.00	4814.00	4814.00
	160mm x125mm	गोटा	5365.00	5365.00	5365.00
	160mm x140mm	गोटा	6078.00	6078.00	6078.00
	180mm x90mm	गोटा	6433.00	6433.00	6433.00



PE Electro Fusion Fittings and Combination Accessories

जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	180mm × 125mm	गोटा	6711.00	6711.00	6711.00
	180mm × 140mm	गोटा	7613.00	7613.00	7613.00
	180mm × 160mm	गोटा	8452.00	8452.00	8452.00
	200mm × 110mm	गोटा	7002.00	7002.00	7002.00
	200mm × 140mm	गोटा	9014.00	9014.00	9014.00
	200mm × 160mm	गोटा	9473.00	9473.00	9473.00
	200mm × 180mm	गोटा	11065.00	11065.00	11065.00
	225mm × 90mm	गोटा	10187.00	10187.00	10187.00
	225mm × 110mm	गोटा	9928.00	9928.00	9928.00
	225mm × 225mm	गोटा	15614.00	15614.00	15614.00
	225mm × 160mm	गोटा	11739.00	11739.00	11739.00
	225mm × 180mm	गोटा	13605.00	13605.00	13605.00
	225mm × 200mm	गोटा	14959.00	14959.00	14959.00
	250mm × 160mm	गोटा	14991.00	14991.00	14991.00
	225mm × 180mm	गोटा	17331.00	17331.00	17331.00
	225mm × 200mm	गोटा	18268.00	18268.00	18268.00
	225mm × 225mm	गोटा	21086.00	21086.00	21086.00
	280mm × 180mm	गोटा	20665.00	20665.00	20665.00
	280mm × 200mm	गोटा	22074.00	22074.00	22074.00
	280mm × 225mm	गोटा	24131.00	24131.00	24131.00
	280mm × 250mm	गोटा	29225.00	29225.00	29225.00
	Electrofusion Elbow 45°				
	50mm	गोटा	316.00	316.00	316.00
	63mm	गोटा	464.00	464.00	464.00
	75mm	गोटा	1216.00	1216.00	1216.00
	90mm	गोटा	1047.00	1047.00	1047.00
	110mm	गोटा	3133.00	3133.00	3133.00
	125mm	गोटा	4326.00	4326.00	4326.00
	140mm	गोटा	5847.00	5847.00	5847.00
	160mm	गोटा	7535.00	7535.00	7535.00
	180mm	गोटा	10811.00	10811.00	10811.00
	200mm	गोटा	13612.00	13612.00	13612.00
	225mm	गोटा	18593.00	18593.00	18593.00
	250mm	गोटा	26775.00	26775.00	26775.00
	280mm	गोटा	35350.00	35350.00	35350.00
	90				
	50mm	गोटा	263.00	263.00	263.00
	63mm	गोटा	419.00	419.00	419.00
	75mm	गोटा	552.00	552.00	552.00
	90mm	गोटा	1066.00	1066.00	1066.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom center of the page.

पुम्ख जिल्ला अधिकारी
Handwritten signature and official stamp at the bottom right of the page.



PE Electro Fusion Fittings and Combination Accessories

जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	110mm	गोटा	1426.00	1426.00	1426.00
	125mm	गोटा	1800.00	1800.00	1800.00
	140mm	गोटा	6710.00	6710.00	6710.00
	160mm	गोटा	8522.00	8522.00	8522.00
	180mm	गोटा	12424.00	12424.00	12424.00
	200mm	गोटा	16547.00	16547.00	16547.00
	225mm	गोटा	21238.00	21238.00	21238.00
	250mm	गोटा	31210.00	31210.00	31210.00
	280mm	गोटा	44546.00	44546.00	44546.00
	Electrofusion End Cap				
	50mm	गोटा	349.00	349.00	349.00
	63mm	गोटा	433.00	433.00	433.00
	75mm	गोटा	617.00	617.00	617.00
	90mm	गोटा	792.00	792.00	792.00
	110mm	गोटा	1419.00	1419.00	1419.00
	125mm	गोटा	1222.00	1222.00	1222.00
	140mm	गोटा	2490.00	2490.00	2490.00
	160mm	गोटा	3608.00	3608.00	3608.00
	180mm	गोटा	5170.00	5170.00	5170.00
	200mm	गोटा	6768.00	6768.00	6768.00
	225mm	गोटा	8769.00	8769.00	8769.00
	250mm	गोटा	1244.00	1244.00	1244.00
	280mm	गोटा	16096.00	16096.00	16096.00
	Electrofusion Equal Tee				
	50mm	गोटा	348.00	348.00	348.00
	63mm	गोटा	500.00	500.00	500.00
	75mm	गोटा	789.00	789.00	789.00
	90mm	गोटा	1245.00	1245.00	1245.00
	110mm	गोटा	1604.00	1604.00	1604.00
	125mm	गोटा	1985.00	1985.00	1985.00
	140mm	गोटा	7924.00	7924.00	7924.00
	160mm	गोटा	10896.00	10896.00	10896.00
	180mm	गोटा	15416.00	15416.00	15416.00
	200mm	गोटा	19497.00	19497.00	19497.00
	225mm	गोटा	26535.00	26535.00	26535.00
	250mm	गोटा	38443.00	38443.00	38443.00
	280mm	गोटा	54657.00	54657.00	54657.00
	Electrofusion Saddle Clamp				
	50mm×40mm	गोटा	757.00	757.00	757.00
	75-225mm×50mm	गोटा	990.00	990.00	990.00
	HDPE Adopter PN 16				
	50mm	गोटा	280.00	280.00	280.00

Handwritten signatures and initials at the bottom of the page.

प्रमुख जिल्ला अधिकारी



PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	63mm	गोटा	353.00	353.00	353.00
	75mm	गोटा	499.00	499.00	499.00
	90mm	गोटा	644.00	644.00	644.00
	110mm	गोटा	894.00	894.00	894.00
	125mm	गोटा	988.00	988.00	988.00
	140mm	गोटा	1352.00	1352.00	1352.00
	160mm	गोटा	1944.00	1944.00	1944.00
	180mm	गोटा	2787.00	2787.00	2787.00
	200mm	गोटा	3047.00	3047.00	3047.00
	225mm	गोटा	3952.00	3952.00	3952.00
	250mm	गोटा	5241.00	5241.00	5241.00
	280mm	गोटा	7248.00	7248.00	7248.00

जिल्ला प्रशासन कार्यालय ललितपुर

 मु.व.क बाहेकको दररेट



High Pressure Valve and Fittings

नेपाल सरकार
सह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² , Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा	21918.00	21918.00	21918.00
	DN 50	गोटा	29612.00	29612.00	29612.00
	DN 65	गोटा	35535.00	35535.00	35535.00
	DN 80	गोटा	41457.00	41457.00	41457.00
	DN 100	गोटा	47380.00	47380.00	47380.00
	DN 125	गोटा	59225.00	59225.00	59225.00
	DN 150	गोटा	76992.00	76992.00	76992.00
	DN 200	गोटा	105570.00	105570.00	105570.00
	DN 250	गोटा	152490.00	152490.00	152490.00
	DN 300	गोटा	205275.00	205275.00	205275.00
	DN 350	गोटा	322575.00	322575.00	322575.00
	Cast Steel Non Return Valve (NRV), Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm ² , Seat 55 kg/cm ² , including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा	23690.00	23690.00	23690.00
	DN 50	गोटा	31394.00	31394.00	31394.00
	DN 65	गोटा	37316.00	37316.00	37316.00
	DN 80	गोटा	43239.00	43239.00	43239.00
	DN 100	गोटा	49161.00	49161.00	49161.00
	DN 125	गोटा	61006.00	61006.00	61006.00
	DN 150	गोटा	78774.00	78774.00	78774.00
	DN 200	गोटा	107334.00	107334.00	107334.00
	DN 250	गोटा	154254.00	154254.00	154254.00
	DN 300	गोटा	207039.00	207039.00	207039.00
	DN 350	गोटा	324339.00	324339.00	324339.00
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा	412.00	412.00	412.00
	DN 50	गोटा	442.00	442.00	442.00
	DN 65	गोटा	597.00	597.00	597.00
	DN 80	गोटा	648.00	648.00	648.00
	DN 100	गोटा	669.00	669.00	669.00
	DN 150	गोटा	772.00	772.00	772.00
	DN 125	गोटा	906.00	906.00	906.00
	DN 200	गोटा	1483.00	1483.00	1483.00
	DN 250	गोटा	2224.00	2224.00	2224.00
	DN 300	गोटा	2667.00	2667.00	2667.00



High Pressure Valve and Fittings

नेपाल सरकार
मु.अ.क बाहेकको दररेट
मन्त्रालय
ललितपुर
आ.व. ०८१/८२

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	ललितपुर आ.व. ०८१/८२
	DN 350	गोटा	3677.00	3677.00	3677.00
	MS Blind Flange, ISOD 16mm thick				
	DN 40	गोटा	535.00	535.00	535.00
	DN 50	गोटा	578.00	576.00	576.00
	DN 65	गोटा	772.00	772.00	772.00
	DN 80	गोटा	844.00	844.00	844.00
	DN 100	गोटा	875.00	875.00	875.00
	DN 125	गोटा	999.00	999.00	999.00
	DN 150	गोटा	1184.00	1184.00	1184.00
	DN 200	गोटा	1926.00	1926.00	1926.00
	DN 250	गोटा	2894.00	2894.00	2894.00
	DN 300	गोटा	3460.00	3460.00	3460.00
	DN 350	गोटा	4768.00	4768.00	4768.00
	MS Flange, ISOD 22mm thick				
	DN 40	गोटा	947.00	947.00	947.00
	DN 50	गोटा	1019.00	1019.00	1019.00
	DN 65	गोटा	1308.00	1308.00	1308.00
	DN 80	गोटा	1483.00	1483.00	1483.00
	DN 100	गोटा	1781.00	1781.00	1781.00
	DN 125	गोटा	2132.00	2132.00	2132.00
	DN 150	गोटा	2729.00	2729.00	2729.00
	DN 200	गोटा	4459.00	4459.00	4459.00
	DN 250	गोटा	5819.00	5819.00	5819.00
	DN 300	गोटा	8569.00	8569.00	8569.00
	DN 350	गोटा	9599.00	9599.00	9599.00
	MS Blind Flange, ISOD 32mm thick				
	DN 40	गोटा	1236.00	1236.00	1236.00
	DN 50	गोटा	1328.00	1328.00	1328.00
	DN 65	गोटा	1689.00	1689.00	1689.00
	DN 80	गोटा	1926.00	1926.00	1926.00
	DN 100	गोटा	2307.00	2307.00	2307.00
	DN 125	गोटा	2770.00	2770.00	2770.00
	DN 150	गोटा	3543.00	3543.00	3543.00
	DN 200	गोटा	5809.00	5809.00	5809.00
	DN 250	गोटा	7580.00	7580.00	7580.00
	DN 300	गोटा	11134.00	11134.00	11134.00
	DN 350	गोटा	12473.00	12473.00	12473.00
	Seamless (90°-22°) CARBON STEEL BEND, size dia				
	2"	गोटा	339.00	339.00	339.00
	2 1/2"	गोटा	597.00	597.00	597.00

Page 129



High Pressure Valve and Fittings

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	3"	गोटा	854.00	854.00	854.00
	4"	गोटा	1421.00	1421.00	1421.00
	5"	गोटा	2605.00	2605.00	2605.00
	6"	गोटा	3615.00	3615.00	3615.00
	8"	गोटा	6756.00	6756.00	6756.00
	10"	गोटा	13266.00	13266.00	13266.00
	12"	गोटा	18364.00	18364.00	18364.00
	14"	गोटा	20733.00	20733.00	20733.00
	Seamless REDUCER ASTM-40, (size dia larger dia.)				
	2"	गोटा	267.00	267.00	267.00
	2 1/2"	गोटा	473.00	473.00	473.00
	3"	गोटा	690.00	690.00	690.00
	4"	गोटा	1133.00	1133.00	1133.00
	5"	गोटा	2080.00	2080.00	2080.00
	6"	गोटा	2894.00	2894.00	2894.00
	8"	गोटा	5397.00	5397.00	5397.00
	10"	गोटा	10609.00	10609.00	10609.00
	12"	गोटा	14687.00	14687.00	14687.00
	14"	गोटा	16583.00	16583.00	16583.00
	Nut & Bolt (FORZED, Size, set/kg)	गोटा	309.00	309.00	309.00
	3 mm thick Gasket liner	गोटा	2636.00	2636.00	2636.00

प्रमुख जिल्ला अधिकारी



नेपाल सरकार
मूह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	56.00	56.00	56.00
	25mm " 2.3 mm thick 0.164kg/m	र.मि	86.00	86.00	86.00
	32mm 2.9 mm thick 0.26kg/m	र.मि	137.00	137.00	137.00
	40mm 3.7 mm thick 0.412kg/m	र.मि	217.00	217.00	217.00
	50mm 4.6 mm thick 0.638kg/m	र.मि	336.00	336.00	336.00
	63 mm 8.6 mm thick 0.638kg/m	र.मि	533.00	533.00	533.00
	75 mm	र.मि	743.00	743.00	743.00
	90 mm	र.मि	1070.00	1070.00	1070.00
	110 mm	र.मि	1588.00	1588.00	1588.00
2	PP-R Pipe (PN-16)				
	20mm 2.80 mm thick 0.148kg/m	र.मि	75.00	75.00	75.00
	25mm 3.50 mm thick 0.26kg/m	र.मि	118.00	118.00	118.00
	32mm 3.7 mm thick 0.230kg/m	र.मि	188.00	188.00	188.00
	40mm 5.50 mm thick 0.575kg/m	र.मि	303.00	303.00	303.00
	50mm 6.90 mm thick 0.896kg/m	र.मि	473.00	473.00	473.00
	63 mm 4.6 mm thick 0.638kg/m	र.मि	743.00	743.00	743.00
	75 mm	र.मि	1061.00	1061.00	1061.00
	90 mm	र.मि	1514.00	1514.00	1514.00
	110 mm	र.मि	2269.00	2269.00	2269.00
3	PP-R Pipe (PN-20)				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	90.00	90.00	90.00
	25mm 4.20 mm thick 0.266kg/m	र.मि	140.00	140.00	140.00
	32mm 5.40 mm thick 0.434kg/m	र.मि	228.00	228.00	228.00
	40mm 6.70 mm thick 0.671kg/m	र.मि	354.00	354.00	354.00
	50mm 8.30 mm thick 1.04kg/m	र.मि	549.00	549.00	549.00
	63mm 8.6mm thick 1.04kg/m	र.मि	870.00	870.00	870.00
	75 mm	र.मि	1234.00	1234.00	1234.00
	90 mm	र.मि	1772.00	1772.00	1772.00
	110 mm	र.मि	2643.00	2643.00	2643.00
4	PP-R Pipe Accessories				
	Elbow (87.5 °)				
	20mm	गोटा	23.00	23.00	23.00
	25mm	गोटा	43.00	43.00	43.00
	32mm	गोटा	70.00	70.00	70.00
	40mm	गोटा	148.00	148.00	148.00
	50mm	गोटा	249.00	249.00	249.00
	63 mm	गोटा	439.00	439.00	439.00
	75 mm	गोटा	843.00	843.00	843.00
	90 mm	गोटा	1376.00	1376.00	1376.00
	110 mm	गोटा	2558.00	2558.00	2558.00
	Elbow (90 °)				



पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सु.ब.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	20mm	गोटा	11.00	11.00	11.00
	25mm	गोटा	22.00	22.00	22.00
	32mm	गोटा	38.00	38.00	38.00
	40mm	गोटा	80.00	80.00	80.00
	50mm	गोटा	135.00	135.00	135.00
	63 mm	गोटा	238.00	238.00	238.00
	75 mm	गोटा	446.00	446.00	446.00
	90 mm	गोटा	754.00	754.00	754.00
	110 mm	गोटा	1405.00	1405.00	1405.00
5	Equal Tee				
	20mm	गोटा	15.00	15.00	15.00
	25mm	गोटा	27.00	27.00	27.00
	32mm	गोटा	47.00	47.00	47.00
	40mm	गोटा	92.00	92.00	92.00
	50mm	गोटा	157.00	157.00	157.00
	63mm	गोटा	286.00	286.00	286.00
	75 mm	गोटा	496.00	496.00	496.00
	90 mm	गोटा	909.00	909.00	909.00
	110 mm	गोटा	1578.00	1578.00	1578.00
6	Coupler				
	20mm	गोटा	9.00	9.00	9.00
	25mm	गोटा	11.00	11.00	11.00
	32mm	गोटा	22.00	22.00	22.00
	40mm	गोटा	43.00	43.00	43.00
	50mm	गोटा	73.00	73.00	73.00
	63 mm	गोटा	128.00	128.00	128.00
	75 mm	गोटा	248.00	248.00	248.00
	90 mm	गोटा	366.00	366.00	366.00
	110 mm	गोटा	670.00	670.00	670.00
7	45 Degree Elbow				
	20 mm	गोटा	15.00	15.00	15.00
	25 mm	गोटा	25.00	25.00	25.00
	32 mm	गोटा	38.00	38.00	38.00
	40 mm	गोटा	73.00	73.00	73.00
	50 mm	गोटा	122.00	122.00	122.00
	63 mm	गोटा	202.00	202.00	202.00
	75 mm	गोटा	397.00	397.00	397.00
	90 mm	गोटा	670.00	670.00	670.00
	110 mm	गोटा	1171.00	1171.00	1171.00
8	Union (Plastic)				
	20mm	गोटा	59.00	59.00	59.00
	25mm	गोटा	101.00	101.00	101.00

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	32mm	गोटा	163.00	163.00	163.00
	40mm	गोटा	247.00	247.00	247.00
	50mm	गोटा	387.00	387.00	387.00
	63mm	गोटा	462.00	462.00	462.00
9	Reducing Coupler				
	25mm*20mm	गोटा	16.00	16.00	16.00
	32mm*20mm	गोटा	20.00	20.00	20.00
	32mm*25mm	गोटा	23.00	23.00	23.00
	40mm*20mm	गोटा	34.00	34.00	34.00
	40mm*25mm	गोटा	35.00	35.00	35.00
	40mm*32mm	गोटा	47.00	47.00	47.00
	50mm*20mm	गोटा	64.00	64.00	64.00
	50mm*25mm	गोटा	61.00	61.00	61.00
	50mm*32mm	गोटा	70.00	70.00	70.00
	50mm*40mm	गोटा	73.00	73.00	73.00
	63mm*20mm	गोटा	100.00	100.00	100.00
	63mm*25mm	गोटा	123.00	123.00	123.00
	63mm*32mm	गोटा	124.00	124.00	124.00
	63mm*40mm	गोटा	124.00	124.00	124.00
	63mm*50mm	गोटा	124.00	124.00	124.00
	75mm*40mm	गोटा	248.00	248.00	248.00
	75mm*50mm	गोटा	253.00	253.00	253.00
	75mm*63mm	गोटा	256.00	256.00	256.00
	90mm*50mm	गोटा	472.00	472.00	472.00
	90mm*63mm	गोटा	506.00	506.00	506.00
	90mm*75mm	गोटा	595.00	595.00	595.00
	110mm*75mm	गोटा	834.00	834.00	834.00
	110mm*90mm	गोटा	928.00	928.00	928.00
	75mm	गोटा	476.00	476.00	476.00
	90mm	गोटा	738.00	738.00	738.00
	110mm	गोटा	1251.00	1251.00	1251.00
10	Reducing Tee				
	25*20*25 mm	गोटा	29.00	29.00	29.00
	32*20*32 mm	गोटा	44.00	44.00	44.00
	32*25*32 mm	गोटा	47.00	47.00	47.00
	40*20*40 mm	गोटा	64.00	64.00	64.00
	40*25*40 mm	गोटा	72.00	72.00	72.00
	40*32*40 mm	गोटा	76.00	76.00	76.00
	50*20*50 mm	गोटा	130.00	130.00	130.00
	50*25*50 mm	गोटा	134.00	134.00	134.00
	50*32*50 mm	गोटा	144.00	144.00	144.00
	50*40*50 mm	गोटा	148.00	148.00	148.00
	63*20*63 mm	गोटा	188.00	188.00	188.00
	63*25*63 mm	गोटा	209.00	209.00	209.00
	63*32*63 mm	गोटा	223.00	223.00	223.00

Page 133

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	63*40*63 mm	गोटा	227.00	227.00	227.00
	63*50*63 mm	गोटा	235.00	235.00	235.00
	75*50*75 mm	गोटा	553.00	553.00	553.00
	75*63*75 mm	गोटा	555.00	555.00	555.00
	90*63*90 mm	गोटा	914.00	914.00	914.00
	90*75*90 mm	गोटा	1010.00	1010.00	1010.00
	110*75*110 mm	गोटा	1636.00	1636.00	1636.00
	110*90*110 mm	गोटा	1684.00	1684.00	1684.00
	75mm	गोटा	1039.00	1039.00	1039.00
	90mm	गोटा	1745.00	1745.00	1745.00
	110mm	गोटा	2968.00	2968.00	2968.00
11	Reducing Elbow				
	25mm*20mm	गोटा	22.00	22.00	22.00
	32mm*20mm	गोटा	40.00	40.00	40.00
	32mm*25mm	गोटा	50.00	50.00	50.00
	40*20mm	गोटा	140.00	140.00	140.00
	40*25mm	गोटा	152.00	152.00	152.00
	40*32mm	गोटा	188.00	188.00	188.00
	75mm	गोटा	1007.00	1007.00	1007.00
	90mm	गोटा	1375.00	1375.00	1375.00
	110mm	गोटा	2613.00	2613.00	2613.00
	U CLAMP LONG				
	20mm	गोटा	30.00	30.00	30.00
	25mm	गोटा	34.00	34.00	34.00
	32mm	गोटा	46.00	46.00	46.00
	40mm	गोटा	52.00	52.00	52.00
	50mm	गोटा	70.00	70.00	70.00
	63mm	गोटा	78.00	78.00	78.00
	U CLAMP				
	20mm	गोटा	13.00	13.00	13.00
	25mm	गोटा	16.00	16.00	16.00
	32mm	गोटा	30.00	30.00	30.00
	40mm	गोटा	37.00	37.00	37.00
	50mm	गोटा	59.00	59.00	59.00
	63mm	गोटा	76.00	76.00	76.00
	PLUG				
	20mm	गोटा	13.00	13.00	13.00
	25mm	गोटा	21.00	21.00	21.00

[Handwritten signatures and initials]

[Handwritten signatures and text]
 प्रमुख अधिकारी



पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू

नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	32mm	गोटा	26.00	26.00	26.00
	CAPS				
	20mm	गोटा	31.00	31.00	31.00
	25mm	गोटा	46.00	46.00	46.00
	32mm	गोटा	70.00	70.00	70.00
	40mm	गोटा	111.00	111.00	111.00
	50mm	गोटा	187.00	187.00	187.00
	63mm	गोटा	338.00	338.00	338.00
	75mm	गोटा	515.00	515.00	515.00
	90mm	गोटा	576.00	576.00	576.00
	110mm	गोटा	1182.00	1182.00	1182.00
	CROSS OVER				
	20mm	गोटा	142.00	142.00	142.00
	25mm	गोटा	203.00	203.00	203.00
	32mm	गोटा	294.00	294.00	294.00
12	High Footed Pipe Clip				
	20mm	गोटा	12.00	12.00	12.00
	25mm	गोटा	14.00	14.00	14.00
	32mm	गोटा	22.00	22.00	22.00
	40mm	गोटा	25.00	25.00	25.00
	50mm	गोटा	27.00	27.00	27.00
	63 mm	गोटा	36.00	36.00	36.00
13	Low Footed Pipe Clip				
	20mm	गोटा	6.00	6.00	6.00
	25mm	गोटा	7.00	7.00	7.00
	32mm	गोटा	14.00	14.00	14.00
	40mm	गोटा	20.00	20.00	20.00
	50mm	गोटा	31.00	31.00	31.00
	63 mm	गोटा	39.00	39.00	39.00
14	"Y" type Pipe Clip				
	20mm	गोटा	20.00	20.00	20.00
	25mm	गोटा	23.00	23.00	23.00
	32mm	गोटा	28.00	28.00	28.00
	40 mm	गोटा	55.00	55.00	55.00
15	End Plug (short)				
	20mm	गोटा	6.00	6.00	6.00
	25mm	गोटा	10.00	10.00	10.00
	32mm	गोटा	13.00	13.00	13.00
16	End Plug with Ring				
	20mm	गोटा	22.00	22.00	22.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom center of the page.

Handwritten signature and initials at the bottom right of the page, including the text 'प्रमुख निदेश अधिकारी'.



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
17	End Plug (long)	गोटा			
	20mm	गोटा	10.00	10.00	10.00
18	End Cap				
	20mm	गोटा	12.00	12.00	12.00
	25mm	गोटा	20.00	20.00	20.00
	32mm	गोटा	30.00	30.00	30.00
	40mm	गोटा	44.00	44.00	44.00
	50mm	गोटा	78.00	78.00	78.00
	63 mm	गोटा	151.00	151.00	151.00
	75 mm	गोटा	243.00	243.00	243.00
19	Cross Tee				
	20mm	गोटा	26.00	26.00	26.00
	25mm	गोटा	38.00	38.00	38.00
	32mm	गोटा	68.00	68.00	68.00
20	Short Passover				
	20mm	गोटा	75.00	75.00	75.00
	25mm	गोटा	109.00	109.00	109.00
	32mm	गोटा	169.00	169.00	169.00
21	Long Bypass				
	20mm	गोटा	86.00	86.00	86.00
	25mm	गोटा	144.00	144.00	144.00
	32mm	गोटा	211.00	211.00	211.00
22	Male Tee				
	20mmx1/2"	गोटा	144.00	144.00	144.00
	20mmx3/4"	गोटा	146.00	146.00	146.00
	25mmx1/2"	गोटा	151.00	151.00	151.00
	25mmx3/4"	गोटा	181.00	181.00	181.00
	32mmx1/2"	गोटा	154.00	154.00	154.00
	32mmx3/4"	गोटा	227.00	227.00	227.00
	32mmx1"	गोटा	396.00	396.00	396.00
	40mm*1/2"	गोटा	673.00	673.00	673.00
	40mm*5/4"	गोटा	655.00	655.00	655.00
	50mm*6/4"	गोटा	1038.00	1038.00	1038.00
	63mm*1"	गोटा	1235.00	1235.00	1235.00
	63mm*2"	गोटा	1341.00	1341.00	1341.00
23	Female Tee				
	20mmx1/2"	गोटा	116.00	116.00	116.00
	20mmx3/4"	गोटा	131.00	131.00	131.00
	25mmx1/2"	गोटा	151.00	151.00	151.00
	25mmx3/4"	गोटा	176.00	176.00	176.00
	32mmx1/2"	गोटा	173.00	173.00	173.00
	32mmx3/4"	गोटा	203.00	203.00	203.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom center of the page.

Handwritten signature and initials at the bottom right of the page, including the text 'मु.अ.क. जिल्ला अधिकारी'.

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	32mmx1"	गोटा	342.00	342.00	342.00
	40mm*1/2"	गोटा	530.00	530.00	530.00
	40mm*5/4"	गोटा	521.00	521.00	521.00
	50mm*6/4"	गोटा	790.00	790.00	790.00
	63mm*1"	गोटा	992.00	992.00	992.00
	63mm*2"	गोटा	1048.00	1048.00	1048.00
24	Male elbow				
	20mmx1/2"	गोटा	138.00	138.00	138.00
	25mmx1/2"	गोटा	151.00	151.00	151.00
	25mmx3/4"	गोटा	185.00	185.00	185.00
	32mmx1/2"	गोटा	312.00	312.00	312.00
	32mmx3/4"	गोटा	248.00	248.00	248.00
	32mmx1"	गोटा	411.00	411.00	411.00
	40mm*5/4"	गोटा	592.50	592.50	592.50
25	Female elbow				
	20mmx1/2"	गोटा	113.00	113.00	113.00
	25mmx1/2"	गोटा	184.00	184.00	184.00
	25mmx3/4"	गोटा	151.00	151.00	151.00
	32mmx1/2"	गोटा	202.00	202.00	202.00
	32mmx3/4"	गोटा	238.00	238.00	238.00
	32mmx1"	गोटा	333.00	333.00	333.00
	40mm*5/4"	गोटा	675.00	675.00	675.00
	50mm*6/4"	गोटा	775.00	775.00	775.00
	63mm*2"	गोटा	892.00	892.00	892.00
	MALE SOCKET				
	20mm*1/2"	गोटा	145.00	145.00	145.00
	20mm*3/4"	गोटा	175.00	175.00	175.00
	25mm*1/2"	गोटा	155.00	155.00	155.00
	25mm*3/4"	गोटा	176.00	176.00	176.00
	32mm*1/2"	गोटा	196.00	196.00	196.00
	32mm*3/4"	गोटा	206.00	206.00	206.00
	32mm*1"	गोटा	392.00	392.00	392.00
	40mm*5/4"	गोटा	649.00	649.00	649.00
	50mm*6/4"	गोटा	1048.00	1048.00	1048.00
	63mm*2"	गोटा	1395.00	1395.00	1395.00
	75mm	गोटा	3480.00	3480.00	3480.00
	90mm	गोटा	4769.00	4769.00	4769.00
	110mm	गोटा	8968.00	8968.00	8968.00
	FEMALE SOCKET				
	20mm*1/2"	गोटा	110.00	110.00	110.00
	20mm*3/4"	गोटा	125.00	125.00	125.00
	25mm*1/2"	गोटा	135.00	135.00	135.00


Handwritten signatures and initials in the bottom left corner.

Handwritten signature and initials in the bottom center.

Handwritten signature and initials in the bottom right.

Official stamp and handwritten signature in the bottom right corner.

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	25mm*3/4"	गोटा	137.00	137.00	137.00
	32mm*1/2"	गोटा	131.00	131.00	131.00
	32mm*3/4"	गोटा	141.00	141.00	141.00
	32mm*1"	गोटा	306.00	306.00	306.00
	40mm*5/4"	गोटा	570.00	570.00	570.00
	50mm*6/4"	गोटा	791.00	791.00	791.00
	63mm*2"	गोटा	1070.00	1070.00	1070.00
	75mm	गोटा	3042.00	3042.00	3042.00
	90mm	गोटा	4184.00	4184.00	4184.00
	110mm	गोटा	7900.00	7900.00	7900.00
26	Male Coupling				
	20mmx1/2"	गोटा	134.00	134.00	134.00
	20mmx3/4"	गोटा	142.00	142.00	142.00
	25mmx1/2"	गोटा	163.00	163.00	163.00
	25mmx3/4"	गोटा	187.00	187.00	187.00
	32mmx1/2"	गोटा	169.00	169.00	169.00
	32mmx3/4"	गोटा	181.00	181.00	181.00
	32mmx1"	गोटा	363.00	363.00	363.00
	40mmx1-1/4"	गोटा	614.00	614.00	614.00
	50mmx1-1/2"	गोटा	925.00	925.00	925.00
	63mmx2"	गोटा	1221.00	1221.00	1221.00
	75mmx2-1/2"	गोटा	3037.00	3037.00	3037.00
27	Female Coupling				
	20mmx1/2"	गोटा	109.00	109.00	109.00
	20mmx3/4"	गोटा	128.00	128.00	128.00
	25mmx1/2"	गोटा	144.00	144.00	144.00
	25mmx3/4"	गोटा	146.00	146.00	146.00
	32mmx1/2"	गोटा	123.00	123.00	123.00
	32mmx3/4"	गोटा	132.00	132.00	132.00
	32mmx1"	गोटा	311.00	311.00	311.00
	40mmx1-1/4"	गोटा	539.00	539.00	539.00
	50mmx1-1/2"	गोटा	698.00	698.00	698.00
	63mmx2"	गोटा	936.00	936.00	936.00
	75mmx2-1/2"	गोटा	2779.00	2779.00	2779.00
28	Male Union				
	20mmx1/2"	गोटा	302.00	302.00	302.00
	25mmx3/4"	गोटा	435.00	435.00	435.00
	32mmx1"	गोटा	639.00	639.00	639.00
	40mmx1 1/4"	गोटा	1151.00	1151.00	1151.00
	50mmx1/2"	गोटा	1539.00	1539.00	1539.00
	63mmx2"	गोटा	3970.00	3970.00	3970.00
29	Female Union				

Handwritten signatures and initials in the bottom left corner.

Handwritten signatures and stamps in the bottom right corner, including a circular stamp with Nepali text.



नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९१८०	आ.व. ०८०१८१	आ.व. ०८११८२
	20mmx1/2"	गोटा	292.00	292.00	292.00
	25mmx3/4"	गोटा	378.00	378.00	378.00
	32mmx1"	गोटा	611.00	611.00	611.00
	40mmx1 ^{1/4} "	गोटा	843.00	843.00	843.00
	50mmx1/2"	गोटा	1441.00	1441.00	1441.00
	63mmx2"	गोटा	2630.00	2630.00	2630.00
30	Stop Valve				
	20 mm	गोटा	349.00	349.00	349.00
	25 mm	गोटा	460.00	460.00	460.00
	32 mm	गोटा	555.00	555.00	555.00
	40mm	गोटा	595.00	595.00	595.00
	50 mm	गोटा	992.00	992.00	992.00
	63 mm	गोटा	1491.00	1491.00	1491.00
	75 mm	गोटा	2840.00	2840.00	2840.00
	90 mm	गोटा	3109.00	3109.00	3109.00
	110 mm	गोटा	4249.00	4249.00	4249.00
	MALE SEATED ELBOW				
	20mm*1/2"	गोटा	155.00	155.00	155.00
	25mm*1/2"	गोटा	178.00	178.00	178.00
	25mm*3/4"	गोटा	198.00	198.00	198.00
	FEMALE SEATED ELBOW				
	20mm*1/2"	गोटा	168.00	168.00	168.00
	25mm*1/2"	गोटा	210.00	210.00	210.00
	25mm*3/4"	गोटा	220.00	220.00	220.00
31	Male base elbow				
	20mm x 1/2"	गोटा	156.00	156.00	156.00
	25mm x 1/2"	गोटा	193.00	193.00	193.00
	25mm x 3/4"	गोटा	193.00	193.00	193.00
32	Female base elbow				
	20mm x 1/2"	गोटा	153.00	153.00	153.00
	25mm x 1/2"	गोटा	188.00	188.00	188.00
	25mm x 3/4"	गोटा	185.00	185.00	185.00
33	Metal Ball valve (double)				
	20mmx1/2"	गोटा	645.00	645.00	645.00
	25mmx3/4"	गोटा	945.00	945.00	945.00
	32mmx1"	गोटा	1167.00	1167.00	1167.00
	40mmx1-1/4"	गोटा	3323.00	3323.00	3323.00
	50mmx1-1/2"	गोटा	4566.00	4566.00	4566.00
34	Metal Ball valve (Single)				
	20mmx1/2"	गोटा	595.00	595.00	595.00
	25mmx3/4"	गोटा	775.00	775.00	775.00
	32mmx1"	गोटा	1315.00	1315.00	1315.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी




पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
35	Conceal Valve (Lux)				
	20mm	गोटा	1113.00	1113.00	1113.00
36	Conceal Valve (Nor)				
	20mm	गोटा	937.00	937.00	937.00
37	Ball Valve (Plastic)				
	20mm	गोटा	94.00	94.00	94.00
	25mm	गोटा	128.00	128.00	128.00
	32mm	गोटा	219.00	219.00	219.00
	40mm	गोटा	476.00	476.00	476.00
	50mm	गोटा	690.00	690.00	690.00
	63 mm	गोटा	1167.00	1167.00	1167.00
	75 mm	गोटा	1633.00	1633.00	1633.00
	90 mm	गोटा	3237.00	3237.00	3237.00
	110 mm	गोटा	4427.00	4427.00	4427.00
38	Ball Valve (Brass)				
	20mm	गोटा	342.00	342.00	342.00
	25mm	गोटा	422.00	422.00	422.00
	32mm	गोटा	573.00	573.00	573.00
	40mm	गोटा	948.00	948.00	948.00
	TANK NIPPLE				
	32mm	गोटा	265.00	265.00	265.00
	40mm	गोटा	327.00	327.00	327.00
	PIPE TANK NIPPLE				
	32mm	गोटा	148.00	148.00	148.00
	BALL VALVE METAL BODY				
	20mm	गोटा	592.00	592.00	592.00
	25mm	गोटा	804.00	804.00	804.00
	32mm	गोटा	1166.00	1166.00	1166.00
	40mm	गोटा	1552.00	1552.00	1552.00
	50mm	गोटा	1941.00	1941.00	1941.00
	63mm	गोटा	2485.00	2485.00	2485.00
	75mm	गोटा	6724.00	6724.00	6724.00
	90mm	गोटा	10885.00	10885.00	10885.00
	110mm	गोटा	13062.00	13062.00	13062.00
	BALL VALVE FEMALE				
	20mm	गोटा	592.00	592.00	592.00
	25mm	गोटा	804.00	804.00	804.00
	32mm	गोटा	1166.00	1166.00	1166.00
	40mm	गोटा	1552.00	1552.00	1552.00
	50mm	गोटा	1941.00	1941.00	1941.00
	63mm	गोटा	2485.00	2485.00	2485.00

स.स. *[Signature]*
[Signature]
[Signature]

[Signature]
 प्रमुख निवेदन अधिकारी
[Signature]

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	75mm	गोटा	6724.00	6724.00	6724.00
	90mm	गोटा	10885.00	10885.00	10885.00
	110mm	गोटा	13062.00	13062.00	13062.00
	PLUG NIPPLE				
	20mm	गोटा	11.00	11.00	11.00
	DOUBLE FEMALE ELBOW				
	20mm*1/2"	गोटा	256.00	256.00	256.00
	25mm*1/2"	गोटा	294.00	294.00	294.00

प्रमुख जिल्ला अधिकारी

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट ललितपुर		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
A	UPVC Pipes				
1	UPVC Pipe NS 206/046 - 2.5 kg /cm ² Pressure				
	90 mm	र.मी	166.00	166.00	166.00
	110 mm	र.मी	247.00	247.00	247.00
	125 mm	र.मी	315.00	315.00	315.00
	140 mm	र.मी	389.00	389.00	389.00
	160 mm	र.मी	508.00	508.00	508.00
	180 mm	र.मी	651.00	651.00	651.00
	200 mm	र.मी	796.00	796.00	796.00
2	UPVC Pipe NS 206/046 - 4 kg /cm ² Pressure				
	63mm	र.मी	132.00	132.00	132.00
	75mm	र.मी	181.00	181.00	181.00
	90 mm	र.मी	260.00	260.00	260.00
	110 mm	र.मी	357.00	357.00	357.00
	125 mm	र.मी	492.00	492.00	492.00
	140 mm	र.मी	625.00	625.00	625.00
	160 mm	र.मी	808.00	808.00	808.00
	180 mm	र.मी	1040.00	1040.00	1040.00
	200 mm	र.मी	1262.00	1262.00	1262.00
3	UPVC Pipe NS 206/046 - 6 kg /cm ² Pressure				
	40mm	र.मी	77.00	77.00	77.00
	50mm	र.मी	117.00	117.00	117.00
	63mm	र.मी	189.00	189.00	189.00
	75mm	र.मी	263.00	263.00	263.00
	90 mm	र.मी	378.00	378.00	378.00
	110 mm	र.मी	548.00	548.00	548.00
	125 mm	र.मी	730.00	730.00	730.00
	140 mm	र.मी	909.00	909.00	909.00
	160 mm	र.मी	1164.00	1164.00	1164.00
	180 mm	र.मी	1485.00	1485.00	1485.00
	200 mm	र.मी	1819.00	1819.00	1819.00
4	UPVC Pipe NS 206/046 - 10 kg /cm ² Pressure				
	20 mm	र.मी	30.00	30.00	30.00
	25 mm	र.मी	47.00	47.00	47.00
	32mm	र.मी	77.00	77.00	77.00
	40mm	र.मी	116.00	116.00	116.00
	50mm	र.मी	183.00	183.00	183.00
	63mm	र.मी	292.00	292.00	292.00
	75mm	र.मी	415.00	415.00	415.00
	90 mm	र.मी	593.00	593.00	593.00
	110 mm	र.मी	880.00	880.00	880.00
	125 mm	र.मी	1126.00	1126.00	1126.00
	140 mm	र.मी	1422.00	1422.00	1422.00

Page 142

यु.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहिकको दररेट ललितपुर		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	160 mm	र.मी	1830.00	1830.00	1830.00
	180 mm	र.मी	2332.00	2332.00	2332.00
	200 mm	र.मी	2883.00	2883.00	2883.00
	UPVC PIPE AS PER IS 13592				
	50mm	र.मी	88.00	88.00	88.00
	75mm	र.मी	141.00	141.00	141.00
	110mm	र.मी	278.00	278.00	278.00
	160mm	र.मी	586.00	586.00	586.00
	200mm	र.मी	905.00	905.00	905.00
	DURADRAIN				
	110mm SN 8	र.मी	424.00	424.00	424.00
	75mm SN 8	र.मी	210.00	210.00	210.00
B	UPVC fittings				
1	Coupler				
	50 mm	गोटा	36.00	36.00	36.00
	75 mm	गोटा	88.00	88.00	88.00
	110 mm	गोटा	150.00	150.00	150.00
2	Bend 87.5 degree				
	50 mm	गोटा	54.00	54.00	54.00
	75 mm	गोटा	126.00	126.00	126.00
	110 mm	गोटा	235.00	235.00	235.00
3	Bend 45 degree				
	50 mm	गोटा	52.00	52.00	52.00
	75 mm	गोटा	103.00	103.00	103.00
	110 mm	गोटा	185.00	185.00	185.00
4	Single Tee				
	50 mm	गोटा	79.00	79.00	79.00
	75 mm	गोटा	172.00	172.00	172.00
	110 mm	गोटा	327.00	327.00	327.00
5	Pipe clip				
	50 mm	गोटा	16.00	16.00	16.00
	75 mm	गोटा	32.00	32.00	32.00
	110 mm	गोटा	43.00	43.00	43.00
6	Bend 87.5 degree with door				
	75 mm	गोटा	163.00	163.00	163.00
	110 mm	गोटा	284.00	284.00	284.00
7	Single Tee with door				
	75 mm	गोटा	232.00	232.00	232.00
	110 mm	गोटा	433.00	433.00	433.00
8	Double Tee				
	75 mm	गोटा	378.00	378.00	378.00
	110 mm	गोटा	599.00	599.00	599.00
9	Double Tee with door				

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट ललितपुर		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	75 mm	गोटा	501.00	501.00	501.00
	110 mm	गोटा	778.00	778.00	778.00
10	Vent cowl				
	75 mm	गोटा	62.00	62.00	62.00
	110 mm	गोटा	102.00	102.00	102.00
11	Socket plug				
	75 mm	गोटा	77.00	77.00	77.00
	110 mm	गोटा	126.00	126.00	126.00
12	Single "Y"				
	75 mm	गोटा	197.00	197.00	197.00
	110 mm	गोटा	426.00	426.00	426.00
13	Single "Y" with door				
	75 mm	गोटा	270.00	270.00	270.00
	110 mm	गोटा	514.00	514.00	514.00
14	Double "Y"				
	75 mm	गोटा	297.00	297.00	297.00
	110 mm	गोटा	586.00	586.00	586.00
15	Double "Y" with door				
	75 mm	गोटा	382.00	382.00	382.00
	110 mm	गोटा	614.00	614.00	614.00
16	Cleaning pipe				
	75 mm	गोटा	172.00	172.00	172.00
	110 mm	गोटा	333.00	333.00	333.00
17	Reducer				
	110x 75 mm	गोटा	153.00	153.00	153.00
	75X50 mm	गोटा	81.00	81.00	81.00
18	P -Trap				
	125mmx110mm	गोटा	633.00	633.00	633.00
	110mmx110mm	गोटा	593.00	593.00	593.00
	75mmx75mm	गोटा	226.00	226.00	226.00
19	Multi-Floor -Trap				
	110mmx75mm	गोटा	329.00	329.00	329.00
20	Nahani-Trap				
	110mmx75mm	गोटा	299.00	299.00	299.00
22	W.C. Connector (bent type)	गोटा	306.00	306.00	306.00
23	Square tile with jali	गोटा	98.00	98.00	98.00
24	Round jali	गोटा	44.00	44.00	44.00
25	End cap 50mm	गोटा	29.00	29.00	29.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature in the middle of the page.

Handwritten initials or signature on the right side.

प्रमुख जिल्ला अधिकारी
Handwritten signature and title at the bottom right.



पि.भि.सि. पाईप तथा फिटिङ्गहरु

सु.अ.क बाहिकको दररेट
पञ्जाब काठमाडौं
सलितपुर

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	सलितपुर आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2" dia. (42.19 Kg/cm2)	र.मि	121.00	121.00	121.00
	3/4" dia. (33.75 Kg/cm2)	र.मि	156.00	156.00	156.00
	1" dia. (31.64 Kg/cm2)	र.मि	240.00	240.00	240.00
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	297.00	297.00	297.00
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	364.00	364.00	364.00
	2" dia. (19.69 Kg/cm2)	र.मि	517.00	517.00	517.00
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	722.00	722.00	722.00
	3" dia. (18.28 Kg/cm2)	र.मि	912.00	912.00	912.00
	4" dia. (15.47 Kg/cm2)	र.मि	1318.00	1318.00	1318.00
	6" dia. (12.66 Kg/cm2)	र.मि	2746.00	2746.00	2746.00
	PVC FITTINGS as per ASTM D 2466				
	PVC Tee - Soc				
	1/2"	गोटा	34.00	34.00	34.00
	3/4"	गोटा	46.00	46.00	46.00
	1"	गोटा	73.00	73.00	73.00
	1-1/4"	गोटा	116.00	116.00	116.00
	1-1/2"	गोटा	152.00	152.00	152.00
	2"	गोटा	235.00	235.00	235.00
	2-1/2"	गोटा	674.00	674.00	674.00
	3"	गोटा	886.00	886.00	886.00
	4"	गोटा	1578.00	1578.00	1578.00
	6"	गोटा	8752.00	8752.00	8752.00
	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	67.00	67.00	67.00
	1 x 1/2	गोटा	103.00	103.00	103.00
	1 x 3/4	गोटा	103.00	103.00	103.00
	1-1/2 X 1/2	गोटा	350.00	350.00	350.00
	1-1/2 X 3/4	गोटा	350.00	350.00	350.00
	1-1/2 X 1	गोटा	350.00	350.00	350.00
	1-1/2 X 1-1/4	गोटा	350.00	350.00	350.00
	2 X 1/2	गोटा	432.00	432.00	432.00
	2 X 3/4	गोटा	432.00	432.00	432.00
	2 X 1	गोटा	432.00	432.00	432.00
	2 X 1-1/4	गोटा	432.00	432.00	432.00
	2 X 1-1/2	गोटा	432.00	432.00	432.00
	2-1/2 X 1/2	गोटा	1095.00	1095.00	1095.00
	2-1/2 X 3/4	गोटा	1095.00	1095.00	1095.00
	2-1/2 X 1	गोटा	1095.00	1095.00	1095.00
	2-1/2 X 1-1/4	गोटा	1095.00	1095.00	1095.00
	2-1/2 X 1-1/2	गोटा	1095.00	1095.00	1095.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.



पि.भि.सि. पाईप तथा फिटिङ्गहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2 X 2	गोटा	1095.00	1095.00	1095.00
	3 X 1/2	गोटा	1599.00	1599.00	1599.00
	3 X 3/4	गोटा	1599.00	1599.00	1599.00
	3 X 1	गोटा	1599.00	1599.00	1599.00
	3 X 1-1/4	गोटा	1599.00	1599.00	1599.00
	3 X 1-1/2	गोटा	1599.00	1599.00	1599.00
	3 X 2	गोटा	1599.00	1599.00	1599.00
	3 X 2-1/2	गोटा	1599.00	1599.00	1599.00
	6 X 1-1/4	गोटा	8407.00	8407.00	8407.00
	6 X 1-1/2	गोटा	8407.00	8407.00	8407.00
	6 X 2	गोटा	8407.00	8407.00	8407.00
	6 X 2-1/2	गोटा	8407.00	8407.00	8407.00
	6 X 3	गोटा	8407.00	8407.00	8407.00
	6 X 4	गोटा	8407.00	8407.00	8407.00
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	गोटा	171.00	171.00	171.00
	3/4"	गोटा	311.00	311.00	311.00
	3/4" X 1/2"	गोटा	252.00	252.00	252.00
	1" X 1/2"	गोटा	447.00	447.00	447.00
	PVC 90° Elbow - Soc				
	1/2"	गोटा	27.00	27.00	27.00
	3/4"	गोटा	31.00	31.00	31.00
	1"	गोटा	56.00	56.00	56.00
	1-1/4"	गोटा	99.00	99.00	99.00
	1-1/2"	गोटा	116.00	116.00	116.00
	2"	गोटा	178.00	178.00	178.00
	2-1/2"	गोटा	528.00	528.00	528.00
	3"	गोटा	633.00	633.00	633.00
	4"	गोटा	1276.00	1276.00	1276.00
	6"	गोटा	5377.00	5377.00	5377.00
	PVC Brass 90° Elbow Soc x Fipt SCH 80				0.00
	1/2"	गोटा	184.00	184.00	184.00
	3/4"	गोटा	258.00	258.00	258.00
	3/4" X 1/2"	गोटा	266.00	266.00	266.00
	PVC 45° Elbow - Soc				
	1/2"	गोटा	58.00	58.00	58.00
	3/4"	गोटा	91.00	91.00	91.00
	1"	गोटा	108.00	108.00	108.00
	1-1/4"	गोटा	152.00	152.00	152.00
	1-1/2"	गोटा	191.00	191.00	191.00

Handwritten signature and initials

Handwritten signature and initials

Handwritten signature and initials

प्रमुख निर्देशाधिकारी
Handwritten signature and initials



पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	ललितपुर आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2"	गोटा	249.00	249.00	249.00
	2-1/2"	गोटा	713.00	713.00	713.00
	3"	गोटा	1092.00	1092.00	1092.00
	4"	गोटा	1959.00	1959.00	1959.00
	6"	गोटा	5391.00	5391.00	5391.00
	PVC Coupling - Soc				
	1/2"	गोटा	18.00	18.00	18.00
	3/4"	गोटा	27.00	27.00	27.00
	1"	गोटा	43.00	43.00	43.00
	1-1/4"	गोटा	59.00	59.00	59.00
	1-1/2"	गोटा	81.00	81.00	81.00
	2"	गोटा	124.00	124.00	124.00
	2-1/2"	गोटा	263.00	263.00	263.00
	3"	गोटा	411.00	411.00	411.00
	4"	गोटा	643.00	643.00	643.00
	6"	गोटा	2541.00	2541.00	2541.00
	PVC Reducer Coupling - Soc				
	3/4 X 1/2	गोटा	44.00	44.00	44.00
	1 X 3/4	गोटा	77.00	77.00	77.00
	1-1/2 X 1-1/4	गोटा	139.00	139.00	139.00
	2 X 1-1/2	गोटा	221.00	221.00	221.00
	4 x 2	गोटा	1461.00	1461.00	1461.00
	4 X 3	गोटा	1461.00	1461.00	1461.00
	6 X 4	गोटा	3039.00	3039.00	3039.00
	PVC Reducer Bushing - (Flush Style)				
	3/4 X 1/2	गोटा	37.00	37.00	37.00
	1 X 1/2	गोटा	53.00	53.00	53.00
	1 X 3/4	गोटा	53.00	53.00	53.00
	1-1/4 X 1/2	गोटा	91.00	91.00	91.00
	1-1/4 X 3/4	गोटा	91.00	91.00	91.00
	1-1/4 X 1	गोटा	91.00	91.00	91.00
	1-1/2 X 1/2	गोटा	95.00	95.00	95.00
	1-1/2 X 3/4	गोटा	95.00	95.00	95.00
	1-1/2 X 1	गोटा	95.00	95.00	95.00
	1-1/2 X 1-1/4	गोटा	95.00	95.00	95.00
	2 X 1/2	गोटा	175.00	175.00	175.00
	2 X 3/4	गोटा	175.00	175.00	175.00
	2 X 1	गोटा	175.00	175.00	175.00
	2 X 1-1/4	गोटा	175.00	175.00	175.00



पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहिकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2 X 1-1/2	गोटा	175.00	175.00	175.00
	2-1/2 X 1-1/4	गोटा	247.00	247.00	247.00
	2-1/2 X 1-1/2	गोटा	247.00	247.00	247.00
	2-1/2 X 2	गोटा	247.00	247.00	247.00
	3 X 1-1/2	गोटा	366.00	366.00	366.00
	3 X 2	गोटा	366.00	366.00	366.00
	3 X 2-1/2	गोटा	366.00	366.00	366.00
	4 X 2	गोटा	720.00	720.00	720.00
	4 X 3	गोटा	720.00	720.00	720.00
	6 X 2	गोटा	2384.00	2384.00	2384.00
	6 X 3	गोटा	2384.00	2384.00	2384.00
	6 X 4	गोटा	2384.00	2384.00	2384.00
	PVC Cap - Soc				
	1/2"	गोटा	25.00	25.00	25.00
	3/4"	गोटा	31.00	31.00	31.00
	1"	गोटा	44.00	44.00	44.00
	1-1/4"	गोटा	63.00	63.00	63.00
	1-1/2"	गोटा	70.00	70.00	70.00
	2"	गोटा	84.00	84.00	84.00
	2-1/2"	गोटा	270.00	270.00	270.00
	3"	गोटा	296.00	296.00	296.00
	4"	गोटा	674.00	674.00	674.00
	6"	गोटा	2622.00	2622.00	2622.00
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	गोटा	270.00	270.00	270.00
	3/4"	गोटा	310.00	310.00	310.00
	1"	गोटा	317.00	317.00	317.00
	1-1/4"	गोटा	1023.00	1023.00	1023.00
	1-1/2"	गोटा	1051.00	1051.00	1051.00
	2"	गोटा	1417.00	1417.00	1417.00
	2-1/2"	गोटा	1983.00	1983.00	1983.00
	3"	गोटा	3168.00	3168.00	3168.00
	4"	गोटा	4386.00	4386.00	4386.00
	PVC Male Adaptor - Soc x MBSP				
	1/2"	गोटा	49.00	49.00	49.00
	3/4"	गोटा	57.00	57.00	57.00
	1"	गोटा	75.00	75.00	75.00
	1-1/4"	गोटा	92.00	92.00	92.00
	1-1/2"	गोटा	129.00	129.00	129.00
	2"	गोटा	166.00	166.00	166.00

Handwritten signatures and stamps at the bottom left of the page.

Handwritten signatures and stamps at the bottom right of the page, including a circular stamp with text 'ललितपुर जिल्ला अधिकारी'.



पि.भि.सि. पाईप तथा फिटिङ्गहरु

मु.अ.क बाहिकको/दररेट
ललितपुर
आ.व. ०८१/८२

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकको/दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	2-1/2"	गोटा	581.00	581.00	581.00
	3"	गोटा	690.00	690.00	690.00
	4"	गोटा	1076.00	1076.00	1076.00
	6"	गोटा	2476.00	2476.00	2476.00
	PVC Brass Male Adapter - Soc x Mipt SCH 80				
	1/2"	गोटा	279.00	279.00	279.00
	3/4"	गोटा	373.00	373.00	373.00
	1"	गोटा	561.00	561.00	561.00
	PVC Female Adaptor - Soc x FBSP				
	1/2"	गोटा	62.00	62.00	62.00
	3/4"	गोटा	65.00	65.00	65.00
	1"	गोटा	68.00	68.00	68.00
	1-1/4"	गोटा	178.00	178.00	178.00
	1-1/2"	गोटा	261.00	261.00	261.00
	2"	गोटा	253.00	253.00	253.00
	PVC Brass Female Adapter - Soc x Fipt SCH 80				
	1/2"	गोटा	234.00	234.00	234.00
	3/4"	गोटा	331.00	331.00	331.00
	1"	गोटा	425.00	425.00	425.00
	PVC Ball Valve - Soc				
	1/2"	गोटा	925.00	925.00	925.00
	3/4"	गोटा	1100.00	1100.00	1100.00
	1"	गोटा	1539.00	1539.00	1539.00
	1-1/4"	गोटा	2084.00	2084.00	2084.00
	1-1/2"	गोटा	3178.00	3178.00	3178.00
	2"	गोटा	4019.00	4019.00	4019.00
	2-1/2"	गोटा	6639.00	6639.00	6639.00
	3"	गोटा	10418.00	10418.00	10418.00
	4"	गोटा	17218.00	17218.00	17218.00
	6"	गोटा	37399.00	37399.00	37399.00
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML	गोटा	321.00	321.00	321.00
	237ML	गोटा	460.00	460.00	460.00
	473ML	गोटा	834.00	834.00	834.00
	946ML	गोटा	1373.00	1373.00	1373.00
	PVC Adhesive Solution (Heavy Bonded 717)				
	118ML	गोटा	516.00	516.00	516.00
	237ML	गोटा	681.00	681.00	681.00
	473ML	गोटा	1194.00	1194.00	1194.00
	946ML	गोटा	2067.00	2067.00	2067.00

(Handwritten signatures and marks)

(Handwritten signatures and stamps)
प्रमुख जिल्ला अधिकारी



पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरू

संघीय सरकार
मन्त्रालय
प्रशासन
कायदा

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	अर्थिकवर्ष २०८१/८२
1	Class 500 PVC-O pipes-PN 12.5				
	90 mm	र.मि	730.00	730.00	730.00
	110 mm	र.मि	1050.00	1050.00	1050.00
	125 mm	र.मि	1450.00	1450.00	1450.00
	140 mm	र.मि	1750.00	1750.00	1750.00
	160 mm	र.मि	2200.00	2200.00	2200.00
	200 mm	र.मि	3500.00	3500.00	3500.00
	225 mm	र.मि	4400.00	4400.00	4400.00
	250 mm	र.मि	5200.00	5200.00	5200.00
	315 mm	र.मि	8500.00	8500.00	8500.00
	355 mm	र.मि	10800.00	10800.00	10800.00
	400 mm	र.मि	13778.00	13778.00	13778.00
	450 mm	र.मि	19000.00	19000.00	19000.00
	500 mm	र.मि	22700.00	22700.00	22700.00
	630 mm	र.मि	36000.00	36000.00	36000.00
	800 mm	र.मि	58000.00	58000.00	58000.00
	1000 mm	र.मि	110000.00	110000.00	110000.00
	1200 mm	र.मि	150000.00	150000.00	150000.00
2	Class 500 PVC-O pipes-PN 16				
	90 mm	र.मि	854.40	854.40	854.40
	110 mm	र.मि	1260.00	1260.00	1260.00
	125 mm	र.मि	1550.00	1550.00	1550.00
	140 mm	र.मि	1950.00	1950.00	1950.00
	160 mm	र.मि	2600.00	2600.00	2600.00
	180 mm	र.मि			2900.00
	200 mm	र.मि	4000.00	4000.00	4000.00
	225 mm	र.मि	4950.00	4950.00	4950.00
	250 mm	र.मि	6300.00	6300.00	6300.00
	315 mm	र.मि	9600.00	9600.00	9600.00
	355 mm	र.मि	12700.00	12700.00	12700.00
	400 mm	र.मि	15147.00	15147.00	15147.00
	450 mm	र.मि	20131.00	20131.00	20131.00
	500 mm	र.मि	24591.00	24591.00	24591.00
	630 mm	र.मि	38412.00	38412.00	38412.00
	800 mm	र.मि	59382.00	59382.00	59382.00
	1000 mm	र.मि	96000.00	96000.00	96000.00
	1200 mm	र.मि	140000.00	140000.00	140000.00
3	Class 500 PVC-O pipes-PN 25				
	90 mm	र.मि	1700.00	1700.00	1700.00
	110 mm	र.मि	2500.00	2500.00	2500.00
	125 mm	र.मि	2700.00	2700.00	2700.00
	140 mm	र.मि	3100.00	3100.00	3100.00
	160 mm	र.मि	3800.00	3800.00	3800.00
	200 mm	र.मि	5397.00	5397.00	5397.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signature and initials at the bottom center of the page.


Handwritten signature and initials at the bottom right of the page, along with a stamp that reads "मन्त्रालय प्रशासन कायदा".

पि.भि.सि.ओ. पाईप तथा फिटिङहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	225 mm	र.मि	6566.00	6566.00	6566.00
	250 mm	र.मि	7688.00	7688.00	7688.00
	315 mm	र.मि	10895.04	10895.04	10895.04
	355 mm	र.मि	14040.00	14040.00	14040.00
	400 mm	र.मि	19420.13	19420.13	19420.13
	450 mm	र.मि	25705.50	25705.50	25705.50
	500 mm	र.मि	31255.68	31255.68	31255.68
	630 mm	र.मि	48179.14	48179.14	48179.14
	PVC-O Fittings				
	Elbow 11.25° (PN 16)				
	110	गोटा	6969.00	6969.00	6969.00
	160	गोटा	14996.84	14996.84	14996.84
	200	गोटा	27545.28	27545.28	27545.28
	250	गोटा	41943.16	41943.16	41943.16
	315	गोटा	79624.00	79624.00	79624.00
	400	गोटा	147185.00	147185.00	147185.00
	Elbow 22.5° (PN 16)				
	110	गोटा	7248.00	7248.00	7248.00
	160	गोटा	15830.35	15830.35	15830.35
	200	गोटा	28647.09	28647.09	28647.09
	250	गोटा	43620.89	43620.89	43620.89
	315	गोटा	82809.00	82809.00	82809.00
	400	गोटा	153073.00	153073.00	153073.00
	Elbow 45° (PN 16)				
	110	गोटा	8018.00	8018.00	8018.00
	160	गोटा	17381.98	17381.98	17381.98
	200	गोटा	31503.73	31503.73	31503.73
	250	गोटा	51670.60	51670.60	51670.60
	315	गोटा	90799.00	90799.00	90799.00
	400	गोटा	174184.00	174184.00	174184.00
	Elbow 90° (PN 16)				
	110	गोटा	11278.56	11278.56	11278.56
	160	गोटा	22597.48	22597.48	22597.48
	200	गोटा	40638.69	40638.69	40638.69
	250	गोटा	67038.00	67038.00	67038.00
	315	गोटा	103403.00	103403.00	103403.00
	400	गोटा	207281.00	207281.00	207281.00
	COUPLER (PN 16)				
	110	गोटा	6954.00	6954.00	6954.00
	160	गोटा	12283.09	12283.09	12283.09
	200	गोटा	17754.20	17754.20	17754.20
	250	गोटा	33230.27	33230.27	33230.27
	315	गोटा	62383.00	62383.00	62383.00
	400	गोटा	136927.00	136927.00	136927.00

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right that says 'प्रमुख अधिकारी' (Chief Officer).



पि.भि.सि.ओ. पाईप तथा फिटिङहरू

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व.०७९१८०	आ.व.०८०१८१	ललितपुर आ.व.०८११८२
	SLIDING COUPLER (PN 16)				
	110	गोटा	6954.00	6954.00	6954.00
	160	गोटा	12283.09	12283.09	12283.09
	200	गोटा	17754.20	17754.20	17754.20
	250	गोटा	33230.27	33230.27	33230.27
	315	गोटा	62383.00	62383.00	62383.00
	400	गोटा	136927.00	136927.00	136927.00
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा	8688.00	8688.00	8688.00
	160 to 110	गोटा	14126.23	14126.23	14126.23
	200 to 160	गोटा	14166.58	14166.58	14166.58
	250 to 200	गोटा	24436.13	24436.13	24436.13
	315 to 250	गोटा	54056.00	54056.00	54056.00
	400 to 315	गोटा	111118.00	111118.00	111118.00

प्रमुख जिल्ला अधिकारी

CP Accessories





सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहकमोडरेटकायल		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	Chrome plated Accessories				
1	C.P. Toilet Paper Holder	गोटा	929.00	929.00	929.00
2	C.P. Soap Dish(Polyurethane)	गोटा	1042.00	1042.00	1042.00
3	Towel rod ½"×18" size	गोटा	510.00	510.00	510.00
4	C.P. Towel Rod 18"	गोटा	1578.00	1578.00	1578.00
5	C.P. Towel Rod 24"	गोटा	1663.00	1663.00	1663.00
6	C.P. Glass Shelf 22"	गोटा	2260.00	2260.00	2260.00
7	Glass shelf	गोटा	680.00	680.00	680.00
8	C.P. bottle trap	गोटा	1246.00	1246.00	1246.00
9	32 mm×60cm long C.P flush pipe	गोटा	510.00	510.00	510.00
10	15 mm flush cock push type	गोटा	1133.00	1133.00	1133.00
11	15 mm dia. C.P. shower arm	गोटा	976.00	976.00	976.00
12	15 mm dia. C.P. spreader	गोटा	940.00	940.00	940.00
13	15 mm dia. C.P. wall mixture	गोटा	5435.00	5435.00	5435.00
14	3" dia. Shower rose , revolving type	गोटा	906.00	906.00	906.00
15	4" dia. Shower rose , revolving type	गोटा	1020.00	1020.00	1020.00
16	Shower rose ordinary	गोटा	567.00	567.00	567.00
17	Shower rod 12" long	गोटा	283.00	283.00	283.00
18	C.P. 15 mm dia. Angle Valve	गोटा	1244.00	1244.00	1244.00
19	C.P. 15 mm dia Concealed Stop Cock	गोटा	1807.00	1807.00	1807.00
20	C.P. 15mm Bib Cock	गोटा	1361.00	1361.00	1361.00
21	C.P. 15 mm dia swan neck Pillar Cock	गोटा	1331.00	1331.00	1331.00
22	C.P. 15 mm dia Stop Cock	गोटा	1331.00	1331.00	1331.00
23	C.P. 15 mm dia Sink Cock	गोटा	1309.00	1309.00	1309.00
24	C.P. 15 mm dia Sink Mixture	गोटा	4472.00	4472.00	4472.00
25	C.P. 32 mm dia Flush Valve	गोटा	5404.00	5404.00	5404.00
26	C.P. 32 mm dia Waste Coupling for basin	गोटा	424.00	424.00	424.00
27	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	689.00	689.00	689.00
28	C.P. Basin Mixture	सेट	4640.00	4640.00	4640.00
29	15 mm dia Bath Tub Spout with Wall Hinge	सेट	1731.00	1731.00	1731.00
30	C.P. Exclusive Shower Arm with Hinge	सेट	2014.00	2014.00	2014.00
31	15 mm bath tub with bottom attachment of telephonic shower	सेट	4169.00	4169.00	4169.00
32	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	6849.00	6849.00	6849.00
33	C.P. flexible pipe	गोटा	181.00	181.00	181.00
34	C.P. Grating - 4" dia.	गोटा	50.00	50.00	50.00
35	C.P. Grating -5" dia.	गोटा	62.00	62.00	62.00
36	Self Cleaning Rainfall Showers 9"	गोटा		3990.00	3990.00
37	C.P. Angle Cock				
	15mm C.P. Angle Cock	गोटा	927.00	927.00	927.00
	15 mm C.P. Angle Cock Long Thread	गोटा	986.00	986.00	986.00
38	C.P. Conceal Stop Cock				
	15 mm Reduced body	गोटा	1136.00	1136.00	1136.00
	15 mm Extra Heavy Body	गोटा	1390.00	1390.00	1390.00
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	2612.00	2612.00	2612.00
	15mm C.P. Bib Cock	गोटा	952.00	952.00	952.00
	15mm C.P. Bib Cock with nozzle	गोटा	1054.00	1054.00	1054.00
	15 mm C.P. Pillar Cock With Aerator	गोटा	1263.00	1263.00	1263.00
	15mm Auto Closing Pillar Cock With Aerator	गोटा	2527.00	2527.00	2527.00
	15mm C.P. Sink Cock	गोटा	1600.00	1600.00	1600.00
	C.P. Sink Mixer	गोटा	3966.00	3966.00	3966.00

CP Accessories

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	ललितपुर आ.व. ०८१।८२
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	3456.00	3456.00	3456.00
	C.P. Bottle Trap 32mm	गोटा	1852.00	1852.00	1852.00
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	3874.00	3874.00	3874.00
	32 mm C.P. Waste Coupling H/T	गोटा	446.00	446.00	446.00
	32 mm C.P. Waste Coupling F/T	गोटा	446.00	446.00	446.00
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	2694.00	2694.00	2694.00
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	4463.00	4463.00	4463.00
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	4463.00	4463.00	4463.00
39	C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	3706.00	3706.00	3706.00
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	3891.00	3891.00	3891.00
	15mm Bath Tub Spout with wall Flange	गोटा	1263.00	1263.00	1263.00
	15mm Bath Tub Spout with button attachment	गोटा	2021.00	2021.00	2021.00
	15 mm CP Casted Shower Arm Light	गोटा	673.00	673.00	673.00
	15 mm CP Casted Shower Arm Heavy	गोटा	1094.00	1094.00	1094.00
	15 mm Telephonic Hand ShowerWith 1.50 m. PVC Tube	गोटा	1791.00	1791.00	1791.00
	15 mm Telephonic Hand ShowerWith 1.5 Flexible Tube	गोटा	2779.00	2779.00	2779.00
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	3224.00	3224.00	3224.00
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
40	Deep Scrub Sink	गोटा	4834.00	4834.00	4834.00
	28"x28"x24" deep+ 6" splash with	गोटा	298.00	298.00	298.00
	15 mm Health Faucet (Commode Spray)	गोटा	1146.00	1146.00	1146.00
	15 mm pillar cock with 200 mm extended lever handle	गोटा	1515.00	1515.00	1515.00
	15 mm Bib cock with 200 mm extended lever handle	गोटा	1598.00	1598.00	1598.00
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	5956.00	5956.00	5956.00
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	5776.00	5776.00	5776.00
	Sensor mixer for wash basin (Battery operated)	गोटा	20481.00	20481.00	20481.00
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	20481.00	20481.00	20481.00
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	16221.00	16221.00	16221.00
	Sensor valve for Urinal	गोटा	10651.00	10651.00	10651.00
	Basin cock Sensor	गोटा	14418.00	14418.00	14418.00
	15mm U shaped sink cock	गोटा	1712.00	1712.00	1712.00
	Sink Mixture with U shape swinging spout	गोटा	3358.00	3358.00	3358.00
	15mm metallic Health Faucet (Commode Spray)	गोटा	2171.00	2171.00	2171.00
41	European Pattern C.P. Grab Bar for disable				
	a) 30cm long bend type	गोटा	5360.00	5360.00	5360.00
	b) 45 cm long bend type	गोटा	5613.00	5613.00	5613.00
	c) 60 cm long bend type	गोटा	7188.00	7188.00	7188.00

प्रमुख जिल्ला अधिकारी






सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	CPVC Pipe SDR 13.5 (22.5 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	122.00	122.00	122.00
	3/4" dia	र.मि	170.00	170.00	170.00
	1" dia	र.मि	223.00	223.00	223.00
	1-1/4" dia	र.मि	278.00	278.00	278.00
	1-1/2" dia	र.मि	390.00	390.00	390.00
	2" dia	र.मि	596.00	596.00	596.00
	CPVC Pipe SDR 11 (28.1 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	139.00	139.00	139.00
	3/4" dia	र.मि	189.00	189.00	189.00
	1" dia	र.मि	264.00	264.00	264.00
	1-1/4" dia	र.मि	319.00	319.00	319.00
	1-1/2" dia	र.मि	445.00	445.00	445.00
	2" dia	र.मि	721.00	721.00	721.00
	CPVC Ball Valve (CTS Sockets)				
	1/2"	र.मि	235.00	235.00	235.00
	3/4"	र.मि	363.00	363.00	363.00
	1"	र.मि	597.00	597.00	597.00
	1-1/4"	र.मि	1059.00	1059.00	1059.00
	1-1/2"	र.मि	1751.00	1751.00	1725.00
	2"	र.मि	2257.00	2257.00	2222.00
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	गोटा	147.00	147.00	147.00
	1" X 1/2"	गोटा	192.00	192.00	192.00
	CPVC Tee				
	1/2"	गोटा	38.00	38.00	38.00
	3/4"	गोटा	82.00	82.00	82.00
	1"	गोटा	124.00	124.00	124.00
	1-1/4"	गोटा	234.00	234.00	234.00
	1-1/2"	गोटा	341.00	341.00	341.00
	2"	गोटा	732.00	732.00	732.00
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	गोटा	74.00	74.00	74.00
	3/4" x 3/4" x 1/2"	गोटा	114.00	114.00	114.00
	3/4" x 1/2" x 3/4"	गोटा	142.00	142.00	142.00
	3/4" x 1/2" x 1/2"	गोटा	163.00	163.00	163.00
	1" x 1" x 3/4"	गोटा	171.00	171.00	171.00
	1-1/2" x 1-1/2" x 1"	गोटा	267.00	267.00	267.00

Page 155

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	2" x 2" x 1"	गोटा	464.00	464.00	464.00
	1-1/4" x 1-1/4" x 1/2"	गोटा	151.00	151.00	151.00
	1-1/4" x 1-1/4" x 1"	गोटा	163.00	163.00	163.00
	2" x 2" x 1/2"	गोटा	456.00	456.00	456.00
	1" x 1" x 1/2"	गोटा	106.00	106.00	106.00
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	गोटा	127.00	127.00	127.00
	3/4" x 3/4" x 1/2"	गोटा	133.00	133.00	133.00
	1" x 1" x 1/2"	गोटा	148.00	148.00	148.00
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	534.00	534.00	534.00
	1-1/4" x 1-1/4" x 1/2"	गोटा	290.00	290.00	290.00
	CPVC Elbow 90°				
	1/2"	गोटा	18.00	18.00	18.00
	3/4"	गोटा	33.00	33.00	33.00
	1"	गोटा	61.00	61.00	61.00
	1-1/4"	गोटा	124.00	124.00	124.00
	1-1/2"	गोटा	180.00	180.00	180.00
	2"	गोटा	396.00	396.00	396.00
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	गोटा	56.00	56.00	56.00
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	गोटा	239.00	239.00	239.00
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	287.00	287.00	287.00
	1" X 1/2"	गोटा	424.00	424.00	424.00
	1" X 1"	गोटा	502.00	502.00	502.00
	1-1/4" x 1-1/4"	गोटा	919.00	919.00	919.00
	CPVC Elbow 45°				
	1/2"	गोटा	31.00	31.00	31.00
	3/4"	गोटा	57.00	57.00	57.00
	1"	गोटा	82.00	82.00	82.00
	1-1/4"	गोटा	145.00	145.00	145.00
	1-1/2"	गोटा	210.00	210.00	210.00
	2"	गोटा	455.00	455.00	455.00
	CPVC Male Adapter (CPVC Threads)				
	1/2"	गोटा	23.00	23.00	23.00
	3/4"	गोटा	41.00	41.00	41.00
	1"	गोटा	62.00	62.00	62.00

Page 156
 प्रमुख जिल्ला अधिकारी

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	1-1/4"	गोटा	113.00	113.00	113.00
	1-1/2"	गोटा	158.00	158.00	158.00
	2"	गोटा	309.00	309.00	309.00
	CPVC Reducing Male Adapter (CPVC Threads)				
	3/4" x 1/2"	गोटा	43.00	43.00	43.00
	CPVC Male Adapters (Brass Threads)				
	1/2"	गोटा	219.00	219.00	219.00
	3/4"	गोटा	284.00	284.00	284.00
	1"	गोटा	448.00	448.00	448.00
	1-1/4"	गोटा	987.00	987.00	987.00
	1-1/2"	गोटा	1151.00	1151.00	1151.00
	2"	गोटा	2371.00	2371.00	2371.00
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	गोटा	244.00	244.00	244.00
	CPVC Female Adapter (CPVC Threads)				
	1/2"	गोटा	33.00	33.00	33.00
	3/4"	गोटा	54.00	54.00	54.00
	1"	गोटा	82.00	82.00	82.00
	CPVC Female Adapters Brass Threads				
	1/2"	गोटा	211.00	211.00	211.00
	3/4"	गोटा	286.00	286.00	286.00
	1"	गोटा	372.00	372.00	372.00
	1-1/4"	गोटा	977.00	977.00	977.00
	1-1/2"	गोटा	1087.00	1087.00	1071.00
	2"	गोटा	2126.00	2126.00	2093.00
	CPVC Caps				
	1/2"	गोटा	13.00	13.00	13.00
	3/4"	गोटा	26.00	26.00	26.00
	1"	गोटा	39.00	39.00	39.00
	1-1/4"	गोटा	76.00	76.00	76.00
	1-1/2"	गोटा	113.00	113.00	113.00
	2"	गोटा	239.00	239.00	239.00
	CPVC Union				
	1/2"	गोटा	287.00	287.00	287.00
	3/4"	गोटा	424.00	424.00	424.00
	1"	गोटा	502.00	502.00	502.00
	1-1/4"	गोटा	919.00	919.00	919.00
	1-1/2"	गोटा	1004.00	1004.00	1004.00

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क बाहेकको दकोलितपुर		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	2" गोटा	गोटा	1441.00	1441.00	1419.00
	CPVC Cross Tee				
	1/2" गोटा	गोटा	52.00	52.00	52.00
	3/4" गोटा	गोटा	113.00	113.00	113.00
	CPVC Step Over Bend	गोटा			
	1/2" गोटा	गोटा	67.00	67.00	67.00
	3/4" गोटा	गोटा	110.00	110.00	110.00
	CPVC Ball Valve (CTS Sockets)				
	1/2" गोटा	गोटा	704.00	704.00	704.00
	3/4" गोटा	गोटा	858.00	858.00	858.00
	1" गोटा	गोटा	981.00	981.00	981.00
	1-1/4" गोटा	गोटा	2003.00	2003.00	1972.00
	1-1/2" गोटा	गोटा	2549.00	2549.00	2510.00
	2" गोटा	गोटा	3278.00	3278.00	3228.00
	CPVC Solvent Cement				
	50ML गोटा	गोटा	212.00	212.00	212.00
	118ML गोटा	गोटा	350.00	350.00	350.00
	237ML गोटा	गोटा	568.00	568.00	568.00
	473ML गोटा	गोटा	893.00	893.00	893.00
	946ML गोटा	गोटा	1568.00	1568.00	1544.00
	Plastic Strap				
	1/2" गोटा	गोटा	5.00	5.00	5.00
	3/4" गोटा	गोटा	5.00	5.00	5.00
	1" गोटा	गोटा	8.00	8.00	8.00
	1-1/4" गोटा	गोटा	11.00	11.00	11.00
	1-1/2" गोटा	गोटा	15.00	15.00	15.00
	2" गोटा	गोटा	19.00	19.00	19.00
	Metal Strap				
	1/2" गोटा	गोटा	13.00	13.00	13.00
	3/4" गोटा	गोटा	17.00	17.00	17.00
	1" गोटा	गोटा	22.00	22.00	22.00
	1-1/4" गोटा	गोटा	26.00	26.00	26.00
	1-1/2" गोटा	गोटा	28.00	28.00	28.00
	2" गोटा	गोटा	30.00	30.00	30.00
	Tee Holder				
	1/2" X 1/2" X 1/2" गोटा	गोटा	5.00	5.00	5.00
	3/4" X 3/4" X 1/2" गोटा	गोटा	8.00	8.00	8.00
	Elbow Holder				

सि.पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	1/2" X 1/2"	गोटा	5.00	5.00	5.00
	1/2" X 3/4"	गोटा	7.00	7.00	7.00
	Snap Fix Repair Coupling				
	1/2"	गोटा	244.00	244.00	244.00
	3/4"	गोटा	264.00	264.00	264.00
	End plug threaded 1/2"	गोटा	11.00	11.00	11.00

जिल्ला अधिकारी



नेपाल सरकार
मुद्र मन्त्रालय
जिल्ला योजना कार्यालय
ललितपुर

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
A)	PN-3, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5317.00	5317.00	5317.00
	350 mm dia	मिटर	6124.00	6124.00	6124.00
	400 mm dia	मिटर	8261.00	8261.00	8261.00
	450 mm dia	मिटर	9793.00	9793.00	9793.00
	500 mm dia	मिटर	11911.00	11911.00	11911.00
	600 mm dia	मिटर	14077.00	14077.00	14077.00
	700 mm dia	मिटर	20482.00	20482.00	20482.00
	800 mm dia	मिटर	26705.00	26705.00	26705.00
	900 mm dia	मिटर	28465.00	28465.00	28465.00
	1000 mm dia	मिटर	34343.00	34343.00	34343.00
	1100 mm dia	मिटर	46440.00	46440.00	46440.00
	1200 mm dia	मिटर	54019.00	54019.00	54019.00
	1300 mm dia	मिटर	66307.00	66307.00	66307.00
	1400 mm dia	मिटर	71324.00	71324.00	71324.00
	1500 mm dia	मिटर	81063.00	81063.00	81063.00
	1600 mm dia	मिटर	87965.00	87965.00	87965.00
	1700 mm dia	मिटर	99172.00	99172.00	99172.00
	1800 mm dia	मिटर	109192.00	109192.00	109192.00
	1900 mm dia	मिटर	120289.00	120289.00	120289.00
	2000 mm dia	मिटर	131388.00	131388.00	131388.00
	2100 mm dia	मिटर	146542.00	146542.00	146542.00
	2200 mm dia	मिटर	161695.00	161695.00	161695.00
	2300 mm dia	मिटर	176916.00	176916.00	176916.00
	2400 mm dia	मिटर	192137.00	192137.00	192137.00
B)	PN-6, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5717.00	5717.00	5717.00
	350 mm dia	मिटर	6585.00	6585.00	6585.00
	400 mm dia	मिटर	8884.00	8884.00	8884.00
	450 mm dia	मिटर	10430.00	10430.00	10430.00
	500 mm dia	मिटर	12807.00	12807.00	12807.00
	600 mm dia	मिटर	15137.00	15137.00	15137.00
	700 mm dia	मिटर	22025.00	22025.00	22025.00
	800 mm dia	मिटर	28715.00	28715.00	28715.00
	900 mm dia	मिटर	30609.00	30609.00	30609.00
	1000 mm dia	मिटर	36929.00	36929.00	36929.00
	1100 mm dia	मिटर	49935.00	49935.00	49935.00
	1200 mm dia	मिटर	58085.00	58085.00	58085.00
	1300 mm dia	मिटर	71297.00	71297.00	71297.00
	1400 mm dia	मिटर	76692.00	76692.00	76692.00
	1500 mm dia	मिटर	87164.00	87164.00	87164.00
	1600 mm dia	मिटर	94586.00	94586.00	94586.00
	1700 mm dia	मिटर	105601.00	105601.00	105601.00

Page 160



GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	1800 mm dia	मिटर	117410.00	117410.00	117410.00
	1900 mm dia	मिटर	129344.00	129344.00	129344.00
	2000 mm dia	मिटर	141277.00	141277.00	141277.00
	2100 mm dia	मिटर	157571.00	157571.00	157571.00
	2200 mm dia	मिटर	173866.00	173866.00	173866.00
	2300 mm dia	मिटर	190233.00	190233.00	190233.00
	2400 mm dia	मिटर	206599.00	206599.00	206599.00
	PN-9, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	6175.00	6175.00	6175.00
	350 mm dia	मिटर	7112.00	7112.00	7112.00
	400 mm dia	मिटर	9594.00	9594.00	9594.00
	450 mm dia	मिटर	11264.00	11264.00	11264.00
	500 mm dia	मिटर	13832.00	13832.00	13832.00
	600 mm dia	मिटर	16347.00	16347.00	16347.00
	700 mm dia	मिटर	23786.00	23786.00	23786.00
	800 mm dia	मिटर	31012.00	31012.00	31012.00
	900 mm dia	मिटर	33057.00	33057.00	33057.00
	1000 mm dia	मिटर	39882.00	39882.00	39882.00
	1100 mm dia	मिटर	53411.00	53411.00	53411.00
	1200 mm dia	मिटर	62732.00	62732.00	62732.00
	1300 mm dia	मिटर	77001.00	77001.00	77001.00
	1400 mm dia	मिटर	82828.00	82828.00	82828.00
	1500 mm dia	मिटर	94137.00	94137.00	94137.00
	1600 mm dia	मिटर	102153.00	102153.00	102153.00
	1700 mm dia	मिटर	114049.00	114049.00	114049.00
	1800 mm dia	मिटर	126803.00	126803.00	126803.00
	1900 mm dia	मिटर	139691.00	139691.00	139691.00
	2000 mm dia	मिटर	152579.00	152579.00	152579.00
	2100 mm dia	मिटर	170177.00	170177.00	170177.00
	2200 mm dia	मिटर	187775.00	187775.00	187775.00
	2300 mm dia	मिटर	205451.00	205451.00	205451.00
	2400 mm dia	मिटर	223128.00	223128.00	223128.00
D)	PN-12, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	6730.00	6730.00	6730.00
	350 mm dia	मिटर	7753.00	7753.00	7753.00
	400 mm dia	मिटर	10458.00	10458.00	10458.00
	450 mm dia	मिटर	12278.00	12278.00	12278.00
	500 mm dia	मिटर	15076.00	15076.00	15076.00
	600 mm dia	मिटर	17819.00	17819.00	17819.00
	700 mm dia	मिटर	25927.00	25927.00	25927.00
	800 mm dia	मिटर	33803.00	33803.00	33803.00
	900 mm dia	मिटर	36032.00	36032.00	36032.00

Page 161



नेपाल सरकार
महामन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	1000 mm dia	मिटर	43473.00	43473.00	43473.00
	1100 mm dia	मिटर	58219.00	58219.00	58219.00
	1200 mm dia	मिटर	68378.00	68378.00	68378.00
	1300 mm dia	मिटर	83932.00	83932.00	83932.00
	1400 mm dia	मिटर	90282.00	90282.00	90282.00
	1500 mm dia	मिटर	102610.00	102610.00	102610.00
	1600 mm dia	मिटर	110266.00	110266.00	110266.00
	1700 mm dia	मिटर	124314.00	124314.00	124314.00
	1800 mm dia	मिटर	138216.00	138216.00	138216.00
	1900 mm dia	मिटर	152263.00	152263.00	152263.00
	2000 mm dia	मिटर	166312.00	166312.00	166312.00
	2100 mm dia	मिटर	185494.00	185494.00	185494.00
	2200 mm dia	मिटर	204675.00	204675.00	204675.00
	2300 mm dia	मिटर	223942.00	223942.00	223942.00
	2400 mm dia	मिटर	243208.00	243208.00	243208.00
E)	PN-15, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	7403.00	7403.00	7403.00
	350 mm dia	मिटर	8528.00	8528.00	8528.00
	400 mm dia	मिटर	11394.00	11394.00	11394.00
	450 mm dia	मिटर	13506.00	13506.00	13506.00
	500 mm dia	मिटर	16584.00	16584.00	16584.00
	600 mm dia	मिटर	19601.00	19601.00	19601.00
	700 mm dia	मिटर	28519.00	28519.00	28519.00
	800 mm dia	मिटर	37184.00	37184.00	37184.00
	900 mm dia	मिटर	39636.00	39636.00	39636.00
	1000 mm dia	मिटर	47820.00	47820.00	47820.00
	1100 mm dia	मिटर	64041.00	64041.00	64041.00
	1200 mm dia	मिटर	75216.00	75216.00	75216.00
	1300 mm dia	मिटर	92325.00	92325.00	92325.00
	1400 mm dia	मिटर	99310.00	99310.00	99310.00
	1500 mm dia	मिटर	111775.00	111775.00	111775.00
	1600 mm dia	मिटर	121293.00	121293.00	121293.00
	1700 mm dia	मिटर	136745.00	136745.00	136745.00
	1800 mm dia	मिटर	152037.00	152037.00	152037.00
	1900 mm dia	मिटर	167490.00	167490.00	167490.00
	2000 mm dia	मिटर	182943.00	182943.00	182943.00
	2100 mm dia	मिटर	204042.00	204042.00	204042.00
	2200 mm dia	मिटर	225143.00	225143.00	225143.00
	2300 mm dia	मिटर	246337.00	246337.00	246337.00
	2400 mm dia	मिटर	267530.00	267530.00	267530.00
F)	PN-3, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	6922.00	6922.00	6922.00

[Handwritten signatures and marks]

[Handwritten signatures and stamps]




GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	350 mm dia	मिटर	7974.00	7974.00	7974.00
	400 mm dia	मिटर	10654.00	10654.00	10654.00
	450 mm dia	मिटर	12628.00	12628.00	12628.00
	500 mm dia	मिटर	15508.00	15508.00	15508.00
	600 mm dia	मिटर	18328.00	18328.00	18328.00
	700 mm dia	मिटर	26668.00	26668.00	26668.00
	800 mm dia	मिटर	34770.00	34770.00	34770.00
	900 mm dia	मिटर	37063.00	37063.00	37063.00
	1000 mm dia	मिटर	44715.00	44715.00	44715.00
	1100 mm dia	मिटर	59884.00	59884.00	59884.00
	1200 mm dia	मिटर	70333.00	70333.00	70333.00
	1300 mm dia	मिटर	86332.00	86332.00	86332.00
	1400 mm dia	मिटर	92863.00	92863.00	92863.00
	1500 mm dia	मिटर	104519.00	104519.00	104519.00
	1600 mm dia	मिटर	113418.00	113418.00	113418.00
	1700 mm dia	मिटर	127868.00	127868.00	127868.00
	1800 mm dia	मिटर	142167.00	142167.00	142167.00
	1900 mm dia	मिटर	156616.00	156616.00	156616.00
	2000 mm dia	मिटर	171067.00	171067.00	171067.00
	2100 mm dia	मिटर	190797.00	190797.00	190797.00
	2200 mm dia	मिटर	210528.00	210528.00	210528.00
	2300 mm dia	मिटर	230345.00	230345.00	230345.00
	2400 mm dia	मिटर	250163.00	250163.00	250163.00
G)	PN-6, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	8004.00	8004.00	8004.00
	350 mm dia	मिटर	9220.00	9220.00	9220.00
	400 mm dia	मिटर	12318.00	12318.00	12318.00
	450 mm dia	मिटर	14601.00	14601.00	14601.00
	500 mm dia	मिटर	17930.00	17930.00	17930.00
	600 mm dia	मिटर	21192.00	21192.00	21192.00
	700 mm dia	मिटर	30834.00	30834.00	30834.00
	800 mm dia	मिटर	40201.00	40201.00	40201.00
	900 mm dia	मिटर	42852.00	42852.00	42852.00
	1000 mm dia	मिटर	51700.00	51700.00	51700.00
	1100 mm dia	मिटर	69237.00	69237.00	69237.00
	1200 mm dia	मिटर	81319.00	81319.00	81319.00
	1300 mm dia	मिटर	99817.00	99817.00	99817.00
	1400 mm dia	मिटर	106327.00	106327.00	106327.00
	1500 mm dia	मिटर	120846.00	120846.00	120846.00
	1600 mm dia	मिटर	131135.00	131135.00	131135.00
	1700 mm dia	मिटर	147841.00	147841.00	147841.00
	1800 mm dia	मिटर	164375.00	164375.00	164375.00

Page 163

GRP and HDPE/DWC Pipes



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	1900 mm dia	मिटर	181081.00	181081.00	181081.00
	2000 mm dia	मिटर	197788.00	197788.00	197788.00
	2100 mm dia	मिटर	220600.00	220600.00	220600.00
	2200 mm dia	मिटर	243412.00	243412.00	243412.00
	2300 mm dia	मिटर	266326.00	266326.00	266326.00
	2400 mm dia	मिटर	289239.00	289239.00	289239.00
H)	PN-9, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	9336.00	9336.00	9336.00
	350 mm dia	मिटर	10651.00	10651.00	10651.00
	400 mm dia	मिटर	14368.00	14368.00	14368.00
	450 mm dia	मिटर	17032.00	17032.00	17032.00
	500 mm dia	मिटर	20914.00	20914.00	20914.00
	600 mm dia	मिटर	24718.00	24718.00	24718.00
	700 mm dia	मिटर	35965.00	35965.00	35965.00
	800 mm dia	मिटर	46890.00	46890.00	46890.00
	900 mm dia	मिटर	49983.00	49983.00	49983.00
	1000 mm dia	मिटर	59723.00	59723.00	59723.00
	1100 mm dia	मिटर	80759.00	80759.00	80759.00
	1200 mm dia	मिटर	94851.00	94851.00	94851.00
	1300 mm dia	मिटर	115296.00	115296.00	115296.00
	1400 mm dia	मिटर	124019.00	124019.00	124019.00
	1500 mm dia	मिटर	140954.00	140954.00	140954.00
	1600 mm dia	मिटर	152956.00	152956.00	152956.00
	1700 mm dia	मिटर	172443.00	172443.00	172443.00
	1800 mm dia	मिटर	191726.00	191726.00	191726.00
	1900 mm dia	मिटर	211213.00	211213.00	211213.00
	2000 mm dia	मिटर	230700.00	230700.00	230700.00
	2100 mm dia	मिटर	257308.00	257308.00	257308.00
	2200 mm dia	मिटर	283917.00	283917.00	283917.00
	2300 mm dia	मिटर	310643.00	310643.00	310643.00
	2400 mm dia	मिटर	337369.00	337369.00	337369.00
I)	PN-12, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	10176.00	10176.00	10176.00
	350 mm dia	मिटर	11610.00	11610.00	11610.00
	400 mm dia	मिटर	15661.00	15661.00	15661.00
	450 mm dia	मिटर	18565.00	18565.00	18565.00
	500 mm dia	मिटर	22796.00	22796.00	22796.00
	600 mm dia	मिटर	26943.00	26943.00	26943.00
	700 mm dia	मिटर	39202.00	39202.00	39202.00
	800 mm dia	मिटर	51110.00	51110.00	51110.00
	900 mm dia	मिटर	53957.00	53957.00	53957.00
	1000 mm dia	मिटर	65099.00	65099.00	65099.00

Page 164

पंजस जिल्ला अधिकारी



संघीय सरकार
जिल्ला प्रशासन कार्यालय
ललितपुर

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	1100 mm dia	मिटर	88027.00	88027.00	88027.00
	1200 mm dia	मिटर	102384.00	102384.00	102384.00
	1300 mm dia	मिटर	125673.00	125673.00	125673.00
	1400 mm dia	मिटर	135181.00	135181.00	135181.00
	1500 mm dia	मिटर	153640.00	153640.00	153640.00
	1600 mm dia	मिटर	166723.00	166723.00	166723.00
	1700 mm dia	मिटर	187962.00	187962.00	187962.00
	1800 mm dia	मिटर	208982.00	208982.00	208982.00
	1900 mm dia	मिटर	230222.00	230222.00	230222.00
	2000 mm dia	मिटर	251462.00	251462.00	251462.00
	2100 mm dia	मिटर	280466.00	280466.00	280466.00
	2200 mm dia	मिटर	309470.00	309470.00	309470.00
	2300 mm dia	मिटर	338601.00	338601.00	338601.00
	2400 mm dia	मिटर	367732.00	367732.00	367732.00
J) PN-15, SN-5000 (248 Kpa)					
	300 mm dia	मिटर	11087.00	11087.00	11087.00
	350 mm dia	मिटर	12772.00	12772.00	12772.00
	400 mm dia	मिटर	17227.00	17227.00	17227.00
	450 mm dia	मिटर	20421.00	20421.00	20421.00
	500 mm dia	मिटर	25076.00	25076.00	25076.00
	600 mm dia	मिटर	29637.00	29637.00	29637.00
	700 mm dia	मिटर	43122.00	43122.00	43122.00
	800 mm dia	मिटर	55681.00	55681.00	55681.00
	900 mm dia	मिटर	59353.00	59353.00	59353.00
	1000 mm dia	मिटर	71608.00	71608.00	71608.00
	1100 mm dia	मिटर	95890.00	95890.00	95890.00
	1200 mm dia	मिटर	112623.00	112623.00	112623.00
	1300 mm dia	मिटर	138240.00	138240.00	138240.00
	1400 mm dia	मिटर	148700.00	148700.00	148700.00
	1500 mm dia	मिटर	169004.00	169004.00	169004.00
	1600 mm dia	मिटर	183394.00	183394.00	183394.00
	1700 mm dia	मिटर	206759.00	206759.00	206759.00
	1800 mm dia	मिटर	229880.00	229880.00	229880.00
	1900 mm dia	मिटर	253244.00	253244.00	253244.00
	2000 mm dia	मिटर	276609.00	276609.00	276609.00
	2100 mm dia	मिटर	308513.00	308513.00	308513.00
	2200 mm dia	मिटर	340416.00	340416.00	340416.00
	2300 mm dia	मिटर	372461.00	372461.00	372461.00
	2400 mm dia	मिटर	404505.00	404505.00	404505.00
HDPE DOUBLE -WALL CORRUGATED PIPE					
	100mm dia.	मिटर	556.00	556.00	556.00
	150mm dia.	मिटर	1112.00	1112.00	1112.00

Page 165

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.



GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट ललितपुर		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	200mm dia.	मिटर	1668.00	1668.00	1668.00
	250mm dia.	मिटर	2113.00	2113.00	2113.00
	300mm dia.	मिटर	3515.00	3515.00	3515.00
	400mm dia.	मिटर	4527.00	4527.00	4527.00
	500mm dia.	मिटर	5406.00	5406.00	5406.00
	600mm dia.	मिटर	9310.00	9310.00	9310.00
	800mm dia.	मिटर	14231.25	14231.25	14985.00
	1000mm dia.	मिटर	19780.00	19780.00	22572.00

प्रमुख जिल्ला अधिकारी




किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको सिस्टम कायावली		
			आ.व. ०७९१/८०	आ.व. ०८०१/८१	आ.व. ०८११/८२
	Porcelain Clay Sanitaryware				
1	White glazed porcelain pan				
	530mm size white glazed without siphon	सेट	2524.00	2524.00	2524.00
	500 mm size white glazed without siphon	सेट	2741.00	2741.00	2741.00
	580 mm size orrisa Pan	सेट	3371.00	3371.00	3371.00
	580 mm size white glazed Indian pan	सेट	1049.00	1049.00	1049.00
	Siphon 'p' or 's' type	सेट	590.00	590.00	590.00
	Asian Pan 51x40 Rectangular	सेट	2524.00	2524.00	2524.00
2	Porcelain Clay Cistern				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	सेट	3559.00	3559.00	3559.00
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	667.00	667.00	667.00
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	3698.00	3698.00	3698.00
3	Commode				
	White glaze porcelain clay regular commode with 'p' trap	सेट	1587.00	1587.00	1587.00
	White glazed porcelain clay EWC regular commode with 's' \ p trap	सेट	1825.00	1825.00	1825.00
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	18119.00	18119.00	18119.00
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	28875.00	28875.00	28875.00
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	20389.00	20389.00	20389.00
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	5252.00	5252.00	5252.00
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	8656.00	8656.00	8656.00
	600 to 900 mm Grab bar	सेट	6062.00	6062.00	6062.00
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover , Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट	24800.00	24800.00	24800.00
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover , Size: (365x560x352mm) with concealed cistern	सेट	27900.00	27900.00	27900.00
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover , Size: (368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट	26150.00	26150.00	26150.00
4	Bidet set				
	Porcelain clay white glaze Bidet.	सेट	3584.00	3584.00	3584.00
	Urinal set				
	Porcelain clay white glaze large flat back urinal 61×41×38 cm size	सेट	4174.00	4174.00	4174.00
	Porcelain clay small Urinal (46.5×35.5×26.5) cm size)	सेट	1880.00	1880.00	1880.00
	White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set	सेट	1619.00	1619.00	1619.00
	Wall mounted Urinal with sensor complete set.	सेट	100291.00	100291.00	100291.00

प्रमुख जिल्ला अधिकारी

किचन र बाथरूममा प्रयोग हुने सामानहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहिकी दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, , Size: (L355xP320xH615mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	31860.00	31860.00	31860.00
	Supplying of white vitreous Lynbrook Floor Standing Urinal , Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	60530.00	60530.00	60530.00
	Porcelain clay white glaze large flat back urinal 385*320*615 mm size	सेट			4320.00
	Porcelain clay Small Urinal 315*280*465 size	सेट			2540.00
	Wall mounted Urinal with sensor complete set(280*250*500)MM	सेट			16470.00
	Porcelain clay white glaze large flat back with spreader urinal 400*380*610 mm size	सेट			5070.00
	Porcelain clay flat back medium Urinal 300*250*500 size	सेट			3580.00
5	Porcelain Clay Urinal Squatting Plate				
	white glaze squatting plate Small Size (45*35)cm	सेट	1212.00	1212.00	1212.00
	Porcelain clay white glaze squatting plate large size	सेट	1455.00	1455.00	1455.00
	Porcelain clay super color squatting plate large size.	सेट	2821.00	2821.00	2821.00
	Urinal Spreader	सेट	915.00	915.00	915.00
6	Wash basin				
	Porcelain clay white glaze wash basin (500*400) cm size regular.	सेट	1095.00	1095.00	1070.00
	Porcelain clay white glaze wash basin (50*40) cm	सेट	1481.00	1481.00	1481.00
	Do but wash basin (45*32)cm	सेट	1065.00	1065.00	1065.00
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	1201.00	1201.00	1201.00
	white glazed porcelain clay U-counter basin,	सेट	8348.00	8348.00	8348.00
	white glazed porcelain clay O-counter wash basin,(63*50)cm	सेट	13776.00	13776.00	13776.00
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	9785.00	9785.00	9785.00
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	6232.00	6232.00	6232.00
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	20549.00	20549.00	20549.00
	Supplying of white vitreous Cadet Undercounter Basin, , Size: (380x550x175mm) made of sanitary ceramics with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट	17275.00	17275.00	17275.00
	Supplying of white vitreous Winston Wall hung Basin, , Size: (506x460x194mm) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट	20675.00	20675.00	20675.00
	Supplying of white vitreous Flexio Counter Top Basin, , Size: (499x449x181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	19255.00	19255.00	19255.00



किचन र बाथरूम प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	Supplying of white vitreous Acacia E semi recessed Basin, , Size: (W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	23150.00	23150.00	23150.00
7	Pedestal:				
	Porcelain clay white glaze pedestal	सेट	1378.00	1378.00	1378.00
	White glazed Porcelain clay half pedestal complete set.	सेट	1670.00	1670.00	1670.00
	First color glazed Porcelain clay half pedestal complete set.	सेट	1973.00	1973.00	1973.00
8	Urinal Partition				
	White glaze porcelain clay (68×30)cm division plate	सेट	1690.00	1690.00	1690.00
9	Lab sink				
	Porcelain clay white glaze large size	सेट	2222.00	2222.00	2222.00
	Porcelain clay white glaze small size	सेट	1653.00	1653.00	1653.00
	Porcelain clay janitor sink 58×71×43.5 size	सेट	27553.00	27553.00	27553.00
10	Super lab sink	गोटा			
	super lab sink large size	गोटा	4313.00	4313.00	4313.00
	super lab sink small size	गोटा	3401.00	3401.00	3401.00
11	Kitchen sink				
	i) Porcelain clay large	सेट	3763.00	3763.00	3763.00
	ii) Porcelain clay small	सेट	3409.00	3409.00	3409.00
	iii) drain board white 53x45	सेट	1304.00	1304.00	1304.00
	iii) Soap dish	सेट	661.00	661.00	661.00
	iv) White glaze foot rest	सेट	419.00	419.00	419.00
	v) White glaze Toilet paper holder	सेट	1157.00	1157.00	1157.00
12	Super kitchen sink				
	super kitchen sink large size	गोटा	7465.00	7465.00	7465.00
	super kitchen sink small size	गोटा	6756.00	6756.00	6756.00
13	PVC Cistern Set				
	single flush	सेट	1973.00	1973.00	1973.00
	Deluxe single flush	सेट	2204.00	2204.00	2204.00
	Dual flush 6/3 lit. cistern complete set.	सेट	2966.00	2966.00	2966.00
	concealed cistern with plate complete set.	सेट	16862.00	16862.00	16862.00
	32 mm pvc bottle trap set.	पिस	476.00	476.00	476.00
	1.5x45 cm pvc pipe connector set.	पिस	143.00	143.00	143.00
	Bakelite toilet seat cover set.	पिस	276.00	276.00	276.00

प्रमुख जिल्ला अधिकारी



किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व. ०७९१८०	आ.व. ०८०१८१	आ.व. ०८११८२
14	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflushing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट	10000.00	10000.00	10000.00
15	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट	16000.00	16000.00	16000.00
16	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट	18000.00	18000.00	18000.00
17	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	2500.00	2500.00	2500.00

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads 'पुनर्सूचि जिल्ला अधिकारी'.



किचन र बाथरूममा प्रयोग हुने सामानहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
18	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	2500.00	2500.00	2500.00
19	Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.				
	Stainless steel Deep sink 45*45*30 size	पिस	18185.00	18185.00	18185.00
	Stainless steel Orissa pan LP 210 size	पिस	8486.00	8486.00	8486.00
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	13262.00	13262.00	13262.00
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	10276.00	10276.00	10276.00
	Stainless steel commode S trap with self closing complete set	पिस	17554.00	17554.00	17554.00
	Wall mixer (single lever) bath faucet with hand shower	पिस	14634.00	14634.00	14634.00
	Bath tub (single lever)with hand shower	पिस	18432.00	18432.00	18432.00
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	25764.00	25764.00	25764.00
	Wall mixer (single control) bath faucet with hand shower(conceal system)	पिस	15952.00	15952.00	15952.00
	Wall mixer (single control) shower faucet (conceal system)	पिस	4182.00	4182.00	4182.00
	conceal mixer faucet	पिस	6455.00	6455.00	6455.00
	Stainless steel Angle valve	पिस	827.00	827.00	827.00
	Stainless steel two way Angle valve	पिस	1157.00	1157.00	1157.00
	Stainless steel bowl 19"*16" diamond board 37" long	पिस	2673.00	2673.00	2673.00
	Stainless steel bowl with diamond board 37" long	पिस	3660.00	3660.00	3660.00
	Stainless steel bowl with ordinary board 37" long	पिस	2314.00	2314.00	2314.00
	Stainless steel double bowl with double drain board 36" * 18 "size	पिस	13917.00	13917.00	13917.00
	Stainless steel double bowl with single drain board ordinary	पिस	5786.00	5786.00	5786.00
	Stainless steel p trap bottle trap for basin	पिस	2324.00	2324.00	2324.00
	Stainless steel Kitchen sink mixture	पिस	8408.00	8408.00	8408.00
	Stainless steel Kitchen sink faucet	पिस	5565.00	5565.00	5565.00
	Stainless steel Kitchen sink mixture	पिस	8408.00	8408.00	8408.00
	Stainless steel 1500mm flexible hose pipe(connection pipe)	पिस	1462.00	1462.00	1462.00
	Stainless steel Hose ringer 1200 mm	पिस	1274.00	1274.00	1274.00
	Stainless steel commode spray with hose pipe	पिस	1798.00	1798.00	1798.00
	Stainless steel basin mixer(single control)	पिस	6943.00	6943.00	6943.00
	Stainless steel single faucet for basin	पिस	4425.00	4425.00	4425.00
	Stainless steel Sink 700*450*200	पिस	24246.00	24246.00	24246.00
	Stainless steel Sink table top1200*600*300	पिस	33504.00	33504.00	33504.00
	Steel Split clamp with washer all complete	पिस	33504.00	33504.00	33504.00
	75 mm dia	पिस	331.00	331.00	331.00
	110 mm dia	पिस	441.00	441.00	441.00
	160 mm dia	पिस	771.00	771.00	771.00
	Stainless steel telephonic shower	गोटा	1240.00	1240.00	1240.00
	Stainless steel shower with sliding bar	गोटा	2976.00	2976.00	2976.00
	Stainless steel shower with sliding bar	गोटा	9785.00	9785.00	9785.00
	Stainless steel bottle trap	गोटा	647.00	647.00	647.00

प्रमुख/जिम्मेवार अधिकारी


किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९१८०	आ.व. ०८०८८१	आ.व. ०८११८२
	Stainless steel towel bar 450 mm	गोटा	1240.00	1240.00	1240.00
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , with concealed body and Shower Head with arm and Bath Spout	गोटा	18055.00	18055.00	18055.00
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer , with iColor Chrome Hand Shower & Hose , complete as required, ,	गोटा	20530.00	20530.00	20530.00
20	Modern Sanitaryware:				
	Hand dryer Germany	गोटा	19397.00	19397.00	19397.00
	Hand Dryer Chinese	गोटा	7164.00	7164.00	7164.00
	Indian Mark Brand Flush valve	गोटा	5731.00	5731.00	5731.00
	Auto sensor for basin	गोटा	35267.00	35267.00	35267.00
	European pattern liquid soap container stainless steel	गोटा	6062.00	6062.00	6062.00
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	1459.00	1459.00	1459.00
	Supplying of C.P. brass Angle valve connection 1/2"plastic handle marking , complete as required,with easy clean, eco start, twist free and Water Saving features.	गोटा	750.00	750.00	750.00
	Supplying of Hygiene Spray with hose and flexible pipe , complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा	2125.00	2125.00	2125.00
	Supplying of Winston Wall Bib Tap (Cross Handle), Mcomplete as requiredwith easy clean, eco start, twist free and Water Saving features.	गोटा	2480.00	2480.00	2480.00
	Supplying of High Speed automatic Hand Dryer, complete as required,ready for operation.	गोटा	37170.00	37170.00	37170.00
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap,complete as required, ready for operation.	गोटा	3400.00	3400.00	3400.00
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	गोटा	2830.00	2830.00	2830.00
	Supplying of Chrome plated Seva Robe Hook, complete as required, ready for operation.	गोटा	2125.00	2125.00	2125.00
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	गोटा	3700.00	3700.00	3700.00
	Supplying of Chrome plated Seva Glass Holder,complete as required, ready for operation.	गोटा	2620.00	2620.00	2620.00
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar , size (580x220mm), OD: 32mm Make	गोटा	8600.00	8600.00	8600.00
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा	3000.00	3000.00	3000.00
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा	5000.00	5000.00	5000.00
21	Electric & Solar Geyser				
	i) 10 lit. cap. electric water heater	गोटा	10914.00	10914.00	10914.00
	ii) 25 lit cap. electric water heater	गोटा	16826.00	16826.00	16826.00
	iii) 35 lit cap electric water heater	गोटा	20919.00	20919.00	20919.00
	iv) 50 lit cap electric water heater	गोटा	25011.00	25011.00	25011.00



किचन र बाथरूममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	iv) Gas water heater with cylinder	गोटा	8200.00	8200.00	8200.00
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा	15000.00	15000.00	15000.00
22	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	11770.00	11770.00	11770.00



 Several handwritten signatures and stamps are present below the table. One prominent stamp reads "प्रमुख जिल्ला अधिकारी" (Chief District Officer). There are also several other illegible signatures and initials.



विभिन्न प्रकारका कंभर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	G.I. Water Tank (17 Gauge)				
	100 gls	गोटा	8478.00	8478.00	8478.00
	200 gls	गोटा	13192.00	13192.00	13192.00
	300 gls	गोटा	16593.00	16593.00	16593.00
	400 gls	गोटा	19921.00	19921.00	19921.00
	500 gls	गोटा	23259.00	23259.00	23259.00
2	Roof Top PVC Water Tank				
	200 lit – 5000 lit cap.	लीटर	10.00	10.00	10.00
	5000 lit – 10,000 lit cap	लीटर	11.00	11.00	11.00
	Horizontal PVC water tank	लीटर	12.00	12.00	12.00
3	Stainless steel water tank with accessories				
	Capacity 500 ltr	गोटा	13114.00	13114.00	13114.00
	Capacity 1000 ltr	गोटा	19323.00	19323.00	19323.00
	Capacity 1500 ltr	गोटा	29681.00	29681.00	29681.00
	Capacity 2000 ltr	गोटा	35890.00	35890.00	35890.00
	Capacity 3000 ltr	गोटा	53323.00	53323.00	53323.00
	Capacity 4000 ltr	गोटा	71100.00	71100.00	71100.00
	Capacity 5000 ltr	गोटा	93431.00	93431.00	93431.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा	11752.00	11752.00	11752.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा	15080.00	15080.00	15080.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा	22880.00	22880.00	22880.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा	34840.00	34840.00	34840.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा	42640.00	42640.00	42640.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा	69010.00	69010.00	69010.00
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा	106080.00	106080.00	106080.00
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा	27040.00	27040.00	27040.00
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा	39000.00	39000.00	39000.00
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा	47840.00	47840.00	47840.00



विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	गोटा	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा	75190.00	75190.00	75190.00
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा	116280.00	116280.00	116280.00
	Plastic Water Tank प्लास्टिक वाटर ट्यांक				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर	14.00	14.00	14.00
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर	14.00	14.00	14.00
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर	14.00	14.00	14.00
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर	13.00	13.00	13.00
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर	13.00	13.00	13.00
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर	13.00	13.00	13.00
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर	12.00	12.00	12.00
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर	12.00	12.00	12.00
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर	12.00	12.00	12.00
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर	12.00	12.00	12.00
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर	12.00	12.00	12.00
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर	13.00	13.00	13.00
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर	13.00	13.00	13.00
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा	13000.00	13000.00	13000.00
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres). Brand: Hilltake	गोटा	19240.00	19240.00	19240.00
11	Water Pumps/Hand Pumps				
	Indian Mark-III , Deep Well Hand Pump	गोटा	12854.00	12854.00	12854.00
	6 No. hand pump	गोटा	1661.00	1661.00	1661.00
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	11320.00	11320.00	11320.00
	ii) ½ H.P. Water Pump mono block type	सेट	6570.00	6570.00	6570.00
	iii) 1.0 H.P. water pump Multistage	सेट	14828.00	14828.00	14828.00
	iv) 1.0 H.P. water pump (mono block type)	सेट	9938.00	9938.00	9938.00
	v) 2.0 H.P. water pump	सेट	23490.00	23490.00	23490.00
	vi) 2.0 H.P. 3 phase water pump	सेट	24800.00	24800.00	24800.00
	vii) 5.0 HP 3 phase water pump	सेट	29802.00	29802.00	29802.00
	Jet Water Pump				

Page 175



विभिन्न प्रकारको वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	i) 1.10 H.P.	सेट	22495.00	22495.00	22495.00
	ii) Double Stage jet 1.10 H.P.	सेट	26994.00	26994.00	26994.00
	ii) 1.5 H.P.	सेट	30369.00	30369.00	30369.00
	Super Sunction				
	i) 0.50 H.P	सेट	9368.00	9368.00	9368.00
	ii) 0.75 H.P.	सेट	8744.00	8744.00	8744.00
	iii) 1.0 H.P.	सेट	14847.00	14847.00	14847.00
	Water Pump (Grundfoss, pentair, Pedrello or equiv)				
	1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	18930.00	18930.00	18930.00
	2 H.P. single pump set single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	30402.00	30402.00	30402.00
	Submersible Pump (Italian)				
	i) 1.0 H.P.	सेट	27132.00	27132.00	27132.00
	ii) 2.0 H.P.	सेट	50332.00	50332.00	50332.00
	Electric Water Pump (Chinese)				
	i) ½ H.P	सेट	1788.00	1788.00	1788.00
	ii) ¾ H.P.	सेट	2329.00	2329.00	2329.00
	iii) 1.0 H.P.	सेट	3433.00	3433.00	3433.00
	Submersible Pump Indian				
	i) ½ H.P open well type	सेट	17321.00	17321.00	17321.00
	ii) 1.1 H.P open well type	सेट	25363.00	25363.00	25363.00
	iii) 1.5 H.P open well type	सेट	30930.00	30930.00	30930.00
	Vertical Submersible Pump Sarvo/Bimal or equivalent				
	i) 1.1 H.P	सेट	28344.00	28344.00	28344.00
	iii) 1.5 H.P	सेट	34249.00	34249.00	34249.00

प्रमुख जिल्ला अधिकारी

साधारण हात औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	मैदान प्रमाणन एकीकृत ललितपुर	मु.अ.क. बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1	Adjustable spanner				
	10"	गोटा	265.00	265.00	265.00
	12"	गोटा	501.00	501.00	501.00
	15"	गोटा	1443.00	1443.00	1443.00
	18"	गोटा	1708.00	1708.00	1708.00
2	Blow Torch				
	1/2 pint	गोटा	1491.00	1491.00	1491.00
	1 pint	गोटा	1837.00	1837.00	1837.00
3	Building Trowel	गोटा	82.00	82.00	82.00
4	Chain Pipe wrench				
	50mm	गोटा	1708.00	1708.00	1708.00
	75mm	गोटा	2033.00	2033.00	2033.00
	100mm	गोटा	2386.00	2386.00	2386.00
	150mm	गोटा	3358.00	3358.00	3358.00
	200mm	गोटा	5714.00	5714.00	5714.00
5	Chain Pulley in Ton				
	3 ton	गोटा	18264.00	18264.00	18264.00
	5 ton	गोटा	30165.00	30165.00	30165.00
6	Stone Chisel 1"x12"	गोटा	383.00	383.00	383.00
7	Die teeth oil with cane (250 ml size)	गोटा	294.00	294.00	294.00
8	Smooth steel file half round				
	8"	गोटा	560.00	560.00	560.00
	10"	गोटा	1072.00	1072.00	1072.00
	Flat file 10"	गोटा	560.00	560.00	560.00
9	Hacksaw Blade				
	Single	गोटा	4.00	4.00	4.00
	double	गोटा	9.00	9.00	9.00
10	Hacksaw Frame 6mm	गोटा	200.00	200.00	200.00
11	Handle die set				
	25 mm	गोटा	3329.00	3329.00	3329.00
	50 mm	गोटा	3771.00	3771.00	3771.00
	60 mm	गोटा	10016.00	10016.00	10016.00
12	Heating Plate				
	80 mm	गोटा	1001.00	1001.00	1001.00
	100 mm	गोटा	1149.00	1149.00	1149.00
	125 mm	गोटा	1472.00	1472.00	1472.00
	150 mm	गोटा	1755.00	1755.00	1755.00
	200 mm	गोटा	2840.00	2840.00	2840.00
	250 mm	गोटा	3440.00	3440.00	3440.00
	300 mm	गोटा	4018.00	4018.00	4018.00
13	Iron Brush 12"	गोटा	76.00	76.00	76.00
14	Iron Pan (madium)	गोटा	271.00	271.00	271.00
15	Pick Axe 1.7 Kg.	गोटा	448.00	448.00	448.00
16	Pipe Cutter				
	15-50 mm	गोटा	2120.00	2120.00	2120.00
	65-80 mm	गोटा	3298.00	3298.00	3298.00
	100 mm	गोटा	5302.00	5302.00	5302.00

Page 177

पुस्तक निर्माण कार्यालय

साधारण होई औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	मु.अ.क.	बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	125 mm	गोटा	5891.00	5891.00	5891.00
	150 mm	गोटा	10487.00	10487.00	10487.00
17	Pipe Jack Machine (Heavy)	गोटा	33582.00	33582.00	33582.00
18	Pipe Vice				
	2"	गोटा	2592.00	2592.00	2592.00
	3"	गोटा	3771.00	3771.00	3771.00
	4"	गोटा	5685.00	5685.00	5685.00
	5"	गोटा	10545.00	10545.00	10545.00
19	Pipe Wrench				
	10"	गोटा	329.00	329.00	329.00
	12"	गोटा	612.00	612.00	612.00
	14"	गोटा	730.00	730.00	730.00
	18"	गोटा	1161.00	1161.00	1161.00
	24"	गोटा	1602.00	1602.00	1602.00
	36"	गोटा	5655.00	5655.00	5655.00
	48"	गोटा	10016.00	10016.00	10016.00
20	Plumb Bob Line	गोटा	94.00	94.00	94.00
21	Ratchet Die Set				
	1/2"-1"	गोटा	4477.00	4477.00	4477.00
	1 1/4" -2"	गोटा	8365.00	8365.00	8365.00
	2 1/2"-3"	गोटा	18264.00	18264.00	18264.00
22	Round File 10"	गोटा	383.00	383.00	383.00
23	Screw Driver 12"	गोटा	212.00	212.00	212.00
24	Shovel 1.5 Kg	गोटा	383.00	383.00	383.00
25	Slide wrench				
	10"	गोटा	377.00	377.00	377.00
	12"	गोटा	506.00	506.00	506.00
	15"	गोटा	1478.00	1478.00	1478.00
26	Spade	गोटा	459.00	459.00	459.00
27	Spare Die Teeth				
	15 mm	गोटा	612.00	612.00	612.00
	20 mm	गोटा	612.00	612.00	612.00
	25 mm	गोटा	612.00	612.00	612.00
	32 mm	गोटा	972.00	972.00	972.00
	40 mm	गोटा	1661.00	1661.00	1661.00
	50 mm	गोटा	1679.00	1679.00	1679.00
	65 mm	गोटा	1943.00	1943.00	1943.00
	80 mm	गोटा	2179.00	2179.00	2179.00
28	Telflon Cover				
	5'x5'	गोटा	324.00	324.00	324.00
	7'x7'	गोटा	442.00	442.00	442.00
29	Telflon Cloth	र.मि	3565.00	3565.00	3565.00
30	Telflon Tape 10 mm	रोल	18.00	18.00	18.00
31	Thermochrome Crayon				
	Indian	गोटा	795.00	795.00	795.00
32	Tool Box (14"x8"x22")	गोटा	2186.00	2186.00	2186.00



RCC Ring and Boring Work

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	RCC Ring for well and Toilets				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	645.00	645.00	645.00
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	800.00	800.00	800.00
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	930.00	930.00	930.00
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	1231.00	1231.00	1231.00
2	RCC cover				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1950.00	1950.00	1950.00
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2583.00	2583.00	2583.00
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2833.00	2833.00	2833.00
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	3385.00	3385.00	3385.00
4	Drilling of tube well by DTH Method				
	Drilling of holecin all formation (6 inch)	मी.	5904.00	5904.00	5904.00
	Drilling of holecin all formation (8 inch)	मी.	6906.00	6906.00	6906.00

प्रमुख जिल्ला अधिकारी

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	Cold Water Pipe (White)				
	12-16 mm ½"	र.मि	106.00	106.00	106.00
	14-18 mm ½"	र.मि	116.00	116.00	116.00
	16-20 mm ½"	र.मि	124.00	124.00	124.00
	20-25 mm ¾"	र.मि	189.00	189.00	189.00
	26-32 mm 1"	र.मि	295.00	295.00	295.00
	32-40 mm 1¼"	र.मि	468.00	468.00	468.00
	41-50 mm 1½"	र.मि	685.00	685.00	685.00
2	Hot Water Pipe (Orange)				
	12-16 mm ½"	र.मि	116.00	116.00	116.00
	14-18 mm ½"	र.मि	129.00	129.00	129.00
	16-20 mm ½"	र.मि	148.00	148.00	148.00
	20-25 mm ¾"	र.मि	218.00	218.00	218.00
	26-32 mm 1"	र.मि	317.00	317.00	317.00
	32-40 mm 1¼"	र.मि	488.00	488.00	488.00
3	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	र.मि	91.00	91.00	91.00
	14-18 mm ½"	र.मि	91.00	91.00	91.00
4	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½"ø (16mm ø)	गोटा	139.00	139.00	139.00
	½"ø (18mm ø)	गोटा	147.00	147.00	147.00
	½"ø (20mm ø)	गोटा	161.00	161.00	161.00
	¾" ø (25 mm ø)	गोटा	236.00	236.00	236.00
	1" ø (32 mm ø)	गोटा	368.00	368.00	368.00
	1¼" ø (40 mm ø)	गोटा	1360.00	1360.00	1360.00
	1½" ø (50 mm ø)	गोटा	2055.00	2055.00	2055.00
	b. Unequal Straight Union				
	25 - 16 mm ø	गोटा	264.00	264.00	264.00
	25 - 18 mm ø	गोटा	274.00	274.00	274.00
	25 - 20 mm ø	गोटा	288.00	288.00	288.00
	32 - 16 mm ø	गोटा	354.00	354.00	354.00
	32 - 18 mm ø	गोटा	373.00	373.00	373.00
	32 - 20 mm ø	गोटा	402.00	402.00	402.00
	32 - 25 mm ø	गोटा	430.00	430.00	430.00
	40 - 32 mm ø	गोटा	1177.00	1177.00	1177.00
	50 - 20 mm ø	गोटा	1715.00	1715.00	1715.00
	50 - 32 mm ø	गोटा	2055.00	2055.00	2055.00
	50 - 40 mm ø	गोटा	1937.00	1937.00	1937.00
	c. Male Union				
	16mm x ½"M	गोटा	99.00	99.00	99.00
	18mm x ½"M	गोटा	115.00	115.00	115.00
	20mm x ½"M	गोटा	132.00	132.00	132.00

पञ्चसिद्धि अडिबन्डा



Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	गोटा	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	25mm x 1/2"M	गोटा	160.00	160.00	160.00
	25mm x 3/4"M	गोटा	203.00	203.00	203.00
	25mm x 1"M	गोटा	260.00	260.00	260.00
	32mm x 3/4"M	गोटा	298.00	298.00	298.00
	32mm x 1"M	गोटा	326.00	326.00	326.00
	32mm x 1 1/2"M	गोटा	330.00	330.00	330.00
	40mm x 1"M	गोटा	1044.00	1044.00	1044.00
	40mm x 1 1/2"M	गोटा	1081.00	1081.00	1081.00
	50mm x 1"M	गोटा	1641.00	1641.00	1641.00
	50mm x 1 1/4"M	गोटा	1669.00	1669.00	1669.00
	50mm x 1 1/2"M	गोटा	2268.00	2268.00	2268.00
	50mm x 2"M	गोटा	1704.00	1704.00	1704.00
d. Female Straight Union					
	16mm x 1/2"F	गोटा	109.00	109.00	109.00
	18mm x 1/2"F	गोटा	118.00	118.00	118.00
	20mm x 1/2"F	गोटा	128.00	128.00	128.00
	25mm x 1/2"F	गोटा	170.00	170.00	170.00
	25mm x 3/4"F	गोटा	203.00	203.00	203.00
	25mm x 1"F	गोटा	207.00	207.00	207.00
	32mm x 1/2"F	गोटा	213.00	213.00	213.00
	32mm x 3/4"F	गोटा	217.00	217.00	217.00
	32mm x 1"F	गोटा	307.00	307.00	307.00
	40mm x 1 1/2"F	गोटा	1226.00	1226.00	1226.00
	50mm x 1 1/4"F	गोटा	1653.00	1653.00	1653.00
	50mm x 1 1/2"F	गोटा	2268.00	2268.00	2268.00
	50mm x 2"F	गोटा	1719.00	1719.00	1719.00
e. Equal Elbow					
	1/2"ø (16mm ø)	गोटा	132.00	132.00	132.00
	1/2"ø (18mm ø)	गोटा	160.00	160.00	160.00
	1/2"ø (20mm ø)	गोटा	217.00	217.00	217.00
	3/4"ø (25 mm ø)	गोटा	330.00	330.00	330.00
	1"ø (32 mm ø)	गोटा	534.00	534.00	534.00
	1 1/4"ø (40 mm ø)	गोटा	1738.00	1738.00	1738.00
	1 1/2"ø (50 mm ø)	गोटा	2693.00	2693.00	2693.00
f. Unequal Elbow					
	40 - 32 mm ø	गोटा	1927.00	1927.00	1927.00
	50 - 20 mm ø	गोटा	2220.00	2220.00	2220.00
	50 - 40 mm ø	गोटा	2263.00	2263.00	2263.00
g. Female Elbow					
	16mm x 1/2"F	गोटा	175.00	175.00	175.00
	18mm x 1/2"F	गोटा	194.00	194.00	194.00
	20mm x 1/2"F	गोटा	213.00	213.00	213.00
	25mm x 1/2"F	गोटा	236.00	236.00	236.00
	25mm x 3/4"F	गोटा	292.00	292.00	292.00

Page 181

 पल्लुवा जिल्ला अधिकारी



Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	गोटा	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	25mm x 1"F	गोटा	321.00	321.00	321.00
	32mm x 3/4"F	गोटा	345.00	345.00	345.00
	32mm x 1"F	गोटा	430.00	430.00	430.00
	50mm x 1 1/4"F	गोटा	2220.00	2220.00	2220.00
h. Male Elbow					
	25mm x 1/2"M	गोटा	236.00	236.00	236.00
	25mm x 1"M	गोटा	307.00	307.00	307.00
	32mm x 3/4"M	गोटा	232.00	232.00	232.00
	32mm x 1"M	गोटा	392.00	392.00	392.00
	40mm x 1"M	गोटा	1275.00	1275.00	1275.00
	50mm x 1"M	गोटा	1818.00	1818.00	1818.00
i. Equal Tee					
	1/2"Ø (16mm Ø)	गोटा	236.00	236.00	236.00
	1/2"Ø (18mm Ø)	गोटा	264.00	264.00	264.00
	1/2"Ø (20mm Ø)	गोटा	330.00	330.00	330.00
	3/4" Ø (25 mm Ø)	गोटा	477.00	477.00	477.00
	1" Ø (32 mm Ø)	गोटा	746.00	746.00	746.00
	1 1/4" Ø (40 mm Ø)	गोटा	2790.00	2790.00	2790.00
	1 1/2" Ø (50 mm Ø)	गोटा	4078.00	4078.00	4078.00
j. Unequal Tee					
	20 mm x 16 mm x 20 mm	गोटा	213.00	213.00	213.00
	20 mm x 18 mm x 20 mm	गोटा	236.00	236.00	236.00
	25 mm x 16 mm x 25 mm	गोटा	354.00	354.00	354.00
	25 mm x 18 mm x 25 mm	गोटा	402.00	402.00	402.00
	25 mm x 20 mm x 25 mm	गोटा	415.00	415.00	415.00
	32 mm x 16 mm x 32 mm	गोटा	685.00	685.00	685.00
	32 mm x 18 mm x 32 mm	गोटा	708.00	708.00	708.00
	32 mm x 20 mm x 32 mm	गोटा	737.00	737.00	737.00
	32 mm x 25 mm x 32 mm	गोटा	756.00	756.00	756.00
	40 mm x 32 mm x 32 mm	गोटा	2065.00	2065.00	2065.00
	40 mm x 32 mm x 40 mm	गोटा	2391.00	2391.00	2391.00
	50 mm x 20 mm x 50 mm	गोटा	3260.00	3260.00	3260.00
	50 mm x 32 mm x 32 mm	गोटा	2149.00	2149.00	2149.00
	50 mm x 32 mm x 50 mm	गोटा	3293.00	3293.00	3293.00
	50 mm x 40 mm x 40 mm	गोटा	3304.00	3304.00	3304.00
	50 mm x 40 mm x 50 mm	गोटा	3774.00	3774.00	3774.00
k. Female Tee					
	16mm x 1/2"F x 16mm	गोटा	236.00	236.00	236.00
	18mm x 1/2"F x 18mm	गोटा	245.00	245.00	245.00
	20mm x 1/2"F x 20mm	गोटा	264.00	264.00	264.00
	25mm x 1/2"F x 25mm	गोटा	248.00	248.00	248.00
	25mm x 3/4"F x 25mm	गोटा	274.00	274.00	274.00
	25mm x 1"F x 25mm	गोटा	354.00	354.00	354.00



Multilayer Composite Pipe








सि.नं.	निर्माण सामाग्रीहरूको विवरण	गोटा	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	32mm x 1/2"F x 32mm	गोटा	383.00	383.00	383.00
	32mm x 3/4"F x 32mm	गोटा	392.00	392.00	392.00
	32mm x 1"F x 32mm	गोटा	532.00	532.00	532.00
	40mm x 3/4"F x 32mm	गोटा	1570.00	1570.00	1570.00
	50mm x 3/4"F x 40mm	गोटा	2329.00	2329.00	2329.00
I. Equal Ball Valve Union					
	1/2"ø (16mm ø)	गोटा	275.00	275.00	275.00
	1/2"ø (18mm ø)	गोटा	305.00	305.00	305.00
	1/2"ø (20mm ø)	गोटा	402.00	402.00	402.00
	3/4" ø (25 mm ø)	गोटा	666.00	666.00	666.00
	1" ø (32 mm ø)	गोटा	926.00	926.00	926.00
	1 1/4" ø (40 mm ø)	गोटा	3026.00	3026.00	3026.00
	1 1/2" ø (50 mm ø)	गोटा	4366.00	4366.00	4366.00
m. Female Ball Valve Union					
	16mm x 1/2"F	गोटा	256.00	256.00	256.00
	18mm x 1/2"F	गोटा	294.00	294.00	294.00
	20mm x 1/2"F	गोटा	328.00	328.00	328.00
	20mm x 3/4"F	गोटा	368.00	368.00	368.00
	25mm x 3/4"F	गोटा	685.00	685.00	685.00
	25mm x 1"F	गोटा	699.00	699.00	699.00
	32mm x 1"F	गोटा	737.00	737.00	737.00
n. Plug					
	1 1/4" ø (40 mm ø)	गोटा	1512.00	1512.00	1512.00
	1 1/2" ø (50 mm ø)	गोटा	2079.00	2079.00	2079.00
p. Wall Plated Female Elbow					
	16mm x 1/2"F	गोटा	198.00	198.00	198.00
	18mm x 1/2"F	गोटा	217.00	217.00	217.00
	20mm x 1/2"F	गोटा	236.00	236.00	236.00
Nipple					
	N 1/2F*1/2F	गोटा	51.00	51.00	51.00
	N 1/2M*1/2M	गोटा	51.00	51.00	51.00
	N 3/4F*1/2F	गोटा	71.00	71.00	71.00
	N 1F*1/2F	गोटा	80.00	80.00	80.00
	N 1F*3/4F	गोटा	91.00	91.00	91.00
	N 3/4M*1/2M	गोटा	71.00	71.00	71.00
	N 1M*1/2M	गोटा	80.00	80.00	80.00
	N 1M*3/4M	गोटा	91.00	91.00	91.00
	N 1/2F*1/2M	गोटा	61.00	61.00	61.00
	N 1/2F*3/4M	गोटा	71.00	71.00	71.00
	N 1/2F*1M	गोटा	112.00	112.00	112.00
	N 1/2M*3/4F	गोटा	71.00	71.00	71.00
	N 1/2M*1F	गोटा	117.00	117.00	117.00
	N 3/4F*3/4M	गोटा	91.00	91.00	91.00
	N 3/4F*1M	गोटा	100.00	100.00	100.00

Page 183



Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	N 3/4M*1F	गोटा	133.00	133.00	133.00





Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1	140 mm Dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	166.00	166.00	166.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	269.00	269.00	269.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	369.00	369.00	369.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	453.00	453.00	453.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	453.00	453.00	453.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	99.00	99.00	99.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	320.00	320.00	320.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	80.00	80.00	80.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	52.00	52.00	52.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	33.00	33.00	33.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	80.00	80.00	80.00
	RUBBER GASKET To provide leak proof joints.	गोटा	31.00	31.00	31.00
2	75 mm dia.			0.00	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	66.00	66.00	66.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	39.00	39.00	39.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	132.00	132.00	132.00
	180 mm dia.			0.00	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	317.00	317.00	317.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	375.00	375.00	375.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	543.00	543.00	543.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	621.00	621.00	621.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	621.00	621.00	621.00



Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	SHORT STOP END To close the end of roof water pipe line.	गोटा	147.00	147.00	147.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	445.00	445.00	445.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	113.00	113.00	113.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	95.00	95.00	95.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	53.00	53.00	53.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	115.00	115.00	115.00
	RUBBER GASKET To provide leak proof joints.	गोटा	43.00	43.00	43.00
3	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	71.00	71.00	71.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	46.00	46.00	46.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	255.00	255.00	255.00
4	250 mm dia.			0.00	
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	614.00	614.00	614.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	644.00	644.00	644.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	1013.00	1013.00	1013.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	1456.00	1456.00	1456.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	1456.00	1456.00	1456.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	317.00	317.00	317.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	842.00	842.00	842.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	315.00	315.00	315.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	172.00	172.00	172.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	128.00	128.00	128.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	333.00	333.00	

प्रमुख जिल्ला अधिकारी



Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	RUBBER GASKET To provide leak proof joints.	गोटा	174.00	174.00	174.00
5	160 mm dia.			0.00	
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	86.00	86.00	86.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	200.00	200.00	200.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	458.00	458.00	458.00
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	259.00	259.00	259.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	459.00	459.00	459.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	275.00	275.00	275.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	493.00	493.00	493.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	469.00	469.00	469.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	706.00	706.00	706.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	496.00	496.00	496.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	730.00	730.00	730.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	1006.00	1006.00	1006.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	1255.00	1255.00	1255.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	1073.00	1073.00	1073.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	1417.00	1417.00	1417.00
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	147.00	147.00	147.00
	DWV Bend 87.5 Degree	गोटा	185.00	185.00	185.00
	DWV Bend 87.5 Degree with Door	गोटा	85.00	85.00	85.00
	DWV Socket Plug	गोटा	198.00	198.00	198.00
	DWV Cleansing Pipe	गोटा	119.00	119.00	119.00
	DWV Coupler	गोटा	212.00	212.00	212.00
	DWV Single Tee	गोटा	233.00	233.00	233.00
	DWV Single Tee with Door	गोटा	366.00	366.00	366.00
	DWV Cross Tee	गोटा	515.00	515.00	515.00
	DWV Cross Tee with Door	गोटा	379.00	379.00	379.00
	DWV Double 'Y'	गोटा	505.00	505.00	505.00
	DWV Double 'Y' with Door	गोटा	237.00	237.00	237.00
	DWV Single 'Y'	गोटा	302.00	302.00	302.00
	DWV Single 'Y' with Door	गोटा	12.00	12.00	12.00
	DWV Pipe Clip	गोटा	26.00	26.00	26.00

Page 187



Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	DWV Vent Cowel	गोटा	241.00	241.00	241.00
	DWV Bend 45 Degree 110mm size	गोटा	296.00	296.00	296.00
	DWV Bend 87.5 Degree	गोटा	339.00	339.00	339.00
	DWV Bend 87.5 Degree with Door	गोटा	108.00	108.00	108.00
	DWV Socket Plug	गोटा	388.00	388.00	388.00
	DWV Cleansing Pipe	गोटा	216.00	216.00	216.00
	DWV Coupler	गोटा	718.00	718.00	718.00
	DWV Double 'Y'	गोटा	848.00	848.00	848.00
	DWV Double 'Y' with Door	गोटा	594.00	594.00	594.00
	DWV Cross Tee	गोटा	674.00	674.00	674.00
	DWV Cross Tee with Door	गोटा	388.00	388.00	388.00
	DWV Single Tee	गोटा	458.00	458.00	458.00
	DWV Single Tee with Door	गोटा	475.00	475.00	475.00
	DWV Single 'Y'	गोटा	498.00	498.00	498.00
	DWV Single 'Y' with Door	गोटा	49.00	49.00	49.00
	DWV Vent Cowel	गोटा	169.00	169.00	169.00
	DWV Reducer 110*75 mm	गोटा	37.00	37.00	37.00
	DWV Pipe Clip 110mm size	गोटा	457.00	457.00	457.00
	DWV W.C. Connectore (Straight type)	गोटा	365.00	365.00	365.00
	DWV W.C. Connectore (Bend type)	गोटा	182.00	182.00	182.00
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	25.00	25.00	25.00
	DWV Nahani Trap Jali	गोटा	565.00	565.00	565.00
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	811.00	811.00	811.00
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	243.00	243.00	243.00
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	493.00	493.00	493.00
	DWV Reducer 60*110 mm	गोटा	471.00	471.00	471.00
	DWV Coupler 160mm size	गोटा	1130.00	1130.00	1130.00
	DWV Single Tee	गोटा	1214.00	1214.00	1214.00
	DWV Single Tee with Door	गोटा	2116.00	2116.00	2116.00
	DWV Single 'Y'	गोटा	2223.00	2223.00	2223.00
	DWV Single 'Y' with Door	गोटा	779.00	779.00	779.00
	DWV Bend 87.5 Degree	गोटा	1037.00	1037.00	1037.00
	DWV Bend 87.5 Degree with Door	गोटा	907.00	907.00	907.00
6	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	613.00	613.00	613.00
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	636.00	636.00	636.00
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	661.00	661.00	661.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	622.00	622.00	622.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	634.00	634.00	634.00
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	1131.00	1131.00	1131.00
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	1176.00	1176.00	1176.00
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	1221.00	1221.00	1221.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	1150.00	1150.00	1150.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	1171.00	1171.00	1171.00
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	1772.00	1772.00	1772.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	1803.00	1803.00	1803.00

Page 188

प्रमुख जिल्ला अधिकारी



Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकक	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	1833.00	1833.00	1833.00
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	2941.00	2941.00	2941.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	2991.00	2991.00	2991.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	3043.00	3043.00	3043.00
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	3894.00	3894.00	3894.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	3961.00	3961.00	3961.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	4029.00	4029.00	4029.00
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	4812.00	4812.00	4812.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	4896.00	4896.00	4896.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	4980.00	4980.00	4980.00
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	612.00	612.00	612.00
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	627.00	627.00	627.00
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	643.00	643.00	643.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	623.00	623.00	623.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	635.00	635.00	635.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	1130.00	1130.00	1130.00
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	1164.00	1164.00	1164.00
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	1195.00	1195.00	1195.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	1151.00	1151.00	1151.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	1171.00	1171.00	1171.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	1772.00	1772.00	1772.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	1803.00	1803.00	1803.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	1834.00	1834.00	1834.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	2941.00	2941.00	2941.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	2991.00	2991.00	2991.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	3042.00	3042.00	3042.00
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	3894.00	3894.00	3894.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	3961.00	3961.00	3961.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	4029.00	4029.00	4029.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	4812.00	4812.00	4812.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	4896.00	4896.00	4896.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	4980.00	4980.00	4980.00
	DWV Coupler SN-8 110mm	गोटा	308.00	308.00	308.00
	DWV Coupler SN-4 160 mm	गोटा	743.00	743.00	743.00
	DWV Coupler SN-4 200 mm	गोटा	1519.00	1519.00	1519.00
	DWV Coupler SN-4 250 mm	गोटा	2831.00	2831.00	2831.00
	DWV Coupler SN-2 315mm	गोटा	4554.00	4554.00	4554.00
	DWV Coupler SN-4 315 mm	गोटा	4972.00	4972.00	4972.00
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	1051.00	1051.00	1051.00
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	2926.00	2926.00	2926.00
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	5465.00	5465.00	5465.00
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	12251.00	12251.00	12251.00
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	29090.00	29090.00	29090.00


सिचाई सेवोन्ध कार्य
 जिल्ला प्रशासन कार्यालय
 ललितपुर

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			भा.व. ०७९।८०	भा.व. ०८०।८१	भा.व. ०८१।८२
1	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	157.00	157.00	157.00
2	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	31.00	31.00	31.00
3	SPRINKLERS & ACCESSORIES				
	Unispray	गोटा	693.00	693.00	693.00
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	1260.00	1260.00	1260.00
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	1260.00	1260.00	1260.00
	Gear rotors 5004	गोटा	3255.00	3255.00	3255.00
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series	गोटा	409.00	409.00	409.00
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA	गोटा	504.00	504.00	504.00
	Providing and fixing of HDPE service saddle of varying size		892.00	892.00	892.00
4	VALVES & ACCESSORIES				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	3990.00	3990.00	3990.00
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	2205.00	2205.00	2205.00
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	7875.00	7875.00	7875.00
	6"Round box.	गोटा	1312.00	1312.00	1312.00
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	14040.00	14040.00	14040.00
	Key threads into top of QCV to provide water access 33DK	गोटा	10237.00	10237.00	10237.00

(Handwritten signatures)

(Handwritten signature)
प्रमुख जिल्ला अधिकारी

Plastic Dustbin, Compost-Bin, Planter & Road Divider

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	3120.00	3120.00	3120.00
2	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	4160.00	4160.00	4160.00
3	LLDPE PLASTIC LARGE WHEEL DUSTBIN (पंघावाला सार्ज डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा	7280.00	7280.00	7280.00
4	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (पंघावाला एक्स्ट्रा सार्ज डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा	8320.00	8320.00	8320.00
5	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा	6240.00	6240.00	6240.00
6	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा	8320.00	8320.00	8320.00
7	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित) BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा	4160.00	4160.00	4160.00
8	LLDPE ROAD-DIVIDER - SMALL (रोड विभाइडर, सानो साइज) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा	3120.00	3120.00	3120.00
9	LLDPE ROAD-DIVIDER - LARGE (रोड विभाइडर, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा	17160.00	17160.00	17160.00
10	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा	5720.00	5720.00	5720.00



Sewage Treatment Plant

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
1	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा	120736.0	120736.0	120736.0
2	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO certified.	गोटा	161392.0	161392.0	161392.0
3	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified,	गोटा	215600.0	215600.0	215600.0
4	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified.	गोटा	272272.0	272272.0	272272.0
5	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified,	गोटा	321552.0	321552.0	321552.0
6	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.,	गोटा	375760.0	375760.0	375760.0
7	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified,	गोटा	449680.0	449680.0	449680.0
8	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified,	गोटा	486640.0	486640.0	486640.0

(Handwritten signatures and marks)

(Handwritten signature)

प्रमुख जिल्ला अधिकारी

(Handwritten signature)



मेन्हील कभरहरु

गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	C.I. Manhole Cover including frame.				
1	Square Frame Medium Duty				
	i) 10" x 10" (4 Kg.)	सेट	675.00	675.00	675.00
	ii) 12" x 12" (5 Kg.)	सेट	835.00	835.00	835.00
	iii) 14" x 14" (7 Kg.)	सेट	1247.00	1247.00	1247.00
	v) 16" x 16" (10 Kg.)	सेट	1671.00	1671.00	1671.00
	vi) 18" x 18" (14 Kg.)	सेट	2598.00	2598.00	2598.00
	viii) 20" x 20" (16 Kg.)	सेट	2930.00	2930.00	2930.00
	ix) 22" x 22" (20 Kg.)	सेट	3353.00	3353.00	3353.00
	x) 24" x 24" (24 Kg.)	सेट	4659.00	4659.00	4659.00
	xi) 27" x 27" (31 Kg.)	सेट	5871.00	5871.00	5871.00
2	Square Frame Heavy Duty				
	iii) 14" x 14" (14 Kg.)	सेट	2541.00	2541.00	2541.00
	viii) 20" x 20" (16 Kg.)	सेट	4143.00	4143.00	4143.00
	ix) 22" x 22" (22 Kg.)	सेट	5665.00	5665.00	5665.00
	xi) 27" x 27" (45 Kg.)	सेट	8104.00	8104.00	8104.00
3	Rounded Manhole Cover				
	Round Manhole cover medium 450mm(22")	सेट	4487.00	4487.00	4487.00
	Round Manhole cover Heavy 450mm(22")	सेट	8848.00	8848.00	8848.00
	Round Manhole cover medium 500 mm(24")	सेट	7063.00	7063.00	7063.00
	Round Manhole cover Heavy 500 mm(24")	सेट	10565.00	10565.00	10565.00
	Rounded Manhole Cover with square frame				
	i) 18" dia. with square frame (60 Kg.)	सेट	10050.00	10050.00	10050.00
	ii) 20" dia. with square frame (70 Kg.)	..	11722.00	11722.00	11722.00
	iii) 20" dia. with square frame (100 Kg.)	..	16747.00	16747.00	16747.00
	iv) 22" dia. Medium class. (125 Kg.)	..	21039.00	21039.00	21039.00
	v) 22" dia. Heavy class. (208Kg.)	..	34902.00	34902.00	34902.00
	vi) 24" dia. Medium class. (70 Kg.)	..	12053.00	12053.00	12053.00
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	..	14549.00	14549.00	14549.00
	viii) 24" with square frame (IS:1726) (70 Kg.)	..	11779.00	11779.00	11779.00
	ix) 26"with square frame (IS:1726) (85 Kg.)	..	14308.00	14308.00	14308.00
	x) 28" with square frame (IS:1726) (116 Kg.)	..	19746.00	19746.00	19746.00
	x) 30" with square frame (IS:1726) (100 Kg.)	..	16827.00	16827.00	16827.00
	xi) 30" with square frame (IS:1726) (116 Kg.)	..	19746.00	19746.00	19746.00
	xi) 32" with square frame (IS:1726) (208Kg.)	..	34902.00	34902.00	34902.00
4	C.I. Tank Cover Locking Types- Round				
	18" (8 Kg.)	सेट	1934.00	1934.00	1934.00

Page 193


प्रमुख जिल्ला अधिकारी



मैयहोल कभरहरु
जिल्ला प्रशासन कार्यालय
ललितपुर


सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट			
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२	
		20" (12 Kg.)	॥	2837.00	2837.00	2837.00
		22" (14 Kg.)	॥	3222.00	3222.00	3222.00
		24" (16 Kg.)	॥	3868.00	3868.00	3868.00
		28" (24 Kg.)	॥	5802.00	5802.00	5802.00
5	C.I. Tank Cover Locking Types- Rectangular					
		18" x 18" (13 Kg.)	सेट	3222.00	3222.00	3222.00
		24" x 24" (50 Kg.)	सेट	11604.00	11604.00	11604.00
		18" x 24" (27 Kg.)	सेट	6448.00	6448.00	6448.00
6	C.I. Gully Gratings & Jali strip-Medium Duty					
		4"	सेट	115.00	115.00	115.00
		5"	सेट	154.00	154.00	154.00
		6"	सेट	206.00	206.00	206.00
		10"	सेट	708.00	708.00	708.00
7	C.I. Gully Gratings & Jali Strip- Medium Duty					
		4" x 4"	सेट	102.00	102.00	102.00
		5" x 5"	सेट	129.00	129.00	129.00
		6" x 6"	सेट	154.00	154.00	154.00
		9" x 9"	सेट	451.00	451.00	451.00
		10" x 10"	सेट	580.00	580.00	580.00
		12" x 12"	सेट	838.00	838.00	838.00
8	C.I. Gully Gratings					
		i) 15"x18" Medium (18 Kg.)	सेट	4255.00	4255.00	4255.00
		ii) 15"x18" Heavy (25 Kg.)	सेट	5802.00	5802.00	5802.00
9	Grit Cover - फलामे एङ्गलको फ्रेममा फलामे पतिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.		187.00	187.00	187.00
10	Aluminum Grating 4" dia.	गोटा		48.00	48.00	48.00
11	SMC Manhole Cover					
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity)	गोटा		27743.00	28297.00	28297.00
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity)	गोटा		18982.00	19361.00	20361.00
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity)	गोटा		18300.00	18300.00	18300.00
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा		10221.00	10425.00	10425.00

प्रमुख अधिकारी अधिकारी



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व. ०७९।८०	आ.व. ०८०।८१	आ.व. ०८१।८२
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	13497.00	13497.00	12272.00
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	गोटा	20000.00	20000.00	20000.00
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	7900.00	7848.00	7848.00
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा	6750.00	6599.00	6599.00
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	गोटा	12000.00	12000.00	12000.00
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा	7280.00	7250.00	5361.00
	Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	3520.00	3520.00	2779.00
	Frame Size 400mm*400mm - Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा	7800.00	7800.00	7800.00
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट	7500.00	7500.00	7500.00
	SMC water tank shield and footpath cover 610 mm x 510 mm-rectangular black cover.	गोटा		6245.00	6245.00
	Manhole Cover Lock Set	सेट	2000.00	1500.00	1500.00
	Plastic Prefab Manholes				
	LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2.5 mtr	गोटा		114600.00	114600.00
	Height 3 mtr	गोटा		124550.00	124550.00
	LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा		79900.00	79900.00
	LLDPE PLASTIC MANHOLE (DN 600MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा		40800.00	40800.00
	Height 4 mtr	गोटा		59500.00	59500.00
	LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 4 mtr	गोटा		42500.00	42500.00

विद्युत निर्माण सामग्रीहरू




सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
A	SWITCH & OUTLETS				
1	SWITCH SOCKET- (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	58.00	58.00	58.00
	One Gang two way switch	सेट	69.00	69.00	69.00
	One way bell switch	सेट	72.00	72.00	72.00
	Two gang one way switch	सेट	96.00	96.00	96.00
	Two gang one way switch with one bell push	सेट	105.00	105.00	105.00
	Two gang Full two way switch	सेट	107.00	107.00	107.00
	Three Gang one way switch	सेट	127.00	127.00	127.00
	Four gang one way switch	सेट	161.00	161.00	161.00
	Six gang one way switch (3x5)	सेट	253.00	253.00	253.00
	Eight gang one way switch	सेट	304.00	304.00	304.00
	Dimmer single 300 watt	सेट	309.00	309.00	309.00
	Dimmer single 750 watt	सेट	459.00	459.00	459.00
	5 Step humming free dimmer	सेट	407.00	407.00	407.00
	16Amp 3 Pin Plug Top	सेट	121.00	121.00	121.00
	1 switch with dimmer	सेट	368.00	368.00	368.00
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	151.00	151.00	151.00
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	169.00	169.00	169.00
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	371.00	371.00	371.00
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	206.00	206.00	206.00
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611.00	611.00	611.00
	Blanking plate single	सेट	40.00	40.00	40.00
	Telephone socket single	सेट	118.00	118.00	118.00
	Telephone socket Double	सेट	169.00	169.00	169.00
	Angle / bottom holder	सेट	35.00	35.00	35.00
	Ceiling Rose	सेट	35.00	35.00	35.00
	Buzzer	सेट	97.00	97.00	97.00
	Musical bell	सेट	222.00	222.00	222.00
	T.V. antenna single Socket	सेट	82.00	82.00	82.00
	6A 2/3 Pin unshuttered multi switch socket	सेट	128.00	128.00	128.00
	RJ 45 Computer Socket for modem	सेट	234.00	234.00	234.00
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	35.00	35.00	35.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	63.00	63.00	63.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	98.00	98.00	98.00
2	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	83.00	83.00	83.00
	10A 2gang 1way Switch	सेट	163.00	163.00	163.00
	10A 3gang 1way Switch	सेट	216.00	216.00	216.00
	10A 4gang 1way Switch	सेट	350.00	350.00	350.00
	10A 5gang 1way Switch	सेट	371.00	371.00	371.00
	10A 6gang 1way Switch	सेट	617.00	617.00	617.00

[Handwritten signatures and marks]

Page 196

पुस्तक जिल्ला अधिकारी

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	10A 1gang 2way Switch	सेट	144.00	144.00	144.00
	10A 2gang 2way Switch	सेट	278.00	278.00	278.00
	10A 3gang 2way Switch	सेट	407.00	407.00	407.00
	10A 4gang 2way Switch	सेट	613.00	613.00	613.00
	T V Socket outlet	सेट	299.00	299.00	299.00
	Telephone Socket	सेट	268.00	268.00	268.00
	13A Universal socket outlet	सेट	464.00	464.00	464.00
	13A Socket	सेट	273.00	273.00	273.00
	15A switched Socket outlet	सेट	443.00	443.00	443.00
	5A Socket	सेट	340.00	340.00	340.00
	RJ 45 8way Computer Socket	सेट	824.00	824.00	824.00
	TV and Telephone Socket	सेट	592.00	592.00	592.00
	7+2 PIN SOCKET OUTLET	सेट	927.00	927.00	927.00
	3+2 PIN SOCKET OUTLET	सेट	577.00	577.00	577.00
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	783.00	783.00	783.00
	SCHUKO SOCKET WITH ONE SWITCH	सेट	505.00	505.00	505.00
	Bell Press	सेट	237.00	237.00	237.00
	Blank Plate	सेट	93.00	93.00	93.00
	400W Light Dimmer W/ Switch	सेट	906.00	906.00	906.00
	400W Fan Controller / Multi Step Dimmer	सेट	917.00	917.00	917.00
	5 Step Fan Controller	सेट	896.00	896.00	896.00
	2 Pir Socket W/ Switch	सेट	453.00	453.00	453.00
	13A Twin Socket	सेट	680.00	680.00	680.00
3	MODULAR SWITCH PLATES -संयन्त्रित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1 MODULAR PLATE	सेट	148.00	148.00	148.00
	2 MODULAR PLATE	सेट	148.00	148.00	148.00
	3 MODULAR PLATE	सेट	192.00	192.00	192.00
	4 MODULAR PLATE	सेट	221.00	221.00	221.00
	6 MODULAR PLATE	सेट	301.00	301.00	301.00
	8 MODULAR PLATE	सेट	354.00	354.00	354.00
	12 MODULAR PLATE	सेट	482.00	482.00	482.00
	16 MODULAR PLATE	सेट	562.00	562.00	562.00
	18 MODULAR PLATE	सेट	593.00	593.00	593.00
4	SWITCHES (संयन्त्रित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1 WAY SWITCH	सेट	130.00	130.00	130.00
	10A 2 WAY SWITCH	सेट	239.00	239.00	239.00
	16A 1 WAY SWITCH WITH INDICATOR	सेट	283.00	283.00	283.00
	16A 1 WAY SWITCH	सेट	252.00	252.00	252.00
	20A DP SWITCH WITH INDICATOR	सेट	546.00	546.00	546.00
	32A DP SWITCH WITH INDICATOR	सेट	655.00	655.00	655.00
	10A BELL PUSH	सेट	252.00	252.00	252.00
	10A 2 MODULAR BELL PUSH	सेट	372.00	372.00	372.00
	25A MOTOR STATER	सेट	1162.00	1162.00	1162.00
	400W 1 MODULAR DIMMER	सेट	673.00	673.00	673.00

[Handwritten signatures and initials]

Page 197

मुख्य जिल्ला अधिकारी

विद्युतिय सामग्रीहरु

गृह मन्त्रालय
प्रजासत कायापालिका
ललितपुर


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	100W 2 MODULAR DIMMER	सेट	1313.00	1313.00	1313.00
	STEP REGULATOR 4 STEP DIMMER	सेट	690.00	690.00	690.00
	20A 2 WAY SWITCH 1M	सेट	396.00	396.00	396.00
	20A 1 WAY SWITCH WITH IND 1M	सेट	480.00	480.00	480.00
5	SOCKETS (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				0.00
	6A 2 PIN SOCKET	सेट	212.00	212.00	212.00
	13A UNIVERSAL SOCKET	सेट	279.00	279.00	279.00
	6/16A 3 PIN SOCKET	सेट	429.00	429.00	429.00
	RJ11 SOCKET	सेट	282.00	282.00	282.00
	TV SOCKET	सेट	226.00	226.00	226.00
	USB CHARGER	सेट	2155.00	2155.00	2155.00
	BUZZER OFF	सेट	536.00	536.00	536.00
	BLANK OFF	सेट	50.00	50.00	50.00
	LED FOOT LIGHT 2M	सेट	1085.00	1085.00	1085.00
	LED PHASE INDICATOR	सेट	285.00	285.00	285.00
	RJ 45 SOCKET	सेट	819.00	819.00	819.00
	CALL BELL INDICATOR	सेट	2031.00	2031.00	2031.00
	MOVEMENT SENSOR	सेट	7230.00	7230.00	7230.00
6	HOSPITALITY				
	SAVER SOCKET 4M	सेट	6296.00	6296.00	6296.00
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट	1500.00	1500.00	1500.00
	DND MMR INSIDE ROOM UNIT	सेट	1301.00	1301.00	1301.00
	DND MMR OUTSIDE ROOM UNIT	सेट	925.00	925.00	925.00
7	MODULAR SWITCH IN GANG MODULE WHITE				
	1 GANG ONE WAY SWITCH	सेट	278.00	278.00	278.00
	2 GANG ONE WAY SWITCH	सेट	408.00	408.00	408.00
	3 GANG ONE WAY SWITCH	सेट	582.00	582.00	582.00
	4 GANG ONE WAY SWITCH	सेट	741.00	741.00	741.00
	6 GANG ONE WAY SWITCH	सेट	1081.00	1081.00	1081.00
	8 GANG ONE WAY SWITCH	सेट	1394.00	1394.00	1394.00
	12 GANG ONE WAY SWITCH	सेट	2042.00	2042.00	2042.00
	16 GANG ONE WAY SWITCH	सेट	2642.00	2642.00	2642.00
	18 GANG ONE WAY SWITCH	सेट	2933.00	2933.00	2933.00
	1 GANG TWO WAY SWITCH	सेट	387.00	387.00	387.00
	16A POWER SOCKET SET	सेट	873.00	873.00	873.00
	13A UNIVERSAL SOCKET SET	सेट	723.00	723.00	723.00
	400W DIMMER SET	सेट	821.00	821.00	821.00
	1000W DIMMER SET	सेट	1464.00	1464.00	1464.00
	RJ45 SOCKET SET	सेट	967.00	967.00	967.00
	RJ11 SOCKET SET	सेट	430.00	430.00	430.00
	BLANK PLATE	सेट	50.00	50.00	50.00
	TV SOCKET SET	सेट	374.00	374.00	374.00
	BELL PUSH SET	सेट	400.00	400.00	400.00
	20A DP SWITCH WITH INDICATOR SET	सेट	694.00	694.00	694.00
	32A D.P SWITCH WITH INDICATOR SET	सेट	803.00	803.00	803.00

[Handwritten signatures and marks]

Page 198

पुनः जिल्ला अधिकारी

विद्युत सामग्रीहरू



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
8	GI METAL BOX RATES				
	GI METAL BOX 1/2 MODULE 3*3	सेट	103.00	103.00	103.00
	GI METAL BOX 3 MODULE 3*4	सेट	128.00	128.00	128.00
	GI METAL BOX 4 MODULE 3*5	सेट	141.00	141.00	141.00
	GI METAL BOX 6 MODULE 3*8	सेट	210.00	210.00	210.00
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट	267.00	267.00	267.00
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट	267.00	267.00	267.00
	GI METAL BOX 12/16 MODULE 6*8	सेट	405.00	405.00	405.00
	GI METAL BOX 18 MODULE 8*8	सेट	462.00	462.00	462.00
9	NON MODULAR SWITCHES LOCAL BRAND				
	16A MULTI POWER SOCKET	सेट	325.00	325.00	325.00
	16A POWER MULTI SOCKET + USB	सेट	800.00	800.00	800.00
	16A DOUBLE MULTI POWER SOCKET	सेट	665.00	665.00	665.00
	2 GANG + SOCKET SWITCH	सेट	320.00	320.00	320.00
	4 GANG + SOCKET SWITCH	सेट	525.00	525.00	525.00
	6 GANG + SOCKET SWITCH	सेट	640.00	640.00	640.00
	1 GANG SWITCH	सेट	135.00	135.00	135.00
	2 GANG SWITCH	सेट	200.00	200.00	200.00
	3 GANG SWITCH	सेट	267.00	267.00	267.00
	4 GANG SWITCH	सेट	350.00	350.00	350.00
	6 GANG SWITCH	सेट	525.00	525.00	525.00
	8 GANG SWITCH	सेट	655.00	655.00	655.00
	10 GANG SWITCH	सेट	800.00	800.00	800.00
	DIMMER KNOB	सेट	445.00	445.00	445.00
	2 PIN SOCKET KNOB	सेट	100.00	100.00	100.00
	2 WAY SWITCH KNOB	सेट	94.00	94.00	94.00
	DOOR BELL KNOB	सेट	94.00	94.00	94.00
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट	175.00	175.00	175.00
	20A D.P SWITCH	सेट	445.00	445.00	445.00
	45A D.P SWITCH	सेट	660.00	660.00	660.00
	TV SOCKET	सेट	206.00	206.00	206.00
	TELEPHONE SOCKET	सेट	206.00	206.00	206.00
	RJ45 SOCKET KNOB	सेट	290.00	290.00	290.00
	TV+ TELEPHONE SOCKET	सेट	275.00	275.00	275.00
	1 GANG PLATE	सेट	94.00	94.00	94.00
	2 GANG PLATE	सेट	94.00	94.00	94.00
	3X3 WOODEN PLATE	सेट	125.00	125.00	125.00
	3X5 WOODEN PLATE	सेट	165.00	165.00	165.00
10	White Plate series modular type(polycarbonate) SWITCH SOCKET (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	100.00	100.00	100.00
	One Gang two way switch	सेट	112.00	112.00	112.00
	One way bell switch	सेट	112.00	112.00	112.00
	Two gang one way switch	सेट	133.00	133.00	133.00
	Two gang one way switch with one bell push	सेट	146.00	146.00	146.00

[Handwritten signatures and marks]

[Handwritten signatures and marks]
प्रमुख जिल्ला अधिकारी

विद्युत सामग्रीहरू



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Two gang Full two way switch	सेट	158.00	158.00	158.00
	Three Gang one way switch	सेट	167.00	167.00	167.00
	Four gang one way switch	सेट	202.00	202.00	202.00
	Six gang one way switch	सेट	307.00	307.00	307.00
	Eight gang one way switch	सेट	374.00	374.00	374.00
	Dimmer single 400 watt	सेट	486.00	486.00	486.00
	1 switch with dimmer	सेट	499.00	499.00	499.00
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	260.00	260.00	260.00
	6/13 Amp , Power sockets with switch , indicator	सेट	263.00	263.00	263.00
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	354.00	354.00	354.00
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391.00	391.00	391.00
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474.00	474.00	474.00
	Blanking plate single	सेट	62.00	62.00	62.00
	Telephone socket single	सेट	152.00	152.00	152.00
	Telephone socket Double	सेट	249.00	249.00	249.00
	T.V.antena single Socket	सेट	142.00	142.00	142.00
	RJ 45 Computer Socket for modem	सेट	206.00	206.00	206.00
	CAT-6 Computer Socket for modem	सेट	321.00	321.00	321.00
11	Modular Type Switch Socket set (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1P – 6A/10A 1 way switch	गोटा	139.00	139.00	139.00
	1P – 16A/20A 1 way switch	गोटा	223.00	223.00	223.00
	1P – 25A 1 way switch	गोटा	326.00	326.00	326.00
	1P – 6A/10A 2 way switch	गोटा	167.00	167.00	167.00
	1P – 16A/20A 2 way switch	गोटा	253.00	253.00	253.00
	1P – 6A push button	गोटा	184.00	184.00	184.00
	1 gang blanking module	गोटा	43.00	43.00	43.00
	2 gang blanking module	गोटा	86.00	86.00	86.00
12	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	638.00	638.00	638.00
	60 – 500 W dimmer	गोटा	797.00	797.00	797.00
	1000 W dimmer	गोटा	1524.00	1524.00	1524.00
13	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	240.00	240.00	240.00
	6/16A twin socket 3 pin (flushed)	गोटा	332.00	332.00	332.00
	6/16A twin socket 3 pin (projected)	गोटा	332.00	332.00	332.00
	25A 3 pin socket	गोटा	401.00	401.00	401.00
	13A 3 pin socket	गोटा	270.00	270.00	270.00
	RJ 11 telephone jack	गोटा	159.00	159.00	159.00
	RJ 45 cat.6e computer socket	गोटा	557.00	557.00	557.00
	TV socket	गोटा	161.00	161.00	161.00
	HOSPITALITY RANGE				0.00
	250V/110V shaver socket	गोटा	4355.00	4355.00	4355.00
	Indicator (DO NOT DISTUURB)	गोटा	180.00	180.00	180.00

Page 200

प्रमुख जिल्ला अधिकारी

विद्युतिक सामग्रीहरु



नगर प्रशासन
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED yellow night lamp	गोटा	560.00	560.00	560.00
	LED Blue night lamp	गोटा	560.00	560.00	560.00
14	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा			0.00
	1 module front plate	गोटा	72.00	72.00	72.00
	2 module front plate	गोटा	77.00	77.00	77.00
	3 module front plate	गोटा	84.00	84.00	84.00
	4 module front plate	गोटा	89.00	89.00	89.00
	6 module front plate	गोटा	162.00	162.00	162.00
	8 module front plate(4+4)	गोटा	217.00	217.00	217.00
	8 module front plate (Horizontal)	गोटा	174.00	174.00	174.00
	12 module front plate	गोटा	260.00	260.00	260.00
	18 module front plate	गोटा	350.00	350.00	350.00
15	Modular Type Switch Socket (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Seperate Module for Modular Switch & Socket				
	1P - 6A/10A 1 way switch	गोटा	90.00	90.00	90.00
	1P - 16A/20A 1 way switch	गोटा	150.00	150.00	150.00
	1P - 6A/10A 2 way switch	गोटा	139.00	139.00	139.00
	1P - 16A/20A 2 way switch	गोटा	182.00	182.00	182.00
	1P - 6A push button	गोटा	139.00	139.00	139.00
	1 gang blanking module	गोटा	42.00	42.00	42.00
	2 gang blanking module	गोटा	81.00	81.00	81.00
	Modular Switch, Sockets, Plates				0.00
	6A SWITCH 1W 1 MODULE	गोटा	137.60	137.60	137.60
	6A SWITCH 2W 1 MODULE	गोटा	265.60	265.60	265.60
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा	265.60	265.60	265.60
	10A SWITCH 1W 2 MODULE	गोटा	323.20	323.20	323.20
	10A SWITCH 2W 2 MODULE	गोटा	380.80	380.80	380.80
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा	2153.60	2153.60	2153.60
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	412.80	412.80	412.80
	16A SWITCH 1W 1 MODULE	गोटा	300.80	300.80	300.80
	16A SWITCH 2W 1 MODULE	गोटा	377.60	377.60	377.60
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा	390.40	390.40	390.40
	20A SWITCH 1W 1 MODULE	गोटा	441.60	441.60	441.60
	20A DP SWITCH 1W 2 MODULE	गोटा	649.60	649.60	649.60
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	662.40	662.40	662.40
	20A SWITCH 2W 2 MODULE	गोटा	742.40	742.40	742.40
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा	460.80	460.80	460.80
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा	896.00	896.00	896.00
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा	483.20	483.20	483.20
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा	950.40	950.40	950.40
	MULTISTANDARD SOCKET 6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा	505.60	505.60	505.60
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा	390.40	390.40	390.40

Page 201

प्रमुख जिल्ला अधिकारी

विद्युत् सामग्रीहरु
प्रजासन कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	6/16 A SOCKET 3 MODULE	गोटा	598.40	598.40	598.40
	6/16 A SOCKET 2 MODULE	गोटा	505.60	505.60	505.60
	6/16A EURO SOCKET 2 MODULE	गोटा	524.80	524.80	524.80
	25A SOCKET 2 MODULE	गोटा	505.60	505.60	505.60
	6A 3 PIN ISI SOCKET 2M	गोटा	252.80	252.80	252.80
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा	899.20	899.20	899.20
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा	1148.80	1148.80	1148.80
	REMOVABLE LED LAMP 2 MODULE	गोटा	3696.00	3696.00	3696.00
	LED SKIRTING LIGHT 3 MODULE	गोटा	771.00	771.00	771.00
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS	गोटा	816.00	816.00	816.00
	BELL CALL INDICATOR 240V 1 MODULE	गोटा	1529.60	1529.60	1529.60
	BUZZER 230 V 1 MODULE	गोटा	1027.20	1027.20	1027.20
	INFRARED SENSOR 400W 2 MODULE	गोटा	2444.80	2444.80	2444.80
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा	5869.00	5869.00	5869.00
	REMOTE CONTROL HAND UNIT	गोटा	908.00	908.00	908.00
	16A KEY CARD SWITCH 2 MODULE	गोटा	4950.40	4950.40	4950.40
	CREDIT CARD SIZE KEY FOB	गोटा	166.40	166.40	166.40
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा	544.00	544.00	544.00
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा	441.60	441.60	441.60
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा	3804.80	3804.80	3804.80
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा	761.60	761.60	761.60
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा	1068.80	1068.80	1068.80
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा	2057.60	2057.60	2057.60
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा	2528.00	2528.00	2528.00
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा	2528.00	2528.00	2528.00
	VOLUME CONTROLLER 2 MODULE	गोटा	1625.60	1625.60	1625.60
	16A MOTOR STARTER 2 MODULE	गोटा	976.00	976.00	976.00
	25A MOTOR STARTER 2 MODULE	गोटा	976.00	976.00	976.00
	VOLTAGE SURGE PROTECTOR 230V 1 MODULE	गोटा	3084.80	3084.80	3084.80
	16A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	20A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	32A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	USB CHARGER 1000 mA 1 MODULAR TYPE A	गोटा	1616.00	1616.00	1616.00
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा	1551.00	1551.00	1551.00
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा	3744.00	3744.00	3744.00
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा	1798.40	1798.40	1798.40
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा	4316.80	4316.80	4316.80
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा	4752.00	4752.00	4752.00
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	गोटा	2825.60	2825.60	2825.60
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	गोटा	3763.20	3763.20	3763.20
	WIRELESS CHARGER +TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W	गोटा	10256.00	10256.00	10256.00

Page 202

प्रमुख जिल्ला अधिकारी




सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W	गोटा	3260.80	3260.80	3260.80
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा	7190.40	7190.40	7190.40
	ROTARY LED DIMMER 50 W	गोटा	3324.80	3324.80	3324.80
	6A TOUCH SWITCH 1W 2 MODULE	गोटा	4956.80	4956.80	4956.80
	6A TOUCH SWITCH 2W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	16A TOUCH SWITCH 1W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	6A TOUCH BELL PUSH 2 MODULE	गोटा	4956.80	4956.80	4956.80
	TOUCH FAN REGULATOR 100W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE	गोटा	5728.00	5728.00	5728.00
	READING LIGHT RED	गोटा	2873.60	2873.60	2873.60
	CABLE OUTLET 8 mm 1 MODULE	गोटा	246.40	246.40	246.40
	BLANKING PLATE 1 MODULE	गोटा	63.00	63.00	63.00
	BLANKING PLATE 2 MODULE	गोटा	86.40	86.40	86.40
	CLASSIC WHITE PLATE+ FRAME 1 M	गोटा	201.60	201.60	201.60
	CLASSIC WHITE PLATE+ FRAME 2 M	गोटा	201.60	201.60	201.60
	CLASSIC WHITE PLATE+ FRAME 3 M	गोटा	259.20	259.20	259.20
	CLASSIC WHITE PLATE+ FRAME 4 M	गोटा	291.20	291.20	291.20
	CLASSIC WHITE PLATE + FRAME 6M	गोटा	361.60	361.60	361.60
	CLASSIC WHITE PLATE+ FRAME 8 M (H)	गोटा	464.00	464.00	464.00
	CLASSIC WHITE PLATE + FRAME 2 X 4M	गोटा	489.60	489.60	489.60
	CLASSIC WHITE PLATE+ FRAME 9M	गोटा	518.40	518.40	518.40
	CLASSIC WHITE PLATE+ FRAME 12 M	गोटा	675.20	675.20	675.20
	CLASSIC WHITE PLATE+ FRAME 16M	गोटा	784.00	784.00	784.00
	CLASSIC WHITE PLATE+ FRAME 18 M	गोटा	1062.40	1062.40	1062.40
	BRUSHED SILVER PLATE+ FRAME 1M	गोटा	265.60	265.60	265.60
	BRUSHED SILVER PLATE+ FRAME 2M	गोटा	265.60	265.60	265.60
	BRUSHED SILVER PLATE+ FRAME 3M	गोटा	371.20	371.20	371.20
	BRUSHED SILVER PLATE+ FRAME 4M	गोटा	384.00	384.00	384.00
	BRUSHED SILVER PLATE+ FRAME 6M	गोटा	496.00	496.00	496.00
	BRUSHED SILVER PLATE+ FRAME 8M(H)	गोटा	646.40	646.40	646.40
	BRUSHED SILVER PLATE+ FRAME 2X 4M	गोटा	646.40	646.40	646.40
	BRUSHED SILVER PLATE+ FRAME 9M	गोटा	700.80	700.80	700.80
	BRUSHED SILVER PLATE+ FRAME 12M	गोटा	928.00	928.00	928.00
	BRUSHED SILVER PLATE+ FRAME 16M	गोटा	1068.80	1068.80	1068.80
	BRUSHED SILVER PLATE+ FRAME 18M	गोटा	1446.40	1446.40	1446.40
	ALU SUN SET PLATE + FRAME 1M	गोटा	259.20	259.20	259.20
	ALU SUN SET PLATE + FRAME 2M	गोटा	259.20	259.20	259.20
	ALU SUN SET PLATE + FRAME 3M	गोटा	355.20	355.20	355.20
	ALU SUN SET PLATE + FRAME 4M	गोटा	380.80	380.80	380.80
	ALU SUN SET PLATE + FRAME 6M	गोटा	489.60	489.60	489.60
	ALU SUN SET PLATE + FRAME 8M(H)	गोटा	627.20	627.20	627.20
	ALU SUN SET PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	630.40
	ALU SUN SET PLATE + FRAME 9M	गोटा	678.40	678.40	678.40
	ALU SUN SET PLATE + FRAME 12M	गोटा	896.00	896.00	896.00

[Handwritten signatures and marks]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी

विद्युति सामग्रीहरु




सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	ALU SUN SET PLATE + FRAME 16M	गोटा	1027.20	1027.20	1027.20
	ALU SUN SET PLATE + FRAME 18M	गोटा	1420.80	1420.80	1420.80
	CHAMPAGNE PLATE + FRAME 1M	गोटा	259.20	259.20	259.20
	CHAMPAGNE PLATE +FRAME 2M	गोटा	259.20	259.20	259.20
	CHAMPAGNE PLATE + FRAME 3M	गोटा	355.20	355.20	355.20
	CHAMPAGNE PLATE + FRAME 4M	गोटा	380.80	380.80	380.80
	CHAMPAGNE PLATE + FRAME 6M	गोटा	489.60	489.60	489.60
	CHAMPAGNE PLATE + FRAME 8M(H)	गोटा	627.20	627.20	627.20
	CHAMPAGNE PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	630.40
	CHAMPAGNE PLATE + FRAME 9M	गोटा	678.40	678.40	678.40
	CHAMPAGNE PLATE + FRAME 12M	गोटा	896.00	896.00	896.00
	CHAMPAGNE PLATE + FRAME 16M	गोटा	1027.20	1027.20	1027.20
	CHAMPAGNE PLATE + FRAME 18M	गोटा	1420.80	1420.80	1420.80
	MATT SILVER PLATE + FRAME 1M	गोटा	259.20	259.20	259.20
	MATT SILVER PLATE + FRAME 2M	गोटा	259.20	259.20	259.20
	MATT SILVER PLATE + FRAME 3M	गोटा	355.20	355.20	355.20
	MATT SILVER PLATE + FRAME 4M	गोटा	380.80	380.80	380.80
	MATT SILVER PLATE + FRAME 6M	गोटा	489.60	489.60	489.60
	MATT SILVER PLATE + FRAME 8M(H)	गोटा	627.20	627.20	627.20
	MATT SILVER PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	630.40
	MATT SILVER PLATE + FRAME 9M	गोटा	678.40	678.40	678.40
	MATT SILVER PLATE + FRAME 12M	गोटा	896.00	896.00	896.00
	MATT SILVER PLATE + FRAME 16M	गोटा	1027.20	1027.20	1027.20
	MATT SILVER PLATE + FRAME 18M	गोटा	1420.80	1420.80	1420.80
16	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	731.00	731.00	731.00
	60 - 500 W dimmer	गोटा	623.00	623.00	623.00
	FAN STEP REGULATOR 100W 1 MODULE	गोटा	822.40	822.40	822.40
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा	1017.60	1017.60	1017.60
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा	1164.80	1164.80	1164.80
	FAN STEP REGULATOR 70W 2 MODULE	गोटा	1113.60	1113.60	1113.60
	FAN REGULATOR 100W 8 STEP 2M	गोटा	915.20	915.20	915.20
17	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A - multi socket 5 pin	गोटा	193.00	193.00	193.00
	6/16A twin socket 3 pin (flushed)	गोटा	300.00	300.00	300.00
	6/16A twin socket 3 pin (projected)	गोटा	300.00	300.00	300.00
	13A 3 pin socket	गोटा	193.00	193.00	193.00
	RJ 11 telephone jack	गोटा	150.00	150.00	150.00
	RJ 45 cat.6e computer socket	गोटा	247.00	247.00	247.00
	TV COAXIAL SOCKET 1 MODULE	गोटा	290.00	290.00	290.00
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा	277.00	277.00	277.00
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा	474.00	474.00	474.00
18	TV socket	गोटा	150.00	150.00	150.00
	1 module front plate	गोटा	118.00	118.00	118.00

Page 204

 प्रमुख जिल्ला अधिकारी

विद्युत सामग्रीहरु




सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2 module front plate	गोटा	118.00	118.00	118.00
	3 module front plate	गोटा	154.00	154.00	154.00
	4 module front plate	गोटा	172.00	172.00	172.00
	6 module front plate	गोटा	237.00	237.00	237.00
	8 module front plate(4+4)	गोटा	318.00	318.00	318.00
	8 module front plate (Horizontal)	गोटा	326.00	326.00	326.00
	12 module front plate	गोटा	379.00	379.00	379.00
	18 module front plate	गोटा	473.00	473.00	473.00
19	BELL INDICATOR				
	4 way bell indicator with plate	सेट	1255.00	1255.00	1255.00
	6 way " " " "	सेट	2049.00	2049.00	2049.00
	8 way " " " "	सेट	2851.00	2851.00	2851.00
	12 way " " " "	सेट	4395.00	4395.00	4395.00
	6A PUSH BUTTON SP 1 MODULE	सेट	214.00	214.00	214.00
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट	314.00	314.00	314.00
	6A BELL PUSH 1 MODULE	सेट	281.00	281.00	281.00
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट	332.00	332.00	332.00
	6A BELL PUSH 2 MODULE	सेट	377.00	377.00	377.00
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट	556.00	556.00	556.00
	BELL CALL INDICATOR 240V 1 MODULE	सेट	1530.00	1530.00	1530.00
20	Flush mounting galvanized Metal box for modular type switch & socket-(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	54.00	54.00	54.00
	2 module " " " =(78x78x45)mm	सेट	54.00	54.00	54.00
	3 gang " " " =(78x100x45)mm	सेट	58.00	58.00	58.00
	4 gang " " " =(78x140x50)mm	सेट	71.00	71.00	71.00
	5 gang " " " =(78x205x50)mm	सेट	139.00	139.00	139.00
	6 gang " " " =(78x205x50)mm	सेट	142.00	142.00	142.00
	8 module metal box (4+4) =(78x230x60)mm	सेट	189.00	189.00	189.00
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	189.00	189.00	189.00
	12 module metal box =(135x120x60)mm	सेट	241.00	241.00	241.00
	TV socket metal box	सेट	54.00	54.00	54.00
	Telephone socket metal box	सेट	54.00	54.00	54.00
23	METAL Junction BOX				
	4"x4"	सेट	104.00	104.00	104.00
	4"x6"	सेट	156.00	156.00	156.00
	6"x8"	सेट	247.00	247.00	247.00
	8"x10"	सेट	364.00	364.00	364.00
	8"x12"	सेट	364.00	364.00	364.00
24	PVC Junction Box				
	4"x6"	सेट	35.00	35.00	35.00
	4"x6"	सेट	32.00	32.00	32.00
	6"x8"	सेट	48.00	48.00	48.00
	8"x10"	सेट	69.00	69.00	69.00
	8" x12"	सेट	134.00	134.00	134.00
	PVC Junction box cover	सेट	150.00	150.00	150.00

Page 205


विद्युत्तिय सामग्रीहरु
 विद्युत्तिय सामग्रीहरुको विवरणी प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरणी	मा.क.	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
25	PVC Box for MCB				
	1-pole PVC box GPS	सेट	84.00	84.00	84.00
	2- pole PVC " "	सेट	84.00	84.00	84.00
	3 and 4-pole PVC " "	सेट	135.00	135.00	135.00
26	Industrial Plug & Sockets				
	Industrial type Plug & Socket with required IP protection				
	16/20 Amp 3 Pin Socket with required IP protection	गोटा	3848.00	3848.00	3848.00
	16/20 Amp 4 Pin Socket with required IP protection	गोटा	4223.00	4223.00	4223.00
	16/20 Amp 5 Pin Socket with required IP protection	गोटा	4223.00	4223.00	4223.00
	32 Amp 3 Pin Socket with required IP protection	गोटा	4375.00	4375.00	4375.00
	32 Amp 4 Pin Socket with required IP protection	गोटा	4913.00	4913.00	4913.00
	32 Amp 5 Pin Socket with required IP protection	गोटा	4913.00	4913.00	4913.00
	63 Amp 3 Pin Socket with required IP protection	गोटा	11182.00	11182.00	11182.00
	63 Amp 4 Pin Socket with required IP protection	गोटा	10192.00	10192.00	10192.00
	63 Amp 5 Pin Socket with required IP protection	गोटा	10192.00	10192.00	10192.00
	16/20 Amp 3 Pin Plug with required IP protection	गोटा	1941.00	1941.00	1941.00
	16/20 Amp 4 Pin Plug with required IP protection	गोटा	2714.00	2714.00	2714.00
	16/20 Amp 5 Pin Plug with required IP protection	गोटा	2269.00	2269.00	2269.00
	32 Amp 3 Pin Plug with required IP protection	गोटा	3345.00	3345.00	3345.00
	32 Amp 4 Pin Plug with required IP protection	गोटा	3415.00	3415.00	3415.00
	32 Amp 5 Pin Plug with required IP protection	गोटा	2795.00	2795.00	2795.00
	63 Amp 3 Pin Plug with required IP protection	गोटा	10095.00	10095.00	10095.00
	63 Amp 4 Pin Plug with required IP protection	गोटा	8095.00	8095.00	8095.00
	63 Amp 5 Pin Plug with required IP protection	गोटा	7089.00	7089.00	7089.00
27	Outdoor Junction Box: IP 66/IP67/IP69 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, made out of PC-GFS Polycarbonate/ Polypropylene including the required number of cable glands with following standards: • VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. • Fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent.				
	93 x 93 x 62, Dimensions(mm)	गोटा	1427.00	1427.00	1427.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1684.00	1684.00	1684.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1754.00	1754.00	1754.00
	130 x 130 x 77, Dimensions(mm)	गोटा	2292.00	2292.00	2292.00
	130 x 130 x 77, Dimensions(mm)	गोटा	3193.00	3193.00	3193.00
	130 x 180 x 77, Dimensions(mm)	गोटा	3731.00	3731.00	3731.00
	130 x 180 x 77, Dimensions(mm)	गोटा	4094.00	4094.00	4094.00
	155 x 210 x 92, Dimensions(mm)	गोटा	4761.00	4761.00	4761.00
	155 x 210 x 92, Dimensions(mm)	गोटा	5334.00	5334.00	5334.00
	205 x 255 x 112, Dimensions(mm)	गोटा	28649.00	28649.00	28649.00
	225 x 295 x 122, Dimensions(mm)	गोटा	30099.00	30099.00	30099.00
	255 x 355 x 122, Dimensions(mm)	गोटा	8376.00	8376.00	8376.00


 Page 206
 प्रमुख जिल्ला अधिकारी

विद्युतिग्रहण सामग्रीहरू



ललितपुर
प्रशासन कार्यालय

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
28	Junction Box for Underground/Underwater Application: IP 68 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for installation in the ground (underground – buried applications) without traffic loads. The junction box shall fulfill the following standards: IEC 60670-22: Particular requirements for connecting boxes and enclosures. IEC 60695 – 2 – 11: Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. DIN VDE V 0606 – 22 – 100: Cable junction boxes for encapsulating				
	93 x 93 x 62, Dimensions(mm)	गोटा	10028.00	10028.00	10028.00
	104 x 104 x 70, Dimensions(mm)	गोटा	12044.00	12044.00	12044.00
	104 x 104 x 70, Dimensions(mm)	गोटा	12160.00	12160.00	12160.00
	130 x 130 x 77, Dimensions(mm)	गोटा	15608.00	15608.00	15608.00
	130 x 130 x 77, Dimensions(mm)	गोटा	16074.00	16074.00	16074.00
	130 x 180 x 77, Dimensions(mm)	गोटा	19126.00	19126.00	19126.00
	130 x 180 x 77, Dimensions(mm)	गोटा	20407.00	20407.00	20407.00
29	Encapsulating/Waterproofing Gel Compound: Gel, suitable for Low voltage, free from halogen & silicon content, with self-life of 2 years, dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time).		0.00	0.00	
	350 ml, Packet	गोटा		9073.00	9073.00
	500 ml, Packet	गोटा		10925.00	10925.00
	850 ml, Packet	गोटा		14490.00	14490.00
	1200 ml, Drum	गोटा		16726.00	16726.00
	2000 ml, Drum	गोटा		14979.00	14979.00
	5000 ml, Drum	गोटा		33849.00	33849.00
	10000 ml, Drum	गोटा		66183.00	66183.00
30	DB Box Condensation Protection Passive Measure: for preventing condensation in panels and DB's, having performance range temperature range of -30 deg C to +90 deg C. The Condensation Bag/Pouch shall be Environment friendly and can be disposed of in regular trash.				
	50 x 75 , Dimensions(mm)	गोटा	605.00	605.00	605.00
	75 x 100, Dimensions(mm)	गोटा	1118.00	1118.00	1118.00
	100 x 150, Dimensions(mm)	गोटा	2154.00	2154.00	2154.00
	150 x 150, Dimensions(mm)	गोटा	3203.00	3203.00	3203.00
31	Polycarbonate Thermoplastic Box: IP 64/IP65/IP66 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 featured with UV resistance in accordance with IEC 61439-1, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	300 x 150 x 170, Dimensions(mm)	गोटा	6972	7008.00	7008.00
	300 x 300 x 170, Dimensions(mm)	गोटा	10060	10113.00	10113.00
	300 x 450 x 170, Dimensions(mm)	गोटा	13242	13185.00	13185.00
	300 x 600 x 170, Dimensions(mm)	गोटा	16424	16353.00	16353.00
	450 x 600 x 170, Dimensions(mm)	गोटा	28824	28700.00	28700.00
	600 x 600 x 170, Dimensions(mm)	गोटा	36358	36201.00	36201.00
	300 x 300 x 214, Dimensions(mm)	गोटा	10809	10762.00	10762.00

Handwritten signatures and stamps at the bottom of the page, including the text 'अधिकारी' (Officer) and 'Page 207'.


विद्युतीय सामग्रीहरु

सि. नं. १११ प्रशासन कार्यालय ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	300 x 450 x 214, Dimensions(mm)	गोटा	14389	14327.00	14327.00
	300 x 600 x 214, Dimensions(mm)	गोटा	17957	17879.00	17879.00
	300 x 300 x 180, Dimensions(mm)	गोटा	11675	11624.00	11624.00
32	Cable Glands and Locknuts: IP 68 Cable Glands and Locknuts Made from Polyamide Material				
	M 12 x 1.5	गोटा	77.00	77.00	77.00
	M 16 x 1.5	गोटा	79.00	79.00	79.00
	M 20 x 1.5	गोटा	107.00	107.00	107.00
	M 25 x 1.5	गोटा	187.00	187.00	187.00
	M 32 x 1.5	गोटा	255.00	255.00	255.00
	M 40 x 1.5	गोटा	531.00	531.00	531.00
	M 50 x 1.5	गोटा	823.00	823.00	823.00
	M 63 x 1.5	गोटा	1289.00	1289.00	1289.00
B	LT- PANELS				
	General & Mid Segment				
33	Distribution board (DB) - factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 way SPN DB Double Cover	सेट	1130.00	1130.00	1130.00
	6 way SPN DB " "	सेट	1185.00	1185.00	1185.00
	8 way SPN DB " "	सेट	1479.00	1479.00	1479.00
	12 way SPN DB " "	सेट	1753.00	1753.00	1753.00
	16 way SPN DB " "	सेट	1874.00	1874.00	1874.00
	3-4 way TPN DB Double Cover	सेट	2786.00	2786.00	2786.00
	6 way TPN " " "	सेट	3131.00	3131.00	3131.00
	8 way TPN " " " Vertical	सेट	6057.00	6057.00	6057.00
	12 way TPN " " " Vertical	सेट	8070.00	8070.00	8070.00
	Standard Segment				
32	Distribution Box : factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof (IP 43 & IK 09 ingress protection) double door vertical/horizontal type Distribution Boards conforming IEC: 61439-3, fabricated from 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3135.00	3135.00	3135.00
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3870.00	3870.00	3870.00
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट	4652.00	4652.00	4652.00
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट	5902.00	5902.00	5902.00
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट	6036.00	6036.00	6036.00
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट	7322.00	7322.00	7322.00
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट	2356.00	2356.00	2356.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

विद्युत सामग्रीहरू




सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट	2874.00	2874.00	2874.00
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट	3398.00	3398.00	3398.00
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट	4150.00	4150.00	4150.00
	20 WAY SPN DB BOX(SINGLE DOOR)				
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट	7660.00	7660.00	7660.00
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट	9539.00	9539.00	9539.00
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट	11392.00	11392.00	11392.00
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट	17062.00	17062.00	17062.00
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट	21152.00	21152.00	21152.00
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट	29612.00	29612.00	29612.00
	2 ROW OF 14M DB (DOUBLE DOOR)	सेट	9816.00	9816.00	9816.00
	3 ROW OF 14M DB (DOUBLE DOOR)	सेट	11737.00	11737.00	11737.00
	4 ROW OF 14M DB (DOUBLE DOOR)	सेट	12785.00	12785.00	12785.00
	3 ROW OF 14M DB +MCCB (DOUBLE DOOR)	सेट	12782.00	12782.00	12782.00
	4WAY +12 TPN DB'S (DOUBLE DOOR)	सेट	22883.00	22883.00	22883.00
	6WAY +18 TPN DB'S (DOUBLE DOOR)	सेट	25997.00	25997.00	25997.00
	8WAY +24 TPN DB'S (DOUBLE DOOR)	सेट	28614.00	28614.00	28614.00
	12WAY +36 TPN DB'S (DOUBLE DOOR)	सेट	39010.00	39010.00	39010.00
	4WAY +12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	27469.00	27469.00	27469.00
	4WAY +12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	31443.00	31443.00	31443.00
	4WAY +12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	36355.00	36355.00	36355.00
	4WAY +12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	41004.00	41004.00	41004.00
	63A-160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	6818.00	6818.00	6818.00
	250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	12057.00	12057.00	12057.00
	100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	3643.00	3643.00	3643.00
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	1213.00	1213.00	1213.00
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	1213.00	1213.00	1213.00
	Panel Board Thermoplastic Polycarbonate				
33	Distribution Board Thermoplastic Polycarbonate: IP 65 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 made of Thermoplastics PS Polystyrene Outdoor MCB Distribution Boards suitable for 1-54 MCB modules with fixed plug-in terminal for PE/N, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	3 Modules	गोटा	3965	3986.00	3986.00
	4 Modules	गोटा	5006	5033.00	5033.00
	6 Modules	गोटा	5732	5762.00	5762.00
	9 Modules	गोटा	7159	7197.00	7197.00
	12 Modules	गोटा	11862	11811.00	11811.00
	18 Modules	गोटा	14166	14105.00	14105.00
	24 Modules	गोटा	16845	16773.00	16773.00
	2 row 36 Modules	गोटा	21759	21665.00	21665.00
	3 row 36 Modules	गोटा	21139	21047.00	21047.00

Handwritten signatures and dates at the bottom left of the page.

Handwritten signatures and dates at the bottom right of the page, including a stamp that reads 'प्रमुख निर्देशात्मक अधिकारी'.

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	4 row 48 Modules	गोटा	27514	27396.00	27396.00
	3 row 54 Modules	गोटा	30497	30366.00	30366.00
34	Panel Board:- wall/floor Mounted, IP rated conforming IS: 8623 and IS: 13032 double door, powder coated encloser (40-60microns), treated with seven (7) tank process with push button lock, safety Arcilic Sheet Cover with warning sign at exposed portion , DB name embossed in Metal tag, ferruling, Spreader, and made of 1.6/2 mm metal sheet including Copper neutral bar, phase bar and earth bus bar with adequate space for incomming and outgoing cable with complete internal wiring excluding the cost of switchgears and measuring instrument:				
	60/75/100 AMP, 9"×36"×48" size	सेट	22270.00	22366.00	22366.00
	60/75/100 AMP "12×36"×48" size	सेट	26512.00	26627.00	26627.00
	60/75/100 AMP 9"×48"×60" size	सेट	37117.00	37278.00	37278.00
	60/75/100 AMP 12"×49"×60" size	सेट	44187.00	44378.00	44378.00
	150/200 AMP 9"×38"×52" size	सेट	24744.00	24851.00	24851.00
	150/200 AMP 12"×38"×52" size	सेट	24744.00	24851.00	24851.00
	150/200 AMP 9"×42"×56" size	सेट	27555.00	27675.00	27675.00
	150/200 AMP 12"×42"×56" size	सेट	29306.00	29432.00	29432.00
	250/300AMP 12"×48"×60"size	सेट	35885.00	36040.00	36040.00
	250/300AMP 12"×52"×62" size	सेट	40171.00	40344.00	40344.00
	400 AMP 12"×52"×66" size	सेट	42762.00	42947.00	42947.00
35	Manual Change over Panel Type - (;+j Gwt pTkfbs /fi6«sf] u'Of:t/ IrGx k fKt				
	63 Amp FP	गोटा	12135.00	12135.00	12135.00
	80 Amp FP	गोटा	13426.00	13426.00	13426.00
	100 Amp FP	गोटा	19020.00	19020.00	19020.00
	125 Amp FP	गोटा	20053.00	20053.00	20053.00
	160 Amp FP	गोटा	26336.00	26336.00	26336.00
	200 Amp FP	गोटा	27196.00	27196.00	27196.00
	250 Amp FP	गोटा	28918.00	28918.00	28918.00
	315 Amp FP	गोटा	36578.00	36578.00	36578.00
	OPEN EXECUTION				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा	9984.00	10027.00	10027.00
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा	13161.20	13218.00	13218.00
	CHANGEOVER SD CO FRI 125A OPEN EXECUTION	गोटा	20014.80	20101.00	20101.00
	CHANGEOVER SD CO FRI 160A OPEN EXECUTION	गोटा	21632.00	21725.00	21725.00
	CHANGEOVER SD CO FRI 200A OPEN EXECUTION	गोटा	26270.40	26384.00	26384.00
	CHANGEOVER SD CO FRI 250A OPEN EXECUTION	गोटा	38651.60	38818.00	38818.00
	CHANGEOVER SD CO FRI 315A OPEN EXECUTION	गोटा	40705.60	40881.00	40881.00
	CHANGEOVER SD CO FRI 400A OPEN EXECUTION	गोटा	59997.60	60257.00	60257.00
	CHANGEOVER SD CO FRI 630A OPEN EXECUTION	गोटा	70720.00	71026.00	71026.00
	CHANGEOVER SD CO FRI 800A OPEN EXECUTION	गोटा	102440.00	102883.00	102883.00
	CHANGEOVER SD CO FRI 1000A OPEN EXECUTION	गोटा	183560.00	184354.00	184354.00
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा	243880.00	244935.00	244935.00
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा	288600.00	289848.00	289848.00
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा	393016.00	394716.00	394716.00
	Sheet Steel Enclosure				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा	14492.40	14555.00	14555.00
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा	18486.00	18565.00	18565.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

विद्युतीय सामग्रीहरु




सि.नं	निर्माण सामग्रीहरुको विवरण	ट्याग नं	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा	26936.00	27052.00	27052.00
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा	30066.40	30196.00	30196.00
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा	34767.20	34917.00	34917.00
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा	49145.20	49357.00	49357.00
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा	51511.20	51734.00	51734.00
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा	75067.20	75392.00	75392.00
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा	89440.00	89827.00	89827.00
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा	135189.60	135774.00	135774.00
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा	237640.00	238668.00	238668.00
	Panel Board Thermoplastic Polycarbonate				
36	Panel Board Thermoplastic Polycarbonate : IP 65/54 rated Panel Boards in accordance with IEC 60 439-1 (IS8623) and IEC 60 439-2 for power switchgear and control gear assembly, made of high quality Polycarbonate PC-GFS, Shock Proof, Polyurethane gaskets, ferruling, rust free, corrosion free, add and chemical resistant, fire retardant, self- extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument.				
	60/75/100 Amp, 9"x36"x48" size	सेट		163836.00	163836.00
	60/75/100 AMP, 12"x36"x48" size	सेट		163836.00	163836.00
	60/75/100 AMP, 9"x48"x60" size	सेट		274932.00	274932.00
	60/75/100 AMP, 15"x49"x60" size	सेट		274932.00	274932.00
	150/200 AMP, 9"x38"x52" size	सेट		174468.00	174468.00
	150/200 AMP, 12"x38"x52" size	सेट		174468.00	174468.00
	150/200 AMP, 9"x42"x56" size	सेट		210120.00	210120.00
	150/200 AMP, 12"x42"x56" size	सेट		210120.00	210120.00
	250/300 AMP, 12"x48"x60" size	सेट		274932.00	274932.00
	250/300 AMP, 12"x52"x62" size	सेट		296004.00	296004.00
	400 AMP, 12"x52"x66" size	सेट		317124.00	317124.00
37	Panel Board measurement instrument				
	0-500 volt meter	पिस	1063.00	1068.00	1068.00
	60/100 Amp meter .	पिस	1018.00	1022.00	1022.00
	Panel Indicator	पिस	246.00	247.00	247.00
	2 Amp glass fuse with holder 12 mm size	पिस	139.00	139.00	139.00
	AMP meter selector switch	पिस	674.00	677.00	677.00
	volt meter selector switch	पिस	739.00	742.00	742.00
	60/100 Amp C.T. coil per set 3 Pcs	पिस	1489.00	1495.00	1495.00
	150-200AMP C.T coil. 3 PC / Set	गोटा	1853.00	1861.00	1861.00
	250-300 AMP " "	गोटा	2517.00	2528.00	2528.00
	400/500/600AMP " "	गोटा	3696.00	3712.00	3712.00
	Kilo watt hour energy meter single phase	पिस	2361.00	2372.00	2372.00
	Kilo watt hour energy meter 3 phase direct	पिस	10637.00	10683.00	10683.00
C	SWITCH GEARS				
38	Miniature Circuits Breaker (MCB) , (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				

Handwritten signatures and stamps at the bottom of the page, including a large stamp that reads "मिनिस्ट्रि अफ इन्फ्रस्ट्रक्चर" (Ministry of Infrastructure).


विद्युत सामग्रीहरु
 नेपाल सरकार
 गृह मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	का.व.	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Single Pole				
	6-32 amp MCB SP (single pole)	गोटा	215.00	215.00	215.00
	40A SP 10 KA MCB	गोटा	782.00	782.00	782.00
	63A SP 10 KA MCB	गोटा	853.00	853.00	853.00
	Double Pole				
	6-32 amp MCB DP (Double pole)	गोटा	1065.00	1065.00	1065.00
	40A DP 10 KA MCB	गोटा	1671.00	1671.00	1671.00
	63A DP 10 KA MCB	गोटा	1880.00	1880.00	1880.00
	Three Pole				
	6-32 amp MCB TP (Triple pole)	गोटा	1744.00	1744.00	1744.00
	40A TP 10 KA MCB	गोटा	2559.00	2559.00	2559.00
	63A TP 10 KA MCB	गोटा	2705.00	2705.00	2705.00
	Four Pole				
	10-32 amp MCB FP (Four pole)	गोटा	2235.00	2235.00	2235.00
	40A FP 10 KA MCB	गोटा	3269.00	3269.00	3269.00
	63A FP 10 KA MCB	गोटा	3342.00	3342.00	3342.00
39	Miniature Circuits Breaker (MCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	0.5-5 amp MCB SP (single pole)	गोटा	269.00	269.00	269.00
	6-32 amp MCB SP (single pole)	गोटा	172.00	172.00	172.00
	6-32 amp MCB DP (Double pole)	गोटा	645.00	645.00	645.00
	6-32 amp MCB TP (Triple pole)	गोटा	1291.00	1291.00	1291.00
	32 amp MCB TPN	गोटा	1560.00	1560.00	1560.00
	40-63 amp MCB DP	गोटा	1022.00	1022.00	1022.00
	40-63 amp MCB TP	गोटा	1452.00	1452.00	1452.00
	40-63 amp MCB TPN	गोटा	1936.00	1936.00	1936.00
40	Residual Current Circuit Breaker (RCCB) (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	2873.00	2873.00	2873.00
	25A 100mA 2 POLE RCCB	गोटा	3890.00	3890.00	3890.00
	25A 300mA DP RCCB	गोटा	3890.00	3890.00	3890.00
	40A30mA DP RCCB	गोटा	4204.00	4204.00	4204.00
	40A 100mA DP RCCB	गोटा	4449.00	4449.00	4449.00
	40A 300mA DP RCCB	गोटा	4449.00	4449.00	4449.00
	63A 30mA DP RCCB	गोटा	5238.00	5238.00	5238.00
	63A 300mA DP RCCB	गोटा	5368.00	5368.00	5368.00
	Four Pole				
	25A 30mA Four Pole RCCB	गोटा	4919.00	4919.00	4919.00
	25A 100mA Four Pole RCCB	गोटा	5097.00	5097.00	5097.00
	25A 300mA Four Pole RCCB	गोटा	5097.00	5097.00	5097.00
	40A 30mA Four Pole RCCB	गोटा	4940.00	4940.00	4940.00
	40A 100mA Four Pole RCCB	गोटा	5175.00	5175.00	5175.00
	40A 300mA Four Pole RCCB	गोटा	5175.00	5175.00	5175.00
	63A 30mA Four Pole RCCB	गोटा	5666.00	5666.00	5666.00




प्रमुख जिल्ला अधिकारी
 ललितपुर


विद्युतिय सामग्रीहरु


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	63A 100mA Four Pole RCCB	गोटा	5948.00	5948.00	5948.00
	63A 300mA Four Pole RCCB	गोटा	5948.00	5948.00	5948.00
	100A 300mA Four Pole RCCB	गोटा	9974.00	9974.00	9974.00
41	Moulded Case Circuit Breaker (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	15 A-100 A 3 POLE, 10 KA	गोटा	0.00	4132.00	4132.00
	15 A-100 A 4 POLE, 19 KA	गोटा	0.00	6067.00	6067.00
	16A-63A 3P MCCB 10 KA FTFM	गोटा	3723.00	3723.00	3723.00
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा	4334.00	4334.00	4334.00
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा	4334.00	4334.00	4334.00
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा	6143.00	6143.00	6143.00
	15 A-100 A 3 POLE, 10 KA	गोटा	0.00	8500.00	8500.00
	125 A 3 POLE, 16 KA	गोटा	0.00	9196.00	9196.00
	160 A 3 POLE, 16 KA	गोटा	0.00	11858.00	11858.00
	15 A-100 A 4 POLE, 19 KA	गोटा	0.00	11330.00	11330.00
	125 A 4 POLE, 16 KA	गोटा	0.00	11402.00	11402.00
	160 A 4 POLE, 16 KA	गोटा	0.00	14928.00	14928.00
	125A 3P MCCB 18 KA TM 9 PIN	गोटा	13420.00	13420.00	13420.00
42	Moulded Case Circuit Breaker (As per IS/IEC 60947-2 and Utilization Catagorie -B, Icu=Ics=100% with spreader)				
	16A 3P MCCB 16/25 KA	गोटा	0.00	9936.00	9936.00
	20A-63A 3P MCCB 16/25 KA	गोटा	10153.00	10153.00	10153.00
	80A 3P MCCB 16/25 KA	गोटा	10648.00	10648.00	10648.00
	100A 3P MCCB 16/25 KA	गोटा	10648.00	10648.00	10648.00
	125A 3P MCCB 16/25 KA	गोटा	14454.00	14454.00	14454.00
	160A 3P MCCB 16/25 KA	गोटा	22220.00	22220.00	22220.00
	200A 3P MCCB 25 KA	गोटा	30250.00	30250.00	30250.00
	250A 3P MCCB 25 KA	गोटा	32318.00	32318.00	32318.00
	16A - 100 A 3P MCCB 36 KA	गोटा	0.00	12592.00	12592.00
	125A 3P MCCB 36 KA	गोटा	19981.00	19981.00	19981.00
	160A 3P MCCB 36 KA	गोटा	26559.00	26559.00	26559.00
	200A 3P MCCB 36 KA	गोटा	31581.00	31581.00	31581.00
	250A 3P MCCB 36 KA	गोटा	35541.00	35541.00	35541.00
	320A 3P MCCB 36 KA	गोटा	41222.00	41222.00	41222.00
	400A 3P MCCB 36 KA	गोटा	41258.00	41258.00	41258.00
	500A 3P MCCB 36 KA	गोटा	47641.00	47641.00	47641.00
	630A 3P MCCB 36 KA	गोटा	54010.00	54010.00	54010.00
	800A 3P MCCB 36 KA	गोटा	0.00	79653.00	79653.00
	1000A 3P MCCB 36 KA	गोटा	0.00	103968.00	103968.00
	1250A 3P MCCB 36 KA	गोटा	0.00	148555.00	148555.00
	125A 3P MCCB 50 KA	गोटा	25927.00	25927.00	25927.00
	160A 3P MCCB 50 KA	गोटा	32642.00	32642.00	32642.00
	200A 3P MCCB 50 KA	गोटा	30723.00	30723.00	30723.00
	250A 3P MCCB 50 KA	गोटा	33805.00	33805.00	33805.00
	320A 3P MCCB 50 KA	गोटा	39557.00	39557.00	39557.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.


विद्युत्तिय सामग्रीहरु
 निर्माण सामग्रीहरुको विवरण
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	400A 3P MCCB 50 KA	गोटा	39688.00	39688.00	39688.00
	500A 3P MCCB 50 KA	गोटा	47146.00	47146.00	47146.00
	630A 3P MCCB 50 KA	गोटा	61050.00	61050.00	61050.00
	800A 3P MCCB 50 KA	गोटा	94743.00	94743.00	94743.00
	1000A 3P MCCB 50 KA	गोटा	150300.00	150300.00	150300.00
	1250A 3P MCCB 50 KA	गोटा	183903.00	183903.00	183903.00
	800 A 3 POLE, 70 KA	गोटा	0.00	142236.00	142236.00
	1000 A 3 POLE, 70 KA	गोटा	0.00	215390.00	215390.00
	1250A 3 POLE, 70 KA	गोटा	0.00	220656.00	220656.00
	16A 4P MCCB 16/25 KA	गोटा	0.00	13812.00	13812.00
	20A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	25A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	32A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	40A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	50A 4P MCCB 16/25 KA	गोटा	16978.00	16978.00	16978.00
	63A 3P MCCB 16/25 KA	गोटा	0.00	13812.00	13812.00
	80A 4P MCCB 16/25 KA	गोटा	16978.00	16978.00	16978.00
	100A 4P MCCB 16/25 KA	गोटा	17308.00	17308.00	17308.00
	125A 4P MCCB 16/25 KA	गोटा	21472.00	21472.00	21472.00
	160A 4P MCCB 16/25 KA	गोटा	27555.00	27555.00	27555.00
	200A 4P MCCB 25 KA	गोटा	38445.00	38445.00	38445.00
	250A 4P MCCB 25 KA	गोटा	40529.00	40529.00	40529.00
	16A - 100 A 4P MCCB 36 KA	गोटा	0.00	15712.00	15712.00
	125A 4P MCCB 36 KA	गोटा	24810.00	24810.00	24810.00
	160A 4P MCCB 36 KA	गोटा	31548.00	31548.00	31548.00
	200A 4P MCCB 36 KA	गोटा	38852.00	38852.00	38852.00
	250A 4P MCCB 36 KA	गोटा	43417.00	43417.00	43417.00
	320A 4P MCCB 36 KA	गोटा	51480.00	51480.00	51480.00
	400A 4P MCCB 36 KA	गोटा	52332.00	52332.00	52332.00
	500A 4P MCCB 36 KA	गोटा	64916.00	64916.00	64916.00
	630A 4P MCCB 36 KA	गोटा	71940.00	71940.00	71940.00
	800A 4P MCCB 36 KA	गोटा	0.00	89616.00	89616.00
	1000A 4P MCCB 36 KA	गोटा	0.00	131436.00	131436.00
	1250A 4P MCCB 36 KA	गोटा	0.00	158119.00	158119.00
	125A 4P MCCB 50 KA	गोटा	29073.00	29073.00	29073.00
	200A 4P MCCB 50 KA	गोटा	38406.00	38406.00	38406.00
	250A 4P MCCB 50 KA	गोटा	41474.00	41474.00	41474.00
	320A 4P MCCB 50 KA	गोटा	48886.00	48886.00	48886.00
	400A 4P MCCB 50 KA	गोटा	49562.00	49562.00	49562.00
	500A 4P MCCB 50 KA	गोटा	59536.00	59536.00	59536.00
	630A 4P MCCB 50 KA	गोटा	63467.00	63467.00	63467.00
	800A 4P MCCB 50 KA	गोटा	108020.00	108020.00	108020.00
	1000A 4P MCCB 50 KA	गोटा	209456.00	209456.00	209456.00
	1250A 4P MCCB 50 KA	गोटा	264550.00	264550.00	264550.00
	800 A 4 POLE, 70 KA	गोटा	0.00	164896.00	164896.00








सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	1000 A 4 POLE, 70 KA	गोटा	0.00	304968.00	304968.00
	1250A 4 POLE, 70 KA	गोटा	0.00	351662.00	351662.00
43	MCB/ISOLATOR संयन्त्रित उत्पादक राष्ट्रको मुषस्तर चिन्ह प्राप्त				
	B CURVE MCB SP 6A-32A	गोटा	248.00	249.00	249.00
	B CURVE MCB SP 40A	गोटा	292.00	293.00	293.00
	B CURVE MCB SP 50A-63A	गोटा	292.00	293.00	293.00
	C CURVE MCB SP 0.5-4A	गोटा	292.00	293.00	293.00
	C CURVE MCB SP 6-32A	गोटा	248.00	249.00	249.00
	C CURVE MCB SP 40A	गोटा	463.00	465.00	465.00
	C CURVE MCB SP 50-63A	गोटा	463.00	465.00	465.00
	C CURVE MCB SPN 0.5-4A	गोटा	498.00	500.00	500.00
	C CURVE MCB SPN 6-32A	गोटा	533.00	535.00	535.00
	C CURVE MCB SPN 40A	गोटा	583.00	585.00	585.00
	C CURVE MCB SPN 50-63A	गोटा	583.00	585.00	585.00
	C CURVE MCB DP 0.5-4A	गोटा	641.00	644.00	644.00
	C CURVE MCB DP 6-32A	गोटा	586.00	589.00	589.00
	C CURVE MCB DP 40A	गोटा	641.00	644.00	644.00
	C CURVE MCB DP 50-63A	गोटा	641.00	644.00	644.00
	C CURVE MCB TP 0.5-4A	गोटा	962.00	966.00	966.00
	C CURVE MCB TP 6-32A	गोटा	880.00	884.00	884.00
	C CURVE MCB TP 40A	गोटा	962.00	966.00	966.00
	C CURVE MCB TP 50-63A	गोटा	962.00	966.00	966.00
	C CURVE MCB TPN 0.5-4A	गोटा	1254.00	1259.00	1259.00
	C CURVE MCB TPN 6-32A	गोटा	1147.00	1152.00	1152.00
	C CURVE MCB TPN 40A	गोटा	1254.00	1259.00	1259.00
	C CURVE MCB TPN 50-63A	गोटा	1254.00	1259.00	1259.00
	C CURVE MCB FP 0.5-4A	गोटा	1341.00	1347.00	1347.00
	C CURVE MCB FP 6-32A	गोटा	1227.00	1232.00	1232.00
	C CURVE MCB FP 40A	गोटा	1341.00	1347.00	1347.00
	C CURVE MCB FP 50-63A	गोटा	1341.00	1347.00	1347.00
	ISOLATOR DP 40A	गोटा	573.00	575.00	575.00
	ISOLATOR DP 63A	गोटा	573.00	575.00	575.00
	ISOLATOR DP 80-100A	गोटा	599.00	601.00	601.00
	ISOLATOR DP 125A	गोटा	635.00	638.00	638.00
	ISOLATOR FP 40A	गोटा	938.00	942.00	942.00
	ISOLATOR FP 63A	गोटा	938.00	942.00	942.00
	ISOLATOR FP 80-100A	गोटा	1037.00	1042.00	1042.00
	ISOLATOR FP 125A	गोटा	1037.00	1042.00	1042.00
	RCCB DP 25A 30mA	गोटा	3688.00	3704.00	3704.00
	RCCB DP 40A 30mA	गोटा	3688.00	3704.00	3704.00
	RCCB DP 63A 30mA	गोटा	3688.00	3704.00	3704.00
	RCCB DP 25A 100mA	गोटा	3478.00	3493.00	3493.00
	RCCB DP 40A 100mA	गोटा	3478.00	3493.00	3493.00
	RCCB DP 63A 100mA	गोटा	3478.00	3493.00	3493.00
	RCCB DP 25A 300mA	गोटा	3478.00	3493.00	3493.00

Page 215


विद्युतीय सामग्रीहरु
 निर्माण सामग्रीहरुको विवरण

सि.नं	निर्माण सामग्रीहरुको विवरण	मा.क. बाहेकको दररेट	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	RCCB DP 40A 300mA	गोटा	3478.00	3493.00	3493.00
	RCCB DP 63A 300mA	गोटा	3478.00	3493.00	3493.00
	RCCB FP 25A 30mA	गोटा	4321.00	4339.00	4339.00
	RCCB FP 40A 30mA	गोटा	4321.00	4339.00	4339.00
	RCCB FP 63A 30mA	गोटा	4321.00	4339.00	4339.00
	RCCB FP 25A 100mA	गोटा	4164.00	4182.00	4182.00
	RCCB FP 40A 100mA	गोटा	4164.00	4182.00	4182.00
	RCCB FP 63A 100mA	गोटा	4164.00	4182.00	4182.00
	RCCB FP 25A 300mA	गोटा	4164.00	4182.00	4182.00
	RCCB FP 40A 300mA	गोटा	4164.00	4182.00	4182.00
	RCCB FP 63A 300mA	गोटा	4164.00	4182.00	4182.00
44	MCB/ISOLATOR/RCCB (As per IS/IEC 60898-1(2002) for MCB; IEC 60947-3 for Isolator, IS 12640-1 for RCCB, Icu=Ics=100%, 10kA)				
	B-Curve, MCB 6-32A (SINGLE POLE)	गोटा	322.00	323.00	323.00
	C-Curve, MCB 6-32A (SINGLE POLE)	गोटा	535.00	537.00	537.00
	C-Curve, MCB 40A (SINGLE POLE)	गोटा	1184.00	1189.00	1189.00
	C-Curve, MCB 63A (SINGLE POLE)	गोटा	1184.00	1189.00	1189.00
	MCB 6-32A (DOUBLE POLE)	गोटा	1647.00	1654.00	1654.00
	MCB 40A(DOUBLE POLE)	गोटा	2652.00	2663.00	2663.00
	MCB 63A(DOUBLE POLE)	गोटा	2652.00	2663.00	2663.00
	MCB 6-32A(TRIPPLE POLE)	गोटा	2689.00	2701.00	2701.00
	MCB 40A(TRIPPLE POLE)	गोटा	4106.00	4124.00	4124.00
	MCB 63A(TRIPPLE POLE)	गोटा	4106.00	4124.00	4124.00
	MCB 6-32A(FOUR POLE)	गोटा	3630.00	3646.00	3646.00
	MCB 40A (FOUR POLE)	गोटा	5235.00	5258.00	5258.00
	MCB 63A (FOUR POLE)	गोटा	5235.00	5258.00	5258.00
	ISOLATOR 32A 240V(DOUBLE POLE)	गोटा	895.00	899.00	899.00
	ISOLATOR 40A 240v(DOUBLE POLE)	गोटा	988.00	992.00	992.00
	ISOLATOR 63A 240v(DOUBLE POLE)	गोटा	1304.00	1309.00	1309.00
	ISOLATOR 32A 415v(TRIPPLE POLE)	गोटा	1603.00	1610.00	1610.00
	ISOLATOR 40A 415v(TRIPPLE POLE)	गोटा	1717.00	1724.00	1724.00
	ISOLATOR 63A 415v(TRIPPLE POLE)	गोटा	2033.00	2041.00	2041.00
	ISOLATOR 32A 415v (FOUR POLE)	गोटा	1760.00	1768.00	1768.00
	ISOLATOR 40A 415v (FOUR POLE)	गोटा	2186.00	2195.00	2195.00
	ISOLATOR 63A 415v (FOUR POLE)	गोटा	2396.00	2406.00	2406.00
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	गोटा	8303.00	8339.00	8339.00
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	गोटा	8303.00	8339.00	8339.00
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	गोटा	8303.00	8339.00	8339.00
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	गोटा	8303.00	8339.00	8339.00
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	गोटा	8719.00	8757.00	8757.00
	RCBO 16A 30mA 4M(DOUBLE POLE)	गोटा	6839.00	6868.00	6868.00
	RCBO 25A 30mA 4M(DOUBLE POLE)	गोटा	6839.00	6868.00	6868.00
	RCBO 32A 30MA 4M(DOUBLE POLE)	गोटा	7488.00	7520.00	7520.00
	RCBO 40A 30MA 4M(DOUBLE POLE)	गोटा	8905.00	8944.00	8944.00





विद्युत्त्रिय सामग्रीहरु

मन्त्रालय
प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	RCBO 16A 30mA 7M (FOUR POLE)	गोटा	9640.00	9682.00	9682.00
	RCBO 25A 30mA 7M (FOUR POLE)	गोटा	9640.00	9682.00	9682.00
	RCBO 32A 30MA 7M (FOUR POLE)	गोटा	9944.00	9987.00	9987.00
	RCBO 40A 30MA 7M (FOUR POLE)	गोटा	10094.00	10137.00	10137.00
	RCBO 63A 30MA 7M (FOUR POLE)	गोटा	11953.00	12005.00	12005.00
	RCCB 25A 30MA 2M (DOUBLE POLE)	गोटा	5827.00	5852.00	5852.00
	RCCB 40A 30MA 2M (DOUBLE POLE)	गोटा	6822.00	6851.00	6851.00
	RCCB 63A 30MA 2M (DOUBLE POLE)	गोटा	8153.00	8188.00	8188.00
	RCCB 25A 30MA 240v 4M (FOUR POLE)	गोटा	8026.00	8061.00	8061.00
	RCCB 40A 30MA 240v 4M (FOUR POLE)	गोटा	7926.00	7961.00	7961.00
	RCCB 63A 30MA 240v 4M (FOUR POLE)	गोटा	9198.00	9238.00	9238.00
	D WIRES, CABLE & ACCESSERIES				
45	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	66.00	66.00	66.00
	25 sq.mm " "	गोटा	86.00	86.00	86.00
	35 sq.mm " "	गोटा	66.00	66.00	66.00
	50 sq.mm " "	गोटा	78.00	78.00	78.00
	70 sq.mm " "	गोटा	95.00	96.00	96.00
	95 sq.mm " "	गोटा	148.00	149.00	149.00
	150 sq.mm " "	गोटा	223.00	224.00	224.00
	195 sq.mm " "	गोटा	317.00	318.00	318.00
	250 sq.mm " "	गोटा	504.00	506.00	506.00
46	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=90 RM) NS marked				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	985.00	990.00	990.00
	3/22 " " " "	क्वायल	1178.00	1183.00	1183.00
	3/20 " " " "	क्वायल	1875.00	1883.00	1883.00
	7/22 " " " "	क्वायल	2624.00	2636.00	2636.00
	7/20 " " " "	क्वायल	4284.00	4303.00	4303.00
	7/18 " " " "	क्वायल	6748.00	6777.00	6777.00
	7/16 " " " "	क्वायल	13925.00	13985.00	13985.00
	19/18 " " " "	क्वायल	18746.00	18827.00	18827.00
	19/16 " " " "	क्वायल	37492.00	37654.00	37654.00

[Handwritten signatures and marks]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी

विद्युत सामग्रीहरु



जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकैड	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
2/20	" " " "	क्वायल	1424.00	1430.00	1430.00
2/22	" " " "	क्वायल	964.00	968.00	968.00
47	FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी		22.00	22.00
	Size 1 C *1 SQMM	र.मी		31.00	31.00
	Size 1 C *1.5 SQMM	र.मी		45.00	45.00
	Size 1 C *2.5SQMM	र.मी		75.00	75.00
	Size 1 C *4SQMM	र.मी		109.00	109.00
	Size 1 C *6SQMM	र.मी		166.00	166.00
48	FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी		25.00	25.00
	Size 1 C *1 SQMM	र.मी		33.00	33.00
	Size 1 C *1.5 SQMM	र.मी		49.00	49.00
	Size 1 C *2.5SQMM	र.मी		79.00	79.00
	Size 1 C *4SQMM	र.मी		116.00	116.00
	Size 1 C *6SQMM	र.मी		175.00	175.00
49	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1.0 mm PVC insulated Copper wire	क्वायल	1071.00	1075.00	1075.00
	1.5 mm PVC insulated Copper wire	क्वायल	1713.00	1721.00	1721.00
	2.5 mm PVC insulated Copper wire	क्वायल	2517.00	2528.00	2528.00
	4.0 mm PVC insulated Copper wire	क्वायल	4070.00	4088.00	4088.00
	6.0 mm PVC insulated Copper wire	क्वायल	6427.00	6455.00	6455.00
	10.0mm PVC insulated Copper wire	क्वायल	10712.00	10758.00	10758.00
50	Concentric Cable NS marked Eqv.				
	4mm size concentric cable	र.मी	23.00	24.00	24.00
	6mm size " "	र.मी	27.00	27.00	27.00
	10mm size concentric cable	र.मी	40.00	40.00	40.00
	16mm size " "	र.मी	69.00	69.00	69.00
	25mm size " "	र.मी	92.00	92.00	92.00
51	Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				

[Handwritten signature]



[Handwritten signature]



[Handwritten signature]



प्रमुख अधिकारी


विद्युतीय सामग्रीहरु
 नेपाल सरकार
 मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	इकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	a) 2 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	107.00	112.00	112.00
	2.5 mm ²	र.मी	144.00	152.00	152.00
	4.0 mm ²	र.मी	198.00	211.00	211.00
	6.0 mm ²	र.मी	256.00	273.00	273.00
	10.0 mm ²	र.मी	385.00	413.00	413.00
	16.0 mm ²	र.मी	513.00	574.00	574.00
	25.0 mm ²	र.मी	749.00	852.00	852.00
	35.0 mm ²	र.मी	996.00	1141.00	1141.00
	50.0 mm ²	र.मी	1392.00	1534.00	1534.00
	70.0 mm ²	र.मी		2163.00	2163.00
	95.0 mm ²	र.मी		2956.00	2956.00
	120.0 mm ²	र.मी		3733.00	3733.00
	150.0 mm ²	र.मी		4613.00	4613.00
	185.0 mm ²	र.मी		5675.00	5675.00
	240.0 mm ²	र.मी		7378.00	7378.00
	300.0 mm ²	र.मी		9259.00	9259.00
	400.0 mm ²	र.मी		12384.00	12384.00
	b) 3 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	134.00	140.00	140
	2.5 mm ²	र.मी	187.00	196.00	196.00
	4.0 mm ²	र.मी	268.00	280.00	280.00
	6.0 mm ²	र.मी	343.00	372.00	372.00
	10.0 mm ²	र.मी	513.00	577.00	577.00
	16.0 mm ²	र.मी	717.00	806.00	806.00
	25.0 mm ²	र.मी	1093.00	1237.00	1237.00
	35.0 mm ²	र.मी	1446.00	1673.00	1673.00
	50.0 mm ²	र.मी	1982.00	2259.00	2259.00
	70.0 mm ²	र.मी	2785.00	3197.00	3197.00
	95.0 mm ²	र.मी	3749.00	4393.00	4393.00
	120.0 mm ²	र.मी	4713.00	5554.00	5554.00
	150.0 mm ²	र.मी	5784.00	6846.00	6846.00
	185.0 mm ²	र.मी		8450.00	8450.00
	240.0 mm ²	र.मी		11009.00	11009.00
	300.0 mm ²	र.मी		13809.00	13809.00
	400.0 mm ²	र.मी		18489.00	18489.00






प्रमुख जिल्ला अधिकारी



विद्युत्तन्त्रिय सामग्रीहरु
 निर्माण प्रकल्प
 प्रजागमन कार्यालय
 ललितपुर


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	c) 3.5 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	1307.00	1484.00	1484
	35.0 mm ²	र.मी	1660.00	1934.00	1934.00
	50.0 mm ²	र.मी	2334.00	2667.00	2667.00
	70.0 mm ²	र.मी	3213.00	3761.00	3761.00
	95.0 mm ²	र.मी	4284.00	5145.00	5145.00
	120.0 mm ²	र.मी	5624.00	6629.00	6629.00
	150.0 mm ²	र.मी	6641.00	7933.00	7933.00
	185.0 mm ²	र.मी	8248.00	9934.00	9934.00
	240.0 mm ²	र.मी	10819.00	12883.00	12883.00
	300.0 mm ²	र.मी	13711.00	16119.00	16119.00
	400.0 mm ²	र.मी	17996.00	21493.00	21493.00
	d) 4 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	161.00	168.00	168
	2.5 mm ²	र.मी	229.00	243.00	243.00
	4.0 mm ²	र.मी	331.00	354.00	354.00
	6.0 mm ²	र.मी	428.00	484.00	484.00
	10.0 mm ²	र.मी	642.00	728.00	728.00
	16.0 mm ²	र.मी	937.00	1054.00	1054.00
	25.0 mm ²	र.मी	1392.00	1627.00	1627.00
	35.0 mm ²	र.मी	1875.00	2212.00	2212.00
	50.0 mm ²	र.मी	2678.00	3002.00	3002.00
	70.0 mm ²	र.मी	3642.00	4247.00	4247.00
	95.0 mm ²	र.मी	4927.00	5830.00	5830.00
	120.0 mm ²	र.मी	6212.00	7388.00	7388.00
	150.0 mm ²	र.मी	7712.00	9119.00	9119.00
	185.0 mm ²	र.मी	9426.00	11250.00	11250.00
	240.0 mm ²	र.मी	12854.00	14661.00	14661.00
	300.0 mm ²	र.मी	15425.00	18399.00	18399.00
	400.0 mm ²	र.मी	20888.00	24637.00	24637.00
52	Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	a) 1 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	10.0 mm ²	र.मी	44.00	174.00	174
	16.0 mm ²	र.मी	67.00	258.00	258.00
	25.0 mm ²	र.मी	79.00	397.00	397.00
	35.0 mm ²	र.मी	94.00	543.00	543.00



प्रमुख जिल्ला अधिकारी
 ललितपुर



विद्युत्तिय सामग्रीहरु
 वि. प्र. मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	मा. व.	मु. अ. क. बाहेकको दररेट		
			मा. व. २०७९/८०	मा. व. २०८०/८१	मा. व. २०८१/८२
	50.0 mm ²	र.मी	125.00	738.00	738.00
	70.0 mm ²	र.मी	164.00	1039.00	1039.00
	95.0 mm ²	र.मी	222.00	1444.00	1444.00
	120.0 mm ²	र.मी	270.00	1828.00	1828.00
	150.0 mm ²	र.मी	320.00	2256.00	2256.00
	185.0 mm ²	र.मी		2782.00	2782.00
	240.0 mm ²	र.मी		3628.00	3628.00
	300.0 mm ²	र.मी		4560.00	4560.00
	400.0 mm ²	र.मी		6161.00	6161.00
	b) 2 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	74.00	82.00	82
	2.5 mm ²	र.मी	107.00	115.00	115.00
	4.0 mm ²	र.मी	149.00	171.00	171.00
	6.0 mm ²	र.मी	203.00	233.00	233.00
	10.0 mm ²	र.मी	321.00	367.00	367.00
	16.0 mm ²	र.मी	444.00	515.00	515.00
	25.0 mm ²	र.मी	685.00	797.00	797.00
	35.0 mm ²	र.मी	931.00	1082.00	1082.00
	50.0 mm ²	र.मी	1285.00	1475.00	1475.00
	70.0 mm ²	र.मी	1768.00	2095.00	2095.00
	95.0 mm ²	र.मी	2410.00	2878.00	2878.00
	120.0 mm ²	र.मी	3160.00	3646.00	3646.00
	150.0 mm ²	र.मी	3963.00	4513.00	4513.00
	185.0 mm ²	र.मी		5570.00	5570.00
	240.0 mm ²	र.मी		7261.00	7261.00
	300.0 mm ²	र.मी		9128.00	9128.00
	400.0 mm ²	र.मी		12235.00	12235.00
	c) 3 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	96.00	109.00	109
	2.5 mm ²	र.मी	139.00	159.00	159.00
	4.0 mm ²	र.मी	203.00	233.00	233.00
	6.0 mm ²	र.मी	289.00	326.00	326.00
	10.0 mm ²	र.मी	455.00	521.00	521.00
	16.0 mm ²	र.मी	664.00	756.00	756.00
	25.0 mm ²	र.मी	1018.00	1187.00	1187.00
	35.0 mm ²	र.मी	1370.00	1621.00	1621.00
	50.0 mm ²	र.मी	1928.00	2200.00	2200.00
	70.0 mm ²	र.मी	2678.00	3132.00	3132.00
	95.0 mm ²	र.मी	3642.00	4324.00	4324.00
	120.0 mm ²	र.मी	4606.00	5483.00	5483.00


 Page 221



विद्युत्तिय सामाग्रीहरु
 निर्माण सरकार
 हि. मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामाग्रीहरुको विवरण	काई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	150.0 mm ²	र.मी	5677.00	6772.00	6772.00
	185.0 mm ²	र.मी		8370.00	8370.00
	240.0 mm ²	र.मी		10932.00	10932.00
	300.0 mm ²	र.मी		13732.00	13732.00
	400.0 mm ²	र.मी		18411.00	18411.00
	d) 3.5 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	1253.00	1447.00	1447
	35.0 mm ²	र.मी	1606.00	1884.00	1884.00
	50.0 mm ²	र.मी	2249.00	2615.00	2615.00
	70.0 mm ²	र.मी	3133.00	3708.00	3708.00
	95.0 mm ²	र.मी	4231.00	5096.00	5096.00
	120.0 mm ²	र.मी	5570.00	6592.00	6592.00
	150.0 mm ²	र.मी	6588.00	7884.00	7884.00
	185.0 mm ²	र.मी		9897.00	9897.00
	240.0 mm ²	र.मी		12870.00	12870.00
	300.0 mm ²	र.मी		16615.00	16615.00
	400.0 mm ²	र.मी		21530.00	21530.00
	e) 4 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	117.00	134.00	134
	2.5 mm ²	र.मी	176.00	199.00	199.00
	4.0 mm ²	र.मी	262.00	298.00	298.00
	6.0 mm ²	र.मी	364.00	419.00	419.00
	10.0 mm ²	र.मी	578.00	679.00	679.00
	16.0 mm ²	र.मी	878.00	1017.00	1017.00
	25.0 mm ²	र.मी	1370.00	1589.00	1589.00
	35.0 mm ²	र.मी	1842.00	2172.00	2172.00
	50.0 mm ²	र.मी	2570.00	2962.00	2962.00
	70.0 mm ²	र.मी	3589.00	4219.00	4219.00
	95.0 mm ²	र.मी	4874.00	5808.00	5808.00
	120.0 mm ²	र.मी	6159.00	7378.00	7378.00
	150.0 mm ²	र.मी	7659.00	9128.00	9128.00
	185.0 mm ²	र.मी	9426.00	11282.00	11282.00
	240.0 mm ²	र.मी	12747.00	14719.00	14719.00
	300.0 mm ²	र.मी	15425.00	18495.00	18495.00
	400.0 mm ²	र.मी	20888.00	24795.00	24795.00
53	Aluminium Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				




विद्युत्त सामग्रीहरु
 गणतन्त्र नेपाल

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	a) 2 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	96.00	96.00	96
	4.0 mm ²	र.मी	122.00	114.00	114.00
	6.0 mm ²	र.मी	139.00	132.00	132.00
	10.0 mm ²	र.मी	166.00	160.00	160.00
	16.0 mm ²	र.मी	187.00	181.00	181.00
	25.0 mm ²	र.मी	224.00	220.00	220.00
	35.0 mm ²	र.मी	256.00	248.00	248.00
	50.0 mm ²	र.मी	331.00	305.00	305.00
	70.0 mm ²	र.मी	412.00	397.00	397.00
	95.0 mm ²	र.मी	525.00	493.00	493.00
	120.0 mm ²	र.मी		592.00	592.00
	150.0 mm ²	र.मी		723.00	723.00
	185.0 mm ²	र.मी		882.00	882.00
	240.0 mm ²	र.मी		1070.00	1070.00
	300.0 mm ²	र.मी		1314.00	1314.00
	400.0 mm ²	र.मी		1661.00	1661.00
	b) 3 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी			0
	2.5 mm ²	र.मी	112.00	111.00	111
	4.0 mm ²	र.मी	139.00	132.00	132.00
	6.0 mm ²	र.मी	154.00	153.00	153.00
	10.0 mm ²	र.मी	187.00	192.00	192.00
	16.0 mm ²	र.मी	214.00	210.00	210.00
	25.0 mm ²	र.मी	289.00	284.00	284.00
	35.0 mm ²	र.मी	348.00	330.00	330.00
	50.0 mm ²	र.मी	444.00	412.00	412.00
	70.0 mm ²	र.मी	562.00	539.00	539.00
	95.0 mm ²	र.मी	513.00	695.00	695.00
	120.0 mm ²	र.मी	867.00	836.00	836.00
	150.0 mm ²	र.मी	1044.00	1006.00	1006.00
	185.0 mm ²	र.मी	1285.00	1244.00	1244.00
	240.0 mm ²	र.मी	1574.00	1544.00	1544.00
	300.0 mm ²	र.मी	1928.00	1877.00	1877.00
	400.0 mm ²	र.मी	2410.00	2390.00	2390.00
	c) 3.5 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	331.00	336.00	


 Page 223



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२	
		35.0 mm ²	र.मी	385.00	387.00	387.00
		50.0 mm ²	र.मी	508.00	496.00	496.00
		70.0 mm ²	र.मी	653.00	656.00	656.00
		95.0 mm ²	र.मी	835.00	829.00	829.00
		120.0 mm ²	र.मी	1018.00	1031.00	1031.00
		150.0 mm ²	र.मी	1220.00	1215.00	1215.00
		185.0 mm ²	र.मी	1477.00	1495.00	1495.00
		240.0 mm ²	र.मी	1842.00	1860.00	1860.00
		300.0 mm ²	र.मी	2303.00	2260.00	2260.00
		400.0 mm ²	र.मी	2892.00	2790.00	2790.00
	d) 4 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694					
		2.5 mm ²	र.मी	128.00	128.00	128
		4.0 mm ²	र.मी	161.00	153.00	153.00
		6.0 mm ²	र.मी	187.00	188.00	188.00
		10.0 mm ²	र.मी	203.00	206.00	206.00
		16.0 mm ²	र.मी	262.00	260.00	260.00
		25.0 mm ²	र.मी	353.00	355.00	355.00
		35.0 mm ²	र.मी	418.00	415.00	415.00
		50.0 mm ²	र.मी	569.00	546.00	546.00
		70.0 mm ²	र.मी	728.00	708.00	708.00
		95.0 mm ²	र.मी	937.00	889.00	889.00
		120.0 mm ²	र.मी	1125.00	1105.00	1105.00
		150.0 mm ²	र.मी	1424.00	1346.00	1346.00
		185.0 mm ²	र.मी	1692.00	1629.00	1629.00
		240.0 mm ²	र.मी	2120.00	2040.00	2040.00
		300.0 mm ²	र.मी	2624.00	2472.00	2472.00
		400.0 mm ²	र.मी	3320.00	3165.00	3165.00
54	Aluminium conductor unarmoured (power) cable NS marked or eqv.					
	a) 1 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694					
		16.0 mm ²	र.मी	54.00	54.00	54
		25.0 mm ²	र.मी	74.00	75.00	75.00
		35.0 mm ²	र.मी	91.00	93.00	93.00
		50.0 mm ²	र.मी	117.00	118.00	118.00
		70.0 mm ²	र.मी	149.00	153.00	153.00
		95.0 mm ²	र.मी	203.00	203.00	203.00
		120.0 mm ²	र.मी	246.00	248.00	248.00
		150.0 mm ²	र.मी	406.00	308.00	308.00
		185.0 mm ²	र.मी	375.00	383.00	383.00

Page 224

विद्युत निर्माण सामग्रीहरू


नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरूको विवरण	इकाई	मु.अ.क. बाहेकको दररेट			
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२	
		240.0 mm ²	र.मी	460.00	468.00	468.00
		300.0 mm ²	र.मी	557.00	581.00	581.00
		400.0 mm ²	र.मी		737.00	737.00
		630.0 mm ²	र.मी		1215.00	1215.00
	b) 2 Core, Aluminium Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694					
		2.5 mm ²	र.मी	48.00	50.00	50
		4.0 mm ²	र.मी	60.00	64.00	64.00
		6.0 mm ²	र.मी	72.00	82.00	82.00
		10.0 mm ²	र.मी	97.00	104.00	104.00
		16.0 mm ²	र.मी	107.00	139.00	139.00
		25.0 mm ²	र.मी	149.00	156.00	156.00
		35.0 mm ²	र.मी	192.00	185.00	185.00
		50.0 mm ²	र.मी	246.00	238.00	238.00
		70.0 mm ²	र.मी	310.00	316.00	316.00
		95.0 mm ²	र.मी	418.00	400.00	400.00
		120.0 mm ²	र.मी		493.00	493.00
		150.0 mm ²	र.मी		613.00	613.00
		185.0 mm ²	र.मी		758.00	758.00
		240.0 mm ²	र.मी		936.00	936.00
		300.0 mm ²	र.मी		1162.00	1162.00
		400.0 mm ²	र.मी		1491.00	1491.00
	c) 3 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694					
		2.5 mm ²	र.मी	54.00	57.00	57
		4.0 mm ²	र.मी	72.00	75.00	75.00
		6.0 mm ²	र.मी	91.00	93.00	93.00
		10.0 mm ²	र.मी	115.00	124.00	124.00
		16.0 mm ²	र.मी	149.00	167.00	167.00
		25.0 mm ²	र.मी	214.00	252.00	252.00
		35.0 mm ²	र.मी	268.00	270.00	270.00
		50.0 mm ²	र.मी	353.00	344.00	344.00
		70.0 mm ²	र.मी	471.00	461.00	461.00
		95.0 mm ²	र.मी	620.00	613.00	613.00
		120.0 mm ²	र.मी	771.00	752.00	752.00
		150.0 mm ²	र.मी	921.00	921.00	921.00
		185.0 mm ²	र.मी	1156.00	1155.00	1155.00
		240.0 mm ²	र.मी	1435.00	1452.00	1452.00
		300.0 mm ²	र.मी	1821.00	1785.00	1785.00
		400.0 mm ²	र.मी		2302.00	2302.00

Handwritten signatures and stamps at the bottom left of the page.

Handwritten signature and stamp at the bottom right of the page.

विद्युत्तिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाइ	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	d) 3.5 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	268.00	273.00	273.00
	35.0 mm ²	र.मी	321.00	330.00	330.00
	50.0 mm ²	र.मी	428.00	436.00	436.00
	70.0 mm ²	र.मी	589.00	596.00	596.00
	95.0 mm ²	र.मी	771.00	772.00	772.00
	120.0 mm ²	र.मी	964.00	988.00	988.00
	150.0 mm ²	र.मी	1156.00	1158.00	1158.00
	185.0 mm ²	र.मी	1446.00	1452.00	1452.00
	240.0 mm ²	र.मी	1821.00	1848.00	1848.00
	300.0 mm ²	र.मी	2249.00	2266.00	2266.00
	400.0 mm ²	र.मी		2914.00	2914.00
	e) 4 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी			
	2.5 mm ²	र.मी	74.00	64.00	64.00
	4.0 mm ²	र.मी	85.00	89.00	89.00
	6.0 mm ²	र.मी	101.00	107.00	107.00
	10.0 mm ²	र.मी	139.00	160.00	160.00
	16.0 mm ²	र.मी	203.00	216.00	216.00
	25.0 mm ²	र.मी	299.00	302.00	302.00
	35.0 mm ²	र.मी	364.00	372.00	372.00
	50.0 mm ²	र.मी	503.00	504.00	504.00
	70.0 mm ²	र.मी	664.00	666.00	666.00
	95.0 mm ²	र.मी	878.00	864.00	864.00
	120.0 mm ²	र.मी	1071.00	1095.00	1095.00
	150.0 mm ²	र.मी	1339.00	1356.00	1356.00
	185.0 mm ²	र.मी	1660.00	1661.00	1661.00
	240.0 mm ²	र.मी	2089.00	2107.00	2107.00
	300.0 mm ²	र.मी	2570.00	2581.00	2581.00
	400.0 mm ²			3342.00	3342.00
E	CABLE MANAGEMENT				
	Pregalvanized Cable Tray & Raceways				
55	LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)				
	Pre Galvanized (275Gsm) Bolted Rungs Type 100mm ladder Cable Tray	र.मी	3354.00	3368.00	3368.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 150mm ladder Cable Tray	र.मी	2600.00	2611.00	2611.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 200mm ladder Cable Tray	र.मी	1924.00	1932.00	1932.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 300mm ladder Cable Tray	र.मी	1716.00	1723.00	1723.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 400mm ladder Cable Tray	र.मी	1508.00	1514.00	1514.00

Page 226

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
56	Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts – 2500MM Long				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap- 100mm	र.मी	2678.00	2689.00	2689.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap- 150mm	र.मी	3380.00	3394.00	3394.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap- 200mm	र.मी	3640.00	3655.00	3655.00
57	Perforated Cable Tray 1.6mm Thick–2500mm Long,Pre Galvanized				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)		1175	1350.00	1350.00
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)		1462	1680.00	1680.00
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)		1775	2040.00	2040.00
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)		2088	2400.00	2400.00
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)		3184	3660.00	3660.00
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)		4072	4680.00	4680.00
58	Perforated Cable Tray 2mm Thick–2500mm Long, Pre Galvanized (275 Gsm)				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी	1227	1222.00	1222.00
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी	1514	1508.00	1508.00
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी	1853	1846.00	1846.00
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी	2141	2132.00	2132.00
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी	3300	3286.00	3286.00
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी	4209	4191.00	4191.00
59	Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre- Galvanized	र.मी	2063	2055.00	2055.00
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre- Galvanized	र.मी	4230	4212.00	4212.00
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre- Galvanized	र.मी	6528	6500.00	6500.00
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
60	CABLE SUPPORT SYSTEM - FINISH - (275GSM)				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी	832.00	835.00	835.00
	Rung slotted "C CHANEL" - Pre Galvanized (PG 275)	र.मी	546.00	548.00	548.00
	Punched Flate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी	780.00	783.00	783.00
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा	572.00	574.00	574.00
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा	598.00	600.00	600.00
	M8-Threaded rod Electroplated,1000 mm long	र.मी	197.00	198.00	198.00



सि.नं	निर्माण सामग्रीहरुको विवरण प्रकाशन कार्यालय ललितपुर	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	M10-Threaded rod Electroplated,1000 mm long	र.मी	301.00	302.00	302.00
	Rod coupler, M-8,Electroplated	गोटा	98.00	99.00	99.00
	Rod coupler, M-10,Electroplated	गोटा	109.00	109.00	109.00
	WDJ Coupler 100,150 & 200 mm	गोटा	598.00	600.00	600.00
	275 gsm Pregalvanized Junction Box	गोटा	2600.00	2611.00	2611.00
	Coupler for BRT 900,750,450,300 & 150MM	गोटा	260.00	261.00	261.00
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा	286.00	287.00	287.00
	Bottle Bracket for BRT 100 X50MM	गोटा	260.00	261.00	261.00
	Bottle Bracket for BRT 150 X50MM	गोटा	416.00	417.00	417.00
	Bottle Bracket for PCT 200 X50MM	गोटा	572.00	574.00	574.00
	METAL GRIP/FASTNER	गोटा	93.00	94.00	94.00
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा	5200.00	5222.00	5222.00
	BRT Hardware/PCT Hardware	गोटा	31.00	31.00	31.00
	uPVC CONDUITS & ACCESSERIES				
61	FRLS Conduit of MEDIUM/HEAVY MECHANICAL STRESS(MMS)				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/Blue/Green, FRLS Conduit	र.मी	111	115.00	115.00
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit	र.मी	139	144.00	144.00
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit	र.मी	261	271.00	271.00
	Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	90	93.00	93.00
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	100	104.00	104.00
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	214	222.00	222.00
62	DEEP TYPE				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	145	150.00	150.00
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	172	178.00	178.00
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	225	234.00	234.00
63	SADDLE, COUPLER, BEND, ELBOW, TEE, BUSH ADAPTOR				
	20/25MM Round U Clip/Space Bar saddle	गोटा	42	43.00	43.00
	20/25MM Coupler	गोटा	25	26.00	26.00
	20/25 mm slip type Bend	गोटा	89	92.00	92.00
	20/25mm Round Elbow	गोटा	44	45.00	45.00
	20/25mm Round Tee	गोटा	61	63.00	63.00
	20/25mm Male/female Bush Adaptor	गोटा	40	41.00	41.00
64	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE				
	16/20/25 MM Flexiable conduits pipe	र.मी	91	94.00	94.00
	32/40mm flexiable conduits pipe	र.मी	176	183.00	183.00
65	FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS				
	16/20/25 MM FLEXIBLE CONDUITS PIPE	र.मी	120	124.00	124.00
	32/40 MM FLEXIBLE CONDUITS PIPE	र.मी	205	213.00	213.00
66	FLEXIBLE PIPE GLAND				
	16/20/25MM PVC GLAND	गोटा	75	78.00	78.00
	32/40MM PVC GLAND	गोटा	107	111.00	111.00

Handwritten signatures and stamps at the bottom of the page. On the right, there is a blue stamp that reads 'प्रमुख जिल्ला अधिकारी' (Chief District Officer) with a signature over it.


विद्युतिय सामग्रीहरु
 नेपाल सरकार
 गृह मन्त्रालय
 जिल्ला प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	मापकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
67	uPVC MINI/MAXI TRUNKING PROFILE(LISTY) made with unplastidices polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance, fire retardant,corrosion free, thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी	45	46.00	46.00
	25x15mm	र.मी	58	60.00	60.00
	50x50mm	र.मी	480	499.00	499.00
	50x100mm	र.मी	1860	1934.00	1934.00
68	PVC Listy Double Lock				0.00
	½ " breadth	सेट	32.00	32.00	32.00
	¾"	सेट	48.00	48.00	48.00
	1"	सेट	69.00	69.00	69.00
	1 1/2,,	सेट	134.00	134.00	134.00
	2"	सेट	150.00	150.00	150.00
69	Accessories				
	½"-2" size Saddle	र.मी	8.00	8.00	8.00
	Grips (Denmark)	गोटा	6.00	6.00	6.00
	Steel screws	गोटा	2.00	2.00	2.00
	PVC Tape	गोटा	15.00	15.00	15.00
70	TABLE FAN, CEILING FANS & EXHAUST Fans, (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	36" size ceiling Fan	गोटा	2249.52	2259.00	2259.00
	42" size " "	गोटा	2356.64	2366.00	2366.00
	48" size " "	गोटा	2410.72	2151.00	2151.00
	56" size " "	गोटा	2678.00	2689.00	2689.00
	6" Exhaust Fan	गोटा	1553.76	1560.00	1560.00
	8" EXHAUST FAN PLASTIC WHITE	गोटा	1976.00	1984.00	1984.00
	9" Exhaust Fan	गोटा	1875.12	2365.00	2365.00
	10" EXHAUST FAN PLASTIC WHITE	गोटा	2142.40	2151.00	2151.00
	16" size wall fan	गोटा	2946.32	2959.00	2959.00
	12" size exhaust fan	गोटा	2678.00	2736.00	2736.00
	16" TABLE FAN	गोटा	2735.20	2747.00	2747.00
	18" TABLE FAN GOLD	गोटा	3000.40	3013.00	3013.00
	16" WALL FAN	गोटा	2324.40	2334.00	2334.00
	18" STAND FAN GOLD	गोटा	3432.00	3446.00	3446.00
	16" STAND FAN	गोटा	2766.40	2778.00	2778.00
	16" STAND FAN 3 BLADES	गोटा	2366.00	2376.00	2376.00
	18" WALL FAN REMOTE	गोटा	3286.40	3300.00	3300.00
71	Decorative Fans				
	56" Ceiling Fan	गोटा	3975.00	3975.00	3975.00
	48"Ceiling Fan	गोटा	3425.00	3425.00	3425.00
72	Economy Plain Faus				
	56" Ceiling Fan	गोटा	3700.00	3700.00	3700.00
	48" Power Saver Ceiling Fan -50 W	गोटा	3800.00	3800.00	3800.00
	36" Ceiling Fan	गोटा	2900.00	2900.00	2900.00
	24" Ceiling Fan (High Speed)	गोटा	2800.00	2800.00	2800.00
73	Table / Pedestal / Wall Fans				

विद्युति सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	कार्ड	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	18" Table/Pedstal/Wall Fan	गोटा	6900.00	6900.00	6900.00
	20" Tabel/ Pedstal/Wall Fan	गोटा	7480.00	7480.00	7480.00
	16" Pedestal Fan	गोटा	5150.00	5150.00	5150.00
	16" High Speed Table Fan	गोटा	4500.00	4500.00	4500.00
	16" High Speed Wall Fan	गोटा	4500.00	4500.00	4500.00
74	Ventilation / Exhaust Fans				
	6" Ventilation Exhaust Fan	गोटा	2000.00	2000.00	2000.00
	8" Ventilation Exhaust Fan	गोटा	2090.00	2090.00	2090.00
	10" Ventilation Exhaust Fan	गोटा	2475.00	2475.00	2475.00
	4" Moduler Ventilation Exhaust	गोटा	2200.00	2200.00	2200.00
	6" Moduler Ventilation Exhaust	गोटा	2475.00	2475.00	2475.00
	9"Open Metal Exhaust	गोटा	2975.00	2975.00	2975.00
	12"Open Metal Exhaust	गोटा	3475.00	3475.00	3475.00
F	Luminaires & Fixtures				
72	LED BULB				
	0.5W , LED with E14/B22/E27 Base, Color/3000K/4000K/6500K	गोटा	63.00	63.00	63.00
	3W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	124.00	124.00	124.00
	5W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	139.00	139.00	139.00
	7W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	9W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	12W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	270.00	270.00	270.00
	14/15W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	342.00	342.00	342.00
	20/23W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	522.00	522.00	522.00
	30W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	783.00	783.00	783.00
	40W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1007.00	1007.00	1007.00
	50W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1262.00	1262.00	1262.00
	4W E14 TAIL WARM	गोटा	250.00	250.00	250.00
	4W E14 NON TAIL WARM	गोटा	230.00	230.00	230.00
	SMART LED BULB				
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा	455.00	455.00	455.00
73	Fluorescent Tube light (FTL) set including Tube,condenser, starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . (G+jlGwt pTkfbs /f16«sfl u'0f:t/ lrGx klkKt				
	1x20 watt FTL (Patti fittings)	सेट	464.00	484.00	484.00
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	775.00	809.00	809.00
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	876.00	914.00	914.00
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	1020.00	1065.00	1065.00
	1x40 watt FTL box fittings	सेट	1159.00	1210.00	1210.00
	2x40 watt FTL box fittings	सेट	1751.00	1828.00	1828.00
	1x40 watt FTL Industrial channel	सेट	1782.00	1861.00	1861.00
	2x40 watt FTL Industrial channel	सेट	2287.00	2388.00	2388.00
	1x40 watt FTL, opalite with opal Arcylic dissuser .	सेट	1854.00	1936.00	1936.00

Page 230

विद्युत्तिय सामग्रीहरु



प्रमुख कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2x40 watt FTL, oplite with opal Arcylic dissuser	सेट	3090.00	3227.00	3227.00
	4x20 watt FTL, oplite WCF 93418	सेट	5410.00	5650.00	5650.00
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting	सेट	5410.00	5650.00	5650.00
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	3554.00	3712.00	3712.00
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke	सेट	4326.00	4518.00	4518.00
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvrer Complete set	सेट	9383.00	9800.00	9800.00
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	8245.00	8611.00	8611.00
74	Compact Fluorescent Lamp (CFL) based Luminaries set all complete (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	2 x 18 W CFL recessed/surface mounting <u>mirror Optic</u> Complete Set	सेट	2785.00	2678.00	2678.00
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	1906.00	1914.00	1914.00
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	2356.00	2366.00	2366.00
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luvrer Complete set	सेट	6309.00	6336.00	6336.00
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	7096.00	7127.00	7127.00
	Recess mounting Direct Indirect LED luninare	सेट	11247.00	11296.00	11296.00
	Recess mounting Direct Indirect LED luninare	सेट	14622.00	14685.00	14685.00
	Recess Surface mounted LED luminate	सेट	13872.00	13932.00	13932.00
	Hight efficiency circular LED Down Lighter	सेट	3374.00	3389.00	3389.00
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	15184.00	15249.00	15249.00
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	1125.00	1130.00	1130.00
	Circular LED wall/Dome Light suitable for true ceiling	सेट	3374.00	3389.00	3389.00
	Square LED Wall/Dome light suitable for true ceiling	सेट	3374.00	3389.00	3389.00
	Recess mounted indirect and direct luminaries	सेट	6374.00	6401.00	6401.00
	2x36 Watt CFL Surface Mirror Optic	सेट	6374.00	6401.00	6401.00
75	LUMINARIES Accessories -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	500 watt halogen rod	गोटा	241.00	242.00	242.00
	1000 watt halogen rod	गोटा	289.00	290.00	290.00
	70Watt SON Lamp (Sodium Vapour)	गोटा	867.00	871.00	871.00
	150 watt sodium vapour bulb	गोटा	1349.00	1355.00	1355.00
	250 watt sodium vapour bulb	गोटा	1768.00	1775.00	1775.00
	20-40 watt FTL rod	गोटा	83.00	83.00	83.00
	20-40 watt FTL Copper chowk.	गोटा	268.00	269.00	269.00
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	428.00	430.00	430.00
	Acrylye cover for 4x20 FTL	गोटा	1028.00	1033.00	1033.00
	FTL starter	गोटा	19.00	19.00	19.00
	8 W to 11W, C.F.L.Direct fit	गोटा	241.00	242.00	242.00
	13 to 22W , C.F.L.Direct fit	गोटा	310.00	312.00	312.00
	15-100 watt bulb.(ISI)	गोटा	27.00	27.00	27.00
	9W/86 (CFL)	गोटा	171.00	172.00	172.00
	11W/86 (CFL)	गोटा	182.00	182.00	182.00

यु.पि. / मु.अ.क.

मु.अ.क.

मु.अ.क.

Page 231

प्रमुख जिल्ला अधिकारी

प्रमुख जिल्ला अधिकारी



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	36W/86 (CFL)	गोटा	433.00	435.00	435.00
	125W HPL-N (Mercury Vapour)	गोटा	385.00	387.00	387.00
	250W HPL-N	गोटा	911.00	914.00	914.00
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	375.00	377.00	377.00
	12V/3W LED bulb	गोटा	428.00	430.00	430.00
	12V/4W LED bulb	गोटा	482.00	484.00	484.00
76	DOME/DOOM LIGHT				
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा	2964.00	2976.00	2976.00
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा	2964.00	2976.00	2976.00
	20W DOOM LIGHT LIPER RD 2700K	गोटा	1820.00	1827.00	1827.00
	20W DOOM LIGHT LIPER RD 6500K	गोटा	1820.00	1827.00	1827.00
	30W DOOM LIGHT LIPER RD 2700K	गोटा	2288.00	2297.00	2297.00
	30W DOOM LIGHT LIPER RD 6500K	गोटा	2288.00	2297.00	2297.00
	20W BALLKIT 6500K	गोटा	1924.00	1932.00	1932.00
	Dome light (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	6" Milky type decorative dome light	सेट	187.20	188.00	188.00
	6" Brass base decorative dome light	सेट	765.44	768.00	768.00
	8"Milky type decorative dome light	सेट	236.08	237.00	237.00
	8" Brass base decorative dome light	सेट	911.04	914.00	914.00
	8" Silver cast Milky base Decorative Dome Light	सेट	1151.28	1156.00	1156.00
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	589.68	592.00	592.00
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	1261.52	1266.00	1266.00
	PANEL DOWN LIGHTS				
	General Segment				
77	RECESS PANEL DOWN LIGHT				
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 70\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life $> 15,000$ hours having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		372.00	372.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		464.00	464.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		640.00	640.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		700.00	700.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		756.00	756.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		800.00	800.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1008.00	1008.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1056.00	1056.00
78	SURFACE PANEL DOWN LIGHT				

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

प्रमुख जिल्ला अधिकारी



विद्युत्तिय सामग्रीहरु
प्रशासन विभाग
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥ 70 lm/w, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CR ≥ 70 , Burning Life $>15,000$ hours having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		612.00	612.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		775.20	775.20
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		880.00	880.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		940.00	940.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		996.00	996.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1080.00	1080.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1248.00	1248.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1296.00	1296.00
	Mid Segment				
79	RECESS PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: ≥ 75 lm/w, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CR ≥ 70 , SPD: 2KV, Burning Life $>25,000-35000$ hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		560.00	560.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		928.00	928.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1840.00	1840.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2040.00	2040.00
80	SURFACE PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: ≥ 75 lm/w, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CR ≥ 70 , SPD: 2KV, Burning Life $>25,000-35000$ hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		720.00	720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		928.00	928.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1520.00	1520.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2080.00	2080.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2480.00	2480.00
81	RECESS PANEL DOWN LIGHT, BACKLIT				

Page 233

 प्रमुख जिल्ला अधिकारी



विद्युतिय सामग्रीहरु

निर्माण सामग्रीहरुको विवरण
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $> 25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		692.00	692.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		660.00	660.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		968.00	968.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1364.00	1364.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1680.00	1680.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1680.00	1680.00
82	SURFACE PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $> 25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		880.00	880.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1120.00	1120.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		792.00	792.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1672.00	1672.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1796.00	1796.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1860.00	1860.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2300.00	2300.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2520.00	2520.00
	Standard Segment				
83	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $> 40,000$ -50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1160.00	1160.00
	8/9W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1640.00	1640.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1920.00	1920.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2224.00	2224.00
	22/24W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2400.00	2400.00
84	SURFACE PANEL DOWN LIGHT, BACKLIT				

Handwritten signatures and marks

Handwritten signature

Handwritten signature

ललितपुर जिल्ला अधिकारी




त्रिभुजिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण प्रमाणन कार्यालय ललितपुर	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $<10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $>40,000-50,000$ hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1340.00	1340.00
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1584.00	1584.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1860.00	1860.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2072.00	2072.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2416.00	2416.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2668.00	2668.00
85	DEEP RECESSED DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $<10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $>40,000-50,000$ hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1000.00	1000.00
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1632.00	1632.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1920.00	1920.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2224.00	2224.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2868.00	2868.00
	COB DOWN LIGHTS				
	General Segment				
86	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life $>25,000-30,000$ hours, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		301.60	301.60
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		740.00	740.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1188.00	1188.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1220.00	1220.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1064.00	1064.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2400.00	2400.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3024.00	3024.00

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads 'प्रमुख निवेदन अधिकारी' (Chief Officer).


विद्युत्तिय सामग्रीहरु
 नेपाल सरकार
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	मात्रा	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3392.00	3392.00
87	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life >25000 -30,000 hours, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser, having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		720.00	720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1020.00	1020.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1292.00	1292.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1496.00	1496.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1688.00	1688.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2040.00	2040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2480.00	2480.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2880.00	2880.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3520.00	3520.00
	Mid Segment				
88	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, THD $< 10\%$, CRI ≥ 70 , SPD: 2KV, CRI ≥ 80 , Burning Life >25000 -30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1000.00	1000.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1040.00	1040.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2000.00	2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2760.00	2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3784.00	3784.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4640.00	4640.00
89	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, THD $< 10\%$, CRI ≥ 70 , SPD: 2KV, CRI ≥ 80 , Burning Life >25000 -30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		720.00	720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00


 Page 236
 प्रमुख अधिकारी


विद्युत्तिय सामग्रीहरु
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1520.00	1520.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1984.00	1984.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2400.00	2400.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3116.00	3116.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3600.00	3600.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4400.00	4400.00
	Standard Segment				





प्रमुख जिल्ला अधिकारी








विद्युत्तिय सामग्रीहरु
निर्माण सरकार
प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	प्रकार	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
90	COB DOWN LIGHT, RECESSED MOUNTED COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1040.00	1040.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1040.00	1040.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2000.00	2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2760.00	2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4320.00	4320.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4640.00	4640.00
91	COB DOWN LIGHT, SURFACE MOUNTED COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1440.00	1440.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2000.00	2000.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2524.00	2524.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3040.00	3040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3292.00	3292.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3840.00	3840.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		5088.00	5088.00

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads "प्रमुख जिल्ला अधिकारी" (Chief District Officer).


विद्युत् सामग्रीहरू
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरूको विवरण	प्रकार	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
92	Cylindrical COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: $\geq 70\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CR ≥ 80 , SPD: 2.5/4 KV, Burning Life $> 40,000-50000$ hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	7W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11152.00	11152.00	11152.00
	12W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11696.00	11696.00	11696.00
	15W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	12512.00	12512.00	12512.00
	18W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	13056.00	13056.00	13056.00
	COMMERCIAL LIGHTS				

प्रमुख जिल्ला अधिकारी



विद्युत्तिय सामग्रीहरु

मन्त्रालय
प्रासन्न कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	General & Mid Segment				
93	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Sheet Metal, Frame: Extruded aluminum, Trim Shape: Square/Rectangle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 10\%$, CRI ≥ 70 , SPD: 2.5 KV, Burning Life $> 25,000$ -30000 hours, LED Source: LED PCB with PC Lense or without having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1268.00	1268.00
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2160.00	2160.00
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2880.00	2880.00
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		5600.00	5600.00
94	SURFACE PANEL DOWN LIGHT, BACKLIT				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1440.00	1440.00
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2880.00	2880.00
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3600.00	3600.00
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		6400.00	6400.00
	Standard Segment				
95	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 4 KV, Burning Life $> 40,000$ -50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	सेट		1408.00	1408.00
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		2400.00	2400.00
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		3200.00	3200.00
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		5760.00	5760.00
	80W, 2ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		9600.00	9600.00
95	SURFACE PANEL DOWN LIGHT, BACKLIT				

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads "प्रासन्न जिल्ला... अधिकारी".



विद्युत्सामग्रीहरू

निर्माण सामग्रीहरूको विवरण प्रशासन कार्यालय ललितपुर

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Note: Surface mounted Frame/Templet is not allowed, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		1600.00	1600.00
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		3200.00	3200.00
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		4000.00	4000.00
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		6512.00	6512.00
	80W, 2ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		9680.00	9680.00
97	Clean Room LIGHT Clean Room LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, with options for bottom opening, top opening compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	33882.00	33882.00	33882.00
98	LINEAR LIGHTS DOWN LIGHTER LINEAR LIGHTS Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface/ Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट		3200.00	3200.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट		3360.00	3360.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट		4400.00	4400.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट		5200.00	5200.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट		6000.00	6000.00
99	UP-DOWN LIGHTER LINEAR LIGHTS				

Handwritten signature

Handwritten signature

Handwritten signature

प्रमुख निर्देश अधिकारी

विद्युतिय सामग्रीहरु
 नेपाल सरकार
 वि. मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRİ≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट		3680.00	3680.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट		4560.00	4560.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट		5760.00	5760.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट		6800.00	6800.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट		7600.00	7600.00
100	LED Trunking				
	LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	40W, 3000K/4000K/5700K/6000K/6500K	सेट	8470.00	8470.00	8470.00
	57W, 3000K/4000K/5700K/6000K/6500K	सेट	11670.00	11670.00	11670.00
	LED HANGING KIT	सेट	1882.00	1882.00	1882.00
101	LED TUBELIGHTS				
	4W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट		268.00	268.00
	4W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट		304.00	304.00
	8W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट		304.00	304.00
	8W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट		408.00	408.00
	18/20W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट		496.00	496.00
	18/20W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट		408.00	408.00
	36/40W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट		2376.00	2376.00
	36/40W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट		2228.00	2228.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 1X4 box type patti T-Led 1x20w	सेट		2956.00	2956.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 2X4 box type patti T-Led 2x20w	सेट		3580.00	3580.00
	Industrial Reflector 2X4 box type patti T-Led 2x20w	सेट		2956.00	2956.00
102	BATTEN LIGHTS				
	18/20W, 4 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट		496.00	496.00
	8/10W, 2Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट		464.00	464.00
	4/5W, 1 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट		360.00	360.00
	18/20W, 4 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट		624.00	624.00
	8/10W, 2 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट		544.00	544.00

प्रमुख निमित्त अधिकारी

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एककाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	4/5W,1 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट		496.00	496.00
	36/40W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	7529.00	7529.00	7529.00
	18/20W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	5647.00	5647.00	5647.00
	18 Watt, Batten 4 fLED luminaire with PIR Sensors	सेट	8344.00	8381.00	8381.00
	34 Watt Batten 4 fLED luminaire with PIR Sensors	सेट	11880.00	11932.00	11932.00
	47Watt Batten 4 fLED luminaire with PIR Sensors	सेट	15275.00	15341.00	15341.00
103	LED STRIP LIGHTS				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा	570.00	570.00	570.00
	Power adaptor 2A/5A	गोटा	2100.00	2100.00	2100.00
104	STRIP/COVE/ROPE LIGHT				
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र.मी.	538.00	538.00	538.00
	2A LED driver for strip light	गोटा	1275.00	1275.00	1275.00
	Rope light IP 66 400lm/watt LED Rope light	र.मी.	480.00	480.00	480.00
	IP 66 driver for rope light	गोटा	675.00	675.00	675.00
105	LED TRACK LIGHTS				
	3W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	1450.00	1450.00	1450.00
	6W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	1950.00	1950.00	1950.00
	9W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	2650.00	2650.00	2650.00
	16W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	4400.00	4400.00	4400.00
	24W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	5350.00	5350.00	5350.00
	30W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	6350.00	6350.00	6350.00
	40W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	8650.00	8650.00	8650.00
	50W @100lm/watt IP20 24*-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	9300.00	9300.00	9300.00
	Stick 1MTR for Track light	गोटा	1500.00	1500.00	1500.00
106	MAGNETIC TRACK LIGHTS				
	1 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा		3808.00	3808.00
	2 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा		7616.00	7616.00
	3 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा		11520.00	11520.00
	6W MAGNETIC LASER ,96MMX22MMX25MM TUNABLE DIMMING	गोटा		4800.00	4800.00
	12W MAGNETIC LASER ,192MMX22MMX25MM TUNABLE DIMMING	गोटा		6376.00	6376.00
	12W MAGNETIC WALL WASHER LASER TUNABLE DIMMING	गोटा		7040.00	7040.00
	7W MAGNETIC HANGING 300MM	गोटा		6080.00	6080.00

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and a signature that reads "मन्स जिल्ला अधिकारी".

विद्युति सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	10W MAGNETIC LINEAR ,300MMX22MMX25MM TUNABLE DIMMING	गोटा		4800.00	4800.00
	20W MAGNETIC LINEAR ,600MMX22MMX25MM TUNABLE DIMMING	गोटा		6880.00	6880.00
	12W MAGNETIC TRACK LIGHT ,45MMX142MM ,TUNABLE DIMMING	गोटा		6880.00	6880.00
	18W MAGNETIC TRACK LIGHT ,55MMX142MM ,TUNABLE DIMMING	गोटा		8448.00	8448.00
	L SHAPED RECESSED CONNECTOR	गोटा		2868.00	2868.00
	POWER SUPPLY	गोटा		1216.00	1216.00
	DOUBLE CONNECTOR	गोटा		2044.00	2044.00
	DIRECT CONDUCTIVE CONNECTOR SET	गोटा		2044.00	2044.00
	75W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा		3920.80	3920.80
	100W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा		5440.00	5440.00
	150W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा		7040.00	7040.00
107	Exit/Directional/ Information Signage				
	Exit/Directional/ Information Signage with slim and lightweight, visible from 20 mtrs with integral battery capacity of 3 hrs and bicoloured LED status indicator with customize symbols/letters or as required	सेट	12854.00	12910.00	12910.00
	Self Contained Emergency Down Light Recessed/Surface Mounted, with integral battery capacity of 3 hrs.	सेट	12854.00	12910.00	12910.00
	Self Contained emergency Twin Light, Wal Mounted with integral battery capacity of 3 hrs.	सेट	12854.00	12910.00	12910.00
108	Fixture Accessories				
	2x2 Surface/Recess Frame	सेट		1288.00	1288.00
	1x1 Surface/Recess Frame	सेट		928.00	928.00
	Suspension/Hanging/Clip Kit	सेट		1040.00	1040.00
G	OUTDOOR LIGHTING				
	HIGH BAY LIGHT				
109	High Bay Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥20 (or as Mentioned), Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense , compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा		5088.00	5088.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	20800.00	5364.00	5364.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	20800.00	8000.00	8000.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	24000.00	10208.00	10208.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	27200.00	11200.00	11200.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	35200.00	20480.00	20480.00

Handwritten signatures and initials.

Handwritten signatures and stamps.

विद्युत सामग्रीहरु



निर्माण सामग्रीहरुको विक्रय मूल्य तालिका
प्रशासन कार्यालय
ललितपुर



मु.अ.क. बाहेकको दररेट

सि.नं	विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
110	High Bay Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥150lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा		7328.00	7328.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	20800.00	8928.00	8928.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	20800.00	10208.00	10208.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	24000.00	10848.00	10848.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	27200.00	11392.00	11392.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	35200.00	22848.00	22848.00
FLOOD LIGHTS					
111	General				
	10W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	1780.00	920.00	920.00
	20W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	3170.00	1548.00	1548.00
	30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	3720.00	2456.00	2456.00
	50W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	6030.00	2712.00	2712.00
	100W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	10640.00	4608.00	4608.00
	150W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	16230.00	4852.00	4852.00
	200W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	27335.00	6376.00	6376.00
	10W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	2350.00	2160.00	2160.00
	20W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	3850.00	2760.00	2760.00
	30W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	4250.00	3656.00	3656.00
	50W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	4900.00	3920.00	3920.00
Mid Segment					
112	Flood Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 07, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens , Toughened glass cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		2492.00	2492.00
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		5760.00	5760.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		4048.00	4048.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		6064.00	6064.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		7968.00	7968.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		10800.00	10800.00


Handwritten signatures and stamps at the bottom of the page, including the name 'पुनःसजिल्ला अधिकारी'.


विद्युतिय सामग्रीहरु
 नेपाल सरकार
 गृह मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकक	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	गोटा		14400.00	14400.00
	400W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	गोटा		17600.00	17600.00
	Standard Segment				
113	Flood Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. ≥ 0.9 , IP ≥ 65 , IK 08, Flicker Free Light, THD $< 10\%$, CRI ≥ 70 , SPD: 4/10 KV, Burning Life > 50000 hours, Luminous Efficacy: $\geq 120\text{lm/w}$, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, Toughened glass cover, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		3392.00	3392.00
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		5760.00	5760.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		7968.00	7968.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		8892.00	8892.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		11760.00	11760.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		14400.00	14400.00
	Tunnel Lights				
114	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	60W	गोटा	7595.00	6680.00	6680.00
	120W	गोटा	131765.00	22240.00	22240.00
	180W	गोटा	169411.00	33920.00	33920.00
	240W	गोटा	235295.00	41600.00	41600.00
	Street Light				
115	General Segment				
	LED AC Street light 24 W with auto on-off switch and auto dimming opetion including all accesories and excludng installation	गेटा		7000.00	7000.00
	LED AC Street light 30/36 W with auto on-off switch and auto dimming opetion including all accesories and excludng installation	सेट	5720.00	5744.00	5744.00
	LED AC Street light 50W with auto on-off switch and auto dimming opetion including all accesories and excludng installation	गेटा	6760.00	9000.00	9000.00
	LED AC Street light 100 W with auto on-off switch and auto dimming opetion including all accesories and excludng installation	गेटा	2742.48	16000.00	16000.00
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	सेट	4022.72	1613.00	1613.00
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	1606.80	3227.00	3227.00
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	3213.60	9682.00	9682.00
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	9640.80	1129.00	1129.00


 प्रमुख जिल्ला अधिकारी


 प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Single Piece deep drawn aluminum POT optics <u>road light luminaries</u> with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	1124.76	5486.00	5486.00
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	5463.12	2372.00	2372.00
	1X125W HPSV <u>street light</u> fixture with acrylic diffuser	सेट	2361.84	5346.00	5346.00
	2X60/100W GLS <u>aviation light</u> fixture all complete set	सेट	5323.76	5939.00	5939.00
	50W STREET LIGHT SENSOR	सेट	5913.44	6789.00	6789.00
116	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 07, Flicker Free, THD<10 %, CR≥70, Burning Life>25000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 1 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		1360.00	1360.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		2680.00	2680.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		4768.00	4768.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		4992.00	4992.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		6088.00	6088.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		7160.00	7160.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		10760.00	10760.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		15240.00	15240.00
	Mid Segment				
117	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 08, Flicker Free, THD<10 %, CR≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense ,compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		1760.00	1760.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		2804.00	2804.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		4820.00	4820.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		5088.00	5088.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		6240.00	6240.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		8400.00	8400.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		13440.00	13440.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		17920.00	17920.00
	Standard Segment				

अधिकारी


विद्युतिय सामग्रीहरु
 वि. मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकी	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
118	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 09, Flicker Free, THD<10 %, CRI≥70, SPD: 10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥130lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		2000.00	2000.00
	40-60W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		4328.00	4328.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		5088.00	5088.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		6240.00	6240.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		7168.00	7168.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		11840.00	11840.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		19200.00	19200.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		25600.00	25600.00
119	WALL LIGHT				
	Small Size wall Light	गोटा		1176.00	1176.00
	Medium Size wall Light	गोटा		1480.00	1480.00
	Large Size wall Light	गोटा		2000.00	2000.00
120	Wall bracket/spout light/mirror light bulk head ordinary	सेट	241.28	242.00	242.00
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	375.44	377.00	377.00
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	856.96	860.00	860.00
	1 x 11/13 watt CFL DOWN LIGHT with reflector & diffuser (conceal light) Complete Set	सेट	1006.72	1011.00	1011.00
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	सेट	1574.56	1581.00	1581.00
	Dining lamp.	सेट	1768.00	1775.00	1775.00
	Chandlers 6-8 lamp Medium	सेट	15693.60	15761.00	15761.00
	Chandlers 3-5 lamp Medium	सेट	11194.56	11242.00	11242.00
	Mirror Light Euro Light	सेट	482.56	484.00	484.00
	Picture light Euro Light POO2	सेट	696.80	699.00	699.00
	Wall spot Light E27 60W Euro or eqv.	सेट	375.44	377.00	377.00
	Exit Light safety sign(8.24)W	सेट	856.96	860.00	860.00
121	LED BULKHEAD				
	6W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	4090.00	2000.00	2000.00
	10W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	5500.00	2240.00	2240.00



विद्युतिय सामग्रीहरु
नेपाल सरकार
गृह मन्त्रालय
जिल्ला प्रशासन कार्यालय
ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकक	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	12/15W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	2850.00	2320.00	2320.00
	6/10/12/16W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Plastic Housing, Full Glow/Half Glow	गोटा		1600.00	1600.00
122	FOOT LIGHT/STEP LIGHT				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation, Square/Circle/ Rectangle Shape, Louvered/NonLouverd, Die-cast Aluminium, with required IP protection from dust and water, 3000K/4000K/5700K/6000K/6500K				
	2/3W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2200.00	1584.00	1584.00
	4/5W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2850.00	2850.00	2850.00
	6/7W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2420.00	2420.00	2420.00
	12/15W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	3225.00	3225.00	3225.00
123	GARDEN SPIKE LIGHT				
	COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा	3790.00	3790.00	3790.00
	12W	गोटा	5780.00	5780.00	5780.00
124	Ground LED ground burial				
	Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	1W 12V 30D	गोटा	2258.00	2258.00	2258.00
	2W 12V 30D	गोटा	3011.00	3011.00	3011.00
	Driver & accessories price extra for 12 V.	गोटा	2258.00	2258.00	2258.00
125	LED Ground Guide				
	Multiple lighting emission windows to make space out.	गोटा			
	3W 100-240V	गोटा	4141.00	4141.00	4141.00
	6W 100-240V	गोटा	6023.00	6023.00	6023.00
126	Ground Burial				
	Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	3W 20D 100-240V	गोटा	9411.00	9411.00	9411.00
	6W 20D 100-240V	गोटा	13552.00	13552.00	13552.00
	12W 20D 100-240V	गोटा	25411.00	25411.00	25411.00
	18W 20D 100-240V	गोटा	27294.00	27294.00	27294.00
	36W 20D 100-240V	गोटा	28235.00	28235.00	28235.00
	18W 20D 24V	गोटा	30117.00	30117.00	30117.00
	18W 20D 100-240V	गोटा	21647.00	21647.00	21647.00
127	Linear Ground Light				
	Linear Ground light makes space distinctive with more safety and convenience of installation				







विद्युतिषी सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2W 24V, RGB	गोटा	13176.00	13176.00	13176.00
	9W 24V, RGB	गोटा	17882.00	17882.00	17882.00
	7W 24V, RGB	गोटा	25411.00	25411.00	25411.00
	36W 24V, RGB, RGB	गोटा	32941.00	32941.00	32941.00
128	Bollard Light				
	Bulb Bollard Lights				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	2678.00	2689.00	2689.00
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3213.60	3227.00	3227.00
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3615.04	3630.00	3630.00
	General Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		4240.00	4240.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		5280.00	5280.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		6000.00	6000.00
	Mid Segment				0.00
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		4416.00	4416.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		5504.00	5504.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		8480.00	8480.00
	Standard Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		6288.00	6288.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		7328.00	7328.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		15120.00	15120.00
129	TOP POST LIGHT				
	Bulb Top Lanterns				
	8" Globe type Post top Lamp complete set	सेट	1472.64	1479.00	1479.00
	10" Globe type Post top Lamp complete set	सेट	2812.16	2824.00	2824.00
	Top Post Poles				0.00
	3M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		9600.00	9600.00
	3.5-4M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		12000.00	12000.00
	3M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		11200.00	11200.00



विद्युतीय सामग्रीहरु
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	3.5-4M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		14040.00	14040.00
	3M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		12400.00	12400.00
	3.5-4M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		15600.00	15600.00
	Top Post/ Gate Post Fixtures				0
	Top Post/Gate Light made of Die Cast Base and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		2800.00	2800.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and PMMA/ Reflector of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		5600.00	5600.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		19200.00	19200.00
	Top Post/Gate Light made of Die Cast Base, Die Cast Arm, Spun Die Cast of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		20000.00	20000.00
	Classical/Vintage Type Top Post/Gate Light made of Die Cast Aluminium body of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		22400.00	22400.00
130	Smart Lighting Fixtures:				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	4659.00	4569.00	4569.00
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	4076.00	3998.00	3998.00
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	2111.00	2070.00	2070.00
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	5096.00	4998.00	4998.00
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	2184.00	2142.00	2142.00
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा	2548.00	2499.00	2499.00
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा	2038.00	1999.00	1999.00



 प्रमुख जिल्हा अधिकारी

विद्युति सौभाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	800.00	785.00	785.00
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा	4295.00	4212.00	4212.00
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.	553.00	542.00	542.00
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	422.00	414.00	414.00
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा	1820.00	1785.00	1785.00
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	1128.00	1106.00	1106.00
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा	10094.00	9900.00	9900.00
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.	691.00	678.00	678.00
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा	138320.00	135660.00	135660.00
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा	18928.00	18564.00	18564.00
	Central Distribution Box: Suitable with modules	सेट	36400.00	35700.00	35700.00
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट	262080.00	257040.00	257040.00
	Software: PPS Programming software, we can also program and customize as per client request	सेट	407680.00	399840.00	399840.00
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा	101920.00	99960.00	99960.00
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switch, as per the confirmed technical details	गोटा	90272.00	88536.00	88536.00
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा	74256.00	72828.00	72828.00
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा	61152.00	59976.00	59976.00
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा	33488.00	32844.00	32844.00
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा	26208.00	25704.00	25704.00
	Distribution Box 1: Suitable with modules	सेट	65520.00	64260.00	64260.00
	Ceiling Light: Suitable with modules	गोटा	123760.00	121380.00	121380.00
131	Smart Automation and Control System:				
	Dimmable Driver 6W-50W	गोटा		4212.00	4212.00
	Dimmable-Tunable Driver 6W-50W	गोटा		4212.00	4212.00
	Dali-Dimmable Driver 6W-50W	गोटा		4212.00	4212.00
	Dali-Dimmable-Tunable Driver 6W-50W	गोटा		4212.00	4212.00
	Smart PIR Sensor Ceiling Mount Type	गोटा	20400.00	21307.00	21307.00
	Smart PIR Sensor Surface Mount Type	गोटा	21488.00	22444.00	22444.00
	Smart PIR Sensors Recessed Mount Type	गोटा	4216.00	4403.00	4403.00
	6 Button Keypad	गोटा	61200.00	63923.00	63923.00
	4 Button Keypad	गोटा	50320.00	52559.00	52559.00
	3 Channel Relay Dali Controller	गोटा	175984.00	183815.00	183815.00
	4 Channel Relay Controller	गोटा	81056.00	84662.00	84662.00
	DMX Controller	सेट	707200.00	710260.00	710260.00
	DMX Amplifier	सेट	212160.00	213078.00	213078.00
	15 V DC 1.5 Amps regulated power supply	गोटा	536656.00	62502.00	62502.00

[Handwritten signatures and initials]

[Handwritten signature]
Page 252

प्रमुख अधिकारी
[Handwritten signature]



विद्युतीय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	मोडेल/प्रकार	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	TCP/IP Protocol network gateway	गोटा	1754400.00	134949.00	134949.00
	PDTS Networked Touch Screen intelligent control	गोटा		560537.00	560537.00
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा		1832470.00	1832470.00
H	SURVEILLANCE SYSTEM				
132	ANALOG CCTV				
	2MP, Analog Turret Camera, 1080p, Smart IR, DWDR, DNR	गोटा		2327.08	2327.08
	2MP, Analog Bullet Camera, 1080p, Smart IR, DWDR, 3D DNR	गोटा		2430.44	2430.44
	5MP, Analog Turret Camera, Smart IR, DWDR, DNR, BLC	गोटा		3173.81	3173.81
	5MP, Analog Bullet Camera, Smart IR, DWDR, DNR, BLC	गोटा		3173.81	3173.81
	DVR 4 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा		5148.32	5148.32
	DVR 8 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा		6614.51	6614.51
	DVR 16 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा		11767.79	11767.79
	DVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा		13759.29	13759.29
133	Mid Segment CCTV				
	2MP, IP based Turret Camera, 1080p, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		4574.16	4574.16
	2MP, IP based Dome Camera, 1080p, Smart IR, DWDR, 3D DNR, BLC, HLC, IK10	गोटा		5001.60	5001.60
	2MP, IP based Bullet Camera, 1080p, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		4574.16	4574.16
	2MP, IP based Turret Camera, 1080p, Color, White Light, DWDR, 3D DNR, BLC, HLC	गोटा		6686.40	6686.40
	2MP, IP based Dome Camera, 1080p, Color, White Light, DWDR, 3D DNR, BLC, HLC, IK10	गोटा		9144.07	9144.07
	2MP, IP based Bullet Camera, 1080p, Color, White Light, DWDR, 3D DNR, BLC, HLC	गोटा		6686.40	6686.40
	4/5MP, IP based Dome/Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		6921.06	6921.06
	4/5MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		6983.36	6983.36
	8MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		11680.00	11680.00
	8MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		15429.60	15429.60
	NVR 8 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा		9391.20	9391.20
	NVR 16 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा		11824.42	11824.42
	NVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा		12533.81	12533.81
	NVR 16 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा		14188.32	14188.32
	NVR 20 channel, H.265+/H.265, 8MP, 2 SATA	गोटा		19600.00	19600.00
134	Standard Segment CCTV				
	4/5MP, AI based Dome Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR, BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption, PIRs	गोटा		46400.00	46400.00
	4/5MP, AI based Bullet Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR, BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption, PIRs	गोटा		46400.00	46400.00
	2MP, AI based PTZ Camera, 30x Optical Zoom, Smart IR, 3D DNR, BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption	गोटा		238400.00	238400.00
135	Accessories of CCTV				

विद्युतिक सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	मा.क. बाहेकको दररेट	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Unmanaged PoE switch 4 PoE port, 1 Uplink port	गोटा		2880.00	2880.00
	Unmanaged PoE switch 8 PoE port, 1 Uplink port	गोटा		4160.00	4160.00
	Unmanaged PoE switch 16 PoE port, 2 Gigabit Uplink ports	गोटा		10800.00	10800.00
	KVM	गोटा		2240.00	2240.00
	1TB Surveillance hard disk	गोटा		5040.00	5040.00
	2TB Surveillance hard disk	गोटा		7360.00	7360.00
	4TB Surveillance hard disk	गोटा		11200.00	11200.00
	6TB Surveillance hard disk	गोटा		21200.00	21200.00
	8TB Surveillance hard disk	गोटा			
	17" LCD Monitor	गोटा	11247.00	6560.00	6560.00
	21" LCD Monitor	गोटा		10240.00	10240.00
	24" LCD Monitor	गोटा		11840.00	11840.00
	27" LCD Monitor	गोटा		15040.00	15040.00
	32" LCD Monitor	गोटा		19600.00	19600.00
	44" LCD Monitor	गोटा		49600.00	49600.00
	52" LCD Monitor	गोटा		92000.00	92000.00
I	FIRE ALARM CONTROL PANEL				
136	Conventional Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel	सेट		11360.00	11360.00
	4 Zone Fire Alarm Control Panel	सेट		14080.00	14080.00
	6 Zone Fire Alarm Control Panel	सेट		23068.00	23068.00
	8 Zone Fire Alarm Control Panel	सेट		27852.00	27852.00
	Conventional smoke detector	गोटा		1600.00	1600.00
	Conventional heat detector	गोटा		1600.00	1600.00
	Conventional manual control point	गोटा		1520.00	1520.00
	Conventional hooter cum strobe	गोटा		4800.00	4800.00
137	Digital Addressable Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		36960.00	36960.00
	4 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		40080.00	40080.00
	6 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		42978.40	42978.40
	8 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		46140.00	46140.00
	Digital addressable smoke detector	गोटा		2160.00	2160.00
	Digital addressable heat detector	गोटा		2240.00	2240.00
	Digital addressable manual control point	गोटा		1520.00	1520.00
	Digital addressable hooter cum strobe	गोटा		4800.00	4800.00
138	Analog Addressable Type Fire Alarm Control Panel				
	2 Loop Fire Alarm Control Panel, UL/EN Certified	सेट		171200.00	171200.00
	4 Loop Fire Alarm Control Panel, UL/EN Certified	सेट		320000.00	320000.00
	8 Loop Fire Alarm Control Panel, UL/EN Certified	सेट		480503.20	480503.20
	Analog Addressable Smoke detector with Standard Base	गोटा		3221.60	3221.60
	Analog Addressable Heat Detector with Standard Base	गोटा		3360.00	3360.00
	Analog Addressabl Hooter Sounder	गोटा		7108.00	7108.00
	Analog Addressabl Hooter with Strobe	गोटा		11364.80	11364.80
	Analog Addressable Manual Call Point	गोटा		4160.00	4160.00
	Analog Addressabl Control Module	गोटा		5760.00	5760.00
	Analog Addressabl Monitor Module	गोटा		5028.80	5028.80

Page 254

प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	इकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
J	PABX SYSTEM				
139	Telephone Drop wire/pair cable NS marked Eqv.				
	² / ₂₀ Telephone drop wire	क्वायल	1028.00	1033.00	1033.00
	² / ₂₂	क्वायल	696.00	699.00	699.00
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14.00	14.00	14.00
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	20.00	20.00	20.00
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	33.00	33.00	33.00
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	64.00	64.00	64.00
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	94.00	95.00	95.00
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	123.00	124.00	124.00
	1mm drop wire	र.मी	10.00	10.00	10.00
	50 Pair Telephone D.B.with crown tag	सेट	5688	5688.00	5688.00
140	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand	सेट	7953.00	7988.00	7988.00
	2-6 Line EPABX "	सेट	19147.00	19230.00	19230.00
	3-8 Line EPABX "	सेट	21359.00	21451.00	21451.00
	4-12 Line EPABX "	सेट	38295.00	38461.00	38461.00
	6-16 Line EPABX "	सेट	51551.00	51774.00	51774.00
	8-24 Line EPABX "	सेट	88374.00	88756.00	88756.00
	8-48 Line EPABX "	सेट	94559.00	94969.00	94969.00
	8-72 Line EPABX "	सेट	101179.00	101617.00	101617.00
K	NETWORKING SYSEM				
141	Cables				
	RG6 Coaxial cable	र.मी	23.00	24.00	24.00
	RG59 Coaxial cable	र.मी	27.00	27.00	27.00
	UTP cat -5 networking cable	र.मी	27.00	27.00	27.00
	Cat6A, 23 AWG, Pure Copper, 10G, U/UTP, 4P, LSZH	र.मी		80.00	80.00
	Cat6, 24 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी		34.10	34.10
	Cat6, 23 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी		41.97	41.97
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 1m	गोटा		460.00	460.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 2m	गोटा		544.00	544.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 3m	गोटा		608.00	608.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 0.5m	गोटा		192.00	192.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 1m	गोटा		240.00	240.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 2m	गोटा		280.00	280.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 3m	गोटा		336.00	336.00
142	Patch Panel				
	24 Port Patch Panel	सेट		2000.00	2000.00
	48 Port Patch Panel	सेट		4160.00	4160.00
	24 Port Patch with keystone Panel	सेट		5600.00	5600.00
	48 Port Patch with keyson Panel	सेट		11200.00	11200.00
143	Network Rack				


विद्युतीय सामग्रीहरू



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	6U Network Rack	सेट		6640.00	6640.00
	9U Network Rack	सेट		7920.00	7920.00
	12U Network Rack	सेट		9440.00	9440.00
	27U Network Rack	सेट		54400.00	54400.00
	42U Network Rack	सेट		88000.00	88000.00
	Power Distribution Unit (PDU)	सेट		3040.00	3040.00
	Single/ Double Fan	सेट		1440.00	1440.00
	1U Cable Manager	सेट		1120.00	1120.00
144	Switch				
	5/8 Port, Fast Ethernet, Unmanaged Switch	सेट		1600.00	1600.00
	5/8 Port, Gigabit, Unmanaged Switch	सेट		2560.34	2560.34
	16 Port, Fast Ethernet, Unmanaged Switch	सेट		3200.00	3200.00
	16 Port, Gigabit, Unmanaged Switch	सेट		7200.00	7200.00
	24 Port, Fast Ethernet, Unmanaged Switch	सेट		5200.00	5200.00
	24 Port, Gigabit, Unmanaged Switch	सेट		14400.00	14400.00
	5/8 Port, Fast Ethernet, managed Switch	सेट		5600.00	5600.00
	5/8 Port, Gigabit, managed Switch	सेट		7200.00	7200.00
	16 Port, Fast Ethernet, managed Switch	सेट		10400.00	10400.00
	16 Port, Gigabit, managed Switch	सेट		12800.00	12800.00
	24 Port, Fast Ethernet, managed Switch	सेट		16000.00	16000.00
	24 Port, Gigabit, managed Switch	सेट		21600.00	21600.00
L	SECURITY SYSTEM				
145	Steel Security Gate				
	Metal detector	गोटा	17674.00	17674.00	17674.00
	Access Controller (Standard Series)	गोटा	29993.00	29993.00	29993.00
	Access Controller (General Series)	गोटा	14461.00	14461.00	14461.00
146	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	9069.00	9069.00	9069.00
	Half leaf : - 50 mm, 70 mm, 100mm	ब. मि.	10371.00	10371.00	10371.00
	Double leaf : - 50 mm, 70 mm, 100mm	ब. मि.	10835.00	10835.00	10835.00
147	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	35706.00	35706.00	35706.00
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	21424.00	21424.00	21424.00
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	13390.00	13390.00	13390.00
	v) Finger print access system with software	गोटा	37492.00	37492.00	37492.00
	vi) Security from Panic Alarm	गोटा	37492.00	37492.00	37492.00
148	Access Controller				
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	21424.00	21516.00	21516.00
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Local)	सेट	14461.00	14523.00	14523.00
149	Intrusion Detection System				



विद्युत् सांघाग्रीहरु
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Main Controller-CONTROL,FIRE/BURG	सेट	40405.00	40579.00	40579.00
	Door Contact-Wireless Door Contact with transmitter	सेट	2785.00	2797.00	2797.00
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4345.00	4363.00	4363.00
	Panic Switch-Wireless Panic Transmitter	सेट	5117.00	5139.00	5139.00
	Key -Wireless Key to Arm and Disarm the System	सेट	4971.00	4992.00	4992.00
	Window Contact- Wired door Contact with transmitter slim	सेट	2924.00	2937.00	2937.00
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	3745.00	3761.00	3761.00
M	AIR CONDITIONING SYSTEM				
	Single Split (1:1) Wall mounted/ Ceilling Casset type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent control, Filter Cleaning Indicator, PMV Control and power saving features included wireless remote controller, Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be inculed with in the cost.				
150	Wall Mounted Inverter type Split Units with Wireless remote Controller.				
	0.75 Ton	सेट		81000.00	81000
	1.0 Ton	सेट		56900.00	56900.00
	1.5Ton	सेट		76500.00	76500.00
	2.0 Ton	सेट		99400.00	99400.00
151	Ceiling Cassette Inverter type Split Units with Wireless remote Controller.				
	1.0 Ton	सेट		118800.00	118800
	1.5Ton	सेट		145800.00	145800.00
	2.0 Ton	सेट		162000.00	162000.00
	3.0 Ton	सेट		261950.00	261950.00
	4 Ton(3Ph)	सेट		265500.00	265500.00
152	Wall Mounted Non-Inverter Type Split Type AC with Wireless display remote Controller.				
	0.75 Ton	सेट		52200.00	52200
	1.0 Ton	सेट		51550.44	51550.44
	1.5Ton	सेट		68050.44	68050.44
	2.0 Ton	सेट		84250.44	84250.44
153	Ceiling Cassette Non- Inverter Type Split Type AC with Wireless display remote Controller.				
	1.0 Ton	सेट		86600.00	86600.00
	1.5Ton	सेट		99300.00	99300.00
	2.0 Ton	सेट		128600.00	128600.00
	3.0 Ton	सेट		176000.00	176000.00
N	TRANSFORMER and ALLIED MATERIALS				





विद्युतिय सामग्रीहरु
 नेपाल सरकार
 मन्त्रालय
 प्रशासन कार्यालय
 ललितपुर


सि.नं	निर्माण सामग्रीहरुको विवरण	मू.अ.क.	बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
154	Copper wound Distribution Outdoor Transformar with first filling of oil				
	15 KVA , 11/0.23kv, 3 phase,50 Hz ONAN	गोटा		212500.00	212500.00
	25 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		250750.00	250750.00
	50 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		357000.00	357000.00
	75 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		510000.00	510000.00
	100 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		535500.00	535500.00
	125 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		748000.00	748000.00
	150 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		773500.00	773500.00
	200 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		956250.00	956250.00
	250 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1041250.00	1041250.00
	300 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1130500.00	1130500.00
	400 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1275000.00	1275000.00
	500 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1402500.00	1402500.00
	630 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1530000.00	1530000.00
	750 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		2188750.00	2188750.00
	800 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1827500.00	1827500.00
	1000 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		2295000.00	2295000.00
155	Low Loss Transformar				
	No Load-75,Load loss 460(25 KVA)	गोटा		229790.00	229790.00
	No Load-120,Load loss750(50 KVA)	गोटा		334240.00	334240.00
	No Load-220,Load loss 1210(100 KVA)	गोटा		438690.00	438690.00
156	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	रुमी	161.00	161.00	161.00
	50 mm square 4 core ABC cable	रुमी	269.00	269.00	269.00
	95 mm square 4 core ABC cable	रुमी	527.00	527.00	527.00
157	Lightening Arrestor for 3 Phase .				
	0.5 KV	सेट	1291.00	1291.00	1291.00
	11 KV	सेट	4518.00	4518.00	4518.00
	Cross Arms V Channel.	गोटा	3227.00	3227.00	3227.00
	Stay set with accessories.				
	GI wire	गोटा	1234.00	1234.00	1234.00
	GI Plate	गोटा	1237.00	1237.00	1237.00
	Gay Insulator.	गोटा	58.00	58.00	58.00
	Elbow	गोटा	107.00	107.00	107.00
	Rod , Nut	गोटा	464.00	464.00	464.00
	Grip	गोटा	51.00	51.00	51.00
158	Overhead Insulators (0.4KV)				
	Sackle Insulator	गोटा	32.00	32.00	32.00
	D-Iron	गोटा	97.00	97.00	97.00
	Nut Bolt (3" with 8 mm Ø)	गोटा	15.00	15.00	15.00
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	24.00	24.00	24.00
159	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	गोटा	193.00	193.00	193.00
	Disc Insulator	गोटा	1033.00	1033.00	1033.00
	Cross Arms V Channel.	गोटा	2839.00	2839.00	2839.00
	Sqarrel ACSR conductor 20mm ²	रुमी	17.00	17.00	17.00
	weasel ACSR conductor 30 mm ²	रुमी	26.00	26.00	26.00
	Rabbit ACSR conductor 50 mm ²	रुमी	42.00	42.00	42.00
	Dog ACSR conductor 100 mm ²	रुमी	85.00	85.00	85.00


 Page 258



विद्युतिय सामग्रीहरु
 नेपाल सरकार
 विद्युतिय प्रणाली प्रणाली
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	इकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
160	LT/HT Accessories				
	11 kv Disc insulator with grapher(3 Bolt)	सेट	1514.00	1514.00	1514.00
	11kv Pin insulator with spindel	सेट	266.00	266.00	266.00
	11 KVA Drop out fuse	सेट	12612.00	12612.00	12612.00
	D-iron det with shakle insulator	सेट	156.00	156.00	156.00
	Stay Assembly Complete Set	सेट	1514.00	1514.00	1514.00
	Stay wirw (NS 7/12 guage)	केजी	106.00	106.00	106.00
	Lighting Arrester	सेट	6606.00	6606.00	6606.00
	Earthing Set	सेट	2924.00	2924.00	2924.00
	H T Tape	धान	177.00	177.00	177.00
	Stay Wire 7/12	केजी	125.00	125.00	125.00
	Stay Wire set 12x12, 6mm thick	सेट	1671.00	1671.00	1671.00
					0.00
O	POLES				
161	Steel tubuler pole				
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	20419.00	20419.00	20419.00
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	18978.00	18978.00	18978.00
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	16936.00	16936.00	16936.00
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	12131.00	12131.00	12131.00
162	WOODEN POLE				
	7 mtr.length Wooden Pole	गोटा	5218.00	5218.00	5218.00
	9 mtr.length Wooden Pole	गोटा	7100.00	7100.00	7100.00
163	FRP/GRP Poles shall be ultraviolet resistance, corrosion proof, electrically insulated and shall have no reaction to direct contact with water, having FRP material ≥ 55%, thickness shall be >5.5mm for all poles with the cost of single/double GRP arm				
	3 mtr with base plate	सेट		32625.82	32625.82
	4 mtr with base plate	सेट		40120.89	40120.89
	5 mtr with base plate	सेट		42948.27	42948.27
	6 mtr with base plate	सेट		46079.38	46079.38
	7 mtr with base plate	सेट		56519.72	56519.72
	8 mtr with base plate	सेट		60725.83	60725.83
	9 mtr with base plate	सेट		64470.36	64470.36
	10 mtr with base plate	सेट		82185.98	82185.98
	11 mtr with base plate	सेट		86290.18	86290.18
	12 mtr with base plate	सेट		104331.49	104331.49
P	GENERATOR SYSTEM				





विद्युत्तिय सामग्रीहरु
 प्रशासन कार्यालय
 ललितपुर

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Generator set conforming to BS 5000/IS 4722, complies with current CPCB IV+ emission norms ,Critical grade silencers, coupled and aligned with continuous rated KVA of DG, industrial type brushless AC Alternator on a common base frame in factory fabricated acoustic enclosure with all standard accessories such as 3mm thick MS painted day oil tank & valves, fully charged lead-acid batteries with angle iron stand, battery leads, engine protection unit, sensors for winding & bearing temp. monitoring, antivibration mountings complete in all respects as per manufacturer's drawing, specification and instruction				
167	Diseal Generator, Single Phase				
	0.7	सेट		77853.98	77853.9823
	2	सेट		96283.19	96283.19
	2.9	सेट		189933.63	189933.63
	3.8	सेट		202345.13	202345.13
	3.8	सेट		217389.38	217389.38
	5	सेट		227168.14	227168.14
	7.5	सेट		391000.00	391000.00
	10	सेट		429250.00	429250.00
168	Diseal Generator, Three Phase with ATS panel				
	10	सेट		539750.00	539750
	15	सेट		539750.00	539750.00
	20	सेट		62057.52	62057.52
	30	सेट		701250.00	701250.00
	40	सेट		831194.69	831194.69
	62.5	सेट		990250.00	990250.00
	82.5	सेट		1190000.00	1190000.00
	100	सेट		1372750.00	1372750.00
	125	सेट		1429203.54	1429203.54
	160	सेट		1904000.00	1904000.00
	200	सेट		2331858.41	2331858.41
	250	सेट		2783750.00	2783750.00
	320	सेट		3485000.00	3485000.00
	400	सेट		4258500.00	4258500.00
	500	सेट		5418750.00	5418750.00
Q	EARTHING SYSTEM				
169	Earthing System				
	Copper plate per kg (sp.gr. copper =8930kg/m3)	के.जी	917	957.00	957.00
	6 mm thick 600mmm× 600 mm G.L Plate	गोटा	2942.00	2954.00	2954.00
	3.2 mm thick 600mmm× 600 mm Copper Plate	गोटा	9897.00	9940.00	9940.00
	Copper Strip (25 x 3)mm (Appox 60°=1kg)	के.जी	1082	1130.00	1130.00
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082	1130.00	1130.00
	Copper Strip (12 x 3)mm	के.जी	1082	1130.00	1130.00
	Lightning rod copper conductor Air termination set	गोटा	2730	2851.00	2851.00
	8 SWG bare copper wire	र. मी	144	150.00	150.00
	Copper wire (10 SWG)	रमी	161.00	161.00	161.00
	29 mm Diameter GI Pipe of 1m length	र. मी	252	263.00	263.00


 Page 260


विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618	645.00	645.00
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15	15.00	15.00
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196	204.00	204.00
	Funneling Mechanism with pit cover (mild steel)	सेट	642.00	645.00	645.00
	Funnel with wire mesh	गोटा	361	377.00	377.00
	Charcoal	ब्याग	309	322.00	322.00
	Salt	के.जी	12	12.00	12.00
	Earthing System consisting of 1 Nos copper bonded steel electrode of 20/25/17/14 mm dia. with a min. coating thickness of 250 microns and length of 3 meters. 25 kgs/Electrode of earth enhancing compound needs to be considered to fill the 100-125mm augured hole surrounding to the electrode. The rate shall include excavation of earth, filling with back fill compound, and earth pit marking.				
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 20/25 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट		7772.00	7772.00
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 17/14 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट		4596.80	4596.80
	Universal Clamp of Required Size 175X50X3 mm made of SS to connect rod with flat conductor	सेट		1039.20	1039.20
	Earth enhancing compound tested as per IEC 62561-7	सेट		3118.40	3118.40
	Heavy duty Pit cover tested	सेट		2384.00	2384.00
R	MISCELLANEOUS ITEMS				
170	WATER HEATER RATES				
	15 LTRS ABS WATER HEATER	सेट	20100.00	20100.00	20100.00
	25 LTRS ABS WATER HEATER	सेट	22300.00	22300.00	22300.00
	15 LTRS METAL WATER HEATER	सेट	17900.00	17900.00	17900.00
	25 LTRS METAL WATER HEATER	सेट	19700.00	19700.00	19700.00
	3 LTR ABS INSTANT	सेट	7525.00	7525.00	7525.00
	6 LTR GAS	सेट	11725.00	11725.00	11725.00
171	Automatic Water Level Pump Controller: housed in metal enclosure with MCBs, Contactor, Phase sequence protection, Overload Protection and sensor set for single/three phase water pump with all necessary work as per drawing, specification and instruction all complete.Equivalent Nepali Make				
	Upto 1/2 HP single phase motor	सेट	4284.00	4303.00	4303.00
	Upto 1-3 HP single phase motor	सेट	5891.00	5917.00	5917.00
	Upto 1-5 HP three phase motor	सेट	9640.00	9682.00	9682.00





Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	प्रजासन एकीकृतपुर	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Solar PV Module	प्रति.वाट	92.00	92.00	92.00
2	Solar Tubular Battery (200Ah@c20,12v)	गोटा	33063.00	33063.00	33063.00
3	Solar Tubular Battery (150 Ah@c20,12v)	गोटा	25235.00	25235.00	25235.00
4	Solar Tubular Battery (100 Ah@c20,12v)	गोटा	17510.00	17510.00	17510.00
5	Solar Tubular Battery (80 Ah@c20,12v)	गोटा	17407.00	17407.00	17407.00
6	Solar Tubular Battery (60 Ah@c20,12v)	गोटा	12566.00	12566.00	12566.00
7	Solar Tubular Battery (40 Ah@c20,12v)	गोटा	8240.00	8240.00	8240.00
8	Solar Gel Battery (200 Ah@c20,12v)	गोटा	68701.00	68701.00	68701.00
9	Solar Gel Battery (150 Ah@c20,12v)	गोटा	51706.00	51706.00	51706.00
10	Solar Gel Battery (100 Ah@c20,12v)	गोटा	37183.00	37183.00	37183.00
11	Solar Gel Battery (80 Ah@c20,12v)	गोटा	32033.00	32033.00	32033.00
12	Solar Gel Battery (75 Ah@c20,12v)	गोटा	28428.00	28428.00	28428.00
13	Solar Gel Battery (40 Ah@c20,12v)	गोटा	16274.00	16274.00	16274.00
14	Solar Lithinlum Ion Battery (100AH@c10,12V)	गोटा	37801.00	37801.00	37801.00
15	Solar Lithinlum Ion Battery (80AH@c10,12V)	गोटा	33578.00	33578.00	33578.00
16	Solar Lithinlum Ion Battery (50AH@c10,12V)	गोटा	19261.00	19261.00	19261.00
17	Charge controller (60A/24-48V)	गोटा	33475.00	33475.00	33475.00
18	Charge controller 45A/12-24-48 V	गोटा	24617.00	24617.00	24617.00
19	Charge controller 30A/12-24-48 V	गोटा	20394.00	20394.00	20394.00
20	Charge controller 25A/12-24-48 V	गोटा	15244.00	15244.00	15244.00
21	Charge controller 20a/12-24 V	गोटा	6180.00	6180.00	6180.00
22	Charge controller 15a/12-24 V	गोटा	5047.00	5047.00	5047.00
23	Charge controller 10a/12-24 V	गोटा	2781.00	2781.00	2781.00
24	Charge controller 5a/12-24 V	गोटा	1648.00	1648.00	1648.00
25	Solar dusk to down controller 20A/12Vwith driver curcrt	गोटा	4635.00	4635.00	4635.00
26	Solar street light 40W- 12V DC with autodimming system	गोटा	14008.00	14008.00	25029.00
27	Solar street light 30W- 12V DC with autodimming system	गोटा	25029.00	25029.00	15759.00
28	Solar street light 20W- 12V DC with autodimming system	गोटा	15759.00	15759.00	14008.00
29	Solar street light 100W	गोटा	43569.00	43569.00	43569.00
30	Solar street light 80W	गोटा	36874.00	36874.00	36874.00
31	Solar street light 60W	गोटा	27604.00	27604.00	27604.00
32	Solar street light 40W	गोटा	15553.00	15553.00	15553.00
33	Solar street light 30W	गोटा	12360.00	12360.00	12360.00
34	Solar street light 20W	गोटा	8858.00	8858.00	8858.00
35	Solar street light 12W	गोटा	5768.00	5768.00	5768.00
36	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	17922.00	17922.00	17922.00
37	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	19776.00	19776.00	19776.00
38	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	22042.00	22042.00	22042.00
39	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	22351.00	22351.00	22351.00
40	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for buttom 4.5 m and 3" for top 2.5 m	गोटा	22042.00	22042.00	22042.00



Solar Power

नेपाल सरकार
गृह मन्त्रालय
जलवायु प्रशासन कार्यालय

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
41	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	25441.00	25441.00	25441.00
42	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and and 3" for top 2m	गोटा	27707.00	27707.00	27707.00
43	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m	गोटा	29973.00	29973.00	29973.00
44	Pure sine wave inverter 250 VA /12 V	गोटा	7416.00	7416.00	7416.00
45	Pure sine wave inverter 400 VA /12 V	गोटा	13905.00	13905.00	13905.00
46	Pure sine wave inverter 850 VA /12 V	गोटा	16995.00	16995.00	16995.00
47	Pure sine wave inverter 1000 VA /12 V	गोटा	23587.00	23587.00	23587.00
48	pure sine wave inverter 1400 VA	गोटा	25029.00	25029.00	25029.00
49	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	20806.00	20806.00	20806.00
50	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	24926.00	24926.00	24926.00
51	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	73645.00	73645.00	73645.00
52	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	145860.00	145860.00	145860.00
53	Ms light Arms	सेट	2266.00	2266.00	2266.00
54	SPV mounting frame	सेट	5974.00	5974.00	5974.00
55	Battery box	सेट	4635.00	4635.00	4635.00
56	Battery stand	सेट	4635.00	4635.00	4635.00
57	12W SENSOR SOLAR POLE LIGHT	सेट	17072.00	17072.00	17072.00
58	18W SENSOR SOLAR POLE LIGHT	सेट	20321.00	20321.00	20321.00
59	Solar Lights:				
	All in one solar street light - 2000 Lumens	गोटा	235824.00	235824.00	235824.00
	All in one solar street light - 3000 Lumens	गोटा	263568.00	263568.00	263568.00
	All in one solar street light - 4500 Lumens	गोटा	319056.00	319056.00	291312.00
	Solar Poles with Post Top Luminaries - 2500 Lumens	गोटा	541008.00	541008.00	541008.00
	Solar Poles with street lights luminaries 6000 Lumens	गोटा	651984.00	651984.00	651984.00
	All in One solar Street Light - 5000 Lumens	गोटा	291312.00	291312.00	319056.00
	All in one solar street light - 8500 Lumens	गोटा	355123.00	355123.00	355123.00
	All in one solar street light - 12000 lumens	गोटा	393964.00	393964.00	393964.00

प्रमुख जिल्ला अधिकारी