




काठमाण्डौ जिल्लाको ज्यालादर तथा निर्माण सामांग्रीहरुको
स्वीकृत जिल्ला दररेट



आ.व.२०८१/८२



जिल्ला दररेट निर्धारण समिति

काठमाण्डौ

२०८१ आषाढ २८



आज मिति २०८१ साल असार २८ गते शुक्रवारका दिन दिनको २:०० बजे काठमाडौं जिल्लाका प्रमुख अधिकारी श्री जितेन्द्र बस्नेतज्यूको अध्यक्षतामा आ.व. २०८१/०८२ को लागि निर्माण सामग्री र ढुवानीको दररेट, मेशिन तथा उपकरणको भाडा र श्रमिकहरूको ज्यालादर निर्धारण गर्न सार्वजनिक खरिद नियमावली २०६४ को नियम १४८ अनुसार जिल्ला दररेट निर्धारण समितिको बैठक देहायका पदाधिकारीहरूको उपस्थितिमा बसी देहाय बमोजिमको निर्णय गरियो ।

तपशिल

सि.नं.	पद	नाम	कार्यालय	हस्ताक्षर
१	प्रमुख जिल्ला अधिकारी	जितेन्द्र बस्नेत	जिल्ला प्रशासन कार्यालय, काठमाडौं	
२	सदस्य	शिव प्रसाद रिजाल	जिल्ला समन्वय समिति, काठमाडौं	
३	सदस्य	विष्णुहरी वाग्ले	कोष तथा लेखा नियन्त्रक कार्यालय, त्रिपुरेश्वर, काठमाडौं	
४	सदस्य	रुद्र प्रसाद भट्ट	कोष तथा लेखा नियन्त्रक कार्यालय, बबरमहल, काठमाडौं	
५	सदस्य	रुपेश जंग थापा मगर	कोष तथा लेखा नियन्त्रक कार्यालय सिंहदरवार, काठमाडौं	
६	सदस्य	कृष्ण प्रसाद पुडासैनी	कोष तथा लेखा नियन्त्रक कार्यालय, लैनचौर, काठमाडौं	
७	सदस्य	भुमिराज भुसाल	कोष तथा लेखा नियन्त्रक कार्यालय सुन्धारा, काठमाडौं	
८	सदस्य	कृपा देवकोटा	जिल्ला समन्वय समिति, काठमाडौं	
९	सदस्य	प्रमोद लामिछाने	नेपाल राष्ट्रिय निर्माण व्यवसायी महासंघ, काठमाडौं	
१०	सदस्य	सुबोध शर्मा	संघोग वाणिज्य संघ काठमाडौं	
११	सदस्य सचिव	नविन कुमार सिंह	पूर्वाधार विकास कार्यालय, ललितपुर	
आमन्त्रित				
१	सहायक प्रमुख जिल्ला अधिकारी	माधव प्रसाद ढुंगाना	जिल्ला प्रशासन कार्यालय, काठमाडौं	
२	सहायक प्रमुख जिल्ला अधिकारी	हरि प्रसाद शर्मा	जिल्ला प्रशासन कार्यालय, काठमाडौं	
३	सहायक प्रमुख जिल्ला अधिकारी	अनिल पौडेल	जिल्ला प्रशासन कार्यालय, काठमाडौं	
४	इन्जिनियर	रविन खाती	इन्जिनियर पूर्वाधार विकास कार्यालय, ललितपुर	
५	इन्जिनियर	प्रतिक्षा सिलवाल	इन्जिनियर पूर्वाधार विकास कार्यालय, ललितपुर	
६	कोष नियन्त्रक	समिर पन्थी	को.ले.नि.का. सुन्धारा	
७	प्रशासकीय अधिकारी	अनुपम पौडेल	जिल्ला प्रशासन कार्यालय काठमाडौं	
८	मा.प.	धन बहादुर पुन	" " " "	
९	इ.प.प.	कमल तिमल्सेना	" " " "	
१०	१० उपस्थित	अनिल शर्मा	ललितपुर निर्माण व्यापक नि. सं. यु. सं.	
११				
१२				
१३				



निर्णयहरू

निर्णय नं. १	: आ.व. २०८१/०८२ का लागि मिति २०८१/०४/०१ देखि काठमाडौं जिल्लाभर लागु हुने गरि संलग्न सूचि अनुसारका विभिन्न निर्माण सामग्री, र श्रमिकहरूको ज्याला दररेट स्वीकृत गर्ने निर्णय गरियो ।
निर्णय नं. २	: मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धमा मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै कायम गर्ने निर्णय गरियो ।
निर्णय नं. ३	: श्रमिकहरूको उपलब्धताको आधारमा (श्रमिकको उमेर १६ वर्ष र दैनिक काम गर्ने अवधि ८ घण्टा) लाई आधार मानी श्रमिकहरूको ज्यालादर सन्दर्भमा राष्ट्र बैंकको प्रकाशित Index अध्ययन गर्दा तथा चालु आ.व. २०८०/८१ को बैशाख महिना सम्मको Provisional Index अन्तर्गत National Salary and Wages Rate Index को निर्माण सम्बन्धी कामदारको हकमा NRB Index २०७९/८० को असारको तुलनामा यस आ.व. २०८०/८१ बैशाखको Index (April/May) ०.९७ % ले बढेको र समग्र Wages र Salary Index सम्बन्धमा २०७९/८० को तुलनामा यस आ.व. २०८०/८१ बैशाख महिनाको Index (April/May) २.८ % ले बढेको पाईएको हुँदा आ.व. २०८१/८२ को श्रमिकहरूको ज्यालादर आ.व. ०८०/८१ को Wages Salary लाई २% ले वृद्धि गरी रु. ५ मा Round गरी कायम गर्ने निर्णय गरियो ।
निर्णय नं. ४	: नगरपालिका/गाउँपालिकाका पहाडी वडाहरूमा हुने निर्माण कार्यको हकमा सार्वजनिक निकायले ढुवानी खर्च समावेश गर्नुपर्ने भएमा नगरपालिका/गाउँपालिकाको केन्द्रबाट आयोजना स्थलसम्मको दुरीको आधारमा हुन आउने नर्मस् बमोजिमको ढुवानी खर्च सम्बन्धीत निकायले दररेट विश्लेषण गर्दा थप गर्न सक्ने निर्णय गरियो ।
निर्णय नं. ५	: स्थानीय निर्माण सामग्रीहरूको हकमा काठमाडौं जिल्ला भर एउटै दर कायम गर्न साथै ललितपुर जिल्लाको दररेटसँग एकरूपता कायम गर्न काठमाडौं जिल्ला र ललितपुर जिल्लाको आ.व. २०८०/८१ को दररेटको औसत/न्यूनतम लिई दररेटलाई कायम गर्ने निर्णय गरियो ।
निर्णय नं. ६	: यसमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक निर्माण सामग्रीको हकमा सम्बन्धित कार्यालयले गुणस्तर र स्पेशिफिकेशन एकिन गरी निर्माण सामग्रीहरूको उत्पादक वा आधिकारीक बिक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वयन गराउन सक्ने निर्णय गरियो ।
निर्णय नं. ७	: निर्माण कार्य गरिने आयोजनाहरूमा श्रमिक मजदुरहरूको व्यवसाय जन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नका साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बीमा लगायतका अन्य प्रावधान समेत सम्बन्धीत ज्याला दर प्रयोग गर्ने निकायले अनिवार्य रूपमा कार्यान्वयन गर्ने निर्णय गरियो ।
निर्णय नं. ८	: आगामी आ.व. २०८२/८३ को जिल्ला दररेट निर्धारणको लागि आ. व. २०८२/८३ को जिल्ला दररेट निर्धारण समितिका अध्यक्षको समन्वयमा दररेट निर्धारणमा सम्बन्धित विषयगत कार्यालय र उद्योग वाणिज्य संघ समेतको संलग्नतामा आर्थिक वर्ष २०८१/८२ को तेस्रो चौमासिकको शुरु देखि नै वैज्ञानिक तवरमा विश्लेषण गरी/गराई थप यथार्थपरक बनाउन प्रतिवेदन पेश गर्न पूर्वाधार विकास कार्यालय, ललितपुरलाई जिम्मेवारी दिने निर्णय गरियो ।

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
जितेन्द्र बस्नेत
"मख जिल्ला अधिकारी"



विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
1	श्रमिकको ज्याला दर	1
2	घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआब्जा निर्धारण	2
3	फलाम जन्व निर्माण सामग्री	4
4	सडक र पुल सम्बन्धि निर्माण सामग्री	8
5	स्थानीय निर्माण सामग्रीहरु	10
6	प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु	15
7	भवन निर्माणमा प्रयोग हुने निर्माण सामग्री	18
8	Aluminum Doors and Windows	24
9	काठ तथा प्लाइवुड संबन्धि निर्माण सामग्री	28
10	UPVC Profile for Door/Window	33
11	छाना छाउने निर्माण सामग्री	34
12	Partition Board and Ceiling	39
13	Prefab Panel for wall Partition	43
14	भ्याल ढोकामा प्रयोगहुने फिक्सचरहरु	48
15	रंगरोगन तथा पुटिका सामानहरु	51
16	Water Proofing Chemicals & Treatment works	56
17	Water Proofing Membrane	63
18	Structural Strengthening & Seismic Retrofitting	64
19	Cement Concrete Block	66
20	Non Destructive test for Forensic Engineering	74
21	Geocell Technology	76
22	WPS/Fibre, Concrete Prefabricated Doors & Windows	79
23	Flooring & Ceiling	80
24	Slope Stabilization Structures	87
25	Railway	91
26	Flooring Room Heating System	92
27	वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु	93
28	पाईप तथा फिटिङ्गहरु	97
29	DI पाईप तथा फिटिङ्गहरु	108
30	PE Electro Fusion Fittings and Combination Accessories	122

जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी



विषय सूची

क्र.सं.	विषय	पृष्ठ संख्या
31	High Pressure Valves & Fittings	126
32	पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू	129
33	यु.पि.भि.सि. पाईप तथा फिटिङ्गहरू	140
34	पि.भि.सि. पाईप तथा फिटिङ्गहरू	143
35	पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरू	148
36	CP Accessories	151
37	सि.पि.भि.सि. पाईप तथा फिटिङ्गहरू	154
38	GRP and HDPE/DWC Pipes	158
39	किचन र बाथरूममा प्रयोग हुने सामानहरू	165
40	विभिन्न प्रकारका वाटर टैंक र पम्पहरू	171
41	साधारण हाते औजारहरू	174
42	RCC Ring and Boring Work	177
43	Multilayer Composite Pipe	178
44	Rainwater Collection System	183
45	सिचाई संबन्धि कार्य	189
46	Plastic Dustbin, Compost-Bin, Planter & Road Divider	190
47	Sewage Treatment Plant	191
48	मेनहोल कभरहरू	192
49	विद्युतिय सामग्रीहरू	193
50	Solar Power	259

जितेन्द्र बस्नेत

 मूख्य जिल्ला अधिकारी



श्रमिकको ज्याला दर

सि. नं.	कामदारहरुको विवरण	एकाई	ज्याला दर प्रतिदिन रु.		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	870.00	900.00	920.00
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	1200.00	1200.00	1225.00
३	उच्च माध्यमिक तह उत्तिर्ण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन	1500.00	1500.00	1500.00
४	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, दुङ्गा र काठ बुझा काट्ने साधारण मूर्तिकार, चित्रकार, आर्टिस्ट,	प्रति दिन	1185.00	1200.00	1225.00
५	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी), चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, सुपरभाइजर, नदी निरीक्षक, ब्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन आदी ।	प्रति दिन	980.00	1000.00	1020.00
६	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी ।	प्रति दिन	845.00	845.00	860.00
७	निर्माण कार्यको क्याम्प वर्कर, जुनियर सुपरभाइजर, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator आदी ।	प्रति दिन	795.00	795.00	810.00
८	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोबी, वन हेरालु, चौकिदार, आदी ।	"	725.00	725.00	740.00
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	25.00	25.00	25.00
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच ज्यायलर	प्रति दिन	880.00	880.00	900.00
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने) ।	प्रति दिन	870.00	870.00	885.00
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह ।	प्रति दिन	905.00	905.00	925.00
४	प्याच वर्कर (रात्री समयमा काम गर्ने) ।	प्रति दिन	1230.00	1230.00	1255.00
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	1230.00	1230.00	1255.00
६	भरिया (४० के.जी. तौल सम्म)	प्रति दिन	890.00	890.00	910.00
७	बोलेरो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	6350.00	6350.00	6350.00
८	स्करपियो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	7620.00	7620.00	7620.00
	माथि उल्लेख नभएका अन्य सबै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संबन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्बन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मानिने छ ।				

जितेन्द्र बस्नेत
 एम्प्लु जिल्ला अधिकारी



घर र जग्गा भाडा निर्धारण

घर र जग्गा भाडा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो ।

सि. नं.	घरको बनावट विवरण	स्तर	ईकाई	आ. व. २०८१/०८२को दर(रु)					
				व्यवसायिक भवनको हकमा			बावासीय भवनको हकमा		
				सिभिल कार्य	विद्युत कार्य	स्वानिटरी कार्य	सिभिल कार्य	विद्युत कार्य	स्वानिटरी कार्य
1	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3622.56	109.88	274.65	2848.24	93.40	233.45
2		मध्यम	व.फु.	3064.10	70.27	203.82	2409.15	60.58	173.25
3		सामान्य	व.फु.	2701.77	32.25	135.24	2124.28	27.42	114.95
4	आर.सि.सि.फ्रेम लोकल ईटा (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3045.93	89.19	222.94	2394.86	75.81	189.50
5		मध्यम	व.फु.	2519.43	57.85	165.45	1980.90	49.17	140.63
6		सामान्य	व.फु.	2288.28	26.18	109.78	1797.58	22.25	93.31
7	आर.सि.सि.फ्रेम चाईनिज ईटा (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3551.57	109.88	274.65	2792.42	93.40	233.45
8		मध्यम	व.फु.	2958.93	71.27	203.82	2326.46	60.58	173.25
9		सामान्य	व.फु.	2714.91	32.25	135.24	2134.59	27.42	114.95
10	आर.सि.सि.फ्रेम चाईनिज ईटा (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3433.20	89.19	222.94	2699.36	75.81	189.50
11		मध्यम	व.फु.	2418.17	57.85	165.45	1901.29	49.17	140.63
12		सामान्य	व.फु.	2299.10	26.18	109.78	1807.72	22.25	93.31
13	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3564.42	109.88	274.65	2802.53	93.40	233.45
14		मध्यम	व.फु.	3013.94	71.27	203.82	2369.71	60.58	173.25
15		सामान्य	व.फु.	2753.13	32.25	135.24	2164.65	27.42	114.95
16	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3092.65	89.19	222.94	2431.60	75.81	189.50
17		मध्यम	व.फु.	2563.41	57.85	165.45	2015.48	49.17	140.63
18		सामान्य	व.फु.	2344.00	26.18	109.78	1842.97	22.25	93.31
19	लोड वियरिङ्ग लोकल ईटाको गारो (सिमेन्टको जोडाई), टायल छाना	मध्यम	व.फु.	2929.01	57.85	165.45	2302.99	49.17	140.63
20		सामान्य	व.फु.	2717.30	26.18	109.78	2136.48	22.25	93.31
21	लोड वियरिङ्ग चाईनिज ईटाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	3580.01	109.88	274.65	2814.78	93.40	233.45
22		मध्यम	व.फु.	3029.52	71.27	203.82	2382.00	60.58	173.25
23		सामान्य	व.फु.	2768.72	32.25	135.24	2176.90	27.42	114.95
24	लोड वियरिङ्ग चाईनिज ईटाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना	उत्तम	व.फु.	3107.53	89.19	222.94	2443.30	75.81	189.50
25		मध्यम	व.फु.	2578.28	57.85	165.45	2027.17	49.17	140.63
26		सामान्य	व.फु.	2358.88	26.18	109.78	1854.67	22.25	93.31
27	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), आर सि सि छाना	मध्यम	व.फु.	3492.60	57.85	165.45	2746.06	49.17	140.63
28		सामान्य	व.फु.	3231.79	26.18	109.78	2541.00	22.25	93.31
29	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना	मध्यम	व.फु.	2993.98	57.85	165.45	2354.02	49.17	140.63
30		सामान्य	व.फु.	2782.28	26.18	109.78	2187.56	22.25	93.31
31	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना	मध्यम	व.फु.	3289.21	57.85	165.45	2586.14	49.17	140.63
32		सामान्य	व.फु.	3069.81	26.18	109.78	2413.64	22.25	93.31
33	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	मध्यम	व.फु.	3357.57	57.85	165.45	2639.89	49.17	140.63
34		सामान्य	व.फु.	3190.23	26.18	109.78	2508.32	22.25	93.31
35	लोड वियरिङ्ग लोकल ईटाको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	मध्यम	व.फु.	3657.48	57.85	165.45	2875.70	49.17	140.63
36		सामान्य	व.फु.	3190.15	26.18	109.78	2744.13	22.25	93.31
37	लोड वियरिङ्ग ढुङ्गाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	2697.92	26.18	109.78	2121.24	22.25	93.31
38	लोड वियरिङ्ग ढुङ्गाको गारो (माटोको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	2957.84	26.18	109.78	2357.05	22.25	93.31
39	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	3562.23	26.18	109.78	2800.80	22.25	93.31
40	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), टायल छाना तथा माटोको । काठको भुईँ	सामान्य	व.फु.	3862.13	26.18	109.78	3036.61	22.25	93.31
41	लोड वियरिङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), आर सि सि छाना	उत्तम	व.फु.	4090.15	109.88	274.65	3215.88	93.40	233.45
42		मध्यम	व.फु.	3539.67	71.27	203.82	2783.07	60.58	173.25
43		सामान्य	व.फु.	3274.86	32.25	135.24	2578.01	27.42	114.95



भवनको बनावट र फिनिशिंग तथा सामान/उपकरण जडानको आधारमा वर्गीकरण

- क) लिफ्ट जडान भएको हकमा रु २५,४२,५००।०० (भ्याट समेत) थप गर्नु पर्नेछ। (६ व्यक्ति क्षमता भएको लिफ्ट)
- ख) सेप्टिक ट्यांक तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मुल्यांकनमा रु १५९००२।५ (भ्याट बाहेक) घटाउनुपर्नेछ।
- ग) संयुक्त आवास (Apartment) र Housing का भवनहरूको मुल्यांकन गर्दा भवनले ओगटेको जग्गा भवन परिसर भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरू तथा Land scaping कार्य हरूको मुल्यांकन यस दर रेटमा समावेश नगरिएकोले सो को छुट्टै मुल्यांकन गर्नुपर्ने छ।
- घ) माथिका सिभिल कार्यका दर रेटहरू सामान्य किसिमका जग भएका भवनहरूको लागि निर्धारण गरिएको हो। अन्य किसिमका जगहरूको हकमा जग complex (combined/ Mat) भएमा वा pile foundation भएमा सोको छुट्टै मुल्यांकन गरी भवनको कुल मुल्यांकनमा समावेश गर्ने।
- ङ) उपरोक्त अनुसारका दररेट प्रयोग गरी घरको मुल्यांकन गर्दा त्रुटि लगायतका मुल्यांकनका विधि र सूत्र (Formula) "भवनको लागत मुल्यांकन कार्य विधि २०७०" ले निर्दिष्ट गरे बमोजिम हुनेछ।

उल्लेखित तालिकामा उच्च स्तर भएको भए 'क' वर्ग, मध्यम स्तर भएको भए 'ख' वर्ग र सामान्य स्तर भएको भए 'ग' वर्ग मानिने छ। यस अनुसार वर्गीकृत गरिएको भवनको हकमा निम्नानुसारको दर कायम हुने छ :

- अ) 'ग' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दर मानिने छ।
- आ) 'ख' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा २० प्रतिशत थप गरिने छ।
- इ) 'क' वर्गको भवनको हकमा उपरोक्त तालिका अनुसारको दरमा ४० प्रतिशत थप गरिने छ।

घरभाडा मूल्यांकन प्रयोजनको लागि निम्न मुख्य सडकको दायर्य र वार्यो निर्माण भएका घरहरूको हकमा Internal Rate of Return (IRR) १० प्रतिशत र जग्गाको हकमा IRR ५ प्रतिशत कायम गर्ने र मुख्य सडकसंग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायर्य र वार्यो निर्माण भएका घरहरूको हकमा IRR क्रमशः घटाउँदै न्यूनतम ६ प्रतिशत सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउँदै न्यूनतम ३ प्रतिशत कायम गर्ने निर्णय गरियो।

मुख्य सडकहरू :

- १) मनोहरा पुल (जडीवुटी) देखि कोटेश्वर-सुविधानगर-वानेश्वर-माईतीघर-त्रिपुरेश्वर-कलंकी-थानकोट चोकपोष्ट-नागढुंगासम्मको सडक।
- २) माईतीघर-सिंहदरवार-पुतलीसडक-कमलपोखरी-जय नेपाल हल-नागपोखरी-नक्साल-भाटभटेनी-प्रहरी तालिम केन्द्रसम्मको सडक।
- ३) त्रिपुरेश्वर-सुन्दारा-न्यूरोडगेट-विशालवजार (इनद्रचोक)-न्यूरोड गेट-वीर अस्पताल-जमल-लैनचौर- लाजिम्पाट-टीचिङ्ग अस्पताल-महाराजगंज चोक-बूढानीलकण्ठसम्मको
- ४) चक्रपथ पुरै।
- ५) शंखमूल पुल -नयाँवानेश्वर-पुरानो वानेश्वर-गौशाला चोकसम्मको सडक।
- ६) सिनामंगल पुरानो वानेश्वर चोक-मैतीदेवी-डिल्लीवजार-वागवजार हुँदै रत्नपार्कसम्मको सडक।
- ७) गौशाला चोक - वानेश्वर - कमलपोखरी-एकेडेमी भवन-तीनधारा पाठशाला-महेन्द्र शालिकसम्मको सडक।
- ८) चावहिल चोक -वौढ - जोरपाटी साँखु वसपार्क सम्मको सडक।
- ९) लैनचौर - नयाँवजार- बालाजु चोक - बालाजु वाईपास- काठमाडौं र नुवाकोटको सिमानासम्मको सडक।
- १०) कालिमाटी चोक-कुलेश्वर-बल्खुचोक-फर्पिङ्ग दक्षिणकालीको पार्किङ्गस्थलसम्मको सडक।

Handwritten signatures and stamps of officials. One stamp reads: "जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी" (Jitendra Basnet, Chief District Officer).



फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
1	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	99.00	100.00	94.00
	b) 10,12,16,20, mm dia	के.जी	98.00	99.00	90.00
	c) 25 mm dia	के.जी	99.00	100.00	94.00
	c) 28,32 mm dia	के.जी	99.00	100.00	94.00
2	विभिन्न साइजका TMT Bar (FE 500D)				
	a) 8 mm dia	के.जी			104.00
	b) 10,12,16,20, mm dia	के.जी			100.00
	c) 25 mm dia	के.जी			104.00
	c) 28,32 mm dia	के.जी			104.00
3	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	94.00	94.00	94.00
	b) 10-25mm TOR steel	के.जी	91.00	91.00	91.00
	c) 28-32mm TOR steel	के.जी	94.00	94.00	94.00
4	TOR kari-4.75, 7 mm dia	के.जी	101.00	101.00	96.00
5	Parallel thread rebars couplers				
	a) 16mm dia			104.00	95.00
	b) 20mm dia			210.00	180.00
	c) 25mm dia			298.00	250.00
	d) 28mm dia			380.00	300.00
	e) 32mm dia			480.00	380.00
	f) 36mm dia			640.00	512.00
	g) 40mm dia			875.00	700.00
6	Parallel threading of rebars with one thread cap				
	a) 16mm dia			27.00	27.00
	b) 20mm dia			40.00	40.00
	c) 25mm dia			74.00	74.00
	d) 28mm dia			90.00	90.00
	e) 32mm dia			99.00	99.00
	f) 36mm dia			165.00	165.00
	g) 40mm dia			180.00	180.00
7	डण्डी बाँध्नेतार	के.जी	106.00	106.00	120.00
8	एम.एस.सोलिड स्वायर रड	के.जी	80.00	80.00	80.00
9	विभिन्न साइजको एम.एस. एङ्गल	के.जी	93.00	93.00	93.00
10	विभिन्न साइजको ब्याक पाईप	के.जी	93.00	93.00	93.00

Page 4

जितेन्द्र बस्नेत
मुख्य जिल्ला अधिकारी



फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
11	विभिन्न साइजको एम.एस. च्यानल	के.जी	96.00	96.00	96.00
12	विभिन्न साइजको आइ.विम	के.जी	94.00	94.00	94.00
13	विभिन्न साइजको एम.एस. प्लेट	के.जी	161.00	161.00	161.00
14	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	161.00	161.00	161.00
15	G.I. Wire				
	i) Heavy Zinc coated				
	8 guage	के.जी	129.00	129.00	129.00
	10 guage	के.जी	129.00	129.00	129.00
	12guage	के.जी	129.00	129.00	129.00
	ii) Medium zinc Coated				
	8 guage	के.जी	124.00	124.00	124.00
	10 guage	के.जी	124.00	124.00	124.00
	12guage	के.जी	124.00	124.00	124.00
	iii) Light Zinc Coated/Commercial				
	8 guage	के.जी	117.00	117.00	117.00
	10 guage	के.जी	117.00	117.00	117.00
	12guage	के.जी	117.00	117.00	117.00
16	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh type-10x12 , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	273.00	273.00	273.00
17	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग कोटेड तयारी गेवियन वाकस mesh type-6x8, mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	332.00	332.00	332.00
18	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी गेवियन वाकस mesh type-6x8, mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	542.00	542.00	542.00
19	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh type-10x12, mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	358.00	358.00	358.00
20	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्ग र पि.भि.सि.कोटेड तयारी जम्बो गेवियन वाकस mesh type-10x12, mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.	322.00	322.00	322.00
21	Barbed Wire (कढितार)				
	12 guage commercial, Medium duty	के.जी	115.00	115.00	115.00



फलाम जन्त्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	U-hook for barbed wire fencing	गोटा	0.89	0.89	0.89
22	Fabrication of chain link mesh of size				
	1"x1" 12 guage	बर्ग मी.	827.00	827.00	827.00
	1.5"x1.5" 12 guage	बर्ग मी.	774.00	774.00	774.00
	2"x2" 10 guage	बर्ग मी.	613.00	613.00	613.00
	3"x3" 10 guage	बर्ग मी.	501.00	501.00	501.00
	4"x4" 10 guage	बर्ग मी.	399.00	399.00	399.00
23	विभिन्न प्रकारको जालीहरू				
	मसिनो खालको Mosquito proof जाली	व.मि.	137.00	137.00	137.00
	वालुवा चाल्ने जाली	व.मि.	143.00	143.00	143.00
	कुखुरे जाली (Chicken wire mesh)	व.मि.	86.00	86.00	86.00
	ब्रास क्रसिङ्ग जाली	व.मि.	224.00	224.00	224.00
	स्टील जाली (crossing)	व.मि.	180.00	180.00	180.00
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	312.00	312.00	312.00
	फलामबाट निर्मित सामानहरू				
24	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	154.00	154.00	154.00
25	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	141.00	141.00	141.00
26	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	594.00	594.00	594.00
27	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	415.00	415.00	415.00
28	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	व.फि.	332.00	332.00	332.00
29	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	594.00	594.00	594.00
30	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० X ५० X ५ mm) को फ्रेम समेत	व.फि.	772.00	772.00	772.00
31	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भन्ज्याङ्ग (Spiral Staircase) तयार गरी जडान समेत (भन्ज्याङ्गको नापी गर्दा floor to floor height लिने)	र.फि.	3414.00	3414.00	3414.00
32	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	148.00	148.00	148.00
33	विभिन्न साइजको किला काटी	के.जी.	132.00	132.00	132.00
34	विभिन्न साइजको नट बोल्ड	के.जी.	195.00	195.00	195.00
35	फलामे सामग्रीको फेब्रिक्शन तथा जडान कार्य	के.जी.	52.00	52.00	52.00
36	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	166.00	166.00	166.00
37	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	2304.00	2304.00	2304.00
38	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	229.00	229.00	229.00



फलाम जन्य निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२
	१" व्यास भएको १६ गेज मोटाई	मीटर	288.00	288.00	288.00
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	367.00	367.00	367.00
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	446.00	446.00	446.00
	२" व्यास भएको १६ गेज मोटाई	मीटर	602.00	602.00	602.00
39	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with variable thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete	के.जी.	470.00	470.00	470.00



सडक र पुल सम्बन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
1	Bitumen				
	VG 10	के.जी	115.00	115.00	105.00
	VG 30	के.जी	116.00	119.00	108.30
2	CRMB-DIGO 55 Bitumen	के.जी	89.00	89.00	89.00
3	Cationic Bitumen Emulsion				
	छिटो जम्ने (RS 60%)	के.जी	84.00	86.50	86.50
	छिटो जम्ने (RS 65%)	के.जी	89.00	91.60	91.60
	छिटो जम्ने (RS 70%)	के.जी	94.00	96.80	96.80
	मध्यम जम्ने (MS 60%)	के.जी	85.00	87.50	87.50
	मध्यम जम्ने (MS 65%)	के.जी	89.00	91.60	91.60
	ढीलो जम्ने (SS60%)	के.जी	86.00	88.50	88.50
4	Slurry Seal with 60% bitumen	के.जी	93.00	95.70	95.70
5	Hi - seal Redymix	के.जी	112.00	112.00	112.00
6	Polymer Bitumen	के.जी	125.00	125.00	125.00
7	सडक कालोपत्रे गर्दा विटुमीन नउष्कीनको लागि प्रयोग गर्ने सामान Anti stripping	के.जी	370.00	370.00	370.00
8	कालोपत्रे सडक Pot hole टाल्नको लागि प्रयोग गरिने Pre-coated Aggregate सामाग्री	के.जी	35.00	35.00	35.00
9	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामाग्री				
	a) B.S. Grade	के.जि	198.00	198.00	198.00
	b) Most Grade	के.जी	219.00	219.00	219.00
	c) Glass beads	के.जी	180.00	180.00	180.00
10	Elastomeric Bearing Pad				
	Free Type	गोटा	24031.28	24031.28	24031.28
	Fix end Dowel Type	गोटा	50993.00	50993.00	50993.00
11	Expansion Joint Works				
	Single strip seal	र. मि.	10132.00	10132.00	10132.00
	Slab seal (320*50)	र. मि.	19999.00	19999.00	19999.00
12	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	178500.00	178500.00	178500.00
13	मोटर पुलको लागि स्टील प्लेट गार्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	178500.00	178500.00	178500.00
14	High density polyethene geo-membrane				
	1.00 mm thickness	व.मि.	684.00	684.00	684.00
	2.00 mm thickness	व.मि.	1364.00	1364.00	1364.00
15	Needle punched non woven geo-textile				



सडक र पुल सम्बन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. ०७९/०८०	आ.व. ०८०/०८१	आ.व. ०८१/०८२
	weight-120gm/sqm	व.मि.	77.00	77.00	77.00
	weight-150gm/sqm	व.मि.	86.00	86.00	86.00
	weight-200gm/sqm	व.मि.	126.00	126.00	126.00
16	Tendon sheath	मी.	388.00	388.00	388.00
17	Tendon wire	टन	151796.00	151796.00	151796.00
18	Ancorage block with cap	गोटा	10447.00	10447.00	10447.00
19	Road divider (polythene)	गोटा	1732.00	1732.00	1732.00
20	Dust bin (polythene) 165 ltr	गोटा	3291.00	3291.00	3291.00
21	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	193800.00	193800.00	193800.00
22	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	6240.00	6240.00	6240.00
23	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	10920.00	10920.00	10920.00
24	Geogrids	व. मि.	140.00	140.00	140.00
	भोलुडे पुल सम्बन्धि				
1	Φ 13 mm thimble	गोटा	79.00	79.00	79.00
2	Φ 26 mm thimble	गोटा	401.00	401.00	401.00
3	Φ 32 mm thimble	गोटा	687.00	687.00	687.00
4	Φ 36 mm thimble	गोटा	1373.00	1373.00	1373.00
5	Φ 40 mm thimble	गोटा	1716.00	1716.00	1716.00
6	Wire mesh netting -10 SWG 50x50 mesh size	व. मि.	457.00	457.00	457.00
7	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	7223.00	7223.00	7223.00
8	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	312.00	312.00	312.00
9	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	410.00	410.00	410.00
10	High tensile friction grip nut bolts	के.जी.	377.00	377.00	377.00
11	Hot deep galvinazation	के.जी.	51.00	51.00	51.00
12	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) Equivalent to J.K.S 3D; Type A02-80/1.5-1.6 FEZ , Approx. Wt. 3.0 kg/m2	व. मि.	3898.00	3898.00	3898.00
13	Binding loops stainless steel type 1.4/100/NIRO, approx wt 6.0 Kg/Bundle	प्रति बण्डल	22900.00	22900.00	22900.00



स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	मेशिनबाट उत्पादित ईटा (१-नं.)				
	का.म.न.पा.	प्रति हजार	16848.00	16848.00	16508.00
	दक्षिणकाली न.पा.	प्रति हजार	17451.00	17451.00	
	किर्तिपुर न.पा.	प्रति हजार	17305.00	17305.00	
	चन्द्रागिरी न.पा.	प्रति हजार	17555.00	17555.00	
	नागार्जुन न.पा.	प्रति हजार	17555.00	17555.00	
	तारकेश्वर न.पा.	प्रति हजार	17555.00	17555.00	
	टोखा न.पा. न.पा.	प्रति हजार	17336.00	17336.00	
	बुढानिलकण्ठ न.पा.	प्रति हजार	17368.00	17368.00	
	गोकर्णेश्वर न.पा.	प्रति हजार	17409.00	17409.00	
	शंखरापुर न.पा.	प्रति हजार	17690.00	17690.00	
	कागेश्वरी मनहरा न.पा.	प्रति हजार	17201.00	17201.00	
2	चिमनी भट्टाको ईटा				
	का.म.न.पा.	प्रति हजार	15121.00	15121.00	15145.00
	दक्षिणकाली न.पा.	प्रति हजार	14996.00	14996.00	
	किर्तिपुर न.पा.	प्रति हजार	14872.00	14872.00	
	चन्द्रागिरी न.पा.	प्रति हजार	14757.00	14757.00	
	नागार्जुन न.पा.	प्रति हजार	14872.00	14872.00	
	तारकेश्वर न.पा.	प्रति हजार	15048.00	15048.00	
	टोखा न.पा. न.पा.	प्रति हजार	15121.00	15121.00	
	बुढानिलकण्ठ न.पा.	प्रति हजार	15506.00	15506.00	
	गोकर्णेश्वर न.पा.	प्रति हजार	15298.00	15298.00	
	शंखरापुर न.पा.	प्रति हजार	15652.00	15652.00	
	कागेश्वरी मनहरा न.पा.	प्रति हजार	15371.00	15371.00	
3	तराई को १ नं.ईटा				
	का.म.न.पा.	प्रति हजार	17160.00	17160.00	17400.00
	दक्षिणकाली न.पा.	प्रति हजार	17856.00	17856.00	
	किर्तिपुर न.पा.	प्रति हजार	17357.00	17357.00	
	चन्द्रागिरी न.पा.	प्रति हजार	17160.00	17160.00	
	नागार्जुन न.पा.	प्रति हजार	17316.00	17316.00	
	तारकेश्वर न.पा.	प्रति हजार	17388.00	17388.00	
	टोखा न.पा. न.पा.	प्रति हजार	17316.00	17316.00	
	बुढानिलकण्ठ न.पा.	प्रति हजार	17430.00	17430.00	
	गोकर्णेश्वर न.पा.	प्रति हजार	17316.00	17316.00	
	शंखरापुर न.पा.	प्रति हजार	17638.00	17638.00	
	कागेश्वरी मनहरा न.पा.	प्रति हजार	17430.00	17430.00	



स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
4	दुक्रा ईटा	घ.मि.	2625.00	2625.00	2625.00
5	सिमेन्टको ईटा				
	BK108N	प्रति हजार	15450.00	15450.00	15450.00
	BK118As	प्रति हजार	16274.00	16274.00	16274.00
6	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2*8*4"	गोटा	137.00	137.00	137.00
	Size 2*8*6"	गोटा	205.00	205.00	205.00
	Size 2*8*8"	गोटा	276.00	276.00	276.00
7	ECO BRICK (Sada)	गोटा	19.00	19.00	19.00
	ECO BRICK (Colour)	गोटा	21.00	21.00	21.00
8	खानीको ढुंगा				
	का.म.न.पा.	घ.फि.	67.00	67.00	73.00
	दक्षिणकाली न.पा.	घ.फि.	63.00	63.00	
	किर्तिपुर न.पा.	घ.फि.	66.00	66.00	
	चन्द्रागिरी न.पा.	घ.फि.	77.00	77.00	
	नागार्जुन न.पा.	घ.फि.	79.00	79.00	
	तारकेश्वर न.पा.	घ.फि.	78.00	78.00	
	टोखा न.पा. न.पा.	घ.फि.	76.00	76.00	
	बुढानिलकण्ठ न.पा.	घ.फि.	72.00	72.00	
	गोकर्णेश्वर न.पा.	घ.फि.	73.00	73.00	
	शंखरापुर न.पा.	घ.फि.	77.00	77.00	
	कागेश्वरी मनहरा न.पा.	घ.फि.	75.00	75.00	
9	विभिन्न प्रकारको खानीको बालुवा				
	का.म.न.पा.	घ.फि.	94.00	94.00	90.00
	दक्षिणकाली न.पा.	घ.फि.	99.00	99.00	
	किर्तिपुर न.पा.	घ.फि.	98.00	98.00	
	चन्द्रागिरी न.पा.	घ.फि.	96.00	96.00	
	नागार्जुन न.पा.	घ.फि.	98.00	98.00	
	तारकेश्वर न.पा.	घ.फि.	98.00	98.00	
	टोखा न.पा. न.पा.	घ.फि.	97.00	97.00	
	बुढानिलकण्ठ न.पा.	घ.फि.	98.00	98.00	
	गोकर्णेश्वर न.पा.	घ.फि.	71.00	71.00	
	शंखरापुर न.पा.	घ.फि.	71.00	71.00	
	कागेश्वरी मनहरा न.पा.	घ.फि.	97.00	97.00	
10	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	96.00	96.00	
	दक्षिणकाली न.पा.	घ.फि.	98.00	98.00	
	किर्तिपुर न.पा.	घ.फि.	98.00	98.00	
	चन्द्रागिरी न.पा.	घ.फि.	97.00	97.00	
	नागार्जुन न.पा.	घ.फि.	98.00	98.00	



स्थानीय निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	तारकेश्वर न.पा.	घ.फि.	९८.००	९८.००	९०.००
	टोखा न.पा. न.पा.	घ.फि.	९८.००	९८.००	
	बुढानिलकण्ठ न.पा.	घ.फि.	९९.००	९९.००	
	गोकर्णेश्वर न.पा.	घ.फि.	८८.००	८८.००	
	शंखरापुर न.पा.	घ.फि.	८८.००	८८.००	
	कागेश्वरी मनहरा न.पा.	घ.फि.	८८.००	८८.००	
11	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	९४.००	९४.००	९५.००
	दक्षिणकाली न.पा.	घ.फि.	१०२.००	१०२.००	
	किर्तिपुर न.पा.	घ.फि.	१००.००	१००.००	
	चन्द्रागिरी न.पा.	घ.फि.	१०१.००	१०१.००	
	नागार्जुन न.पा.	घ.फि.	१०१.००	१०१.००	
	तारकेश्वर न.पा.	घ.फि.	१०२.००	१०२.००	
	टोखा न.पा. न.पा.	घ.फि.	१०२.००	१०२.००	
	बुढानिलकण्ठ न.पा.	घ.फि.	१०१.००	१०१.००	
	गोकर्णेश्वर न.पा.	घ.फि.	१०२.००	१०२.००	
	शंखरापुर न.पा.	घ.फि.	१०२.००	१०२.००	
	कागेश्वरी मनहरा न.पा.	घ.फि.	१०२.००	१०२.००	
12	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	१०१.००	१०१.००	९०.००
	दक्षिणकाली न.पा.	घ.फि.	१०१.००	१०१.००	
	किर्तिपुर न.पा.	घ.फि.	१०२.००	१०२.००	
	चन्द्रागिरी न.पा.	घ.फि.	१०२.००	१०२.००	
	नागार्जुन न.पा.	घ.फि.	१०२.००	१०२.००	
	तारकेश्वर न.पा.	घ.फि.	१०२.००	१०२.००	
	टोखा न.पा. न.पा.	घ.फि.	१०३.००	१०३.००	
	बुढानिलकण्ठ न.पा.	घ.फि.	१०२.००	१०२.००	
	गोकर्णेश्वर न.पा.	घ.फि.	१०१.००	१०१.००	
	शंखरापुर न.पा.	घ.फि.	९८.००	९८.००	
	कागेश्वरी मनहरा न.पा.	घ.फि.	१०१.००	१०१.००	
13	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि				
	का.म.न.पा.	घ.फि.	८७.००	८७.००	८४.००
	दक्षिणकाली न.पा.	घ.फि.	८८.००	८८.००	
	किर्तिपुर न.पा.	घ.फि.	८७.००	८७.००	
	चन्द्रागिरी न.पा.	घ.फि.	८८.००	८८.००	
	नागार्जुन न.पा.	घ.फि.	८९.००	८९.००	
	तारकेश्वर न.पा.	घ.फि.	८९.००	८९.००	



स्थानीय निर्माण सामग्रीहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	टोखा न.पा. न.पा.	घ.फि.	90.00	90.00	
	बुढानिलकण्ठ न.पा.	घ.फि.	90.00	90.00	
	गोकर्णेश्वर न.पा.	घ.फि.	89.00	89.00	
	शंखरापुर न.पा.	घ.फि.	87.00	87.00	
	कागेश्वरी मनहरा न.पा.	घ.फि.	88.00	88.00	
14	Crusher run sub-base material (63mm down)				
	का.म.न.पा.	घ.फि.	76.00	76.00	
	दक्षिणकाली न.पा.	घ.फि.	82.00	82.00	
	किर्तिपुर न.पा.	घ.फि.	75.00	75.00	
	चन्द्रागिरी न.पा.	घ.मि.	76.00	76.00	
	नागार्जुन न.पा.	घ.फि.	77.00	77.00	
	तारकेश्वर न.पा.	घ.फि.	77.00	77.00	70.00
	टोखा न.पा. न.पा.	घ.फि.	78.00	78.00	
	बुढानिलकण्ठ न.पा.	घ.फि.	82.00	82.00	
	गोकर्णेश्वर न.पा.	घ.फि.	82.00	82.00	
	शंखरापुर न.पा.	घ.फि.	85.00	85.00	
	कागेश्वरी मनहरा न.पा.	घ.फि.	84.00	84.00	
15	40 mm down crushed Base material (Wet)				
	का.म.न.पा.	घ.फि.	88.00	88.00	
	दक्षिणकाली न.पा.	घ.फि.	89.00	89.00	
	किर्तिपुर न.पा.	घ.फि.	88.00	88.00	
	चन्द्रागिरी न.पा.	घ.फि.	90.00	90.00	
	नागार्जुन न.पा.	घ.फि.	90.00	90.00	
	तारकेश्वर न.पा.	घ.फि.	91.00	91.00	82.00
	टोखा न.पा. न.पा.	घ.फि.	91.00	91.00	
	बुढानिलकण्ठ न.पा.	घ.फि.	90.00	90.00	
	गोकर्णेश्वर न.पा.	घ.फि.	88.00	88.00	
	शंखरापुर न.पा.	घ.फि.	91.00	91.00	
	कागेश्वरी मनहरा न.पा.	घ.फि.	91.00	91.00	
16	छानामा छाउने क्ले टायलहरू				
	मेशिनबाट उत्पादित टायल	गोटा	19.00	19.00	19.00
	चिमनी भट्टाको टायल	गोटा	17.00	17.00	17.00
	मेशिनबाट उत्पादित धुरी	गोटा	34.00	34.00	34.00
	चिमनी भट्टाको धुरी	गोटा	28.00	28.00	28.00
17	भुईमा/ कौसीमा छाप्ने क्ले टायलहरू				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	10.00	10.00	10.00
	चिमनी भट्टाको क्ले टायल	गोटा	9.00	9.00	9.00
18	छाप्ने ढक्का (Flag stone)				



स्थानीय निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	व.फि	82.00	82.00	82.00
	१ ^१ / _२ " सम्म बाक्लो " "	व.फि	94.00	94.00	94.00
	2 सम्म बाक्लो ढुङ्गा " "	व.फि	111.00	111.00	111.00
	2.5 सम्म बाक्लो ढुङ्गा " "	व.फि	119.00	119.00	119.00
	2.5" - ३" सम्म बाक्लो ढुङ्गा " "	व.फि	148.00	148.00	148.00
19	खोलाको बोल्टर कोवल १०० मि.मि. सम्म	घ.फि.	113.00	113.00	113.00
20	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे वेसि खानी बाहेकको)	घ.फि.	61.00	61.00	61.00
21	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	70.00	70.00	70.00
22	भवनको भूईँ कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	"	48.00	48.00	48.00
23	ढुगांको धुलो (Stone dust)	घ.फि.	44.00	44.00	35.00
24	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	343.00	343.00	318.00
25	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	594.00	594.00	550.00
26	भुस	के.जि.	5.00	5.00	5.00
27	गोबर	के.जि.	5.00	5.00	5.00
28	निर्माण कार्यको लागी पानी				
	३ कि.मी. सम्म को दुरीमा	लिटर	0.28	0.28	0.28
	३ कि.मी. देखि माथीको दुरीमा	लिटर	0.33	0.33	0.33
29	५०० गेज प्लाष्टिक सिट	व.मी.	33.00	33.00	33.00
30	Plastic felt (२०मी. × १मी.)	रोल	2541.00	2541.00	2541.00
31	१८-२० फिट लामो बाँस	गोटा	240.00	240.00	240.00
32	Compressed Stabilized Earthen Block (CSEB)				
	230x110x60 mm	गोटा			14.00

जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी



प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	NP-2 Class Pipes(Plain)				
	150 mm dia.	र.मि	570.00	570.00	570.00
	200 mm dia.	र.मि	740.00	740.00	740.00
	250 mm dia.	र.मि	925.00	925.00	925.00
	300 mm dia.	र.मि	1260.00	1260.00	1260.00
	350 mm dia.	र.मि	1325.00	1325.00	1325.00
	375 mm dia.	र.मि	1520.00	1520.00	1520.00
	400 mm dia.	र.मि	1750.00	1750.00	1750.00
	450 mm dia.	र.मि	1852.00	1852.00	1852.00
	500 mm dia.	र.मि	2080.00	2080.00	2080.00
	600 mm dia.	र.मि	2740.00	2740.00	2740.00
	700 mm dia.	र.मि	3575.00	3575.00	3575.00
	750 mm dia.	र.मि	3870.00	3870.00	3870.00
	800 mm dia.	र.मि	4320.00	4320.00	4320.00
	900 mm dia.	र.मि	5835.00	5835.00	5835.00
	1000 mm dia.	र.मि	6805.00	6805.00	6805.00
	1200 mm dia.	र.मि	8301.00	8301.00	8301.00
	1500 mm dia.	र.मि	17450.00	17450.00	17450.00
2	NP-3 Class Pipes(Plain)				
	150 mm dia.	र.मि	1310.00	1310.00	1310.00
	200 mm dia.	र.मि	1745.00	1745.00	1745.00
	250 mm dia.	र.मि	2185.00	2185.00	2185.00
	300 mm dia.	र.मि	3140.00	3140.00	3140.00
	350 mm dia.	र.मि	3520.00	3520.00	3520.00
	375 mm dia.	र.मि	3760.00	3760.00	3760.00
	400 mm dia.	र.मि	4010.00	4010.00	4010.00
	450 mm dia.	र.मि	4500.00	4500.00	4500.00
	500 mm dia.	र.मि	5020.00	5020.00	5020.00
	600 mm dia.	र.मि	6200.00	6200.00	6200.00
	700 mm dia.	र.मि	7485.00	7485.00	7485.00
	750 mm dia.	र.मि	8600.00	8600.00	8600.00
	800 mm dia.	र.मि	9385.00	9385.00	9385.00
	900 mm dia.	र.मि	12172.00	12172.00	12172.00
	1000 mm dia.	र.मि	13525.00	13525.00	13525.00
	1200 mm dia.	र.मि	16100.00	16100.00	16100.00
	1500 mm dia.	र.मि	25300.00	25300.00	25300.00
3	NP-2 RCC Collar				
	150 mm dia	गोटा	145.00	145.00	145.00
	200 mm dia	गोटा	193.00	193.00	193.00
	250 mm dia	गोटा	239.00	239.00	239.00



बिनाश आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	300 mm dia	गोटा	324.00	324.00	324.00
	350 mm dia	गोटा	357.00	357.00	357.00
	375 mm dia	गोटा	392.00	392.00	392.00
	400 mm dia	गोटा	451.00	451.00	451.00
	450 mm dia	गोटा	476.00	476.00	476.00
	500 mm dia	गोटा	535.00	535.00	535.00
	600 mm dia	गोटा	706.00	706.00	706.00
	700 mm dia	गोटा	920.00	920.00	920.00
	750 mm dia	गोटा	995.00	995.00	995.00
	800 mm dia	गोटा	1110.00	1110.00	1110.00
	900 mm dia	गोटा	1500.00	1500.00	1500.00
	1000 mm dia	गोटा	1752.00	1752.00	1752.00
	1200 mm dia	गोटा	2137.00	2137.00	2137.00
	1500 mm dia	गोटा	4492.00	4492.00	4492.00
4	NP-3 Class Collars				
	150 mm dia.	गोटा	327.00	327.00	327.00
	200 mm dia.	गोटा	436.00	436.00	436.00
	250 mm dia.	गोटा	544.00	544.00	544.00
	300 mm dia.	गोटा	783.00	783.00	783.00
	350 mm dia.	गोटा	879.00	879.00	879.00
	375 mm dia.	गोटा	940.00	940.00	940.00
	400 mm dia.	गोटा	1000.00	1000.00	1000.00
	450 mm dia.	गोटा	1125.00	1125.00	1125.00
	500 mm dia.	गोटा	1255.00	1255.00	1255.00
	600 mm dia.	गोटा	1550.00	1550.00	1550.00
	700 mm dia.	गोटा	1871.00	1871.00	1871.00
	750 mm dia.	गोटा	2150.00	2150.00	2150.00
	800 mm dia.	गोटा	2344.00	2344.00	2344.00
	900 mm dia.	गोटा	3042.00	3042.00	3042.00
	1000 mm dia.	गोटा	3382.00	3382.00	3382.00
	1200 mm dia.	गोटा	4024.00	4024.00	4024.00
	1500 mm dia.	गोटा	6324.00	6324.00	6324.00
5	NP-3 Pipes Socket and Spigot				
	150 mm dia.	र.मि	1480.00	1480.00	1480.00
	200 mm dia.	र.मि	2010.00	2010.00	2010.00
	250 mm dia.	र.मि	2510.00	2510.00	2510.00
	300 mm dia.	र.मि	3605.00	3605.00	3605.00
	400 mm dia.	र.मि	4610.00	4610.00	4610.00
	450 mm dia.	र.मि	5180.00	5180.00	5180.00
	500 mm dia.	र.मि	5770.00	5770.00	5770.00
	600 mm dia.	र.मि	7130.00	7130.00	7130.00
	700 mm dia.	र.मि	8610.00	8610.00	8610.00
	800 mm dia.	र.मि	10790.00	10790.00	10790.00
	900 mm dia.	र.मि	14000.00	14000.00	14000.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'जितेन्द्र बस्नेत' and 'काठमाडौं जिल्ला अधिकाारी'.



प्रिकोषः आर.सि.सि.पाईपहरु तथा रिडहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	1000 mm dia.	र.मि	14814.00	14814.00	14814.00
	1200 mm dia.	र.मि	18600.00	18600.00	18600.00
	1400 mm dia.	र.मि	25750.00	25750.00	25750.00
	1600 mm dia.	र.मि	32600.00	32600.00	32600.00
	1800 mm dia	र.मि	43600.00	43600.00	43600.00










जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	700.00	700.00	
	53 grade				600.00
	43 grade				585.00
2	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	600.00	600.00	500.00
3	सेतो सिमेन्ट (40kg/bag)	ब्याग	1230.00	1230.00	1230.00
4	Ready Made dry mortar (40kg/bag)	ब्याग	1200.00	1200.00	1200.00
5	सिमेन्ट लोड र अनलोड	ब्याग	11.55	11.55	11.55
6	Ready Mix Concrete (चक्रपथबाट ३ कि.मि. बाहिर सम्म)				
	M 10 Grade	घ. मि	13650.00	13650.00	11600.00
	M 15 Grade	घ. मि	14700.00	14700.00	12388.50
	M 20 Grade	घ. मि	15225.00	15225.00	13392.45
	M 25 Grade	घ. मि	16275.00	16275.00	14393.00
	M 30 Grade	घ. मि	17115.00	17115.00	17000.00
	M 35 Grade	घ. मि	18382.00	18382.00	17460.00
	M 40 Grade	घ. मि	19950.00	19950.00	18989.00
	M 45 Grade	घ. मि	21450.00	21450.00	21000.00
7	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	1260.00	1260.00	1260.00
8	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	1102.00	1102.00	1102.00
9	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	1016.00	1016.00	1016.00
10	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	52.00	52.00	52.00
	३.५ मी.मी.	व.फि.	59.00	59.00	59.00
	४ मी.मी.	व.फि.	69.00	69.00	69.00
	५ मी.मी.	व.फि.	79.00	79.00	79.00
	६ मी.मी.	व.फि.	106.00	106.00	106.00
	८ मी.मी.	व.फि.	159.00	159.00	159.00
	१० मी.मी.	व.फि.	202.00	202.00	202.00
	१२ मी.मी.	व.फि.	234.00	234.00	234.00
11	बुट्टेदार सिसा				
	३.मी.मी.	व.फि.	51.00	51.00	51.00
	४ मी.मी.	व.फि.	60.00	60.00	60.00
12	पोलि फाईवर ग्लास				
	६ मी.मी.	व.फि.	164.00	164.00	164.00
13	कालो रङ्गको सिसा				



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	३ मी.मी.	व.फि.	102.00	102.00	102.00
	४ मी.मी.	व.फि.	109.00	109.00	109.00
	५ मी.मी.	व.फि.	127.00	127.00	127.00
	६ मी.मी.	व.फि.	184.00	184.00	184.00
	८ मी.मी.	व.फि.	264.00	264.00	264.00
	१० मी.मी.	व.फि.	373.00	373.00	373.00
	१२ मी.मी.	व.फि.	426.00	426.00	426.00
14	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने ५ मि.मि बाक्लो	व.फि.	123.00	123.00	123.00
15	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	6510.00	6510.00	6510.00
16	विभिन्न रंगको Reflector Glass (शिक्षा) -५ मी.मी मोटो	व.फि.	196.00	196.00	196.00
17	Readymade Plaster of Parish cornice and molding				
	POP Molding 1" to 1½"	र.मि	253.00	253.00	253.00
	Up to 5" wide	र.मि	303.00	303.00	303.00
	Up to 8" wide	र.मि	419.00	419.00	419.00
	Above 8" wide	र.मि	171.00	171.00	171.00
18	Plaster of paris	कि.ग्रा.	24.00	24.00	24.00
19	Wall putty-Normal	कि.ग्रा.	37.00	37.00	37.00
20	Wall putty-water proof	कि.ग्रा.	63.00	63.00	63.00
21	राजस्थानी भावर्ल				
	१३ मी.मी बाक्लो राजस्थानी	व.फि.	179.00	179.00	179.00
	१६ मी.मी बाक्लो राजस्थानी	व.फि.	196.00	196.00	196.00
22	ग्रेनाइट				
	१२ मी.मी बाक्लो ग्रेनाइट	व.फि.	279.00	279.00	279.00
	१६ मी.मी बाक्लो ग्रेनाइट	व.फि.	366.00	366.00	366.00
	१८ मी.मी बाक्लो ग्रेनाइट	व.फि.	421.00	421.00	421.00
23	कोटा स्टोन				
	1" thick	व.फि.	159.00	159.00	159.00
	3/4" thick	व.फि.	146.00	146.00	146.00
24	Porcelain Glazed Tiles (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	व.फि.	134.00	134.00	134.00
	floor tile	व.फि.	90.00	90.00	90.00
	Ordinary Floor and Wall tiles	व.फि.	57.00	57.00	57.00
	Border Tile - 2"x8"	र.फि.	45.00	45.00	45.00
	Ceramic Wall Tile (31*45cm)	व.फि.	191.00	191.00	191.00
	Ceramic Floor Tile (31*45cm)	व.फि.	155.00	155.00	155.00
	24" x 24" GVT	व.फि.	155.00	155.00	155.00



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	24" x 24" GRES Vitrified (Digital Floor)	व.फि.	153.00	153.00	153.00
	12" x 12" GRES homogenous Vitrified parking Tile	व.फि.	106.00	106.00	106.00
	24" x 24" Vitrified	व.फि.	118.00	118.00	118.00
	Floor tiles-				
	16"X16"	व.फि.	104.00	104.00	103.00
	12"x12"	व.फि.	93.00	93.00	92.00
	12'X12" (White / Ivory)	व.फि.	82.00	82.00	81.00
	24"x24" (Digital)	व.फि.	129.00	129.00	127.00
	12"x24" (Walls)	व.फि.	137.00	137.00	135.00
	12"x18"(wall)	व.फि.	109.00	109.00	107.00
	Artificial Granite (800mmx2600mm)	व.फि.	479.00	479.00	479.00
	GVT Floor Tile (900mm x 1800mm)	व.फि.	373.00	373.00	373.00
	Double Charge Floor tile (800mmx800mm)	व.फि.	159.00	159.00	158.00
	Double Charge Floor tile (600mmx600mm)	व.फि.	127.00	127.00	127.00
	GVT Floor Tile (800mm x 1600mm)	व.फि.	213.00	213.00	213.00
	10"x24" (Walls)	व.फि.	133.00	133.00	133.00
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.	238.00	238.00	237.00
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.	170.00	170.00	170.00
	Planks Tile-GVT (200mm x 1200mm)	व.फि.	235.00	235.00	233.00
	Planks tile-Ceramic (148mm x 600mm)	व.फि.	161.00	161.00	158.00
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.	121.00	121.00	120.00
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.	121.00	121.00	120.00
	Ceramic Floor-(600mm x 600 mm)	व.फि.	139.00	139.00	115.00
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.	121.00	121.00	120.00
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.	142.00	142.00	140.00
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm)	व.फि.	155.00	155.00	153.00
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.	198.00	198.00	197.00
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.	167.00	167.00	167.00
	DCH Floor Tile(Double Charge) (600mm x 1200mm)	व.फि.	180.00	180.00	178.00
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.	149.00	149.00	147.00
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.	158.00	158.00	157.00
	Vitrified Floor-Matte (600mm x 600mm)	व.फि.	149.00	149.00	148.00
25	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" बाक्लो प्लाष्टरमा रुफिड टाइलको बुझा काट्ने सामान सहित	व.मि.	664.00	664.00	664.00
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	79.00	79.00	79.00
26	Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि.	92.00	92.00	92.00



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Heritage flakes	व.फि	114.00	114.00	114.00
	Heritage granite finish	व.फि	92.00	92.00	92.00
	Heritage Top coat (plastic lamination)	व.फि	23.00	23.00	23.00
27	Plastic Sheet 500 guage	व.मि	40.00	40.00	40.00
	Plastic Tripal 500 guage	व.मि	43.00	43.00	43.00
28.0	EPS Non burn Panel				
28.1	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि	216.00	216.00	216.00
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि	252.00	252.00	252.00
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि	288.00	288.00	288.00
28.2	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि	240.00	240.00	240.00
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि	276.00	276.00	276.00
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि	312.00	312.00	312.00
28.3	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि	300.00	300.00	300.00
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि	336.00	336.00	336.00
28.4	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	288.00	288.00	288.00
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	324.00	324.00	324.00
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	360.00	360.00	360.00
28.5	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	252.00	252.00	252.00
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	288.00	288.00	288.00
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	324.00	324.00	324.00
28.6	Steel Door (900*2100) 80 T	गोटा	15274.34	15274.34	15274.34
	Steel Door (1000*2100) 80 T	गोटा	16159.29	16159.29	16159.29
28.7	ABS Door (900*2100) 80 T	गोटा	13504.42	13504.42	13504.42
28.8	Panel Door (900*2100) 80 T	गोटा	11734.51	11734.51	11734.51
28.9	Window (115mm)	व.फि	766.02	766.02	766.02
	Steel door				
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8~0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि	1100.00	1100.00	1100.00
	Providing and fitting 60 Minute Fire-Rated Steel Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि		2525.00	2525.00
	Providing and fitting 60 Minute Fire-Rated Steel Emergency Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि		3400.00	3400.00
	Providing and fitting Lead Line Radiation Proof Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI sheet and 2mm lead sheet frame inside its section, 2 mm lead sheet pasted inside the door leaf.	व.फि		6700.00	6700.00
	Panel door				



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	व.फि	720.00	720.00	720.00
	UPVC Window				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि	888.00	888.00	888.00
29	CLADDING				
1	MCM Brick Cladding	व.फि	405.00	405.00	405.00
2	MCM Slate Stone Cladding	व.फि	479.00	479.00	479.00
3	MCM Oasis Stone Cladding	व.फि	522.00	522.00	522.00
4	MCM Wood Cladding	व.फि	597.00	597.00	597.00
5	MCM Travertine Stone Cladding	व.फि	735.00	735.00	735.00
30	Laminates				
1	Liner 0.7mm	per sheet (8'X4')	1119.00	1119.00	1119.00
2	0.8 mm SUD		1599.00	1599.00	1599.00
3	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8		1812.00	1812.00	1812.00
4	PGL 0.8 mm		1812.00	1812.00	1812.00
5	Marker Grade MGD 0.8 mm		1919.00	1919.00	1919.00
6	SUD 0.8 mm		1599.00	1599.00	1599.00
7	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm		1812.00	1812.00	1812.00
8	gloss PRG 0.8 mm		1812.00	1812.00	1812.00
9	marker grade MGD 0.8 mm		1919.00	1919.00	1919.00
10	metal ZRL 0.8 mm		5864.00	5864.00	5864.00
11	Plain 1mm		2665.00	2665.00	2665.00
12	Texture 1mm		3198.00	3198.00	3198.00
13	SUD 1mm		2772.00	2772.00	2772.00
14	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM		3731.00	3731.00	3731.00
15	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm		4264.00	4264.00	4264.00
16	HDG 1mm		4797.00	4797.00	4797.00
17	Unicore 1mm		7996.00	7996.00	7996.00
18	Metal 1mm		7996.00	7996.00	7996.00
19	EXTERIOR FACADE				
	Clads Solids 6mm	व.फि	693.00	693.00	693.00
	Clads Wood Grains 6mm	व.फि	772.00	772.00	772.00
20	Ceramic, glazed & glossy bathroom wall tiles size of 30X60 cm of 9mm thickness	व.फि		105.00	105.00
21	Porcelain, unglazed, matte & unpolished bathroom floor tiles sizes of 30X30 cm of 8mm thickness	व.फि		80.00	80.00
22	Ceramic, glazed, matte, glossy kitchen wall tile size of 30X45cm of 9mm thickness	व.फि		80.00	80.00



भवन निर्माणमा प्रयोग हुने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
23	Porcelain unglazed & unpolished kitchen floor tile size of 60X60 cm of 10mm thickness	व.फि		105.00	105.00
24	Porcelain unglazed & unpolished Indoor Floor Area/Corridor Tile sizes of 60X60 cm of 10mm thickness	व.फि		105.00	105.00
25	Vitrified body unglazed, matt outdoor floor area tile sizes of 60X60 cm of 10mm thickness	व.फि		135.00	135.00
26	Vitrified body unglazed, matt Terrace/Balcony Tile sizes of 40X40 cm of 10 mm thickness	व.फि		135.00	135.00
27	Vitrified body unglazed Parking tile sizes of 30X30 cm of thickness 10 mm thickness	व.फि		125.00	125.00
28	Vitrified body unglazed facade tile size of 30X60 cm of thickness 10 mm thickness	व.फि		160.00	160.00
29	Ceramic matte facade tile size of 30X45 cm of thickness of 9 mm thickness	व.फि		110.00	110.00
30	Vitrified body unglazed matt tile of size 60X120 cm of 10 mm thickness	व.फि		175.00	175.00
31	Vitrified body unglazed matt tile of size 60X60 cm of 10 mm thickness	व.फि		135.00	135.00



Aluminium Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
102 SERIES WINDOWS					
1	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	689.00	689.00	689.00
2	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	759.00	759.00	759.00
3	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	877.00	877.00	877.00
4	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	966.00	966.00	966.00
5	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns), available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares, weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/- 3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr	15666.00	15666.00	15666.00
90 SERIES WINDOWS					
1	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coated color, Section size (87×56×1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	550.00	550.00	550.00
2	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	634.00	634.00	634.00

जिल्ला प्रशासन कार्यालय
काठमाण्डौ
 प्रमुख जिल्ला अधिकारी



Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
3	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	599.00	599.00	599.00
4	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	690.00	690.00	690.00
5	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	456.00	456.00	456.00
6	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	524.00	524.00	524.00
7	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	200.00	200.00	200.00
102 SERIES PARTITION					
1	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	553.00	553.00	553.00
2	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	600.00	600.00	600.00
64 SERIES PARTITION					
1	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64×38×1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	415.00	415.00	415.00
2	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64×38×1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	509.00	509.00	509.00
ACOUSTIC PARTITION					
1	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.	46800.00	46800.00	46800.00
STRUCTURAL GLAZING					
1	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60×50+13×1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	584.00	584.00	584.00
2	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60×75+13×1.6 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	678.00	678.00	678.00



Aluminium Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
3	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	824.00	824.00	824.00
GLASS DOOR & PARTITION					
1	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	1321.00	1321.00	1321.00
2	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor).	Sq.ft.	871.00	871.00	871.00
3	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	1421.00	1421.00	1421.00
Aluminium Composite Panel (ACP).					
1	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	355.00	355.00	355.00
2	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	476.00	476.00	476.00
FABRIC LINED ACOUSTIC PANEL					
1	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m	26000.00	26000.00	26000.00
ALUMINIUM DOOR & WINDOW					
1	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texguard coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom 19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares, weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m ³ /h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706. The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq.m	16900.00	16900.00	16900.00

Page 26

 जितेन्द्र बस्नेत

 जिल्ला अधिकारी



Aluminium Doors and Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
2	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS); Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m	102000.00	102000.00	102000.00
Steel Door & Windows					
१	Steel Door (a set with frame)				
	900x2100	set	21840.00	21840.00	21840.00
	1000x2100	set	22880.00	22880.00	22880.00
२	ABS Door				
	900x2100	set	18720.00	18720.00	18720.00
३	Panel Door				
	900x2100	set	14560.00	14560.00	14560.00
४	Window				
	115mm	set	932.00	932.00	932.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



काठ तथा प्लाईउड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	६' सम्मको सालकाठ	घ. फि	5880.00	5880.00	5880.00
2	६' देखि ८' सम्मको सालकाठ	घ. फि	6090.00	6090.00	6090.00
3	८' देखि १२' सम्मको सालकाठ	घ. फि	6562.00	6562.00	6562.00
4	१२ फिट देखि माथिको साल काठ	घ. फि	6930.00	6930.00	6930.00
5	साज काठ	घ. फि	3517.00	3517.00	3517.00
6	जामुन काठ	घ. फि	2257.00	2257.00	2257.00
7	सल्लाको काठ	घ. फि	1627.00	1627.00	1627.00
8	सिसौ काठ	घ. फि	3675.00	3675.00	3675.00
9	जंगली सिसौ काठ ,,	घ. फि	5533.00	5533.00	5533.00
10	उतीस को काठ	घ. फि	668.00	668.00	668.00
11	काठ दाउरा	के.जी	19.00	19.00	19.00
12	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेटेड मेसिनमेड वाटरपुफ, बोरर फि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	253.00	253.00	253.00
	Ordinary-one side teak water proof	व.फि	301.00	301.00	301.00
	Both side teak water Proof	व.फि	350.00	350.00	350.00
	वाटर पुफ गरिएको				
	Plain	व.फि	264.00	264.00	264.00
	One side teak	व.फि	310.00	310.00	310.00
	Both side teak	व.फि	358.00	358.00	358.00
13	कुँदिएको काठको काम तयारी				
	भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	1080.00	1080.00	1080.00
	भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	1323.00	1323.00	1323.00
	भन्याङ्को रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	724.00	724.00	724.00
	भन्याङ्को रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	2362.00	2362.00	2362.00
	देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	13500.00	13500.00	13500.00
	देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"X ८") साल काठमा टुँडाल बनाउने काम	गोटा	22500.00	22500.00	22500.00
	विभिन्न बुझा तथा देवी देवताको मुर्ति कुँदिएको साल काठको भ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	3150.00	3150.00	3150.00

Handwritten signatures and initials at the bottom left of the page.

Handwritten signatures and initials at the bottom right of the page, including a stamp that reads "जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी".



काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	घोडाको आकृति गरि कुँदिएको ४"X ५" साइजको ३' देखि ४' लामो साल काठको तयारी दुँडाल बनाउने काम ।	गोटा	7280.00	7280.00	7280.00
	सामान्य प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	1350.00	1350.00	1350.00
	मध्यम प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी	व.फि.	1620.00	1620.00	1620.00
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक सहीत	व.फि.	2362.00	2362.00	2362.00
	विशेष प्रकारको कुँदिएको सालको काठको आँखी भ्याल तयारी लक नभएको	व.फि.	1980.00	1980.00	1980.00
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	360.00	360.00	360.00
	कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिस आदि तयारी गर्ने कार्य	र.फि.	1620.00	1620.00	1620.00
	४"X ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	1710.00	1710.00	1710.00
14	Wooden Parquet Flooring				
	Shisam wooden parqueting 150mm*30mm*8mm	व.फि.	220.00	220.00	220.00
15	विभिन्न मोटाईको प्लाइउडहरु				
	साधारण प्लाइउड				
	३ मी.मी	व.फि	36.00	36.00	36.00
	३.५ मी.मी.	व.फि	26.00	26.00	26.00
	४ मी.मी	व.फि	28.00	28.00	28.00
	६ मी.मी	व.फि	53.00	53.00	53.00
	८ मी.मी	व.फि	57.00	57.00	57.00
	१२ मी.मी	व.फि	80.00	80.00	80.00
	१९ मी.मी B/B	व.फि	112.00	112.00	112.00
	१८ मी.मी PLY	व.फि	115.00	115.00	115.00
16	वाटर पुफ प्लाइउड				
	४ मी.मी	व.फि	52.00	52.00	52.00
	६ मी.मी	व.फि	65.00	65.00	65.00
	८ मी.मी.	व.फि	67.00	67.00	67.00
	९ मी.मी.	व.फि	89.00	89.00	89.00
	१२ मी.मी	व.फि	99.00	99.00	99.00
	१५ मी.मी PLY	व.फि	113.00	113.00	113.00
	१८ मी.मी B/B	व.फि	139.00	139.00	139.00
17	Natural Teak Plywood				
	३ मी.मी	व.फि	51.00	51.00	51.00



काठ तथा प्लाईवुड संबन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	४ मी. मी (Group Match of in 5 pcs)	व.फि	74.00	74.00	74.00
	४ मी. मी (Regular)	व.फि	64.00	64.00	64.00
	४ मी. मी (Crown)	व.फि	46.00	46.00	46.00
	४ मी. मी (Beri)	व.फि	52.00	52.00	52.00
	४ मी. मी (Whitest line)	व.फि	42.00	42.00	42.00
	४ मी. मी (Beach)	व.फि	49.00	49.00	49.00
	४ मी. मी (Recon 18 No.)	व.फि	39.00	39.00	39.00
18	सनमाईका तथा फरमाईका				
	सनमाईका (4' x 8')	व.फि	18.00	18.00	18.00
	फोरमाईका	व.फि	80.00	80.00	80.00
	हार्डबोर्ड (Hard board) 12 mm thick	व.फि	47.00	47.00	47.00
19	DECORATIVE (THICKER)				
	6 OST	व.फि	135.00	135.00	135.00
	6 BST	व.फि	172.00	172.00	172.00
	9 OST	व.फि	150.00	150.00	150.00
	9 BST	व.फि	186.00	186.00	186.00
	12 OST	व.फि	164.00	164.00	164.00
	12 BST	व.फि	201.00	201.00	201.00
	19 B/B OST	व.फि	177.00	177.00	177.00
	19 B/B BST	व.फि	215.00	215.00	215.00
	18 OST	व.फि	201.00	201.00	201.00
	18 BST	व.फि	238.00	238.00	238.00
20	Ready made Teak wood Doors (Seasoned and Poisoned treated) (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	187.00	187.00	187.00
	Readymade door shutter Recon, Special (1 side teak)	व.फि	255.00	255.00	255.00
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	214.00	214.00	214.00
	Readymade door shutter Recon, Special (1 side teak)	व.फि	288.00	288.00	288.00
21	काठको लिष्ट				
	1/2" wide	र.फि.	15.00	15.00	15.00
	3/4" wide	र.फि.	17.00	17.00	17.00
	1.5" wide	र.फि.	29.00	29.00	29.00
	Decorative	र.फि.	40.00	40.00	40.00
22	Infill Material				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	409.00	409.00	409.00
	Frame U - Studs(0.55mm*0.75mm*3m)	गोटा	409.00	409.00	409.00
	Board 9 mm	गोटा	2400.00	2400.00	2400.00



काठ तथा प्लाइउड संवन्धि निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Fiber mess tape (for 90mm/roll)	गोटा	323.00	323.00	323.00
	PU sasuage rod	गोटा	1890.00	1890.00	1890.00
23	Parquet(sisam,saaj & Teak)				
	1"x3"x6mm thickness	व.फि	215.00	215.00	215.00
	1"x6"x8mm thickness	व.फि	323.00	323.00	323.00
	2"x10"x10mm thickness	व.फि	431.00	431.00	431.00
	3"x14"x12mm thickness	व.फि	588.00	588.00	588.00
	3"x18"x14mm thickness	व.फि	695.00	695.00	695.00
24	Tounge & Groove(T.G.)Flooring				
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि	749.00	749.00	749.00
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/Mix	व.फि	695.00	695.00	695.00
25	Wall panelling				
	pine	व.फि	535.00	535.00	535.00
	saaj,Teak	व.फि	642.00	642.00	642.00
	Sisam	व.फि	749.00	749.00	749.00
	3"Skirting				
	pine	र.फि.	161.00	161.00	161.00
	saaj,Teak	र.फि.	215.00	215.00	215.00
	Sisam	र.फि.	323.00	323.00	323.00
	4"Skirting				
	pine	र.फि.	215.00	215.00	215.00
	saaj,Teak	र.फि.	269.00	269.00	269.00
	Sisam	र.फि.	377.00	377.00	377.00
	5"Skirting				
	pine	र.फि.	269.00	269.00	269.00
	saaj,Teak	र.फि.	323.00	323.00	323.00
	Sisam	र.फि.	431.00	431.00	431.00

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads "जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी".



UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drainage cover, etc.				
A	Single glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass)	व.मि	7575.00	7575.00	7575.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	6997.00	6997.00	6997.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	7867.00	7867.00	7867.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	7867.00	7867.00	7867.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	8624.00	8624.00	8624.00
6	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	8744.00	8744.00	8744.00
7	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	9328.00	9328.00	9328.00
8	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	9328.00	9328.00	9328.00
9	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass)	व.मि	9036.00	9036.00	9036.00
10	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	10490.00	10490.00	10490.00
11	UPVC 88x60mm Sliding white colour window with 5mm glass pannel	व.मि	9057.00	9057.00	9057.00
11	UPVC 60x64mm white colour casement window with 5mm glass pannel	व.मि	10285.00	10285.00	10285.00
12	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	10767.00	10767.00	10767.00
12	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	11145.00	11145.00	11145.00
13	UPVC60x60mm white colour swing door with 5mm glass pannel	व.मि	7063.00	7063.00	7063.00
B	Double glazing				
1	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	9906.00	9906.00	9906.00
2	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass)	व.मि	9381.00	9381.00	9381.00
3	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	10203.00	10203.00	10203.00
4	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	10203.00	10203.00	10203.00
5	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	10856.00	10856.00	10856.00
6	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass)	व.मि	10968.00	10968.00	10968.00
7	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	11547.00	11547.00	11547.00
8	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	11258.00	11258.00	11258.00
9	Supply & fixing of 80*50 mm white colour casement window	व.मि	10091.00	10091.00	10091.00



UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Supplying and installation of RoHS Complint, 100% lead free, 100% recyclable UPVC profile:sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass ,insect net,patented standard hard ware like :rollers,gaskets,brush,seal,moon locks,push locks,drining cover.etc.				
	Single glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm , white colour with 5mm glass)	व.मि	14601.00	14601.00	14601.00
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि	14159.00	14159.00	14159.00
3	upvc top hung window (frame 60x60mm ,sash 60x78mm, white colour with 5mm glass)	व.मि	14867.00	14867.00	14867.00
4	upvc casement window (fream 60x60mm ,sash 60x78mm ,white colour with 5mm glass)	व.मि	14867.00	14867.00	14867.00
5	upvc single door with half pannel half glass (fream 60x60mm , sash 60x104mm ,white colour with 5mm glass)	व.मि	15044.00	15044.00	15044.00
6	upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour)	व.मि	15044.00	15044.00	15044.00
7	upvc double door (fream 60x60mm,sash 60x104mm ,white colour with 5mm glass)	व.मि	15486.00	15486.00	15486.00
8	upvc sliding door with net (fream 52x88mm,sash 88x42mm ,white colour with 5mm glass)	व.मि	15486.00	15486.00	15486.00
9	upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि	14159.00	14159.00	14159.00
10	upvc swing door with half glass half upvc pannel (fream 60x60mm)	व.मि	15929.00	15929.00	15929.00
11	upvc 88x60 mm sliding white colour window with 5mm glass pannel.	व.मि	15486.00	15486.00	15486.00
12	upvc 60x64mm white colour casement window with 5mm glass pannel.	व.मि	15929.00	15929.00	15929.00
13	upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour.	व.मि	16814.00	16814.00	16814.00
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि	17256.00	17256.00	17256.00
15	upvc 60x60mmx white colour swing door with 5mm glass pannel.	व.मि	14159.00	14159.00	14159.00
	Double glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x 36mm,white colour with 5mm double glass)	व.मि	15752.00	15752.00	15752.00
2	upvc sliding window without net (frame 60x60mm, sash 66x42mm ,white colour with 5mm double glass)	व.मि	15486.00	15486.00	15486.00
3	upvc tophung window (frame 60x60mm ,sash 60x78mm,ehite colour with 5mm double glass)	व.मि	15929.00	15929.00	15929.00
4	upvc casememt window (frame 60x60mm,sash 60x78mm,white colour with 5mm double glass)	व.मि	15929.00	15929.00	15929.00
5	upvc single door with half pannel half glass (frame 60x60mm,sash 60x104mm ,white colour with 5mm double glass)	व.मि	17079.00	17079.00	17079.00
6	upvc double door (frame 60x60mm,sash60x78mm, white colour with 5mm double glass)	व.मि	17256.00	17256.00	17256.00
7	upvc sliding door with net (frame 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	17699.00	17699.00	17699.00
8	upvc sliding door without net (frame 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि	17256.00	17256.00	17256.00
9	supply and fixing of 80x50mm white colour casement window	व.मि	15929.00	15929.00	15929.00



छाना छाउनी निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	ग्याल्मनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	4781.00	4781.00	4781.00
	0.22 mm (30 guage Medium)	बण्डल	5239.00	5239.00	5239.00
	0.24 mm (30 guage Heavy)	बण्डल	5592.00	5592.00	5592.00
	0.26 mm (28 guage light)	बण्डल	5890.00	5890.00	5890.00
	0.28 mm (28 guage Medium)	बण्डल	6277.00	6277.00	6277.00
	0.31 mm (28 guage Heavy)	बण्डल	6860.00	6860.00	6860.00
	0.35 mm (26 guage light)	बण्डल	7603.00	7603.00	7603.00
	0.37 mm (26 guage Medium)	बण्डल	8097.35	8097.35	8097.35
	0.41 mm (26 guage Heavy)	बण्डल	8743.00	8743.00	8743.00
	0.45 mm (24 guage light)	बण्डल	9485.00	9485.00	9485.00
	0.50 mm (24 guage Medium)	बण्डल	10433.00	10433.00	10433.00
	0.52 mm (24 guage Heavy)	बण्डल	10798.00	10798.00	10798.00
	0.75 mm	बण्डल	15502.00	15502.00	15502.00
2	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	6151.00	6151.00	6151.00
	0.22 mm (30 guage Medium)	बण्डल	6578.00	6578.00	6578.00
	0.24 mm (30 guage Heavy)	बण्डल	7043.00	7043.00	7043.00
	0.26 mm (28 guage light)	बण्डल	7415.00	7415.00	7415.00
	0.28 mm (28 guage Medium)	बण्डल	7805.00	7805.00	7805.00
	0.31 mm (28 guage Heavy)	बण्डल	8381.00	8381.00	8381.00
	0.35 mm (26 guage light)	बण्डल	9273.00	9273.00	9273.00
	0.37 mm (26 guage Medium)	बण्डल	9923.00	9923.00	9923.00
	0.41 mm (26 guage Heavy)	बण्डल	10482.00	10482.00	10482.00
	0.45 mm (24 guage light)	बण्डल	11366.00	11366.00	11366.00
	0.50 mm (24 guage Medium)	बण्डल	12415.00	12415.00	12415.00
	0.52 mm (24 guage Heavy)	बण्डल	12875.00	12875.00	12875.00
	0.55 mm (24 guage Medium)	बण्डल	13483.00	13483.00	13483.00
	0.75 mm	बण्डल	18112.00	18112.00	18112.00
3	ग्याल्मानाइज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	4943.00	4943.00	4825.00
	0.22 mm (30 guage Medium)	बण्डल	5361.00	5361.00	5233.00
	0.24 mm (30 guage Heavy)	बण्डल	5761.00	5761.00	5623.00
	0.26 mm (28 guage light)	बण्डल	6095.00	6095.00	5950.00
	0.28 mm (28 guage Medium)	बण्डल	6448.00	6448.00	6295.00
	0.31 mm (28 guage Heavy)	बण्डल	7015.00	7015.00	6848.00
	0.35 mm (26 guage light)	बण्डल	7777.00	7777.00	7592.00
	0.37 mm (26 guage Medium)	बण्डल	8437.00	8437.00	8236.00
	0.41 mm (26 guage Heavy)	बण्डल	8994.00	8994.00	8780.00
	0.45 mm (24 guage light)	बण्डल	9830.00	9830.00	9596.00
	0.50 mm (24 guage Medium)	बण्डल	10758.00	10758.00	10603.00
	0.52 mm (24 guage Heavy)	बण्डल	11145.00	11145.00	10984.00



छाया छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	0.75 mm	बण्डल	16032.00	16032.00	15801.00
4	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	1681.00	1681.00	1649.00
	0.22 mm base metal	बण्डल	1830.00	1830.00	1795.00
	0.24 mm base metal	बण्डल	1960.00	1960.00	1923.00
	0.26 mm base metal	बण्डल	2072.00	2072.00	2032.00
	0.28 mm base metal	बण्डल	2192.00	2192.00	2151.00
	0.31 mm base metal	बण्डल	2378.00	2378.00	2333.00
	0.35 mm base metal	बण्डल	2638.00	2638.00	2588.00
	0.38 mm base metal	बण्डल	2852.00	2852.00	2798.00
	0.41 mm base metal	बण्डल	3038.00	3038.00	2980.00
5	४ फिट X ८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	3428.00	3428.00	3396.00
	0.90 mm base metal	पिस	2834.00	2834.00	2807.00
	0.80 mm base metal	पिस	2555.00	2555.00	2530.00
	0.75 mm base metal	पिस	2397.00	2397.00	2374.00
	0.70 mm base metal	पिस	2239.00	2239.00	2218.00
	0.62 mm base metal	पिस	2007.00	2007.00	1987.00
	0.55 mm base metal	पिस	1793.00	1793.00	1776.00
	0.50 mm base metal	पिस	1635.00	1635.00	1619.00
	0.48 mm base metal	पिस	1570.00	1570.00	1555.00
	0.45 mm base metal	पिस	1486.00	1486.00	1472.00
	0.42 mm base metal	पिस	1393.00	1393.00	1380.00
	0.40 mm base metal	पिस	1328.00	1328.00	1316.00
	0.37 mm base metal	पिस	1235.00	1235.00	1224.00
	0.35 mm base metal	पिस	1189.00	1189.00	1178.00
	0.30 mm base metal	पिस	1060.00	1060.00	1030.00
	0.28 mm base metal	पिस	994.00	994.00	966.00
6	४ X ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	3131.00	3131.00	3071.00
	0.80 mm base metal	पिस	2843.00	2843.00	2789.00
	0.75 mm base metal	पिस	2666.00	2666.00	2616.00
	0.70 mm base metal	पिस	2555.00	2555.00	2506.00
	0.62 mm base metal	पिस	2285.00	2285.00	2242.00
	0.55 mm base metal	पिस	2053.00	2053.00	2014.00
	0.50 mm base metal	पिस	1876.00	1876.00	1841.00
	0.48 mm base metal	पिस	1802.00	1802.00	1768.00
	0.45 mm base metal	पिस	1700.00	1700.00	1668.00
	0.42 mm base metal	पिस	1588.00	1588.00	1558.00
	0.40 mm base metal	पिस	1561.00	1561.00	1531.00
	0.37 mm base metal	पिस	1458.00	1458.00	1431.00
	0.35 mm base metal	पिस	1393.00	1393.00	1367.00



छाना छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	0.30 mm base metal	पिस	1235.00	1235.00	1212.00
	0.28 mm base metal	पिस	1170.00	1170.00	1148.00
7	GI Expanded metal Mesh				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	159.00	159.00	159.00
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	212.00	212.00	212.00
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	132.00	132.00	132.00
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	176.00	176.00	176.00
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	123.00	123.00	123.00
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	159.00	159.00	159.00
8	UPVC Roofing Sheet (3mm thick)				
	PMMA coating & Mesh (Regular)	व.मि.	1581.00	1581.00	1581.00
	Stone coated (18 inch* 4 feet)	व.मि.	1260.00	1260.00	1260.00
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	2021.00	2021.00	2021.00
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	2021.00	2021.00	2021.00
	UPVC Clip	गोटा	27.00	27.00	27.00
	self tapping screw 3"	गोटा	31.00	31.00	31.00
	self tapping screw 2.2"	गोटा	21.00	21.00	21.00
	self tapping screw 2"	गोटा	11.00	11.00	11.00
	self tapping screw 1.5"	गोटा	9.00	9.00	9.00
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.	1525.00	1525.00	1525.00
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.	1355.00	1355.00	1355.00
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.	1186.00	1186.00	1186.00
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	1470.00	1470.00	1470.00
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	1365.00	1365.00	1365.00
9	UPVC Roofing Sheet				
	Corrugated sheets(2mm)	व.फि.	70.00	70.00	70.00
	Corrugated ridge (2mm) (3*1.4')	गोटा	797.00	797.00	794.00
	Corrugated ridge side(2mm)(3*1.4')	गोटा	477.00	477.00	477.00
	Spanish tile without fiber mesh(3mm)	व.फि.	108.00	108.00	108.00
	Spanish tile with fiber mesh(3mm)	व.फि.	117.00	117.00	117.00
	Spanish ridge(3mm)(3*1.4')	गोटा	1410.00	1410.00	1410.00
	Spanish ridge side(3mm)	गोटा	794.00	794.00	794.00
	Spanish tile tripod(3mm)	गोटा	1066.00	1066.00	1062.00
	Clip Set	गोटा	9.00	9.00	9.00
10	एलुमिनियम प्लेन सिट				
	(क) २६ गेज	व.फि.	30.00	30.00	30.00
	(ख) ३० गेज	व.फि.	28.00	28.00	28.00
11	Corrugated/Plain Fiber Glass Sheet				
	०.८ मी. मी. मोटो प्लेन	व.फि.	122.00	122.00	122.00
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	135.00	135.00	135.00
	१.२ मी.मी. मोटो प्लेन	व.फि.	135.00	135.00	135.00



छाना छरौने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	155.00	155.00	155.00
	२ मी.मी. मोटो प्लेन	व.फि.	230.00	230.00	230.00
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	271.00	271.00	271.00
	३ मी. मी. मोटो प्लेन	व.फि.	312.00	312.00	312.00
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	407.00	407.00	407.00
12	ASP Corrugated roofingSheet (L-6,8,10,12,14,16,18 ft W-3ft)				
	Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm)	व.मिटर	1129.00	1129.00	1129.00
	Ridge Cover corrugated	र.मिटर	1627.00	1627.00	1627.00
	Self tapping screw 75mm with clip set	गोटा	21.00	21.00	21.00
	Ridge Cover regular Profile 1.10 RM	र.मिटर	1680.00	1680.00	1680.00
	Ridge Cover regular Profile 1.05 RM	र.मिटर	1680.00	1680.00	1680.00
	Self tapping screw 3" with clip set	गोटा	31.00	31.00	31.00
	Self tapping screw 2.2" with clip set	गोटा	26.00	26.00	26.00
13	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	71.00	71.00	71.00
14	Fiber Glass छानाको लागि Ribet nut	गोटा	7.00	7.00	7.00
15	विभिन्न साइजको जे-हुक, यु-हुक	केजी	146.00	146.00	146.00
16	२" साइज रुफिङ्ग नेल्स	गोटा	7.00	7.00	7.00
17	३" साइज रुफिङ्ग नेल्स	गोटा	10.00	10.00	10.00
18	Roofing Material				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर	4200.00	4200.00	4200.00
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर	3150.00	3150.00	3150.00
19	Fiber Plain Sheet				
	(Thickness : 1.2 mm)-Red, Blue, Green and Clear	व.फि.	106.00	106.00	106.00
	(Thickness : 1.5 mm)-Red, Blue, Green and Clear	व.फि.	127.00	127.00	127.00
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.	154.00	154.00	154.00
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.	165.00	165.00	165.00
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.	207.00	207.00	207.00
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.	255.00	255.00	255.00
20	Fiber Corrugated Sheet				
	Fiber S span Thickness 2mm, width 42"	र.फि.	682.00	682.00	682.00
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र.फि.	133.00	133.00	133.00
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र.फि.	181.00	181.00	181.00
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र.फि.	517.00	517.00	517.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



छाउने निर्माण सामग्री

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
21	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	ब.मी.	3108.00	3108.00	3108.00
22	Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	ब.मी.	426.00	426.00	426.00
23	Providing and installing 12mm thick Cement Fiber Board complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	ब.मी.	1638.00	1638.00	1638.00
24	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
24.1	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm	ब.फी.	486.00	486.00	486.00
	75mm	ब.फी.	493.00	493.00	493.00
	100mm	ब.फी.	545.00	545.00	545.00
	125mm	ब.फी.	648.00	648.00	648.00
	150mm	ब.फी.	695.00	695.00	695.00
24.2	Blue & Orange Color Roofing Panel				
	50mm	ब.फी.	424.00	424.00	424.00
	75mm	ब.फी.	476.00	476.00	476.00
	100mm	ब.फी.	571.00	571.00	571.00
	125mm	ब.फी.	581.00	581.00	581.00
	150mm	ब.फी.	632.00	632.00	632.00

जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी



Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Plain Particle Board (Exteriors Grade)				
	९ मी .मी	व.फि	40.00	40.00	40.00
	१२ मी .मी	व.फि	45.00	45.00	45.00
	१८ मी .मी	व.फि	58.00	58.00	58.00
	२५ मी .मी	व.फि	78.00	78.00	78.00
2	PPB One side lamination Melaminated faced (Exterior Grade)				
	९ मी .मी	व.फि	82.00	82.00	82.00
	१२ मी .मी	व.फि	91.00	91.00	91.00
	१८ मी .मी	व.फि	108.00	108.00	108.00
	२५ मी .मी	व.फि	140.00	140.00	140.00
3	PPB Both side lamination Melaminated faced (Exteriors Grade)				
	९ मी .मी	व.फि	91.00	91.00	91.00
	१२ मी .मी	व.फि	105.00	105.00	105.00
	१८ मी .मी	व.फि	121.00	121.00	121.00
	२५ मी .मी	व.फि	154.00	154.00	154.00
4	Plain Particle Board (Interiors Grade)				
	९ मी .मी	व.फि	29.00	29.00	29.00
	१२ मी .मी	व.फि	34.00	34.00	34.00
	१८ मी .मी	व.फि	51.00	51.00	51.00
	२५ मी .मी	व.फि	65.00	65.00	65.00
5	PPB One side lamination Melaminated faced (Interior Grade)				
	३ मी .मी	व.फि	44.00	44.00	44.00
	६ मी .मी	व.फि	62.00	62.00	62.00
	९ मी .मी	व.फि	72.00	72.00	72.00
	१२ मी .मी	व.फि	82.00	82.00	82.00
	१८ मी .मी	व.फि	94.00	94.00	94.00
	२५ मी .मी	व.फि	118.00	118.00	118.00
6	PPB Both side lamination Melaminated faced (Interiors Grade)				
	३ मी .मी	व.फि	51.00	51.00	51.00
	६ मी .मी	व.फि	68.00	68.00	68.00
	९ मी .मी	व.फि	82.00	82.00	82.00
7	PPB One side lamination Melaminated faced (Interior Grade)				
	३ मी .मी	व.फि	51.00	51.00	51.00
	४ मी .मी	व.फि	58.00	58.00	58.00
	६ मी .मी	व.फि	72.00	72.00	72.00
	९ मी .मी	व.फि	93.00	93.00	93.00
	१२ मी .मी	व.फि	105.00	105.00	105.00
	१८ मी .मी	व.फि	135.00	135.00	135.00
	२५ मी .मी	व.फि	187.00	187.00	187.00
8	PPB Both side lamination Melaminated faced -Alstone Hybrid Board (WPC Board) , (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				



Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	३ मी .मी	व.फि	58.00	58.00	58.00
	४ मी .मी	व.फि	65.00	65.00	65.00
	६ मी .मी	व.फि	81.00	81.00	81.00
	९ मी .मी	व.फि	101.00	101.00	101.00
	१२ मी .मी	व.फि	111.00	111.00	111.00
	१८ मी .मी	व.फि	141.00	141.00	141.00
	२५ मी .मी	व.फि	191.00	191.00	191.00
9	Alstone Hybrid Board (WPC Board)				
	६ मी .मी (१२२० x २४४०)	व.फि	186.00	186.00	186.00
	१२ मी .मी	व.फि	298.00	298.00	298.00
	१८ मी .मी	व.फि	451.00	451.00	451.00
10	Alstone Hybrid Board				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	89.00	89.00	89.00
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	127.00	127.00	127.00
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	235.00	235.00	235.00
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	325.00	325.00	325.00
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	394.00	394.00	394.00
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	589.00	589.00	589.00
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	760.00	760.00	760.00
	WPC door framme 100*50 mm upto ht 7 ft	व.फि	405.00	405.00	405.00
	WPC door shutter 30 mm th. (7*3) size	व.फि	575.00	575.00	575.00
	18 mm th. WPC OLIGO (colour)	व.फि	613.00	613.00	613.00
11	Alstone Hybrid Board (WPC Board) , (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	६ मी .मी size (1220*2440) mm	व.फि	179.00	179.00	179.00
	१२ मी .मी size (1221*2440) mm	व.फि	340.00	340.00	340.00
	१८ मी .मी size (1222*2440) mm	व.फि	473.00	473.00	473.00
12	Supplying and fixing of Thai gypsum board				
	Wall partition	व.फि	132.00	132.00	132.00
	Wall paneling	व.फि	87.00	87.00	87.00
	12.5mm thick Gypsum Board False ceiling	व.फि	88.00	88.00	88.00
13	Fiber cement board (Wall)				
	3.2 MM (2'x2')	व.फि.	27.00	27.00	27.00
	3.2 MM (4'x8')	व.फि.	29.00	29.00	29.00
	3.5 MM (4'x8')	व.फि.	34.00	34.00	34.00
	4MM (4'x8')	व.फि.	35.00	35.00	35.00
	6MM (4'x8')	व.फि.	50.00	50.00	50.00
	8MM (4'x8')	व.फि.	67.00	67.00	67.00
	9MM (4'x8')	व.फि.	75.00	75.00	75.00
	10MM (4'x8')	व.फि.	85.00	85.00	85.00
	12MM (4'x8')	व.फि.	94.00	94.00	94.00
	Fiber cement board (Floor)				



Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	15MM (4'x8')	व.फि.	143.00	143.00	143.00
	18MM (4'x8')	व.फि.	171.00	171.00	171.00
	20MM (4'x8')	व.फि.	192.00	192.00	192.00
	Fiber cement board (Cassiano)				
	8MM (4'x8')	व.फि.	94.00	94.00	94.00
14	Fiber Cement Board (Planck)				
	8MM (3"x9'-10") 9'-10"Rft	व.फि.	34.00	34.00	34.00
	8MM (6"x9'-10") 9'-10"Rft	व.फि.	55.00	55.00	55.00
	8MM (8"x9'-10") 9'-10"Rft	व.फि.	74.00	74.00	74.00
	8MM Coloured Teak Texture Walnut (6"x9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
	8MM Coloured Teak Texture GST (6"x9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
	8MM Coloured Teak Texture Cherry Red (6"x9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
	8MM Coloured Teak Texture Afromosia -Brown (6"x9'-10") 9'-10"Rft	व.फि.	69.00	69.00	69.00
15	Infill wall Partition using 6mm Board on 74mm Stud	ब.मि	5247.00	5247.00	5247.00
	Infill wall Partition using 10mm Board on 74mm Stud		6261.00	6261.00	6261.00
	Infill wall Partition using 6mm Board on 50mm Stud		4259.00	4259.00	4259.00
	Dry wall Partition using 10mm Board on 74mm Stud		5264.00	5264.00	5264.00
16	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	95.00	95.00	95.00
17	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	ब.मि	15600.00	15600.00	15600.00
18	Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)				
18.1	Ivory Color Flat Wall Panel				
	50mm	ब.फी.	365.00	365.00	365.00
	75mm	ब.फी.	373.00	373.00	373.00
	100mm	ब.फी.	424.00	424.00	424.00
	125mm	ब.फी.	528.00	528.00	528.00
	150mm	ब.फी.	581.00	581.00	581.00
18.2	Gray Color RP Wall Panel				
	50mm	ब.फी.	399.00	399.00	399.00
	75mm	ब.फी.	407.00	407.00	407.00
	100mm	ब.फी.	459.00	459.00	459.00



Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	125mm	ब.फी.	562.00	562.00	562.00
	150mm	ब.फी.	615.00	615.00	615.00
18.3	Wooden Color Siding Wall Panel				
	75mm	ब.फी.	493.00	493.00	493.00
	100mm	ब.फी.	545.00	545.00	545.00
	125mm	ब.फी.	605.00	605.00	605.00
	150mm	ब.फी.	650.00	650.00	650.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व. कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Supply and erection of different mm th. cement base prefabricated everest solid wall panel (RAPICON) non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	321.00	321.00	321.00
	b) 50 mm thick	व.फि	254.00	254.00	254.00
2	False Ceiling/Partition/External cladding (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Supplying, making, fixing of false ceiling with everest fibre designer board in E-grid	व.फि	99.00	99.00	99.00
	Supplying, making, fixing of 70mm thick exterior with full height of partion with fibre cemnet board	व.फि	297.00	297.00	297.00
	Supplying, making, fixing of 66mm thick exterior with full height of partion with fibre cemnet board	व.फि	260.00	260.00	260.00
	Supplying, making, fixing of 91mm thick exterior with full height of partion with fibre cemnet board	व.फि	331.00	331.00	331.00
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	व.फि	292.00	292.00	292.00
	Supplying, making, fixing of 50mm thick full height of partion with RAPICON wall panels	व.फि	231.00	231.00	231.00
	Supplying, making, fixing of 75mm thick full height of partion with RAPICON wall panels	व.फि	307.00	307.00	307.00
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	37.00	37.00	37.00
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा	2940.00	2940.00	2940.00
	150X300 Tile	गोटा	3675.00	3675.00	3675.00
	300X300 Tile	गोटा	4200.00	4200.00	4200.00
3	Cement board Aerocon C Board				
	6 mm thick	व.फि	36.00	36.00	36.00
	8 mm thick	व.फि	44.00	44.00	44.00
	10 mm thick	व.फि	56.00	56.00	56.00
	12 mm thick	व.फि	68.00	68.00	68.00
4	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	419.00	419.00	419.00
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	452.00	452.00	452.00
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	558.00	558.00	558.00
	Joint less false ceiling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	व.फि	119.00	119.00	119.00
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				0.00
	50 mm thick	व.फि	280.00	280.00	280.00
	75 mm thick	व.फि	369.00	369.00	369.00



Prestab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	300.00	300.00	300.00
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	304.00	304.00	304.00
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	266.00	266.00	266.00
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	340.00	340.00	340.00
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	382.00	382.00	382.00
5	EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwich Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos) as face board on both sides (Size 2270*610mm)- excluding installation				
	50mm thickness	व.फि	191.00	191.00	191.00
	60mm thickness	व.फि	293.00	293.00	293.00
	75mm thickness	व.फि	351.00	351.00	351.00
	90mm thickness	व.फि	410.00	410.00	410.00
	120mm thickness	व.फि	495.00	495.00	495.00
	Installation charge	व.फि	26.00	26.00	26.00
	Other Accessories	व.फि	47.00	47.00	47.00
6	Precast boundary wall, Precast slab, Precast Beam				
	H-beam	र.फि	197.00	197.00	197.00
	50 mm wall slab	व.फि	170.00	170.00	170.00
	120 mm floor slab (with installation)	व.फि	373.00	373.00	373.00
	70 mm water permeable				0.00
	Color Block	व.फि	143.00	143.00	143.00
	Non Color Block	व.फि	127.00	127.00	127.00
7	PUF रुफिङ प्यानल				0.00
	३० मि.मि.मोटाई,रङ्गिन	व.फि	245.00	250.00	250.00
	४० मि.मि.मोटाई,रङ्गिन	व.फि	266.00	271.00	271.00
	५० मि.मि.मोटाई,रङ्गिन	व.फि	293.00	299.00	299.00
	६० मि.मि.मोटाई,रङ्गिन	व.फि	345.00	345.00	345.00
8	PUF वाल प्यानल				0.00
	४० मि.मि.मोटाई,रङ्ग किम	व.फि	250.00	255.00	255.00
	५० मि.मि.मोटाई,रङ्ग किम	व.फि	271.00	276.00	276.00
	६० मि.मि.मोटाई,रङ्ग किम	व.फि	345.00	345.00	345.00
	७५ मि.मि.मोटाई,रङ्ग किम	व.फि	351.00	358.00	358.00
	८० मि.मि.मोटाई,रङ्ग किम	व.फि	400.00	400.00	400.00
	१०० मि.मि.मोटाई,रङ्ग किम	व.फि	442.00	425.00	425.00
	१२५ मि.मि.मोटाई,रङ्ग किम	व.फि	538.00	538.00	538.00
	१५० मि.मि.मोटाई,रङ्ग किम	व.फि	522.00	522.00	522.00



Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
9	PUF ब्रिक वाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	298.00	298.00	298.00
	५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	319.00	319.00	319.00
	७५ मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	399.00	399.00	399.00
	१०० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	490.00	490.00	490.00
	१५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इष्टा)	व.फि	570.00	570.00	570.00
10	PUF ब्रिक वाल प्यानल				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	271.00	271.00	271.00
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	293.00	293.00	293.00
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	373.00	373.00	373.00
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	463.00	463.00	463.00
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इष्टा) अर्का तर्फ क्रिम	व.फि	549.00	549.00	549.00
11	PUF स्लेब सिट				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	175.00	175.00	175.00
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	200.00	200.00	200.00
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	225.00	225.00	225.00
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	285.00	285.00	285.00
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	340.00	340.00	340.00
12	EPE Pannel (Puff Density=20kg±2)				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	245.00	245.00	245.00
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	280.00	280.00	280.00
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	315.00	315.00	315.00
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	370.00	370.00	370.00
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	430.00	430.00	430.00
13	पोलिकारबोनेट रुफिङ सिट				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ ०.८ मि.मि चौडाई ३२ इन्च	व.फि	126.00	126.00	126.00
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १ मि.मि चौडाइ ३२ इन्च	व.फि	158.00	158.00	158.00
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.२ मि.मि चौडाइ ४२ इन्च	व.फि	188.00	188.00	188.00
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.५ मि.मि चौडाइ ४३ इन्च	व.फि	238.00	238.00	238.00
14	पोलिकारबोनेट प्लेन तथा फिस्टल सिट				
	नर्मल तथा फिस्टल सिट मोटाइ १.५ मि.मि चौडाई ३२ इन्च	व.फि	197.00	197.00	197.00
	नर्मल तथा फिस्टल सिट मोटाइ २ मि.मि चौडाई ३२ इन्च	व.फि	263.00	263.00	263.00
	नर्मल तथा फिस्टल सिट मोटाइ १ मि.मि चौडाई ३२ इन्च	व.फि	165.00	165.00	165.00
	टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाइ ०.५ मि.मि चौडाई ३२ इन्च	व.फि	127.00	127.00	127.00
15	सि एण्ड जेड पर्लिन				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाइ १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी	158.00	158.00	158.00
	सि एण्ड जेड पर्लिन(३२०/३६०/४१० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	156.00	156.00	156.00

Page 45



Prefab Panel for Wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
16	अल्युमिनियम				
	पेन्टेडअल्युमिनियम एस स्पान सिट मोटाई ०.६ मि.मि	प्रति वण्डल	19240.00	19240.00	19240.00
	पेन्टेड अल्युमिनियम एस स्पान सिट नर्मल मोटाई ०.६ मि.मि	प्रति वण्डल	15080.00	15080.00	15080.00
	पेन्टेडअल्युमिनियम एस स्पान सिट मोटाई ०.५ मि.मि	प्रति वण्डल	17160.00	17160.00	17160.00
	पेन्टेड अल्युमिनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल	13000.00	13000.00	13000.00
17	Metal Tile Roofing Sheet				
	0.45 Thickness - (Red, Green, Blue)	बन्डल	23036.00	23036.00	23036.00
	0.5 Thickness	बन्डल	25532.00	25532.00	25532.00
18	Ridge Cap(0.4 Thickness)	र फि	200.00	200.00	200.00
	Gutter				
	0.50 mm Thickness (Size- 12")	र फि	101.00	101.00	101.00
	0.50 mm Thickness (Size- 16")	र फि	125.00	125.00	125.00
	0.50 mm Thickness (Size- 18")	र फि	175.00	175.00	175.00
	0.40 mm Thickness (Size- 12")	र फि	122.00	122.00	122.00
	0.40 mm Thickness (Size- 16")	र फि	130.00	130.00	130.00
	0.40 mm Thickness (Size- 12")	र फि	175.00	175.00	175.00
19	Polycarbonate Corrugated Sheet				
	0.8 mm Thickness	व.फि		105.00	105.00
	1 mm Thickness	व.फि	106.00	108.00	108.00
	1.25mm Thickness	व.फि	127.00	130.00	130.00
	1.5 mm Thickness	व.फि	154.00	157.00	157.00
	1.75mm Thickness	व.फि	175.00	179.00	179.00
	2mm Thickness	व.फि	202.00	206.00	206.00
	2.5 mm Thickness	व.फि	245.00	250.00	250.00
	3 mm Thickness	व.फि	385.00	385.00	385.00
20	Polycarbonate Plain Sheet				
	1 mm Thickness	व.फि	90.00	92.00	90.00
	1.5 mm Thickness	व.फि			138.00
	2 mm Thickness	व.फि	186.00	190.00	190.00
	2.5 mm Thickness	व.फि	229.00	221.00	221.00
	3 mm Thickness	व.फि	277.00	255.00	255.00
	4 mm Thickness	व.फि	373.00	360.00	360.00
	5 mm Thickness	व.फि	463.00	420.35	420.35
	6 mm Thickness	व.फि	559.00	508.85	508.85
	7 mm Thickness	व.फि	643.00	606.19	606.19
	8 mm Thickness	व.फि	746.00	761.00	761.00
	9 mm Thickness	व.फि	821.00	821.00	821.00
	10 mm Thickness	व.फि	938.00	957.00	957.00
	12 mm Thickness	व.फि	1107.00	1129.00	1129.00
21	Angle & U channel				
	CZU Non Galvanized 2mm thickness	के जी		159.00	159.00
	CZU Galvanized 2mm thickness	के जी		238.00	238.00
	Angle 0.5 mm thickness	र फि		9.00	9.00
22	False Ceiling boards and zinc coated metal profile 120 GSM				



Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ. व. २०७९/८०	आ. व. २०८०/८१	आ. व. २०८१/८२
	Standard plaster board plain 12.5 mm thick	व.मि.		298.00	298.00
	Metal ceiling section 80x26x51x0.5x3660 mm	गोटा		327.00	327.00
	Intermediate Channel 45x15x15x0.9x3660 mm	गोटा		314.00	314.00
	Perimeter channel 20x28x30x0.5x3660 mm	गोटा		195.00	195.00
	Ceiling Angle 25x10x0.5x3660 mm	गोटा		109.00	109.00
23	Thermal and Acoustic Insulation for roofing & Drywall				
	Roofing Insulation				
	Glass wool 50 mm thickness	व.फि		50.00	50.00
	Stone wool 50mm thickness	व.फि		65.00	65.00
	Stone wool 100mm thickness	व.फि		115.00	115.00
	Drywall Insulation				
	Stone wool 50mm thickness	व.फि		60.00	60.00
	Stone wool 75mm thickness	व.फि		100.00	100.00
	Stone wool 100mm thickness	व.फि		120.00	120.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



भ्याल ढोकामा प्रयोग हुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	फलामको कब्जा				
	(क) ३" साइज	गोटा	15.00	15.00	15.00
	(ख) ४" साइज	गोटा	29.00	29.00	29.00
	(ग) ५" साइज	गोटा	45.00	45.00	45.00
	(घ) ६" साइज	गोटा	59.00	59.00	59.00
2	Locking Set (L-drop)				
	300 mm	गोटा	277.00	277.00	277.00
	225 mm	गोटा	242.00	242.00	242.00
	150 mm	गोटा	207.00	207.00	207.00
3	Aluminum Towerbolt (खेस्कीनी)				
	(क) ३" लामो	गोटा	21.00	21.00	21.00
	(ख) ४" लामो	गोटा	42.00	42.00	42.00
	(ग) ६" लामो	गोटा	71.00	71.00	71.00
	(घ) ८" लामो	गोटा	85.00	85.00	85.00
	(ङ) १०" लामो	गोटा	100.00	100.00	100.00
	(च) १२" लामो	गोटा	114.00	114.00	114.00
4	Aluminum Handle (हतकल)				
	Ordinary	गोटा	34.00	34.00	34.00
	Special	गोटा	50.00	50.00	50.00
5	ब्रासको कब्जा				
	2" x 1/2"	गोटा	67.00	67.00	67.00
	2 1/2" x 3/4"	गोटा	75.00	75.00	75.00
	3" x 3/4"	गोटा	92.00	92.00	92.00
	2" x 3/4"	गोटा	75.00	75.00	75.00
	2 1/2" x 3/4"	गोटा	84.00	84.00	84.00
	3" x 3/4"	गोटा	92.00	92.00	92.00
	3" x 1"	गोटा	201.00	201.00	201.00
	4" x 1"	गोटा	302.00	302.00	302.00
	5" x 1"	गोटा	404.00	404.00	404.00
	6" x 1"	गोटा	488.00	488.00	488.00
6	Brass Towerbolt (खेस्कीनी)				
	(क) ३" लामो	गोटा	151.00	151.00	151.00
	(ख) ४" लामो	गोटा	201.00	201.00	201.00
	(ग) ६" लामो	गोटा	302.00	302.00	302.00
	(घ) ८" लामो	गोटा	404.00	404.00	404.00
	(ङ) १०" लामो	गोटा	504.00	504.00	504.00
	(च) १२" लामो	गोटा	605.00	605.00	605.00
7	Brass Handle (हतकल)				
	6" Brass handle	गोटा	159.00	159.00	159.00
	8" Brass handle	गोटा	488.00	488.00	488.00



भ्याले सामग्रीमा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब. कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	10" Brass handle	गोटा	1009.00	1009.00	1009.00
8	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	1009.00	1009.00	1009.00
	(ख) १०" लामो	गोटा	1640.00	1640.00	1640.00
	(ग) १२" लामो	गोटा	1821.00	1821.00	1821.00
	Special Fittings				
9	एल ड्रप				
	८" लामो	गोटा	1115.00	1115.00	1115.00
	१०" लामो	गोटा	1258.00	1258.00	1258.00
	१२" लामो	गोटा	1311.00	1311.00	1311.00
10	ह्याण्डल ८" लामो	गोटा	1311.00	1311.00	1311.00
11	टावर बोल्ट				
	६" लामो	गोटा	239.00	239.00	239.00
	८" लामो	गोटा	319.00	319.00	319.00
	१०" लामो	गोटा	399.00	399.00	399.00
12	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	951.00	951.00	951.00
	१०" लामो	गोटा	1186.00	1186.00	1186.00
	१२" लामो	गोटा	1311.00	1311.00	1311.00
	ह्याण्डल				
	६" लामो	गोटा	266.00	266.00	266.00
	८" लामो	गोटा	399.00	399.00	399.00
	मोर्टिस लक				
	Ordinary	गोटा	666.00	666.00	666.00
	Chinese	गोटा	443.00	443.00	443.00
	Indian Godrej Company	गोटा	2684.00	2684.00	2684.00
	Brass		1186.00	1186.00	1186.00
13	Door Spring (Door Closer)				
	Ordinary	गोटा	189.00	189.00	189.00
	hydraulic	गोटा	1967.00	1967.00	1967.00
	Window I-hook	गोटा	19.00	19.00	19.00
14	Gate Hook				
	4" Gate hook	गोटा	33.00	33.00	33.00
	5" Gate hook	गोटा	37.00	37.00	37.00
	6" Gate hook	गोटा	44.00	44.00	44.00
	Brass Gate hook	गोटा	79.00	79.00	79.00
15	Door stopper				
	Butterfly	गोटा	157.00	157.00	157.00
	Bell catch 2" size	गोटा	208.00	208.00	208.00
	C.P. handle	गोटा	453.00	453.00	453.00
	Power coated handle	गोटा	432.00	432.00	432.00



भ्याल ठाकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Brass coated handle	गोटा	931.00	931.00	931.00
	Door stopper, single brass stopper	गोटा	106.00	106.00	106.00
	Door stopper double brass stopper	गोटा	189.00	189.00	189.00
16	Screw Brass				
	20mm	गोटा	2.00	2.00	2.00
	25mm	गोटा	2.00	2.00	2.00
	35mm	गोटा	4.00	4.00	4.00
	50mm	गोटा	12.00	12.00	12.00
	75mm	गोटा	16.00	16.00	16.00
17	Screw Steel				
	20mm	गोटा	1.00	1.00	1.00
	25mm	गोटा	2.00	2.00	2.00
	35mm	गोटा	2.00	2.00	2.00
	50mm	गोटा	7.00	7.00	7.00
	75mm	गोटा	8.00	8.00	8.00
18	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	98.00	98.00	98.00
19	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	104.00	104.00	104.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



रंगरंगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	सिमेन्ट पेन्ट	के.जि.	69.00	69.00	69.00
2	सिमेन्ट प्राइमर सेतो	के.जि.	288.00	288.00	288.00
3	उड प्राइमर	लिटर	389.00	389.00	389.00
4	सेन्थेटिक इनामेल पेन्ट	लिटर	542.00	542.00	542.00
5	नेपाल रेडको म्याट फिनिसिङ	लिटर	523.00	523.00	523.00
6	कोरुगेटेड रुफ पेन्ट	लिटर	492.00	492.00	492.00
7	तयारी अल्मुनियम पेन्ट	लिटर	565.00	565.00	565.00
8	तयारी वार्नेस	लिटर	455.00	455.00	455.00
9	तयारी वार्नेर सेन्थेटिक	लिटर	351.00	351.00	351.00
10	भारतीय थिनर	लिटर	238.00	238.00	238.00
11	उड एण्ड ग्लास पुटिन	के.जी	136.00	136.00	136.00
12	मेटल पुटिन	के.जी	160.00	160.00	160.00
13	चुना पेन्ट गर्न राख्ने गम	के.जी	210.00	210.00	210.00
14	नेपाली थिनर	लिटर	224.00	224.00	224.00
15	तारपिन तेल	लिटर	221.00	221.00	221.00
16	रेड अकसाइड पेन्ट	लिटर	270.00	270.00	270.00
17	उड प्रिजरभेटिव पेन्ट	लिटर	236.00	236.00	236.00
18	व्याक जापान	लिटर	496.00	496.00	496.00
19	राम तिलक	के.जि.	57.00	57.00	57.00
20	गेरु रंग	के.जि.	141.00	141.00	141.00
21	चप्रा	के.जि.	1344.00	1344.00	1344.00
22	स्त्रीट	लिटर	92.00	92.00	92.00
23	वासेवल डिस्टेम्पर	लिटर	231.00	231.00	231.00
24	प्लास्टिक्स इमल्सन पेन्ट (interior)	लिटर	544.00	544.00	544.00
25	वेदरकोट पेन्ट (exterior)	लिटर	652.00	652.00	652.00
26	प्लास्टिक ईमल्सन पेन्ट	लिटर	693.00	693.00	693.00
27	लिनसिड आयल	लिटर	203.00	203.00	203.00
28	स्थानीय स्त्रीट	लिटर	121.00	121.00	121.00
29	मोविकल/फेविकल	के.जि.	271.00	271.00	271.00
30	मैन पालिस	के.जि.	367.00	367.00	367.00
31	अक्जालिक एसिड	के.जि.	125.00	125.00	125.00
32	1" चौडा पेन्ट ब्रस	गोटा	74.00	74.00	74.00
33	2" चौडा पेन्ट ब्रस	गोटा	149.00	149.00	149.00
34	3" चौडा पेन्ट ब्रस	गोटा	223.00	223.00	223.00
35	4" चौडा पेन्ट ब्रस	गोटा	298.00	298.00	298.00
36	रंग लगाउने रोलर	गोटा	426.00	426.00	426.00
37	Sand paper	गोटा	6.00	6.00	6.00
38	Wall putty plain	के.जि.	38.00	38.00	38.00
39	Wall putty- water Proof	के.जि.	63.00	63.00	63.00
40	Plaster of Parish (POP)	के.जि.	23.00	23.00	23.00
41	Redoxide zink cromate primer For Bridge	लिटर	479.00	479.00	479.00
42	Epoxy Paint for Operation theater	लिटर	12174.00	12174.00	12174.00
43	Exterior Primer	लिटर	248.00	248.00	248.00



रकमिमान तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
44	Interior Primer	लिटर	179.00	179.00	179.00
45	Enamel Paints	लिटर	534.00	534.00	534.00
	Decorative Painting Material				
A	Specialized paints				
1	Anti bacterial Hospital Paint	लिटर	1153.00	1153.00	1153.00
2	Anti carbonisation paint	लिटर	812.00	812.00	812.00
3	Heat Reflecting Energy Saving Insulation Paint	लिटर	1186.00	1186.00	1186.00
4	Instumescent weather resistant chlorinated rubber fire resistant retardant coating	लिटर	1166.00	1166.00	1166.00
5	Silver Ion higeinic Coating Paint	लिटर	970.00	970.00	970.00
6	Self Sanitizing Silver Ion Higienic Coating	लिटर	970.00	970.00	970.00
B	Texture paints				
1	Mediterrano	के.जि.	187.00	187.00	187.00
2	Stucco Veneziano	के.जि.	1316.00	1316.00	1316.00
3	Velvetino	के.जि.	4520.00	4520.00	4520.00
4	Travertino	के.जि.	362.00	362.00	362.00
5	Gtone plaster	के.जि.	129.00	129.00	129.00
6	Colorato (Multi color)	के.जि.	950.00	950.00	950.00
7	Pearl skin texture	के.जि.	158.00	158.00	158.00
8	TS 52 Spray white	के.जि.	212.00	212.00	212.00
9	Rustic	के.जि.	199.00	199.00	199.00
10	Rockart	लिटर	196.00	196.00	196.00
11	Manhattan	के.जि.	240.00	240.00	240.00
12	Sabbia	के.जि.	240.00	240.00	240.00
13	Sandy Stone	के.जि.	185.00	185.00	185.00
14	Insulplast	के.जि.	237.00	237.00	237.00
15	Poly Under White	के.जि.	281.00	281.00	281.00
16	Antica(Top coat)	के.जि.	1330.00	1330.00	1330.00
17	T.C 100(Top coat)	के.जि.	764.00	764.00	764.00
18	Dekorica White	के.जि.	2757.00	2757.00	2757.00
19	Poly Plaster	के.जि.	112.35	112.35	112.35
20	Granite tone	के.जि.	170.00	170.00	170.00
21	Graffiato	के.जि.	165.00	165.00	165.00
22	Elligance stone	के.जि.	192.00	192.00	192.00
23	Marmorino Base	के.जि.	412.00	412.00	412.00
24	Acro fine	के.जि.	186.00	186.00	186.00
25	Marmocastro base	के.जि.	146.00	146.00	146.00
26	Selva Granite	के.जि.	215.00	215.00	215.00
27	Romart	के.जि.	239.00	239.00	239.00
28	Renstu plaster putty	के.जि.	91.00	91.00	91.00
29	Hyperion base putty	के.जि.	507.00	507.00	507.00
30	Cementzio base putty	के.जि.	245.00	245.00	245.00
31	Helios base putty	के.जि.	497.00	497.00	497.00



रामेछोक तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
32	Cratere base putty	के.जि.	488.00	488.00	488.00
33	Cerrotta base putty	के.जि.	488.00	488.00	488.00
34	Coppotto Di cemento	के.जि.	1708.00	1708.00	1708.00
35	Muroplast putty	के.जि.	75.00	75.00	75.00
36	Acro pure (PU top coat)	के.जि.	1145.00	1145.00	1145.00
37	Satenatto emulsion	लिटर	630.00	630.00	630.00
38	StuccoPlaster	लिटर	289.00	289.00	289.00
39	Elegantile	के.जि.	199.50	199.50	199.50
40	Multi Granite	के.जि.	199.50	199.50	199.50
41	Hermes Base	के.जि.	246.75	246.75	246.75
42	Botticelli Base	के.जि.	296.10	296.10	296.10
43	Granito Wall	के.जि.	160.00	160.00	160.00
C	Weather coat paints				
1	Guard	लिटर	536.00	536.00	536.00
2	Guard -3x	लिटर	626.00	626.00	626.00
3	Shield	लिटर	343.00	343.00	343.00
4	Tex matt	लिटर	520.00	520.00	520.00
5	Ext wall Primer	लिटर	253.00	253.00	253.00
6	ExterShield Premium	लिटर	614.00	614.00	614.00
7	ExterShield Smooth	लिटर	525.00	525.00	525.00
8	ExterShield Standard	लिटर	336.00	336.00	336.00
D	Emulsion Paints/Distemper				
1	Silk Emulsion paints	लिटर	556.00	556.00	556.00
2	Int.Emulsion	लिटर	298.00	298.00	298.00
3	Pearl Emulsion paints	लिटर	823.00	823.00	823.00
4	Int. wall Primer	लिटर	183.00	183.00	183.00
5	Washable Distemper	लिटर	151.00	151.00	151.00
6	Gold Enamel	लिटर	545.00	545.00	545.00
7	Universal primer (wood primer)	लिटर	333.00	333.00	333.00
8	Red oxide metal primer	लिटर	294.00	294.00	294.00
	Water seal stretch (Damp coat)	लिटर	527.00	527.00	527.00
9	Construction Chemical / waterproof coating system				
	crack sill	लिटर	412.00	412.00	412.00
	crack fill A+B	लिटर	181.00	181.00	181.00
10	Silicon Bases water repellent impregnation				
	Acropreg	लिटर	496.00	496.00	496.00
	Acropreg W	लिटर	659.00	659.00	659.00
	Wall putty	के.जि.	40.00	40.00	40.00
11	Premium Emulsion	लिटर	754.00	754.00	754.00
12	Smooth Emulsion	लिटर	545.00	545.00	545.00
13	Standard Emulsion	लिटर	292.00	292.00	292.00
E	Wall Paper				



रंगरंगिन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Wall paper (10m.x 0.53m)	रोल	1317.00	1317.00	1317.00
	Fittings for wall paper	व.फि	7.00	7.00	7.00
	White glue for wall paper	लि.	115.00	115.00	115.00
F	Pro Plaster Material	के.जी	34.00	34.00	34.00
	Environment Friendly Paints				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L	21506.00	21506.00	21506.00
		10 L	11783.00	11783.00	11783.00
		4 L	4717.00	4717.00	4717.00
		1 L	1184.00	1184.00	1184.00
2	Environmentally Friendly Natural Exterior Paint	20 L	14214.00	14214.00	14214.00
		10 L	7313.00	7313.00	7313.00
		4 L	3069.00	3069.00	3069.00
		1 L	844.00	844.00	844.00
3	Environmentally Friendly Constant Color Exterior Paint	20 L	11206.00	11206.00	11206.00
		10 L	6118.00	6118.00	6118.00
		4 L	2657.00	2657.00	2657.00
		1 L	669.00	669.00	669.00
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L	12154.00	12154.00	12154.00
		10 L	6592.00	6592.00	6592.00
		4 L	2842.00	2842.00	2842.00
		1 L	721.00	721.00	721.00
5	Eco - Friendly High glossy Interior Wall Paint	20 L	19364.00	19364.00	19364.00
		10 L	10197.00	10197.00	10197.00
		4 L	4078.00	4078.00	4078.00
		1 L	1019.00	1019.00	1019.00
6	Environmentally Friendly Natural Interior Wall paint	20 L	13184.00	13184.00	13184.00
		10 L	6798.00	6798.00	6798.00
		4 L	2842.00	2842.00	2842.00
		1 L	741.00	741.00	741.00
7	Environmentally Friendly Constant Interior wall Paint	20 L	10094.00	10094.00	10094.00
		10 L	5253.00	5253.00	5253.00
		4 L	2224.00	2224.00	2224.00
		1 L	597.00	597.00	597.00
8	Eco Friendly Interior Wall Paint	20 L	6077.00	6077.00	6077.00
		10 L	3244.00	3244.00	3244.00
		4 L	1421.00	1421.00	1421.00
		1 L	412.00	412.00	412.00
9	Environmentally Efficient Exterior Wall Primer	20 L	11124.00	11124.00	11124.00



रंगरोमन तथा पुटिका सामानहरु


सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
		10 L	6798.00	6798.00	6798.00
		4 L	4078.00	4078.00	4078.00
		1 L	1277.00	1277.00	1277.00
10	Environmentally Friendly Alkali Resistant wall primer interior				
		20 L	8652.00	8652.00	8652.00
		10 L	5356.00	5356.00	5356.00
		4 L	2636.00	2636.00	2636.00
		1 L	1112.00	1112.00	1112.00
11	Eco Friendly Primer				
		20 L	6592.00	6592.00	6592.00
		10 L	4429.00	4429.00	4429.00
		4 L	2266.00	2266.00	2266.00
		1 L	906.00	906.00	906.00
12	Granite texture Spray / Imitation Stone Paint				
		1 sq ft	149.00	149.00	149.00
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg	5994.00	5994.00	5994.00
	Intermediate Coating Paint	7 Kg	7210.00	7210.00	7210.00
	Granite Surface Paint	9 kg	15450.00	15450.00	15450.00
	Dust proof Surface Paint	3 kg	5129.00	5129.00	5129.00

जितेन्द्र बस्नेत
 प्रसुवा जिल्ला अधिकारी



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
A	CONCRETE ADMIXTURES (Chemical)				
1	Form Oil	लिट्र	106.00	106.00	106.00
2	Polymer for M35, M 40 or higher concrete	लिट्र	373.00	373.00	373.00
3	Epoxy Bonding agent for old and new construction	लिट्र	2100.00	2100.00	2100.00
4	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिट्र	250.00	250.00	250.00
5	(Damp proof, Anti Termite , Anti Fungal, Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	373.00	373.00	373.00
	Waterproof Coating with Polymer	के.जी.	479.00	479.00	479.00
1	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A,B&D) IS 9103/2645 /1981	के.जी.	159.00	159.00	159.00
2	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	266.00	266.00	266.00
3	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999 /1981	के.जी.	479.00	479.00	479.00
4	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	319.00	319.00	319.00
5	Integral Crystalline Waterproofing Powder Admixture STD . Conformance : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	1050.00	1050.00	1050.00
6	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	1050.00	1050.00	1050.00
8	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part 5	के.जी.	191.00	191.00	191.00
9	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	266.00	266.00	266.00
10	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	373.00	373.00	373.00
11	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	373.00	373.00	373.00
12	Retarding Superplasticizer for Concrete [Napthalene Based] ASTM C 494-1981 (TYPE G/D), IS 9103-2007	के.जी.	266.00	266.00	266.00
13	Retarding Superplasticizer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	479.00	479.00	479.00
B	CONCRETE ADMIXTURES (Mineral)				
1	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	351.00	351.00	351.00
2	Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS 15388-2003.	के.जी.	117.00	117.00	117.00
3	Processed FA Based Mineral Additives	के.जी.	90.00	90.00	90.00
C	FOR JOINT SEALANTS & SYSTEMS				
1	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	1890.00	1890.00	1890.00
2	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	1890.00	1890.00	1890.00
3	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	3150.00	3150.00	3150.00
4	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	2100.00	2100.00	2100.00
5	Low Viscosity Primer For Polyurethane Sealant	के.जी.	3150.00	3150.00	3150.00
6	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	1260.00	1260.00	1260.00
7	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	373.00	373.00	373.00


 जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
8	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	479.00	479.00	479.00
9	Butyl Tape for various Applications	र. मि.	133.00	133.00	133.00
10	Waterproofing Joint Tape [120 mm]	र. मि.	586.00	586.00	586.00
11	Waterproofing Joint Tape [200 mm]	र. मि.	799.00	799.00	799.00
12	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	4200.00	4200.00	4200.00
13	Joint Tape Epoxy Adhesive	के.जी.	3150.00	3150.00	3150.00
14	Glass Fiber Joint Tape	र. मि.	293.00	293.00	293.00
15	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	1575.00	1575.00	1575.00
16	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	2835.00	2835.00	2835.00
17	Construction Joint Tape [100 mm]	र. मि.	852.00	852.00	852.00
18	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	2572.00	2572.00	2572.00
19	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	5092.00	5092.00	5092.00
20	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	852.00	852.00	852.00
21	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	1575.00	1575.00	1575.00
22	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	2625.00	2625.00	2625.00
23	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	3675.00	3675.00	3675.00
24	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	4725.00	4725.00	4725.00
D	INDUSTRIAL FLOORING SOLUTIONS				
1	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के.जी.	127.00	127.00	127.00
2	Liquid Concrete Hardener & Dust Proofer	के.जी.	479.00	479.00	479.00
3	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.	746.00	746.00	746.00
4	Anti Bacterial Wall Coating [Polyurethane] Walgard WBA	के.जी.	1097.00	1097.00	1097.00
5	Anti bacterial Wall Coating Clearseal	के.जी.	836.00	836.00	836.00
6	Self Levelling Flooring System [Epoxy] Florgard SL	के.जी.	1370.00	1370.00	1370.00
7	Flooring System [Polyurethane] Florthane	के.जी.	1370.00	1370.00	1370.00
8	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	2625.00	2625.00	2625.00
9	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	3150.00	3150.00	3150.00
10	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	2100.00	2100.00	2100.00
11	Self Levelling Flooring System [Epoxy]	के.जी.	2200.00	2200.00	2200.00
12	Self Levelling Flooring System [Polyurethane]	के.जी.	3000.00	3000.00	3000.00
13	Self Levelling Cementitious Flooring System	के.जी.	500.00	500.00	500.00
E	ENGINEERING GROUTS				
1	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	117.00	117.00	117.00
2	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	133.00	133.00	133.00
3	Hard wearing cementitious tile grout	के.जी.	170.00	170.00	170.00
4	Hard wearing epoxy based tile grout	के.जी.	1050.00	1050.00	1050.00
5	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	533.00	533.00	533.00
6	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	2625.00	2625.00	2625.00



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
7	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Ml Cartridge]	मिलि लिटर	4725.00	4725.00	4725.00
8	Low Viscosity Injection Epoxy Grout	के.जी.	7875.00	7875.00	7875.00
9	Low Viscosity Polyurethane Injection Grout	के.जी.	13000.00	13000.00	13000.00
10	Low Viscosity Acrylate Gel Injection Grout	के.जी.	8925.00	8925.00	8925.00
11	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	14560.00	14560.00	14560.00
12	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	9975.00	9975.00	9975.00
13	Resin Capsule (32*300mm)	पिस	138.00	138.00	138.00
14	Cement Capsule(32*300mm)	पिस	63.00	63.00	63.00
15	Microfine Cement (MFC)	के.जी.	266.00	266.00	266.00
16	Durasport (Sport court coating)		1370.00	1370.00	1370.00
17	Eposeal (for water storage tanks)		1370.00	1370.00	1370.00
18	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)		742.00	742.00	742.00
19	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)		742.00	742.00	742.00
20	K10 Sovacryl (Waterproofs external surfaces)		1097.00	1097.00	1097.00
21	Zinc Rich Primer (Cathodic protection to the base metal)		836.00	836.00	836.00
22	Coaltar Epoxy (Excellent resistance to water and alkali in steel surface)		417.00	417.00	417.00
23	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)		836.00	836.00	836.00
24	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)		742.00	742.00	742.00
25	Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties)		742.00	742.00	742.00
26	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)		371.00	371.00	371.00
F	BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)				
1	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	799.00	799.00	799.00
2	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	1012.00	1012.00	1012.00
3	High Performance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	1260.00	1260.00	1260.00
4	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	1890.00	1890.00	1890.00
G	FIBERS (Steel & Polypropylene)				
1	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	1260.00	1260.00	1260.00
2	FIBERMESH FB [Collated PP Fibers]	के.जी.	1575.00	1575.00	1575.00
3	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	2100.00	2100.00	2100.00
4	Loose steel Fibers	के.जी.	266.00	266.00	266.00
5	Glued Steel Fibers	के.जी.	373.00	373.00	373.00
6	Crimped Steel Fibers	के.जी.	266.00	266.00	266.00
H	SURFACE TREATMENT				
1	Protective, Decorative Anti Carbonation Coating	के.जी.	1260.00	1260.00	1260.00
2	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	1417.00	1417.00	1417.00
3	Concrete Penetrating Corrosion Inhibitor	के.जी.	4725.00	4725.00	4725.00



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
4	Protective Acrylic Sealer	के.जी.	1575.00	1575.00	1575.00
5	Protective Polyurethane Sealer	के.जी.	1890.00	1890.00	1890.00
6	Water Based Fire Retardant Coating	के.जी.	1575.00	1575.00	1575.00
7	High Performance Water Repellent Paint	लिटर	959.00	959.00	959.00
8	Concentrated & Emulsified Chemical Mould Release Agent	लिटर	533.00	533.00	533.00
9	Ready to use Chemical Mould Release Agent	लिटर	533.00	533.00	533.00
10	Concrete Curing Aid	के.जी.	479.00	479.00	479.00
I	CONCRETE REPAIRS				
1	Rust Remover & Passivator	लिटर	1050.00	1050.00	1050.00
2	Corrosion Inhibitor	के.जी.	1260.00	1260.00	1260.00
3	Micro Concrete [M60] for Permanant Repairs	के.जी.	149.00	149.00	149.00
4	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	186.00	186.00	186.00
5	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	266.00	266.00	266.00
6	Cementitious, Waterproof Crack Repair Mortar	के.जी.	213.00	213.00	213.00
7	Acrylic Based Crack Filling Putty	के.जी.	1260.00	1260.00	1260.00
J	PREPACKED MORTARS				
1	Tile, Mabrble, Granite etc. Adhesive	के.जी.	90.00	90.00	90.00
2	Marble & Granite etc. Adhesive	के.जी.	373.00	373.00	373.00
3	Coarse and water resistant Readymix plastering Mortar	के.जी.	90.00	90.00	90.00
4	High Performanance Polymer Based Wall Putty (Skim Coat)	के.जी.	90.00	90.00	90.00
5	High Performanance Polymer Based Insulating Wall Putty (Skim Coat)	के.जी.	95.00	95.00	95.00
K	WATERPROOFING SYSTEMS				
	INTEGRAL				
1	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	293.00	293.00	293.00
2	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	7875.00	7875.00	7875.00
L	LIQUID APPLIED				
1	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	746.00	746.00	746.00
2	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	533.00	533.00	533.00
3	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	799.00	799.00	799.00
4	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	906.00	906.00	906.00
5	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	799.00	799.00	799.00
6	Crystalline Based Waterproofing System	के.जी.	373.00	373.00	373.00
7	Fast setting plugging compound for stopping running water system	के.जी.	426.00	426.00	426.00
8	Polyurethane based waterproof coating system	के.जी.	1732.00	1732.00	1732.00
9	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	1312.00	1312.00	1312.00
10	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	639.00	639.00	639.00



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
M	PREFORMED				
1	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	1890.00	1890.00	1890.00
2	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	2100.00	2100.00	2100.00
3	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	1102.00	1102.00	1102.00
4	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	1575.00	1575.00	1575.00
5	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	ब. मि.	1575.00	1575.00	1575.00
6	1.2 mm High Polymer PVC Membranes	ब. मि.	2100.00	2100.00	2100.00
7	PVC Adhesive	के.जी.	2625.00	2625.00	2625.00
8	1.2 mm EPDM Membranes	ब. मि.	2625.00	2625.00	2625.00
9	EPDM Adhesive	के.जी.	2625.00	2625.00	2625.00
10	EPDM Primer	के.जी.	3150.00	3150.00	3150.00
11	2mm TPO Membranes	ब. मि.	3675.00	3675.00	3675.00
12	Polythene & Polypropylene Polymer Compound Waterproof Membrane	ब. मि.	852.00	852.00	852.00
13	100% Synthetic Rubber Roof Coating	के.जी.	4725.00	4725.00	4725.00
N	SPECIALTY				
1	Antistripping Agent for Bitumen	के.जी.	586.00	586.00	586.00
2	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	239.00	239.00	239.00
3	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	559.00	559.00	559.00
4	Bituminous based Aluminized Heat Reflective Paint	के.जी.	693.00	693.00	693.00
5	Cold Applied Sealing & Calking Compound	के.जी.	1312.00	1312.00	1312.00
6	ROAD REPAIR PRE-MIX	के.जी.	1050.00	1050.00	1050.00
7	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	799.00	799.00	799.00
8	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	1050.00	1050.00	1050.00
9	Anti Termite [Imidacloprid 30.5%]	के.जी.	12000.00	12000.00	12000.00
10	Expanding Concrete Joint WATERSTOP	र. मि.	2625.00	2625.00	2625.00
11	WB ADHESIVE Primer for Expanding Waterstop	लिट्र	7875.00	7875.00	7875.00
12	Swellable WATERSTOP	र. मि.	2625.00	2625.00	2625.00
13	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	2625.00	2625.00	2625.00
14	Nodular Drain with Geotextile Roof Garden	ब. मि.	2625.00	2625.00	2625.00
15	SEALGUARD GEOTEX [P] -Polyester Geotextile	ब. मि.	117.00	117.00	117.00
16	XPS - Extruded Polystyrene Boards [25 mm]	ब. मि.	2800.00	2800.00	2800.00
17	XPS - Extruded Polystyrene Boards [50 mm]	ब. मि.	3675.00	3675.00	3675.00
	Water Treatment Components				
a	Pump				
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	गोटा		100000.00	100000.00
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	गोटा		123000.00	123000.00

Water Proofing Chemicals & Treatment works



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
b	Motorized Actuator Butterfly Valve with CI Materials				
1	6" Dia	गोटा		118000.00	118000.00
2	4" Dia	गोटा		68500.00	68500.00
3	3" Dia	गोटा		57500.00	57500.00
4	2.5" Dia	गोटा		42000.00	42000.00
5	2" Dia	गोटा		37500.00	37500.00
c	Vessel Strainer Top and Bottom (2 pieces= 1 set)				
1	40m ³ /Hour	सेट		26125.00	26125.00
2	25m ³ /Hour	सेट		21375.00	21375.00
3	15m ³ /Hour	सेट		14250.00	14250.00
4	9m ³ /Hour	सेट		7125.00	7125.00
d	Air Release And Vacuum Breaker valve(1 unit per Vessel)				
1	1" Small	गोटा		1500.00	1500.00
2	1" Big	गोटा		3325.00	3325.00
3	2" Big	गोटा		8075.00	8075.00
e	Rotameter				
1	Small(upto 5m ³ /h in 3/4" or 1" Male or Female Thread)	गोटा		7600.00	7600.00
2	Medium(upto 10m ³ /h in 1.5" or 2" Male or Female Thread)	गोटा		19000.00	19000.00
3	Big(40m ³ -60m ³ /h in 3" Thread or Flange type)	गोटा		26125.00	26125.00
f	Pressure Gauge(Glycerine/Liquid Filled)				
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Bottom Thread	गोटा		1250.00	1250.00
g	Automatic Vessel Control Panel				
1	Semi Scada Control Panel with GSM/GPRS- Support features(MASTER)	गोटा		120000.00	120000.00
2	Semi Scada Control Panel (Slave)	गोटा		70000.00	70000.00
h	FRP Water Filter Vessels				
1	14" Dia x 65" Height T/B 4"/Threaded	गोटा		21850.00	21850.00
2	16" Dia x 65" Height T/B 4"/ Threaded	गोटा		22800.00	22800.00
3	18" Dia x 65" Height T/B 4"/ Threaded	गोटा		26125.00	26125.00
4	24" Dia x 72" Height T/B 4"/ Threaded	गोटा		52250.00	52250.00
5	30" Dia x 72" Height T/B 4"/ Threaded	गोटा		104500.00	104500.00
6	36" Dia x 72" Height T/B 4"/ Threaded	गोटा		116850.00	116850.00
7	42" Dia x 72" Height T/B 6"/Flange	गोटा		152000.00	152000.00
8	42" Dia x 72" Height T/B 6"/Threaded	गोटा		190000.00	190000.00
9	48" Dia x 72" Height T/B 6"/ Threaded	गोटा		213750.00	213750.00
10	48" Dia x 72" Height T/B 6"/Flange	गोटा		242250.00	242250.00
i	Chemical Dosing Pump and Components				

Page 61

जनशुभकार मन्त्रालय
 प्रमुख जिल्ला अधिकारी



Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	4 Liter Per Hour at 4Kg pressure	गोटा		21375.00	21375.00
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	गोटा		5225.00	5225.00
3	Float switch Heavy with 16A wire/ 3 meter	गोटा		2375.00	2375.00
4	100Ltrs Poly tank as Chemical tank	गोटा		1425.00	1425.00
5	Zeolite Surb Sand	के.जी.		616.00	616.00
7	Mangnese Dioxide(MnO2)	के.जी.		118.80	118.80
8	Calcite	के.जी.		315.00	315.00
9	Anthracite	के.जी.		277.50	277.50
10	Katlox lite	के.जी.		506.25	506.25
11	Catalytic Carbon	के.जी.		1800.00	1800.00
12	Titansorb	के.जी.		2700.00	2700.00



WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	4620.00	4620.00	4620.00
2	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.	3990.00	3990.00	3990.00
3	Supply and installing hydrophilic resin and elastomer based strip of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	1260.00	1260.00	1260.00
4	Waterproofing of Podium Deck(Landscape/Hardscape) with component liquid Polyurethane Waterproofing membrane	व.मि.	4410.00	4410.00	4410.00
5	Waterproofing of elevated Swimming Pools/ Terrace Garden with based Advanced resin system- Integritank @ 2mm thick(No protection required)	व.मि.	2940.00	2940.00	2940.00
6	Providing and Applying polymer modified acrylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	1076.00	1076.00	1076.00
7	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	629.00	629.00	629.00
8	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.	175.00	175.00	175.00
9	Providing the bonding emulsion having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.	1055.00	1055.00	1055.00
10	Providing the for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.	421.00	421.00	421.00
	20 cm	र.मि.	613.00	613.00	613.00

जितेंद्र बस्नेत

 प्रमुख जिल्ला अधिकारी



STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
A	STRUCTURAL STRENGTHENING				
1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	8925.00	8925.00	8925.00
2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	10400.00	10400.00	10400.00
3	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	8400.00	8400.00	8400.00
4	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	12480.00	12480.00	12480.00
5	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	16640.00	16640.00	16640.00
6	Fiber Reinforced Polymer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	12480.00	12480.00	12480.00
7	EPOXY PRIMER	के.जी.	3675.00	3675.00	3675.00
8	SATURANT	के.जी.	3675.00	3675.00	3675.00
9	LAMINATE ADHESIVE	के.जी.	2625.00	2625.00	2625.00
10	EPOXY TOPCOAT	के.जी.	3675.00	3675.00	3675.00
11	POLYURETHANE TOPCOAT	के.जी.	4725.00	4725.00	4725.00
12	Glass Fiber anchor system 5to 10 mm	र. मि.	2625.00	2625.00	2625.00
13	Carbon Fiber anchor system 5to 10 mm	र. मि.	3675.00	3675.00	3675.00
14	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	10400.00	10400.00	10400.00
15	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	12480.00	12480.00	12480.00
B	Horizontal Expansion Joint for Slab				
1	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	10909.00	10909.00	10909.00
2	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	12958.00	12958.00	12958.00
3	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	15350.00	15350.00	15350.00
4	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	20467.00	20467.00	20467.00
C	Expansion Joint for Basement				
1	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	18761.00	18761.00	18761.00
D	Expansion Joint for Roof				
1	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	13083.00	13083.00	13083.00
2	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	15553.00	15553.00	15553.00
3	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	18418.00	18418.00	18418.00
4	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	24559.00	24559.00	24559.00
E	Inside Vertical Expansion Joint				
1	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	6888.00	6888.00	6888.00
2	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	8610.00	8610.00	8610.00

Page 64

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी



STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
3	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	10332.00	10332.00	10332.00
4	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	13644.00	13644.00	13644.00
F	Outside Vertical Expansion Joint				
1	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	7917.00	7917.00	7917.00
2	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	9901.00	9901.00	9901.00
3	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	11762.00	11762.00	11762.00
4	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	15683.00	15683.00	15683.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Interlocking Cement Concrete Block (Not less than M20 concrete)				
	Curb stone-Not less than M20 concrete	र.मि.	1103.00	1103.00	1103.00
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि	42.00	42.00	42.00
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि	44.00	44.00	44.00
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	व.फि	51.00	51.00	51.00
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	व.फि	52.00	52.00	52.00
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	53.00	53.00	53.00
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	55.00	55.00	55.00
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threhex , Royal tone Interlock , I-Interlock	व.फि	62.00	62.00	62.00
2	60 mm thick CC Block (Ocm or equivalent)				
	Brick type (23*11*6cm)non colour	गोटा	10.00	10.00	10.00
	Hexagon (22*22 cm) non colour	गोटा	23.00	23.00	23.00
	Hexagon (22*22 cm) colour	गोटा	25.00	25.00	25.00
	Squire paver (30*30*4.5cm)non colour	गोटा	31.00	31.00	31.00
	Squire paver (30*30*4.5cm)colour	गोटा	35.00	35.00	35.00
	inter block(24*13*6cm)	गोटा	15.00	15.00	15.00
	Isave paver (20*16*6cm)	गोटा	17.00	17.00	17.00
3	Concrete Block different items				
	Hollow Block (16"*8"*6")	गोटा	79.00	79.00	79.00
	Hollow Block (16"*8"*4")	गोटा	70.00	70.00	70.00
	Corner Hollow Block (16"*8"*6")	गोटा	89.00	89.00	89.00
	Lintel Block (16"*8"*6")	गोटा	89.00	89.00	89.00
	Pavers Block (fish or other shape) 60mm thick	गोटा	20.00	20.00	20.00
	concrete Brick (9"*4"*2.5")	गोटा	12.00	12.00	12.00
5	Concrete block				
	Concrete block size (40*15*20) cm	गोटा	40.00	40.00	40.00
	Concrete block size (40*10*20) cm	गोटा	35.00	35.00	35.00
	Concrete block size (39*14*19) cm	गोटा	55.00	55.00	55.00
6	Cellular light weight concrete(CLC) block				
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	124.00	124.00	124.00
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	187.00	187.00	187.00
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	250.00	250.00	250.00
7	Interlock Concrete Paving Blocks				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	2391.00	2391.00	2391.00
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	2968.00	2968.00	2968.00
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	3639.00	3639.00	3639.00

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	1768.00	1768.00	1768.00
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2223.00	2223.00	2223.00
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2701.00	2701.00	2701.00
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	1920.00	1920.00	1920.00
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2439.00	2439.00	2439.00
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	2958.00	2958.00	2958.00
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	1668.00	1668.00	1668.00
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	1944.00	1944.00	1944.00
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	1136.00	1136.00	1136.00
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	1362.00	1362.00	1362.00
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	1768.00	1768.00	1768.00
8	CONCRETE PAVING BLOCKS				0.00
	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	2080.00	2080.00	2080.00
	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	2325.00	2325.00	2325.00
	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	2428.00	2428.00	2428.00
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	1656.45	1656.45	1656.45
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	1987.74	1987.74	1987.74
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.	2098.17	2098.17	2098.17
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	2080.00	2080.00	2080.00
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	2325.00	2325.00	2325.00
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	2428.00	2428.00	2428.00
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	1336.39	1336.39	1336.39
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	1603.67	1603.67	1603.67
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.	1692.76	1692.76	1692.76
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	1848.00	1848.00	1848.00



Government Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	2014.00	2014.00	2014.00
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	2097.00	2097.00	2097.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	1324.00	1324.00	1324.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	1490.00	1490.00	1490.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	1572.00	1572.00	1572.00
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	1930.34	1930.34	1930.34
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	2138.23	2138.23	2138.23
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.	2227.32	2227.32	2227.32
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	1076.00	1076.00	1076.00
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	1296.00	1296.00	1296.00
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	1379.00	1379.00	1379.00
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	1848.00	1848.00	1848.00
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2014.00	2014.00	2014.00
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	2097.00	2097.00	2097.00
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2055.00	2055.00	2055.00
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2349.00	2349.00	2349.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80	व.मी.	2459.00	2459.00	2459.00
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	3766.00	3766.00	3766.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	4051.00	4051.00	4051.00
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 225*112.5*100	व.मी.	4332.00	4332.00	4332.00
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	5648.49	5648.49	5648.49
	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	6043.49	6043.49	6043.49
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension: 225*112.5*120	व.मी.	6477.99	6477.99	6477.99
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	1784.00	1784.00	1784.00
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60	व.मी.	2275.00	2275.00	2275.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	2814.00	2814.00	2814.00
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	3921.00	3921.00	3921.00
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	4297.00	4297.00	4297.00
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	4618.00	4618.00	4618.00
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	1618.00	1618.00	1618.00
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	1782.00	1782.00	1782.00
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	1837.00	1837.00	1837.00
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	1618.00	1618.00	1618.00
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	1782.00	1782.00	1782.00
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	1837.00	1837.00	1837.00
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	1480.00	1480.00	1480.00
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	1706.00	1706.00	1706.00
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	1802.00	1802.00	1802.00
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	1774.68	1774.68	1774.68
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	2249.59	2249.59	2249.59
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.	2799.49	2799.49	2799.49
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1749.00	1749.00	1749.00
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	2060.00	2060.00	2060.00
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	2332.00	2332.00	2332.00
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	1710.00	1710.00	1710.00
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	2022.00	2022.00	2022.00
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	2333.00	2333.00	2333.00
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1610.00	1610.00	1610.00
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1783.00	1783.00	1783.00
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1858.00	1858.00	1858.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1579.00	1579.00	1579.00
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1741.00	1741.00	1741.00
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	1834.00	1834.00	1834.00
	CONCRETE PAVING TILES				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1361.00	1361.00	1361.00
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1507.00	1507.00	1507.00
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1701.00	1701.00	1701.00
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2625.66	2625.66	2625.66
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2938.23	2938.23	2938.23
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	3282.07	3282.07	3282.07
	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	20.00	20.00	20.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	22.00	22.00	22.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	152.00	152.00	152.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	180.00	180.00	180.00
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	109.00	109.00	109.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	125.00	125.00	125.00

Page 70

जितिमित्र, वसन्त
 म्याग्जिना अधिकारी



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	92.00	92.00	92.00
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	104.00	104.00	104.00
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	18.00	18.00	18.00
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	19.00	19.00	19.00
	CONCRETE PAVING BLOCKS				0.00
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1545.00	1545.00	1545.00
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1738.00	1738.00	1738.00
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1821.00	1821.00	1821.00
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1333.00	1333.00	1333.00
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1590.00	1590.00	1590.00
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1675.00	1675.00	1675.00
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2055.00	2055.00	2055.00
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2349.00	2349.00	2349.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	2459.00	2459.00	2459.00
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	2501.00	2501.00	2501.00
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	2769.00	2769.00	2769.00
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	2858.00	2858.00	2858.00
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1741.00	1741.00	1741.00
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.	1741.00	1741.00	1741.00
	CONCRETE PAVING TILES				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1481.00	1481.00	1481.00
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1618.00	1618.00	1618.00
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	1803.00	1803.00	1803.00
	CONCRETE KERB-STONES				
	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	350.00	350.00	350.00
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	363.00	363.00	363.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	401.00	401.00	401.00
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.	278.00	278.00	278.00
	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	297.00	297.00	297.00
	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	330.00	330.00	330.00
	Half battered Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	350.00	350.00	350.00



Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. व. कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	363.00	363.00	363.00
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	401.00	401.00	401.00
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	449.00	449.00	449.00
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	465.00	465.00	465.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	513.00	513.00	513.00
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	391.00	391.00	391.00
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	419.00	419.00	419.00
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	448.00	448.00	448.00
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	1775.00	1775.00	1775.00
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.			451.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.			492.00
	EPS-C(Expanded polystyreneconcrete) Block				
1	EPS-C Blocks 24"x4"x8" (LxBxH)	गोटा	146.00	146.00	146.00
2	EPS-C Blocks 24"x6"x8" (LxBxH)	गोटा	219.00	219.00	219.00
3	EPS-C Blocks 24"x8"x8" (LxBxH)	गोटा	292.00	292.00	292.00



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Surface Hardness	Element	1027.00	1027.00	1027.00
2	Cover Survey/ Rebar Orientation	Element	4108.00	4108.00	4108.00
3	Homogeneity	Element	5135.00	5135.00	5135.00
4	Crack Depth Measurement	Element	5135.00	5135.00	5135.00
5	E-Modulus Calculation Test	Element	5135.00	5135.00	5135.00
6	Resistivity	Element	2567.00	2567.00	2567.00
7	Curing Efficiency Test	Element	2567.00	2567.00	2567.00
8	Corrosion Mapping	Element	15405.00	15405.00	15405.00
9	Half Cell Potential	Element	7189.00	7189.00	7189.00
10	Sonic Echo/ Void Detection Test	Element	10270.00	10270.00	10270.00
11	Pulloff Test/ Bond Test	Element	7189.00	7189.00	7189.00
12	Concrete Tensile Strength Test	Element	7189.00	7189.00	7189.00
13	Moisture Content	Element	4621.00	4621.00	4621.00
14	Core Extraction				
	32 mm Dia	Element	7702.00	7702.00	7702.00
	52 mm Dia	Element	8216.00	8216.00	8216.00
	75 mm Dia	Element	8729.00	8729.00	8729.00
	100 mm Dia	Element	1027.00	1027.00	1027.00
	150 mm Dia	Element	12837.00	12837.00	12837.00
	200 mm Dia	Element	15405.00	15405.00	15405.00
	250 mm Dia	Element	17972.00	17972.00	17972.00
	300 mm Dia	Element	20540.00	20540.00	20540.00
	350 mm Dia	Element	25675.00	25675.00	25675.00
15	Rapid Chloride Penetration Test	Element	15405.00	15405.00	15405.00
16	Anchor Pullout Test	Element	20540.00	20540.00	20540.00
17	Infrared Thermography	Element	3594.00	3594.00	3594.00
18	Low Strain Pile Integrity Test	Element	11297.00	11297.00	11297.00
19	High Strain Dynamic Pile Load Test	Element	513500.00	513500.00	513500.00
20	Fresh Concrete Resistivity (Smart Box)	Element	4108.00	4108.00	4108.00
21	Fine/ Coarse Aggregate Moisture Content	Element	3594.00	3594.00	3594.00
22	Fresh Concrete Moisture Content (W/C Ratio)	Element	3594.00	3594.00	3594.00
23	Cross Hole Sonic Logging	Element	12837.00	12837.00	12837.00
24	Impulse Echo	Element	10270.00	10270.00	10270.00
25	Maturity Meter Test	Element	35945.00	35945.00	35945.00
26	Chloride Profile	Element	12837.00	12837.00	12837.00
27	Carbonation Depth Detection Test	Element	2567.00	2567.00	2567.00
28	Boroscope	Element	35945.00	35945.00	35945.00
29	Videoscope	Element	87295.00	87295.00	87295.00
30	Ground Penetrating Radar	Element	51350.00	51350.00	51350.00
31	CAPO Test	Element	12837.00	12837.00	12837.00
32	Permeability Test				
	Air	Element	30810.00	30810.00	30810.00
	Water	Element	41080.00	41080.00	41080.00
33	Concrete Cutting Services	R. M.	30810.00	30810.00	30810.00
34	Wall Cutting Services	R. M.	51350.00	51350.00	51350.00
35	Impact Echo	Element	10270.00	10270.00	10270.00
36	Mortar Strength Test (Penetrometer)	Element	5135.00	5135.00	5135.00
37	ASR Detection Test	Element	10270.00	10270.00	10270.00
38	Moisture Content Test				
	Concrete	Element	2054.00	2054.00	2054.00



NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Brick	Element	2054.00	2054.00	2054.00
	Masonry	Element	2054.00	2054.00	2054.00
	Wood	Element	2567.00	2567.00	2567.00



Geocell Technology

नेपाल सरकार
प्रशासनिक विभाग
काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Geocell Technology प्रयोग गरि Slope protection, Earth retention, channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मी	630.00	630.00	630.00
	cell height-75 mm	व.मी	900.00	900.00	900.00
	cell height-100 mm	व.मी	1200.00	1200.00	1200.00
	cell height-120 mm	व.मी	1500.00	1500.00	1500.00
	cell height-150 mm	व.मी	1750.00	1750.00	1750.00
	cell height-200 mm	व.मी	2425.00	2425.00	2425.00
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मी	650.00	650.00	650.00
	cell height-75 mm	व.मी	925.00	925.00	925.00
	cell height-100 mm	व.मी	1250.00	1250.00	1250.00
	cell height-120 mm	व.मी	1550.00	1550.00	1550.00
	cell height-150 mm	व.मी	1800.00	1800.00	1800.00
	cell height-200 mm	व.मी	2500.00	2500.00	2500.00
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मी	950.00	950.00	950.00
	cell height-75 mm	व.मी	1350.00	1350.00	1350.00
	cell height-100 mm	व.मी	1800.00	1800.00	1800.00
	cell height-120 mm	व.मी	2300.00	2300.00	2300.00
	cell height-150 mm	व.मी	2600.00	2600.00	2600.00
	cell height-200 mm	व.मी	3650.00	3650.00	3650.00
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मी	600.00	600.00	600.00
	cell height-75 mm	व.मी	850.00	850.00	850.00
	cell height-100 mm	व.मी	1150.00	1150.00	1150.00
	cell height-120 mm	व.मी	1450.00	1450.00	1450.00
	cell height-150 mm	व.मी	1675.00	1675.00	1675.00
	cell height-200 mm	व.मी	2300.00	2300.00	2300.00
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मी	600.00	600.00	600.00
	cell height-75 mm	व.मी	850.00	850.00	850.00
	cell height-100 mm	व.मी	1200.00	1200.00	1200.00
	cell height-120 mm	व.मी	1500.00	1500.00	1500.00
	cell height-150 mm	व.मी	1700.00	1700.00	1700.00
	cell height-200 mm	व.मी	2400.00	2400.00	2400.00
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मी	900.00	900.00	900.00
	cell height-75 mm	व.मी	1250.00	1250.00	1250.00
	cell height-100 mm	व.मी	1700.00	1700.00	1700.00



Geocell Technology

प्रशासन काठमाण्डौ

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	cell height-120 mm	व.मी	2150.00	2150.00	2150.00
	cell height-150 mm	व.मी	2500.00	2500.00	2500.00
	cell height-200 mm	व.मी	3450.00	3450.00	3450.00
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मी	525.00	525.00	525.00
	cell height-75 mm	व.मी	750.00	750.00	750.00
	cell height-100 mm	व.मी	1000.00	1000.00	1000.00
	cell height-120 mm	व.मी	1275.00	1275.00	1275.00
	cell height-150 mm	व.मी	1475.00	1475.00	1475.00
	cell height-200 mm	व.मी	2050.00	2050.00	2050.00
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मी	550.00	550.00	550.00
	cell height-75 mm	व.मी	775.00	775.00	775.00
	cell height-100 mm	व.मी	1050.00	1050.00	1050.00
	cell height-120 mm	व.मी	1300.00	1300.00	1300.00
	cell height-150 mm	व.मी	1500.00	1500.00	1500.00
	cell height-200 mm	व.मी	2100.00	2100.00	2100.00
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मी	800.00	800.00	800.00
	cell height-75 mm	व.मी	1100.00	1100.00	1100.00
	cell height-100 mm	व.मी	1500.00	1500.00	1500.00
	cell height-120 mm	व.मी	1950.00	1950.00	1950.00
	cell height-150 mm	व.मी	2200.00	2200.00	2200.00
	cell height-200 mm	व.मी	3100.00	3100.00	3100.00
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मी	365.00	365.00	365.00
	cell height-75 mm	व.मी	525.00	525.00	525.00
	cell height-100 mm	व.मी	725.00	725.00	725.00
	cell height-120 mm	व.मी	900.00	900.00	900.00
	cell height-150 mm	व.मी	1000.00	1000.00	1000.00
	cell height-200 mm	व.मी	1400.00	1400.00	1400.00
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मी	375.00	375.00	375.00
	cell height-75 mm	व.मी	550.00	550.00	550.00
	cell height-100 mm	व.मी	725.00	725.00	725.00
	cell height-120 mm	व.मी	900.00	900.00	900.00
	cell height-150 mm	व.मी	1050.00	1050.00	1050.00
	cell height-200 mm	व.मी	1450.00	1450.00	1450.00
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मी	550.00	550.00	550.00
	cell height-75 mm	व.मी	800.00	800.00	800.00
	cell height-100 mm	व.मी	1050.00	1050.00	1050.00



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	cell height-120 mm	व.मी	1325.00	1325.00	1325.00
	cell height-150 mm	व.मी	1550.00	1550.00	1550.00
	cell height-200 mm	व.मी	2100.00	2100.00	2100.00
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मी	290.00	290.00	290.00
	cell height-75 mm	व.मी	425.00	425.00	425.00
	cell height-100 mm	व.मी	590.00	590.00	590.00
	cell height-120 mm	व.मी	760.00	760.00	760.00
	cell height-150 mm	व.मी	865.00	865.00	865.00
	cell height-200 mm	व.मी	1200.00	1200.00	1200.00
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मी	300.00	300.00	300.00
	cell height-75 mm	व.मी	450.00	450.00	450.00
	cell height-100 mm	व.मी	600.00	600.00	600.00
	cell height-120 mm	व.मी	750.00	750.00	750.00
	cell height-150 mm	व.मी	900.00	900.00	900.00
	cell height-200 mm	व.मी	1250.00	1250.00	1250.00
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मी	450.00	450.00	450.00
	cell height-75 mm	व.मी	625.00	625.00	625.00
	cell height-100 mm	व.मी	900.00	900.00	900.00
	cell height-120 mm	व.मी	1100.00	1100.00	1100.00
	cell height-150 mm	व.मी	1300.00	1300.00	1300.00
	cell height-200 mm	व.मी	1800.00	1800.00	1800.00

जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी



WPS/Fibre, Concrete Prefabricated Doors & Windows

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	WPC Single Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि	703.00	703.00	703.00
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि	815.00	815.00	815.00
2	WPC Single Hollow Door Board (Thickness 32±2 mm)				
	Plain Door	व.फि	703.00	703.00	703.00
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि	815.00	815.00	815.00
3	FRP Composite Door Frame				
	Thickness: 100 mm	र.फि	463.00	463.00	463.00
	Thickness: 110 mm	र.फि	600.00	600.00	600.00
4	FRP Composite Window or Ventilation Frame				
	Thickness: 110 mm	र.फि	523.00	523.00	523.00
5	FRP Composite Window Net Panel				
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	गोटा	4977.00	4977.00	4977.00
6	FRP Composite Window Panel				
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	गोटा	5229.00	5229.00	5229.00
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	4977.00	4977.00	4977.00
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black, Green	गोटा	4713.00	4713.00	4713.00
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा	3717.00	3717.00	3717.00
7	FRP Composite Ventilation Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा	4000.00	4000.00	4000.00
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा	3528.00	3528.00	3528.00
8	FRP Composite Ventilation Net Panel				
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा	247.00	247.00	247.00
9	Fiber Door Panel				
	Single Fiber Door	व.फि	1010.00	1010.00	1010.00
	Double Fiber Door	व.फि	1310.00	1310.00	1310.00
	Double Fiber Door	व.फि	1950.00	1950.00	1950.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

जिताम्वे बस्नेत
प्रमुख जिल्ला अधिकारी



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Vinyl Flooring				
1	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	4800.00	4800.00	4800.00
2	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m ² , XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³).Phthalate Free.Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	3700.00	3700.00	3700.00
3	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m ² ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100µg/m ³). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी	3500.00	3500.00	3500.00
4	Providing & Fixing of 6.5mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class ClFs1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m ² K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The honeycomb backing, creating a suction effect.	व.मी	6200.00	6200.00	6200.00

Page 80



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
5	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm heterogeneous Acoustic PVC Vinyl Phthalate free, flooring, total weight is 3250g/m ² , PUR, No wax no polish for life (Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%, impact sound reduction approx +19db with acoustic improvement <65Db class A, Slip Resistance R9/R10 woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m ³) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	5000.00	5000.00	5000.00
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x10 ⁴ Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches.Thermal resistance Approx. 0.01m ² K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	5800.00	5800.00	5800.00
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m ² in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. As Carbon coated on the top of the floor it will prevent any kind of electric shock. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class CfFs1 with surface treatment new IQ PUR. Flooring follows excellent dry buffing system which always give new looks to the floor. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical Insulation Ri≥5x10 ⁴ Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m ² K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions.	व.मी	5800.00	5800.00	5800.00
	False Ceiling				0.00



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	सु.ब.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates	व.मी	2152.00	2152.00	2152.00
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4750.00	4750.00	4750.00
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4842.00	4842.00	4842.00
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m ² , Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M ² with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4626.00	4626.00	4626.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.ब.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	4626.00	4626.00	4626.00
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	11836.00	11836.00	11836.00
7	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	12374.00	12374.00	12374.00
8	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	12912.00	12912.00	12912.00
	Levelling Compound for Vinyl Flooring				0.00



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level should be less than 8% before application for Vinyl flooring.	व.मी	592.00	592	592.00
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी	295.00	295	295.00
WPC Items					0.00
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	9469.00	9469.00	9469.00
2	Providing and installing WPC Wall panel cladding in pre-painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	6510.00	6510.00	6510.00
Ceiling					0.00



FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	<p>Supply & Fixing of U-Baffle Ceiling System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005 carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.</p>	व.मी	14526.00	14526.00	14526.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Reinforced Soil Wall with using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	Upto 5 Height (in Metre)	व.मी	18295.00	18295.00	18295.00
	10 Height (in Metre)	व.मी	23029.00	23029.00	23029.00
	15 Height (in Metre)	व.मी	27944.00	27944.00	27944.00
	20 Height (in Metre)	व.मी	35944.00	35944.00	35944.00
	25 Height (in Metre)	व.मी	48989.00	48989.00	48989.00
	30 Height (in Metre)	व.मी	61858.00	61858.00	61858.00
2	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	29049.00	29049.00	29049.00
	20 Height (in meter)	व.मी	39586.00	39586.00	39586.00
	30 Height (in meter)	व.मी	57410.00	57410.00	57410.00

जितेन्द्र शर्मा
 प्रमुख जिल्ला अधिकारी



Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
3	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC fascia panels of minimum 160mm thickness and 50mm 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	36352.00	36352.00	36352.00
4	Geo-composite Drainage with mini pipes				
i	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	991.00	991.00	991.00
ii	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	1280.00	1280.00	1280.00
iii	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	1524.00	1524.00	1524.00



Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
iv	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metre widthways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100 hours.	व.मी	2192.00	2192.00	2192.00
5	Rockfall Protection Barrier				
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm ² , zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी.	149865.00	149865.00	149865.00
	Capacity 1000 KJ and height 5m	र.मी.	299524.00	299524.00	299524.00
	Capacity 1500 KJ and height 5m	र.मी.	349156.00	349156.00	349156.00
	Capacity 2000 KJ and height 5m	र.मी.	432434.00	432434.00	432434.00
	Capacity 3000 KJ and height 5m	र.मी.	509465.00	509465.00	509465.00
	Capacity 5000 KJ and height 7m	र.मी.	930212.00	930212.00	930212.00
6	High Tensile Wire mesh (wire strength ≥ 1770 N/mm ²)				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength ≥ 1770 N/mm ²) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m ² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी	13697.00	13697.00	13697.00
7	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
i	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	2192.00	2192.00	2192.00
ii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	9469.00	9469.00	9469.00
iii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	2824.00	2824.00	2824.00
iv	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (± 1 mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	12165.00	12165.00	12165.00
8	Fabric formed erosion and scour protection concrete mattresses				

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
i	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	6117.00	6117.00	6117.00
ii	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	7121.00	7121.00	7121.00
iii	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी	3920.00	3920.00	3920.00
iv	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी	4272.00	4272.00	4272.00
v	Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	8491.00	8491.00	8491.00
vi	Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	19902.00	19902.00	19902.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



Railway

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा	8379.00	8379.00	8379.00
2	Spherical bearing = > 2250 KN Fixed type	गोटा	133372.00	133372.00	133372.00
3	Spherical bearing =>2250 KN Free type	गोटा	148530.00	148530.00	148530.00
4	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि	15708.00	15708.00	15708.00
5	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा	14538.00	14538.00	14538.00
6	Ultra sonic cross-hole test Machine hire	गोटा	2341.00	2341.00	2341.00
7	Sheath tube, D75mm (Mild steel)	र.मि	377.00	377.00	377.00
8	Carrying out Dynamic pile load test	गोटा	294465.00	294465.00	294465.00
9	Earthing cable(GV70)	र.मि	615.00	615.00	615.00
10	Cad Mold(Medium) for earthing job in bridge	गोटा	4431.00	4431.00	4431.00
11	Unbonded Pre stressed concrete strand	के.जी.	162.00	162.00	162.00



Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	Electric Hot Film (Thickness= 0.338 mm)	व.मी.	1150.00	1150.00	1150.00
2	Thermostat UTH-200/Sensor (Capacity 4KW)	गोटा	5500.00	5500.00	5500.00
3	Insulation Pad (Thickness = 5mm)	व.मी.	350.00	350.00	350.00
4	Eye Clip	गोटा	50.00	50.00	50.00
5	2.5 mm Multi Strand wire	र.मि	60.00	60.00	60.00
6	Installation Charge	व.मी.	300.00	300.00	300.00
7	Parqueting (Thickness = 8 mm)	व.फि.	170.00	170.00	170.00
8	Scoting readymade	र.फि.	170.00	170.00	170.00
9	Scoting Local mare	र.फि.	130.00	130.00	130.00
10	Protected Mat	व.मी.	300.00	300.00	300.00
11	Special Tape	र.फि.	100.00	100.00	100.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी



वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
1	हेज ८ इन्च पोली	गोटा	59.00	59.00	59.00
2	कार्पेट दुबो	व.फि	35.00	35.00	35.00
3	कार्पेट दुबोको लागि टाप्ने कार्य ज्याला	व.फि	23.00	23.00	23.00
4	निगालो (जरा सहित)	गोटा	12.00	12.00	12.00
5	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	11.00	11.00	11.00
6	गोठे मल तयारी	के.जी.	6.00	6.00	6.00
7	लेयर्स कुखुराको मल	के.जी.	7.00	7.00	7.00
8	ब्रोईलर कुखुराको मल	के.जी.	5.00	5.00	5.00
9	तोरीको पिना	के.जी.	48.00	48.00	48.00
10	डाले घाँसको विरुवा	गोटा	11.00	11.00	11.00
11	मोलाटो विरुवा	गोटा	2.00	2.00	2.00
12	नरिचल डोरी	के.जी.	153.00	153.00	153.00
13	नाइलन डोरी	के.जी.	296.00	296.00	296.00
14	लौड सल्ला नेपाली	गोटा	91.00	91.00	91.00
15	लौठ सल्ला अमेरिकन	गोटा	142.00	142.00	142.00
16	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	237.00	237.00	237.00
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु				
1	पोलिथीन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	415.00	415.00	415.00
2	ठूला विरुवा रोपन ४ फिट सम्म	प्रति विरुवा	151.00	151.00	151.00
3	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति विरुवा	167.00	167.00	167.00
4	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति विरुवा	258.00	258.00	258.00
5	गोलिया काठ लोड	क्यू.फि.	32.00	32.00	32.00
6	गोलिया काठ अनलोन	क्यू.फि.	21.00	21.00	21.00
8	दाउरा लोड	चट्टा	4316.00	4316.00	4316.00
9	दाउरा अनलोड	चट्टा	2158.00	2158.00	2158.00
10	सकलन कटान, मुछान	चट्टा	4855.00	4855.00	4855.00
12	अनलोडिङ	चट्टा	151.00	151.00	151.00
13	चट्टा निर्माण	चट्टा	2158.00	2158.00	2158.00
14	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	30.00	30.00	30.00
15	वन सुपारी	प्रति विरुवा	32.00	32.00	32.00
	शहरी वृक्षारोपणकार्य				
1	४ फिट सम्मको विरुवा	प्रति विरुवा	949.00	949.00	949.00
2	५ फिट सम्मको विरुवा	प्रति विरुवा	1348.00	1348.00	1348.00
3	६ फिट सम्मको विरुवा	प्रति विरुवा	1661.00	1661.00	1661.00
4	८ फिट सम्मको विरुवा	प्रति विरुवा	2017.00	2017.00	2017.00
5	४ फिट ४ फिट उचाईको	प्रति विरुवा	4316.00	4316.00	4316.00
6	५ फिट ५ फिट उचाईको	प्रति विरुवा	5179.00	5179.00	5179.00
	४ फिट सम्मको विरुवाको मुल्य				
1	कपूर	प्रति विरुवा	1726.00	1726.00	1726.00
2	रुद्राक्ष	प्रति विरुवा	2050.00	2050.00	2050.00
3	कल्की बोटल ब्रस	प्रति विरुवा	1456.00	1456.00	1456.00



वनजंगल संग सम्बन्धित वि. उ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु. अ. कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
4	ज्याकारण्डा गोल्डमोहोर	प्रति विरुवा	1456.00	1456.00	1456.00
5	असारे	प्रति विरुवा	1456.00	1456.00	1456.00
6	अमला	प्रति विरुवा	841.00	841.00	841.00
7	करबिर फुल	प्रति विरुवा	1046.00	1046.00	1046.00
8	चा ¹ / ₂ प	प्रति विरुवा	1834.00	1834.00	1834.00
9	देवदार	प्रति विरुवा	2859.00	2859.00	2859.00
11	चैयू	प्रति विरुवा	809.00	809.00	809.00
12	लप्सी	प्रति विरुवा	809.00	809.00	809.00
13	धूपी	प्रति विरुवा	1456.00	1456.00	1456.00
15	काइयो	प्रति विरुवा	1456.00	1456.00	1456.00
16	रक्तकमल	प्रति विरुवा	1424.00	1424.00	1424.00
17	समी	प्रति विरुवा	1186.00	1186.00	1186.00
18	बर	प्रति विरुवा	1424.00	1424.00	1424.00
19	पिपल	प्रति विरुवा	1424.00	1424.00	1424.00
20	५ फिट सम्मको करबिर विरुवा	प्रति विरुवा	1294.00	1294.00	1294.00
21	५ फिट सम्मको तिकोमा विरुवा	प्रति विरुवा	1294.00	1294.00	1294.00
22	५ फिट सम्मको चापको विरुवा	प्रति विरुवा	1402.00	1402.00	1402.00
	४ फिट देखि ५ फिट सम्मको विरुवाको मुल्य				
1	हेदि सकस	प्रति विरुवा	107.00	107.00	107.00
2	एजेलिया	प्रति विरुवा	1942.00	1942.00	1942.00
3	क्यामेलिया	प्रति विरुवा	1942.00	1942.00	1942.00
4	ग्राउण्ड कमर	प्रति विरुवा	323.00	323.00	323.00
	स्थानीय प्रजाति २ फिट देखि ४ फिट सम्मको विरुवाको मुल्य				
1	मालती	प्रति विरुवा	539.00	539.00	539.00
2	बगमवेली	प्रति विरुवा	647.00	647.00	647.00
3	वेली	प्रति विरुवा	647.00	647.00	647.00
4	पेशान फ्लावर	प्रति विरुवा	755.00	755.00	755.00
5	मान्डोमिल्ला	प्रति विरुवा	1294.00	1294.00	1294.00
6	फाइकस पुमिला	प्रति विरुवा	215.00	215.00	215.00
7	आइम प्लाण्ट	प्रति विरुवा	323.00	323.00	323.00
8	lqm;d;	प्रति विरुवा	3237.00	3237.00	3237.00
9	गोल्डेन धुपि	प्रति विरुवा	2589.00	2589.00	2589.00
10	शिरिष	प्रति विरुवा	809.00	809.00	809.00
11	तेजपात	प्रति विरुवा	1079.00	1079.00	1079.00
12	हरो	प्रति विरुवा	917.00	917.00	917.00
13	वरो	प्रति विरुवा	917.00	917.00	917.00
14	बकाइनो	प्रति विरुवा	917.00	917.00	917.00
15	ईन्द्रकमल	प्रति विरुवा	1942.00	1942.00	1942.00
16	लाली गुरा ¹ / ₂ स	प्रति विरुवा	1780.00	1780.00	1780.00
17	स्यालफुसे	प्रति विरुवा	1780.00	1780.00	1780.00
18	पुवाले	प्रति विरुवा	1780.00	1780.00	1780.00



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
19	गुन्ती	प्रति विरुवा	2104.00	2104.00	2104.00
20	अन्य	प्रति विरुवा	1780.00	1780.00	1780.00
	स्थानीय बास्नादार प्रजाति ४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
1	पारिजात	प्रति विरुवा	1510.00	1510.00	1510.00
2	चमेली	प्रति विरुवा	1294.00	1294.00	1294.00
3	जाई	प्रति विरुवा	1025.00	1025.00	1025.00
4	बेलपत्र	प्रति विरुवा	1025.00	1025.00	1025.00
	४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
1	तिकोमा	प्रति विरुवा	1834.00	1834.00	1834.00
	पाल्मका प्रजाति				
1	फिस्टेल पाल्म	प्रति विरुवा	1618.00	1618.00	1618.00
2	रोयल पाल्म	प्रति विरुवा	1942.00	1942.00	1942.00
3	बोटल पाल्म	प्रति विरुवा	1025.00	1025.00	1025.00
4	कि पाल्म	प्रति विरुवा	1942.00	1942.00	1942.00
5	हवाई पाल्म	प्रति विरुवा	2589.00	2589.00	2589.00
	होचो हुने प्रजाति १ देखि २ फिट सम्म				
1	साइक्स पाल्म	प्रति विरुवा	1294.00	1294.00	1294.00
2	स्याक्स पाल्म	प्रति विरुवा	1025.00	1025.00	1025.00
3	रेक्सोन पाल्म	प्रति विरुवा	1294.00	1294.00	1294.00
4	फोनक्स पाल्म	प्रति विरुवा	755.00	755.00	755.00
5	च्यामडोरा पाल्म	प्रति विरुवा	755.00	755.00	755.00
6	सिपेरिया पाल्म	प्रति विरुवा	539.00	539.00	539.00
7	फयान पाल्म	प्रति विरुवा	809.00	809.00	809.00
8	एरिका पाल्म	प्रति विरुवा	809.00	809.00	809.00
	वायो ईन्जिनियरिङ सम्बन्धि काम				
	घासको विउ				
1	जई	कि.ग्रा	80.00	80.00	80.00
2	भेच	कि.ग्रा	161.00	161.00	161.00
3	नेपीयर	सेट	3.00	3.00	3.00
4	वर्सिम	कि.ग्रा	188.00	188.00	188.00
5	घाँसको विउ जिल्ला बाहिरबाट हुवानी गर्दा	कि.ग्रा	1.00	1.00	1.00
6	माटो भर्ने खाली बोरा	गोटा	12.00	12.00	12.00
7	बास काटेको सिंगो घाना	घाना	377.00	377.00	377.00
8	बासको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	59.00	59.00	59.00
	Vegetation/Shrubs Cuttings/Slip/Plants/etc.				
1	अम्रिसो(राइजोम)	प्रति विरुवा	7.00	7.00	7.00
2	अलैची गानो	प्रति विरुवा	11.00	11.00	11.00
3	अलैची विरुवा	प्रति विरुवा	8.00	8.00	8.00
4	हार्डउड कटिङ्ग (बैस) पेन्सिल साइज	प्रति विरुवा	5.00	5.00	5.00
5	नेपीयर कटिङ्ग	प्रति विरुवा	2.00	2.00	2.00



वनजंगल संग सम्बन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.कर बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
6	NB ₂₁ घाँस	प्रति विरुवा	2.00	2.00	2.00
7	निगालो राईजोम	प्रति विरुवा	53.00	53.00	53.00
8	बासको बेर्ना (कटीग राईजोम)	प्रति विरुवा	431.00	431.00	431.00
9	बाबियो ताइवानी दुबो	प्रति विरुवा	3.00	3.00	3.00
10	सिजनल फुल ८ इन्च पोली	गोटा	26.00	26.00	26.00
11	गुलाफ फुल ८ इन्च पोली	गोटा	161.00	161.00	161.00
12	हेज ८ इन्च पोली	गोटा	32.00	32.00	32.00
13	कार्पेट दुबो	व.फी.	32.00	32.00	32.00
14	कार्पेट दुबो को लागि छापे कार्यको ज्याला	व.फी.	21.00	21.00	21.00
15	निगालो (जरा सहीत)	गोटा	12.00	12.00	12.00
16	स्थानीय स्तरमा उत्पादीत विरुवा फलफुल बाहेक	गोटा	5.00	5.00	5.00
18	डाले घासको विरुवा	गोटा	6.00	6.00	6.00
19	मोलाटो विरुवा	गोटा	2.00	2.00	2.00
20	लौठ सल्ला नेपाली	गोटा	75.00	75.00	75.00
21	लौठ सल्ला अमेरिकन	गोटा	129.00	129.00	129.00
22	खर	गोटा	4.00	4.00	4.00
23	अम्वा	प्रति विरुवा	485.00	485.00	485.00
24	उतिस, धयेरो, असुरो, वकाइनो, निम आदी	गोटा	442.00	442.00	442.00
25	भुजेत्रो	के.जी.	1672.00	1672.00	1672.00
26	खर, फुर्के सिटो आदिको विउ	के.जी.	1564.00	1564.00	1564.00
27	जुट नेट	व.मी.	523.00	523.00	523.00
	द टिम्बर कर्पोरेशनबाट सम्पादन गरिने कार्यहरु				
1	चिरान उत्पादन(बाकल, भुष, फाल्ने कस कटिंग समेत)	क्यू.फि.	70.00	70.00	70.00
2	चिरान लोड	क्यू.फि.	18.00	18.00	18.00
3	चिरान पाइलिंग	क्यू.फि.	8.00	8.00	8.00
4	चिरान अनलोड	क्यू.फि.	9.00	9.00	9.00
5	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	11.00	11.00	11.00
6	भाडाको सःमिलबाट गोलिया चिरान ज्याला (गोलियामा)	क्यू.फि.	97.00	97.00	97.00
7	दाउरा लोड	क्वीन्टल	53.00	53.00	53.00
8	दाउरा अनलोड	क्वीन्टल	18.00	18.00	18.00
9	पोल लोड	प्रति गोटा	64.00	64.00	64.00
10	पोल अनलोड	प्रति गोटा	32.00	32.00	32.00

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

पाईप तथा फिटिङहरू



संघीय सरकार
प्रशासन कर्मचारी
काठमाण्डौ

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	High Density Polythene Pipe NS-40	के. जी.	२८७.००	२८७.००	२८७.००
२	G.I Pipe threaded - Light class				
	15mm	र.मी	१७०.००	१७०.००	१७०.००
	20mm	र.मी	२३२.००	२३२.००	२३२.००
	25mm	र.मी	३२२.००	३२२.००	३२२.००
	32mm	र.मी	४११.००	४११.००	४११.००
	40mm	र.मी	५०८.००	५०८.००	५०८.००
	50mm	र.मी	६४१.००	६४१.००	६४१.००
	65mm	र.मी	८८५.००	८८५.००	८८५.००
	80mm	र.मी	१०३८.००	१०३८.००	१०३८.००
	100mm	र.मी	१४८५.००	१४८५.००	१४८५.००
	125mm	र.मी	२३७७.००	२३७७.००	२३७७.००
	150mm	र.मी	२८२३.००	२८२३.००	२८२३.००
	200mm	र.मी	४०५१.००	४०५१.००	४०५१.००
3	MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	५१९.००	५१९.००	५१९.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	६२३.००	६२३.००	६२३.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	७८२.००	७८२.००	७८२.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	९६४.००	९६४.००	९६४.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	११०४.००	११०४.००	११०४.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१४१७.००	१४१७.००	१४१७.००
	73mm OD 3" SCH.40, 5.16 .mm thickness	र.मी	२१७९.००	२१७९.००	२१७९.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२३००.००	२३००.००	२३००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	३३१२.००	३३१२.००	३३१२.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	४०६०.००	४०६०.००	४०६०.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	५४९९.००	५४९९.००	५४९९.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	७१३८.००	७१३८.००	७१३८.००
	65 mm ID SCH.40	र.मी	२१८५.००	२१८५.००	२१८५.००
	80 mm ID SCH.40	र.मी	२६४५.००	२६४५.००	२६४५.००
	125 mm ID SCH.40	र.मी	४३७०.००	४३७०.००	४३७०.००
	150 mm ID SCH.40	र.मी	५०९४.००	५०९४.००	५०९४.००
	200 mm ID SCH.40	र.मी	६३४८.००	६३४८.००	६३४८.००
	250mm ID SCH.40	र.मी	८१९९.००	८१९९.००	८१९९.००
	300 mm ID SCH.40	र.मी	११२४७.००	११२४७.००	११२४७.००
	350 mm ID SCH.40	र.मी	२११६०.००	२११६०.००	२११६०.००
	400 mm ID SCH.40	र.मी	२७६००.००	२७६००.००	२७६००.००
	450 mm ID SCH.40	र.मी	३४८७९.००	३४८७९.००	३४८७९.००
	500 mm ID SCH.40	र.मी	४१०५५.००	४१०५५.००	४१०५५.००
४	G.I Pipe threaded -Medium class				
	15mm	र.मी	१८१.००	१८१.००	१८१.००
	20mm	र.मी	२२५.००	२२५.००	२२५.००
	25mm	र.मी	३४४.००	३४४.००	३४४.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'जितेन्द्र बस्नेत पम्ब जिल्ला अधिकारी'.

पाईप तथा फिटिङहरू




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मू. व. क बाहेकको दररेट		
			आ. व. ०७९।८०	आ. व. ०८०।८१	आ. व. ०८१।८२
	32mm	र.मी	४४७.००	४४७.००	४४७.००
	40mm	र.मी	५१४.००	५१४.००	५१४.००
	50mm	र.मी	७०६.००	७०६.००	७०६.००
	65mm	र.मी	९०१.००	९०१.००	९०१.००
	80mm	र.मी	११२२.००	११२२.००	११२२.००
	100mm	र.मी	१६८०.००	१६८०.००	१६८०.००
	125mm	र.मी	२१९६.००	२१९६.००	२१९६.००
	150mm	र.मी	२६५६.००	२६५६.००	२६५६.००
	200mm	र.मी	४५९६.००	४५९६.००	४५९६.००
५	G.I Pipe threaded - Heavy duty				
	15mm	र.मी	२१२.००	२१२.००	२१२.००
	20mm	र.मी	२६५.००	२६५.००	२६५.००
	25mm	र.मी	३९६.००	३९६.००	३९६.००
	32mm	र.मी	४६८.००	४६८.००	४६८.००
	40mm	र.मी	५९३.००	५९३.००	५९३.००
	50mm	र.मी	८७२.००	८७२.००	८७२.००
	65mm	र.मी	९९२.००	९९२.००	९९२.००
	80mm	र.मी	१२८५.००	१२८५.००	१२८५.००
	100mm	र.मी	२२०८.००	२२०८.००	२२०८.००
	125mm	र.मी	२५०३.००	२५०३.००	२५०३.००
	150mm	र.मी	२८३३.००	२८३३.००	२८३३.००
	200mm	र.मी	५०८३.००	५०८३.००	५०८३.००
६	G.M. Gate valve				
	15mm	र.मी	७५१.००	७५१.००	७५१.००
	20mm	र.मी	१०५०.००	१०५०.००	१०५०.००
	25mm	र.मी	१६००.००	१६००.००	१६००.००
	32mm	र.मी	२३५०.००	२३५०.००	२३५०.००
	40mm	र.मी	३१३३.००	३१३३.००	३१३३.००
	50mm	र.मी	४८८३.००	४८८३.००	४८८३.००
	65mm	र.मी	८७७२.००	८७७२.००	८७७२.००
	80mm	र.मी	१२०५०.००	१२०५०.००	१२०५०.००
	100mm	र.मी	२०५९०.००	२०५९०.००	२०५९०.००
७	G.M Check valve				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	G.I. Ebow				
	15mm	गोटा	४२.००	४२.००	४२.००

जितेन्द्र बस्नेत

 मण्डल जिल्ला अधिकारी

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	20mm	गोटा	६६.००	६६.००	६६.००
	25mm	गोटा	१०५.००	१०५.००	१०५.००
	32mm	गोटा	१६२.००	१६२.००	१६२.००
	40mm	गोटा	२२३.००	२२३.००	२२३.००
	50mm	गोटा	३४४.००	३४४.००	३४४.००
	65mm	गोटा	६५३.००	६५३.००	६५३.००
	80mm	गोटा	८८०.००	८८०.००	८८०.००
	100mm	गोटा	१५७०.००	१५७०.००	१५७०.००
	125mm	गोटा	२१०३.६०	२१०३.६०	२१०३.६०
	150mm	गोटा	२५२४.३२	२५२४.३२	२५२४.३२
९	G.I. Tee				
	15mm	गोटा	६६.००	६६.००	६६.००
	20mm	गोटा	१०४.००	१०४.००	१०४.००
	25mm	गोटा	१४२.००	१४२.००	१४२.००
	32mm	गोटा	२१९.००	२१९.००	२१९.००
	40mm	गोटा	२८२.००	२८२.००	२८२.००
	50mm	गोटा	४९२.००	४९२.००	४९२.००
	65mm	गोटा	८२८.००	८२८.००	८२८.००
	80mm	गोटा	११८७.००	११८७.००	११८७.००
	100mm	गोटा	१९५३.००	१९५३.००	१९५३.००
	125mm	गोटा	२४६५.००	२४६५.००	२४६५.००
	150mm	गोटा	२९६०.००	२९६०.००	२९६०.००
१०	G.I Union				
	15mm	गोटा	११३.००	११३.००	११३.००
	20mm	गोटा	१५३.००	१५३.००	१५३.००
	25mm	गोटा	२१०.००	२१०.००	२१०.००
	32mm	गोटा	३२९.००	३२९.००	३२९.००
	40mm	गोटा	४०१.००	४०१.००	४०१.००
	50mm	गोटा	६११.००	६११.००	६११.००
	65mm	गोटा	११३८.००	११३८.००	११३८.००
	80mm	गोटा	१५८६.००	१५८६.००	१५८६.००
	100mm	गोटा	२२०५.००	२२०५.००	२२०५.००
	125mm	गोटा	२७७०.००	२७७०.००	२७७०.००
	150mm	गोटा	३३२४.००	३३२४.००	३३२४.००
११	G.I. Socket				
	15mm	गोटा	३८.००	३८.००	३८.००
	20mm	गोटा	५७.००	५७.००	५७.००
	25mm	गोटा	७५.००	७५.००	७५.००
	32mm	गोटा	११५.००	११५.००	११५.००
	40mm	गोटा	१४४.००	१४४.००	१४४.००
	50mm	गोटा	२४१.००	२४१.००	२४१.००
	65mm	गोटा	३७५.००	३७५.००	३७५.००
	80mm	गोटा	५८६.००	५८६.००	५८६.००
	100mm	गोटा	९५१.००	९५१.००	९५१.००

जितेन्द्र बस्नेत

 पम्बु जिल्ला अधिकारी

पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	125mm	गोटा	११४०.००	११४०.००	११४०.००
	150mm	गोटा	१३६८.००	१३६८.००	१३६८.००
१२	C.I. Plug				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
१३	Hex Nipple				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	Reducing Tee				
	20mm	गोटा	१२०.००	१२०.००	१२०.००
	25mm	गोटा	१४८.००	१४८.००	१४८.००
	32mm	गोटा	१६२.००	१६२.००	१६२.००
	40mm	गोटा	३२५.००	३२५.००	३२५.००
	50mm	गोटा	५१७.००	५१७.००	५१७.००
	65mm	गोटा	९१८.००	९१८.००	९१८.००
	80mm	गोटा	१४५०.००	१४५०.००	१४५०.००
	100mm	गोटा	२७५०.००	२७५०.००	२७५०.००
	125mm	गोटा	३३००.००	३३००.००	३३००.००
	150mm	गोटा	३९६०.००	३९६०.००	३९६०.००
१५	Reducing Elbow				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१६	Reducing socket				
	15mm(1/2")	गोटा	५०.००	५०.००	५०.००
	20mm(3/4")	गोटा	८०.००	८०.००	८०.००
	25mm(1")	गोटा	१००.००	१००.००	१००.००
	32mm(1-1/4")	गोटा	१५०.००	१५०.००	१५०.००
	40mm(1-1/2")	गोटा	२१०.००	२१०.००	२१०.००
	50mm(2")	गोटा	३२०.००	३२०.००	३२०.००
	65mm(2-1/2")	गोटा	४५०.००	४५०.००	४५०.००
	80mm(3")	गोटा	७२०.००	७२०.००	७२०.००
	100mm(4")	गोटा	११४०.००	११४०.००	११४०.००
	125mm(5")	गोटा	१३६८.००	१३६८.००	१३६८.००
	150mm(6")	गोटा	१४८२.००	१४८२.००	१४८२.००
१७	Short bend				
	15mm	गोटा	१३०.००	१३०.००	१३०.००
	20mm	गोटा	१५०.००	१५०.००	१५०.००
	25mm	गोटा	१९०.००	१९०.००	१९०.००
	32mm	गोटा	२९०.००	२९०.००	२९०.००
	40mm	गोटा	४००.००	४००.००	४००.००
	50mm	गोटा	५९०.००	५९०.००	५९०.००
	65mm	गोटा	१५००.००	१५००.००	१५००.००
	80mm	गोटा	१८००.००	१८००.००	१८००.००
	100mm	गोटा	२५००.००	२५००.००	२५००.००
१८	Cross Tee				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	Tank Nipple				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	G.I. Nipple Medium Class - 2" Long				
	15mm	गोटा	२२.००	२२.००	२९.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'जितिक्रम बस्नेत प्रमुख जिल्ला अधिकारी'.

पाईप तथा फिटिङहरू




मु.अ.क बाहेकको दररेट

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	20mm	गोटा	३४.००	३४.००	३४.००
	25mm	गोटा	४४.००	४४.००	४४.००
	32mm	गोटा	५७.००	५७.००	५७.००
	40mm	गोटा	७१.००	७१.००	७१.००
२१	G.I. Nipple Medium Class -3" Long				
	15mm	गोटा	३४.००	३४.००	३४.००
	20mm	गोटा	४७.००	४७.००	४७.००
	25mm	गोटा	६६.००	६६.००	६६.००
	32mm	गोटा	८५.००	८५.००	८५.००
	40mm	गोटा	१०६.००	१०६.००	१०६.००
	50mm	गोटा	१३४.००	१३४.००	१३४.००
	65mm	गोटा	१८६.००	१८६.००	१८६.००
	80mm	गोटा	२२०.००	२२०.००	२२०.००
२२	G.I. Nipple Medium Class -4" Long				
	15mm	गोटा	४५.००	४५.००	४५.००
	20mm	गोटा	६३.००	६३.००	६३.००
	25mm	गोटा	८८.००	८८.००	८८.००
	32mm	गोटा	११३.००	११३.००	११३.००
	40mm	गोटा	१४२.००	१४२.००	१४२.००
	50mm	गोटा	१७९.००	१७९.००	१७९.००
	65mm	गोटा	२४८.००	२४८.००	२४८.००
	80mm	गोटा	२०४.००	२०४.००	२०४.००
	100mm	गोटा	४२२.००	४२२.००	४२२.००
	125mm	गोटा	६४३.००	६४३.००	६४३.००
	150mm	गोटा	७६३.००	७६३.००	७६३.००
२३	G.I. Nipple Medium Class -6" Long				
	15mm	गोटा	६८.००	६८.००	६८.००
	20mm	गोटा	९४.००	९४.००	९४.००
	25mm	गोटा	१२२.००	१२२.००	१२२.००
	32mm	गोटा	१३२.००	१३२.००	१३२.००
	40mm	गोटा	१७०.००	१७०.००	१७०.००
	50mm	गोटा	२६९.००	२६९.००	२६९.००
	65mm	गोटा	३७३.००	३७३.००	३७३.००
	80mm	गोटा	४३९.००	४३९.००	४३९.००
	100mm	गोटा	६३३.००	६३३.००	६३३.००
	125mm	गोटा	९६५.००	९६५.००	९६५.००
	150mm	गोटा	११४६.००	११४६.००	११४६.००
२४	G.I. Nipple Medium Class -9" Long				
	15mm	गोटा	१०२.००	१०२.००	१०२.००
	20mm	गोटा	१४२.००	१४२.००	१४२.००
	25mm	गोटा	१९९.००	१९९.००	१९९.००
	32mm	गोटा	२५५.००	२५५.००	२५५.००
	40mm	गोटा	३१९.००	३१९.००	३१९.००
	50mm	गोटा	४०३.००	४०३.००	४०३.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.थ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	65mm	गोटा	५६०.००	५६०.००	५६०.००
	80mm	गोटा	६५८.००	६५८.००	६५८.००
	100mm	गोटा	९४९.००	९४९.००	९४९.००
	125mm	गोटा	१४४८.००	१४४८.००	१४४८.००
	150mm	गोटा	१७९९.००	१७९९.००	१७९९.००
२५	G.I. Nipple Medium Class -12" Long				
	15mm	गोटा	१३६.००	१३६.००	१३६.००
	20mm	गोटा	१८९.००	१८९.००	१८९.००
	25mm	गोटा	२६५.००	२६५.००	२६५.००
	३२mm	गोटा	३४०.००	३४०.००	३४०.००
	40mm	गोटा	४२५.००	४२५.००	४२५.००
	50mm	गोटा	५३७.००	५३७.००	५३७.००
	65mm	गोटा	७४६.००	७४६.००	७४६.००
	80mm	गोटा	८७७.००	८७७.००	८७७.००
	100mm	गोटा	१२६६.००	१२६६.००	१२६६.००
	125mm	गोटा	१९३९.००	१९३९.००	१९३९.००
	150mm	गोटा	२२९९.००	२२९९.००	२२९९.००
२६	G.I. Nipple Medium Class -18" Long				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	३२mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
	GI End Cap				
	15mm	गोटा	२५.००	२५.००	२५.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	६५.००	६५.००	६५.००
	३२mm	गोटा	८०.००	८०.००	८०.००
	40mm	गोटा	१७५.००	१७५.००	१७५.००
	50mm	गोटा	२५०.००	२५०.००	२५०.००
२७	G.I./G.I. Flange				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	G.I./ Flange Set				
	32mm(1-1/4")	गोटा	६६०.००	६६०.००	६६०.००
	40mm(1-1/2")	गोटा	८८०.००	८८०.००	८८०.००
	50mm(2")	गोटा	१३७५.००	१३७५.००	१३७५.००
	65mm(2-1/2")	गोटा	१७७५.००	१७७५.००	१७७५.००
	80mm(3")	गोटा	२३५०.००	२३५०.००	२३५०.००
	100mm(4")	गोटा	२७२०.००	२७२०.००	२७२०.००
	125mm(5")	गोटा	२९९२.००	२९९२.००	२९९२.००
	150mm(6")	गोटा	३२९१.००	३२९१.००	३२९१.००
	200mm(8")	गोटा	३६२०.००	३६२०.००	३६२०.००
२८	G.I./HDP Flange				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	GI/HDPE Flange set with adaptor				
	50mm(2")	गोटा	१२८०.००	१२८०.००	१२८०.००
	65mm(2-1/2")	गोटा	१९८०.००	१९८०.००	१९८०.००
	80mm(3")	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm(4")	गोटा	२७७५.००	२७७५.००	२७७५.००
	125mm(5")	गोटा	३०५३.००	३०५३.००	३०५३.००
	150mm(6")	गोटा	३३५८.००	३३५८.००	३३५८.००
	200mm(8")	गोटा	३६९४.००	३६९४.००	३६९४.००
२९	HDP/HDP Flange set with adaptor				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३८१४.००	३८१४.००	३८१४.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	Brass Compression Fittings				
	15mm	गोटा	२१०.००	२१०.००	२१०.००
	20mm	गोटा	३२०.००	३२०.००	३२०.००
	25mm	गोटा	८१०.००	८१०.००	८१०.००
	32mm	गोटा	१३८०.००	१३८०.००	१३८०.००
	40mm	गोटा	१५८०.००	१५८०.००	१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा	३८०.००	३८०.००	३८०.००
	1/2" (25-50mm dia) HDPE Saddle	गोटा	१८०.००	१८०.००	१८०.००

जिल्ला बास्नेत प्रमुख जिल्ला अधिकारी


पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	आ. व. २०८१/८२ को दररेट			
			आ. व. ०७९/८०	आ. व. ०८०/८१	आ. व. ०८१/८२	
३०	Brass tap - 1/2"	15mm 400 gm heavy	गोटा	७५०.००	७५०.००	७५०.००
		Ordinary	गोटा	२०५.००	२०५.००	२०५.००
३१	Globe Valve (GM)	15mm	गोटा	९२४.००	९२४.००	९२४.००
		20mm	गोटा	१५०५.००	१५०५.००	१५०५.००
		25mm	गोटा	१८५९.००	१८५९.००	१८५९.००
		32mm	गोटा	२९५३.००	२९५३.००	२९५३.००
		40mm	गोटा	३७९६.००	३७९६.००	३७९६.००
		50mm	गोटा	४६४०.००	४६४०.००	४६४०.००
		65mm	गोटा	९११४.००	९११४.००	९११४.००
		80mm	गोटा	१५०६०.००	१५०६०.००	१५०६०.००
		100mm	गोटा	२४३५०.००	२४३५०.००	२४३५०.००
३२	Float Valve	15mm	गोटा	११३४.००	११३४.००	११३४.००
		20mm	गोटा	१२८३.००	१२८३.००	१२८३.००
		25mm	गोटा	१५५६.००	१५५६.००	१५५६.००
		32mm	गोटा	२६९०.००	२६९०.००	२६९०.००
		40mm	गोटा	४०४२.००	४०४२.००	४०४२.००
		50mm	गोटा	५३८१.००	५३८१.००	५३८१.००
३३	C.I. Air valve (Heavy)	15mm	गोटा	२५००.००	२५००.००	२५००.००
		20mm	गोटा	५१८२.००	५१८२.००	५१८२.००
		25mm	गोटा	५७४६.००	५७४६.००	५७४६.००
३४	Brass Union with Adopter	15mm	गोटा	१५०.००	१५०.००	१५०.००
		20mm	गोटा	२७०.००	२७०.००	२७०.००
		25mm	गोटा	३४५.००	३४५.००	३४५.००
		32mm	गोटा	५३०.००	५३०.००	५३०.००
		40mm	गोटा	६७५.००	६७५.००	६७५.००
		50mm	गोटा	९४०.००	९४०.००	९४०.००
३५	Saddle Ferrule	40mm	गोटा	१८५.००	१८५.००	१८५.००
		50mm	गोटा	२४२.००	२४२.००	२४२.००
		65mm	गोटा	२७२.००	२७२.००	२७२.००
		80mm	गोटा	३०१.००	३०१.००	३०१.००
		100mm	गोटा	४८०.००	४८०.००	४८०.००
३६	Flow Regulating Valve (G.M.)	15mm	गोटा	१३२२.००	१३२२.००	१३२२.००
३७	C.I Sluice Valve	40mm	गोटा	६८४६.००	६८४६.००	६८४६.००
		50mm	गोटा	७०००.००	७०००.००	७०००.००
		65mm	गोटा	८४५०.००	८४५०.००	८४५०.००
		80mm	गोटा	१०५००.००	१०५००.००	१०५००.००
		100mm	गोटा	१४०००.००	१४०००.००	१४०००.००
		125mm	गोटा	१७५००.००	१७५००.००	१७५००.००

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right side.

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	10mm	गोटा	२१०००.००	२१०००.००	२१०००.००
	200mm	गोटा	३००००.००	३००००.००	३००००.००
३८	Brass Ferrule Cock				
	15mm	गोटा	६००.००	६००.००	६००.००
	20mm	गोटा	१३७२.००	१३७२.००	१३७२.००
	25mm	गोटा	२०१५.००	२०१५.००	२०१५.००
३९	Ball valve				
	15mm	गोटा	५१४.००	५१४.००	५१४.००
	20mm	गोटा	६५०.००	६५०.००	६५०.००
	25mm	गोटा	८७२.००	८७२.००	८७२.००
	32mm	गोटा	१०५१.००	१०५१.००	१०५१.००
	40mm	गोटा	२०३५.००	२०३५.००	२०३५.००
	50mm	गोटा	३३४१.००	३३४१.००	३३४१.००
४०	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	४५१.००	४५१.००	४५१.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	११६४.००	११६४.००	११६४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९५६.००	१९५६.००	१९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९१.००	११९१.००	११९१.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३१२.००	१३१२.००	१३१२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६१.००	५३६१.००	५३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००

जितेन्द्र बस्नेत


 प्रमुख जिल्ला अधिकारी



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
१	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी	२२९९.००	२२९९.००	२२९९.००
	DN150 C40	र.मी	३१६०.००	३१६०.००	३१६०.००
	DN200 C40	र.मी	४३४७.००	४३४७.००	४३४७.००
	DN250 C40	र.मी	६०४८.००	६०४८.००	६०४८.००
	DN300 C40	र.मी	७५३९.००	७५३९.००	७५३९.००
	DN350 C40	र.मी	८८०९.००	८८०९.००	८८०९.००
	DN400 C30	र.मी	१०४८९.००	१०४८९.००	१०४८९.००
	DN450 C30	र.मी	१२२४०.००	१२२४०.००	१२२४०.००
	DN500 C30	र.मी	१४४६६.००	१४४६६.००	१४४६६.००
	DN600 C30	र.मी	१९६०४.००	१९६०४.००	१९६०४.००
	DN700 C25	र.मी	२५०१२.००	२५०१२.००	२५०१२.००
	DN800 C25	र.मी	३२११५.००	३२११५.००	३२११५.००
	DN900 C25	र.मी	४२३२८.००	४२३२८.००	४२३२८.००
	DN1000 C25	र.मी	५०९७०.००	५०९७०.००	५०९७०.००
२	DI pipes with flanged end				
	Dia 1000mm C25	र.मी	६८६०८.००	६८६०८.००	६८६०८.००
	Dia 900mm C25	र.मी	६६५६८.००	६६५६८.००	६६५६८.००
	Dia 800mm C25	र.मी	५५०१२.००	५५०१२.००	५५०१२.००
	Dia 700mm C25	र.मी	४४२५२.००	४४२५२.००	४४२५२.००
	Dia 600mm C30	र.मी	३६२३३.००	३६२३३.००	३६२३३.००
	Dia 500mm C30	र.मी	२६७६९.००	२६७६९.००	२६७६९.००
	Dia 450mm C30	र.मी	२२४६४.००	२२४६४.००	२२४६४.००
	Dia400mm C30	र.मी	१८७३०.००	१८७३०.००	१८७३०.००
	Dia 350mm C30	र.मी	१५५१६.००	१५५१६.००	१५५१६.००
	Dia 300mm C30	र.मी	१२२४०.००	१२२४०.००	१२२४०.००
	Dia250mm C40	र.मी	९८१७.००	९८१७.००	९८१७.००
	Dia200mm C40	र.मी	७३३९.००	७३३९.००	७३३९.००
	Dia150mm C40	र.मी	५४३९.००	५४३९.००	५४३९.००
	Dia100mm C40	र.मी	४०११.००	४०११.००	४०११.००
	Dia80mm C40	र.मी	३४७५.००	३४७५.००	३४७५.००
३	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
४	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI double socket bends				
	90 deg bend				
	Dia 700mm	गोटा	१०७७२.००	१०७७२.००	१०७७२.००
	Dia 600mm	गोटा	७५२००.००	७५२००.००	७५२००.००
	Dia 500mm	गोटा	४८८०७.००	४८८०७.००	४८८०७.००
	Dia 450mm	गोटा	४३४३०.००	४३४३०.००	४३४३०.००
	Dia 300mm	गोटा	१७६०७.००	१७६०७.००	१७६०७.००
	Dia 250mm	गोटा	१२९०६.००	१२९०६.००	१२९०६.००
	Dia 200mm	गोटा	८९५६.००	८९५६.००	८९५६.००
	Dia 150mm	गोटा	५५४४.००	५५४४.००	५५४४.००
	Dia 100mm	गोटा	३११८.००	३११८.००	३११८.००
	45 deg bend				
	Dia 1000mm	गोटा	१८६८४३.००	१८६८४३.००	१८६८४३.००
	Dia 700mm	गोटा	८४६७६.००	८४६७६.००	८४६७६.००
	Dia 600mm	गोटा	६२०९८.००	६२०९८.००	६२०९८.००
	Dia 500mm	गोटा	४०५२८.००	४०५२८.००	४०५२८.००
	Dia 450mm	गोटा	३२९३६.००	३२९३६.००	३२९३६.००
	Dia 400mm	गोटा	२५६४६.००	२५६४६.००	२५६४६.००
	Dia 350mm	गोटा	१९३१२.००	१९३१२.००	१९३१२.००
	Dia 300mm	गोटा	१४८८२.००	१४८८२.००	१४८८२.००
	Dia 250mm	गोटा	१०८४७.००	१०८४७.००	१०८४७.००
	Dia 200mm	गोटा	७७५९.००	७७५९.००	७७५९.००
	Dia 150mm	गोटा	४९७७.००	४९७७.००	४९७७.००
	22.5 deg bend				
	Dia 1000mm	गोटा	१४०८११.००	१४०८११.००	१४०८११.००
	Dia 900mm	गोटा	१०९९५६.००	१०९९५६.००	१०९९५६.००
	Dia 700mm	गोटा	६१३२६.००	६१३२६.००	६१३२६.००
	Dia 600mm	गोटा	४१९८४.००	४१९८४.००	४१९८४.००
	Dia 500mm	गोटा	३०८१५.००	३०८१५.००	३०८१५.००
	Dia 450mm	गोटा	२४१६९.००	२४१६९.००	२४१६९.००
	Dia 400mm	गोटा	१८७३०.००	१८७३०.००	१८७३०.००
	Dia 350mm	गोटा	१५१००.००	१५१००.००	१५१००.००
	Dia 300mm	गोटा	१२०८४.००	१२०८४.००	१२०८४.००
	Dia 250mm	गोटा	९१६६.००	९१६६.००	९१६६.००
	Dia 200mm	गोटा	६६४६.००	६६४६.००	६६४६.००
	Dia 150mm	गोटा	४३६८.००	४३६८.००	४३६८.००
	11.25 deg bend				

Page 109

 जिल्ला बास्नेल

 प्रमुख जिल्ला अधिकारी



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	Dia 1000mm	गोटा	११९८१९.००	११९८१९.००	११९८१९.००
	Dia 900mm	गोटा	९४९२४.००	९४९२४.००	९४९२४.००
	Dia 800mm	गोटा	७२००७.००	७२००७.००	७२००७.००
	Dia 700mm	गोटा	५४६५१.००	५४६५१.००	५४६५१.००
	Dia 600mm	गोटा	३६१४०.००	३६१४०.००	३६१४०.००
	Dia 300mm	गोटा	११०६५.००	११०६५.००	११०६५.००
	Dia250mm	गोटा	८४१०.००	८४१०.००	८४१०.००
	Dia200mm	गोटा	६१३२.००	६१३२.००	६१३२.००
	Dia150mm	गोटा	४५७८.००	४५७८.००	४५७८.००
DI double flanged bends					
90 deg bend					
	Dia 900mm	गोटा	२१४४०४.००	२१४४०४.००	२१४४०४.००
	Dia 600mm	गोटा	९१६८०.००	९१६८०.००	९१६८०.००
	Dia 300mm	गोटा	१९६७६.००	१९६७६.००	१९६७६.००
	Dia250mm	गोटा	९९७५.००	९९७५.००	९९७५.००
	Dia200mm	गोटा	८८५१.००	८८५१.००	८८५१.००
	Dia150mm	गोटा	५७९६.००	५७९६.००	५७९६.००
	Dia100mm	गोटा	३४३३.००	३४३३.००	३४३३.००
45 deg bend					
	Dia 900mm	गोटा	१६४७५०.००	१६४७५०.००	१६४७५०.००
	Dia 800mm	गोटा	१२७८४६.००	१२७८४६.००	१२७८४६.००
	Dia 600mm	गोटा	७६९४१.००	७६९४१.००	७६९४१.००
	Dia 300mm	गोटा	२१४५५.००	२१४५५.००	२१४५५.००
	Dia250mm	गोटा	१६०८८.००	१६०८८.००	१६०८८.००
	Dia200mm	गोटा	१०७२२.००	१०७२२.००	१०७२२.००
	Dia150mm	गोटा	५४०७.००	५४०७.००	५४०७.००
	Dia100mm	गोटा	३२८६.००	३२८६.००	३२८६.००
22.5 deg bend					
	Dia 900mm	गोटा	१६८९५२.००	१६८९५२.००	१६८९५२.००
	Dia 700mm	गोटा	९५८००.००	९५८००.००	९५८००.००
	Dia 300mm	गोटा	२१९१२.००	२१९१२.००	२१९१२.००
	Dia200mm	गोटा	८१०६.००	८१०६.००	८१०६.००
	Dia150mm	गोटा	५५४४.००	५५४४.००	५५४४.००
11.25 deg bend					
	Dia 900mm	गोटा	१६७०७६.००	१६७०७६.००	१६७०७६.००
	Dia 600mm	गोटा	७६६०१.००	७६६०१.००	७६६०१.००
	Dia 500mm	गोटा	५१६९८.००	५१६९८.००	५१६९८.००
	Dia 300mm	गोटा	२१९८५.००	२१९८५.००	२१९८५.००
	Dia200mm	गोटा	८२९५.००	८२९५.००	८२९५.००
	Dia150mm	गोटा	५६२८.००	५६२८.००	५६२८.००
DI mechanical joint bends					
90 deg bend					

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right side.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	Dia 600mm	गोटा	८२०२९.००	८२०२९.००	८२०२९.००
	Dia400mm	गोटा	४९६९०.००	४९६९०.००	४९६९०.००
	Dia 350mm	गोटा	३३३६३.००	३३३६३.००	३३३६३.००
	Dia 300mm	गोटा	२६९८७.००	२६९८७.००	२६९८७.००
	Dia250mm	गोटा	१८७९२.००	१८७९२.००	१८७९२.००
	Dia200mm	गोटा	१४०४०.००	१४०४०.००	१४०४०.००
	Dia150mm	गोटा	१०३५३.००	१०३५३.००	१०३५३.००
	Dia100mm	गोटा	६४५७.००	६४५७.००	६४५७.००
	Dia80mm	गोटा	५५९२.००	५५९२.००	५५९२.००
DI Duck Foot 90 deg Bend					
	Dia 80mm	गोटा	३९९०.००	३९९०.००	३९९०.००
	Dia100mm	गोटा	४९८७.००	४९८७.००	४९८७.००
	Dia150mm	गोटा	७३५०.००	७३५०.००	७३५०.००
	Dia200mm	गोटा	१०४०५.००	१०४०५.००	१०४०५.००
	Dia250mm	गोटा	१५७६९.००	१५७६९.००	१५७६९.००
	Dia300mm	गोटा	२१२९६.००	२१२९६.००	२१२९६.००
DI long radius bend					
	Dia 100mm	गोटा	४९८७.००	४९८७.००	४९८७.००
	Dia 150mm	गोटा	८४२९.००	८४२९.००	८४२९.००
	Dia 200mm	गोटा	१२५४२.००	१२५४२.००	१२५४२.००
	Dia 250mm	गोटा	१८५०९.००	१८५०९.००	१८५०९.००
DI double socket reducer					
	Dia 1000mmX900mm	गोटा	१००५७९.००	१००५७९.००	१००५७९.००
	Dia 900mmx800mm	गोटा	८१९९४.००	८१९९४.००	८१९९४.००
	Dia 800mmx700mm	गोटा	६३३३४.००	६३३३४.००	६३३३४.००
	Dia 300mmx200mm	गोटा	१०६९९.००	१०६९९.००	१०६९९.००
	Dia 200mmx150mm	गोटा	५७८५.००	५७८५.००	५७८५.००
DI double flanged reducer					
	Dia 900mmx700mm	गोटा	१०५९०६.००	१०५९०६.००	१०५९०६.००
	Dia 700mmx600mm	गोटा	७९५२.००	७९५२.००	७९५२.००
	Dia 700mmx400mm	गोटा	६९७८९.००	६९७८९.००	६९७८९.००
	Dia 600mmx500mm	गोटा	५७६९८.००	५७६९८.००	५७६९८.००
	Dia 600mmx400mm	गोटा	४२६५३.००	४२६५३.००	४२६५३.००
	Dia 500mmx400mm	गोटा	३८०३२.००	३८०३२.००	३८०३२.००
	Dia 400x350mm	गोटा	१९३५४.००	१९३५४.००	१९३५४.००
	Dia 400mmx300mm	गोटा	२४७९३.००	२४७९३.००	२४७९३.००
	Dia 400mmx250mm	गोटा	२३५८७.००	२३५८७.००	२३५८७.००
	Dia 300mmx250mm	गोटा	१९९३९.००	१९९३९.००	१९९३९.००
	Dia 300mmx200mm	गोटा	१४९८६.००	१४९८६.००	१४९८६.००
	Dia300mmx150mm	गोटा	१४९५४.००	१४९५४.००	१४९५४.००
	Dia250mmx200mm	गोटा	९०९९.००	९०९९.००	९०९९.००
	Dia250mmx150mm	गोटा	८५६८.००	८५६८.००	८५६८.००

Page 111

 जिल्ला अधिकाारी



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	Dia 200mmx150mm	गोटा	६३४२.००	६३४२.००	६३४२.००
	Dia 200mmx100mm	गोटा	७७७०.००	७७७०.००	७७७०.००
	Dia 150mmx100mm	गोटा	४४५२.००	४४५२.००	४४५२.००
	Dia 150mmx80mm	गोटा	४६०९.००	४६०९.००	४६०९.००
	Dia 150mmx65mm	गोटा	४६२०.००	४६२०.००	४६२०.००
	DI Blank flange				
	Dia 1000mm	गोटा	११४६५.००	११४६५.००	११४६५.००
	Dia 900mm	गोटा	८६३२४.००	८६३२४.००	८६३२४.००
	Dia 800mm	गोटा	६५१७८.००	६५१७८.००	६५१७८.००
	Dia 700mm	गोटा	४७६९४.००	४७६९४.००	४७६९४.००
	Dia 600mm	गोटा	३६७९५.००	३६७९५.००	३६७९५.००
	Dia 500mm	गोटा	२३४१०.००	२३४१०.००	२३४१०.००
	Dia 450mm	गोटा	१८३९७.००	१८३९७.००	१८३९७.००
	Dia 400mm	गोटा	१३५९२.००	१३५९२.००	१३५९२.००
	Dia 350mm	गोटा	१०१६४.००	१०१६४.००	१०१६४.००
	Dia 300mm	गोटा	६९७२.००	६९७२.००	६९७२.००
	Dia 250mm	गोटा	५२२९.००	५२२९.००	५२२९.००
	Dia 200mm	गोटा	३३१८.००	३३१८.००	३३१८.००
	Dia 150mm	गोटा	२२४७.००	२२४७.००	२२४७.००
	Dia 100mm	गोटा	१३३३.००	१३३३.००	१३३३.००
	Dia 80mm	गोटा	११८६.००	११८६.००	११८६.००
	Double Socket Tee with Flanged Branch				
	Dia 900mmx150mm	गोटा	१०४७५.००	१०४७५.००	१०४७५.००
	Dia 800mmx600mm	गोटा	१६४२८१.००	१६४२८१.००	१६४२८१.००
	Dia 800mmx400mm	गोटा	११००७८.००	११००७८.००	११००७८.००
	Dia 700mmx150mm	गोटा	६७२८९.००	६७२८९.००	६७२८९.००
	Dia 600mmx150mm	गोटा	४७१८४.००	४७१८४.००	४७१८४.००
	Dia 600mmx100mm	गोटा	४१८८०.००	४१८८०.००	४१८८०.००
	Dia 500mmx100mm	गोटा	३१२३१.००	३१२३१.००	३१२३१.००
	Dia 400mmx150mm	गोटा	२८७९७.००	२८७९७.००	२८७९७.००
	Dia 300mmx100mm	गोटा	१४८६१.००	१४८६१.००	१४८६१.००
	Dia 300mmx80mm	गोटा	१४६१२.००	१४६१२.००	१४६१२.००
	Dia 300mmx65mm	गोटा	१४५३९.००	१४५३९.००	१४५३९.००
	Dia 250mmx250mm	गोटा	१८३४५.००	१८३४५.००	१८३४५.००
	Dia 250mmx150mm	गोटा	१५३१९.००	१५३१९.००	१५३१९.००
	Dia 250mmx100mm	गोटा	१२०५३.००	१२०५३.००	१२०५३.००
	Dia 250mmx80mm	गोटा	११८४५.००	११८४५.००	११८४५.००
	Dia 250mmx65mm	गोटा	११७२६.००	११७२६.००	११७२६.००
	Dia 200mmx150mm	गोटा	१०७७४.००	१०७७४.००	१०७७४.००
	Dia 200mmx100mm	गोटा	९३१३.००	९३१३.००	९३१३.००
	Dia 200mmx80mm	गोटा	८४००.००	८४००.००	८४००.००

Page 112

 प्रमुख जिल्ला अधिकारी




DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	Dia 200mmx65mm	गोटा	८३१६.००	८३१६.००	८३१६.००
	Dia 150mmx150mm	गोटा	८२२१.००	८२२१.००	८२२१.००
	Dia 150mmx100mm	गोटा	६७८३.००	६७८३.००	६७८३.००
	Dia 150mmx80mm	गोटा	६३२१.००	६३२१.००	६३२१.००
	Dia 150mmx65mm	गोटा	६२५७.००	६२५७.००	६२५७.००
५	Mechanical joint Tee with flanged branch				
	Dia 600mmx600mm	गोटा	१०७३२८.००	१०७३२८.००	१०७३२८.००
	Dia 500mmx500mm	गोटा	७६६४८.००	७६६४८.००	७६६४८.००
	Dia 400mmx400mm	गोटा	५१५५२.००	५१५५२.००	५१५५२.००
	Dia 350mmx350mm	गोटा	४११८४.००	४११८४.००	४११८४.००
	Dia 300mmx300mm	गोटा	३२११५.००	३२११५.००	३२११५.००
	Dia 250mmx250mm	गोटा	२३५७६.००	२३५७६.००	२३५७६.००
	Dia 200mmx200mm	गोटा	१७१८०.००	१७१८०.००	१७१८०.००
	Dia 150mmx150mm	गोटा	१२५००.००	१२५००.००	१२५००.००
	Dia 100mmx100mm	गोटा	७९३८.००	७९३८.००	७९३८.००
	Dia 80mmx80mm	गोटा	६८३५.००	६८३५.००	६८३५.००
	All Socket Tee				
	Dia 300mmx200mm	गोटा	१९१८८.००	१९१८८.००	१९१८८.००
	Dia 300mmx150mm	गोटा	१८२७२.००	१८२७२.००	१८२७२.००
	Dia 250mmx200mm	गोटा	१६००५.००	१६००५.००	१६००५.००
	Dia 250mmx150mm	गोटा	१४६६४.००	१४६६४.००	१४६६४.००
	Dia 200mmx200mm	गोटा	१२४०७.००	१२४०७.००	१२४०७.००
	Dia 200mmx150mm	गोटा	१०१७४.००	१०१७४.००	१०१७४.००
	Dia 150mmx150mm	गोटा	७६४४.००	७६४४.००	७६४४.००
	All Flanged Tee				
	Dia 900mmx900mm	गोटा	२६६७६०.००	२६६७६०.००	२६६७६०.००
	Dia 700mmx300mm	गोटा	१०२४५४.००	१०२४५४.००	१०२४५४.००
	Dia 600mmx500mm	गोटा	११८६४६.००	११८६४६.००	११८६४६.००
	Dia 600mmx400mm	गोटा	१०९५२७.००	१०९५२७.००	१०९५२७.००
	Dia 600mmx300mm	गोटा	१०५५५९.००	१०५५५९.००	१०५५५९.००
	Dia 500mmx300mm	गोटा	७४४८९.००	७४४८९.००	७४४८९.००
	Dia 500mmx200mm	गोटा	६७४४४.००	६७४४४.००	६७४४४.००
	Dia 450mmx150mm	गोटा	५२७०५.००	५२७०५.००	५२७०५.००
	Dia 400mmx400mm	गोटा	५४२२९.००	५४२२९.००	५४२२९.००
	Dia 400mmx300mm	गोटा	४९४८३.००	४९४८३.००	४९४८३.००
	Dia 400mmx150mm	गोटा	४७९९५.००	४७९९५.००	४७९९५.००
	Dia 350mmx350mm	गोटा	४४३४५.००	४४३४५.००	४४३४५.००
	Dia 350mmx300mm	गोटा	४३३९९.००	४३३९९.००	४३३९९.००
	Dia 300mmx300mm	गोटा	३४८४०.००	३४८४०.००	३४८४०.००
	Dia 300mmx250mm	गोटा	३०३६८.००	३०३६८.००	३०३६८.००
	Dia 300mmx200mm	गोटा	२८०८०.००	२८०८०.००	२८०८०.००

Page 113

 जिल्ला बस्नेत

 प्रमुख जिल्ला अधिकारी



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९ ८०	आ.व.०८०।८१	आ.व.०८१।८२
	Dia 300mmx150mm	गोटा	२७०४०.००	२७०४०.००	२७०४०.००
	Dia 300mmx100mm	गोटा	२५५४२.००	२५५४२.००	२५५४२.००
	Dia 300mmx80mm	गोटा	२४९३९.००	२४९३९.००	२४९३९.००
	Dia250mmx250mm	गोटा	२३४४१.००	२३४४१.००	२३४४१.००
	Dia250mmx200mm	गोटा	२१४५५.००	२१४५५.००	२१४५५.००
	Dia250mmx150mm	गोटा	२०८४१.००	२०८४१.००	२०८४१.००
	Dia250mmx100mm	गोटा	१९१०४.००	१९१०४.००	१९१०४.००
	Dia250mmx80mm	गोटा	१८८१३.००	१८८१३.००	१८८१३.००
	Dia250mmx65mm	गोटा	१५९४३.००	१५९४३.००	१५९४३.००
	Dia200mmx200mm	गोटा	१३९३६.००	१३९३६.००	१३९३६.००
	Dia200mmx150mm	गोटा	१२८८५.००	१२८८५.००	१२८८५.००
	Dia200mmx100mm	गोटा	११८५६.००	११८५६.००	११८५६.००
	Dia200mmx80mm	गोटा	११६७९.००	११६७९.००	११६७९.००
	Dia150mmx150mm	गोटा	९३४५.००	९३४५.००	९३४५.००
	Dia150mmx100mm	गोटा	८४६३.००	८४६३.००	८४६३.००
	Dia150mmx80mm	गोटा	८२७४.००	८२७४.००	८२७४.००
	Dia150mmx65mm	गोटा	८१४८.००	८१४८.००	८१४८.००
	Dia125mmx125mm	गोटा	८९७७.००	८९७७.००	८९७७.००
	Dia125mmx100mm	गोटा	८४१०.००	८४१०.००	८४१०.००
	Dia125mmx80mm	गोटा	८०६४.००	८०६४.००	८०६४.००
	Dia125mmx65mm	गोटा	७७१७.००	७७१७.००	७७१७.००
	Dia100mmx100mm	गोटा	६९३०.००	६९३०.००	६९३०.००
	Dia100mmx80mm	गोटा	६७७२.००	६७७२.००	६७७२.००
	Dia100mmx65mm	गोटा	६५१०.००	६५१०.००	६५१०.००
	Level invert/ Tangential socket Tee with flanged branch				
	Dia 1000mmx200mm	गोटा	१४७०६३.००	१४७०६३.००	१४७०६३.००
	Dia 900mmx150mm	गोटा	१२०४८२.००	१२०४८२.००	१२०४८२.००
	Dia 700mmx150mm	गोटा	७५२१०.००	७५२१०.००	७५२१०.००
	Dia 600mmx100mm	गोटा	४४६८८.००	४४६८८.००	४४६८८.००
	Dia 500mmx100mm	गोटा	३४४९६.००	३४४९६.००	३४४९६.००
	Dia 400mmx80mm	गोटा	२५२२०.००	२५२२०.००	२५२२०.००
	Dia 300mmx80mm	गोटा	१६०६८.००	१६०६८.००	१६०६८.००
	Dia 250mm x 80mm	गोटा	१२७८१.००	१२७८१.००	१२७८१.००
	Dia 200mmx80mm	गोटा	१००४८.००	१००४८.००	१००४८.००
	Dia 150mmx80mm	गोटा	१०००६.००	१०००६.००	१०००६.००
	DI Flanged Socket (FS)				
	Dia 1400mm	गोटा	३५५३३७.००	३५५३३७.००	३५५३३७.००
	Dia 1200mm	गोटा	२५६०६०.००	२५६०६०.००	२५६०६०.००
	Dia 1100mm	गोटा	३३१८७७.००	३३१८७७.००	३३१८७७.००
	Dia 1000mm	गोटा	१६९४७३.००	१६९४७३.००	१६९४७३.००
	Dia 900mm	गोटा	१३२४५७.००	१३२४५७.००	१३२४५७.००

Page 114



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९ ८०	आ.व.०८० ८१	आ.व.०८१ ८२
	Dia 800mm	गोटा	१०८१२०.००	१०८१२०.००	१०८१२०.००
	Dia 700mm	गोटा	८२३८९.००	८२३८९.००	८२३८९.००
	Dia 600mm	गोटा	७३९४३.००	७३९४३.००	७३९४३.००
	Dia 500mm	गोटा	४९१०८.००	४९१०८.००	४९१०८.००
	Dia400mm	गोटा	३४५८०.००	३४५८०.००	३४५८०.००
	Dia 350mm	गोटा	३१३८७.००	३१३८७.००	३१३८७.००
	Dia 300mm	गोटा	२२३३९.००	२२३३९.००	२२३३९.००
	Dia250mm	गोटा	१६६५०.००	१६६५०.००	१६६५०.००
	Dia200mm	गोटा	१०८४७.००	१०८४७.००	१०८४७.००
	Dia150mm	गोटा	९१८७.००	९१८७.००	९१८७.००
	Dia100mm	गोटा	६८६७.००	६८६७.००	६८६७.००
	DI Single Flanged Tail Piece (SFTP)				
	1400mmdia	गोटा	३५९७६४.००	३५९७६४.००	३५९७६४.००
	1200mmdia	गोटा	३७००७६.००	३७००७६.००	३७००७६.००
	1100mmdia	गोटा	३३५८६५.००	३३५८६५.००	३३५८६५.००
	1000mmdia	गोटा	१८२२३३.००	१८२२३३.००	१८२२३३.००
	900mmdia	गोटा	१४६६७६.००	१४६६७६.००	१४६६७६.००
	800mmdia	गोटा	१२१२८८.००	१२१२८८.००	१२१२८८.००
	700mmdia	गोटा	९३१९४.००	९३१९४.००	९३१९४.००
	600mmdia	गोटा	७०५०३.००	७०५०३.००	७०५०३.००
	500mmdia	गोटा	४९९०९.००	४९९०९.००	४९९०९.००
	450mmdia	गोटा	४१२६७.००	४१२६७.००	४१२६७.००
	400mmdia	गोटा	३१२६२.००	३१२६२.००	३१२६२.००
	350mmdia	गोटा	२३३७९.००	२३३७९.००	२३३७९.००
	300mmdia	गोटा	१८६६८.००	१८६६८.००	१८६६८.००
	250mmdia	गोटा	१३५७२.००	१३५७२.००	१३५७२.००
	200mmdia	गोटा	९८१७.००	९८१७.००	९८१७.००
	150mmdia	गोटा	६९३०.००	६९३०.००	६९३०.००
	100mmdia	गोटा	४११६.००	४११६.००	४११६.००
	80mmdia	गोटा	३३२८.००	३३२८.००	३३२८.००
	DI Double Flanged Tail Piece (DFTP-1m)				
	1400mmdia	गोटा	४१४८४४.००	४१४८४४.००	४१४८४४.००
	1200mmdia	गोटा	२११८४३.००	२११८४३.००	२११८४३.००
	1000mmdia	गोटा	१६५५७६.००	१६५५७६.००	१६५५७६.००
	900mmdia	गोटा	१३५१५०.००	१३५१५०.००	१३५१५०.००
	800mmdia	गोटा	१०२९८९.००	१०२९८९.००	१०२९८९.००
	700mmdia	गोटा	९२४३२.००	९२४३२.००	९२४३२.००
	600mmdia	गोटा	६०८००.००	६०८००.००	६०८००.००
	500mmdia	गोटा	४३२२२.००	४३२२२.००	४३२२२.००
	400mmdia	गोटा	३९२३९.००	३९२३९.००	३९२३९.००
	300mmdia	गोटा	२७९२४.००	२७९२४.००	२७९२४.००
	250mmdia	गोटा	२०८१०.००	२०८१०.००	२०८१०.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right with text 'जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी'.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	200mmdia	गोटा	१३५६१.००	१३५६१.००	१३५६१.००
	150mmdia	गोटा	११३७७.००	११३७७.००	११३७७.००
	100mmdia	गोटा	८५८९.००	८५८९.००	८५८९.००
	80mmdia	गोटा	७२१३.००	७२१३.००	७२१३.००
	DI all Flanged cross				
	Dia 900mm	गोटा	३००७४७.००	३००७४७.००	३००७४७.००
	Dia 800mm	गोटा	२३७४४५.००	२३७४४५.००	२३७४४५.००
	Dia 700mm	गोटा	१८७८२२.००	१८७८२२.००	१८७८२२.००
	Dia 600mm	गोटा	१५६३७६.००	१५६३७६.००	१५६३७६.००
	Dia 500mm	गोटा	१०२६०१.००	१०२६०१.००	१०२६०१.००
	Dia 400mm	गोटा	६९४९४.००	६९४९४.००	६९४९४.००
	Dia 300mm	गोटा	४१९५३.००	४१९५३.००	४१९५३.००
	Dia 250mm	गोटा	३०६९०.००	३०६९०.००	३०६९०.००
	Dia 200mm	गोटा	१८२३१.००	१८२३१.००	१८२३१.००
	Dia 150mm	गोटा	१२१९९.००	१२१९९.००	१२१९९.००
	DI all socket cross				
	Dia 900mm	गोटा	३२५१५५.००	३२५१५५.००	३२५१५५.००
	Dia 800mm	गोटा	२४३४८४.००	२४३४८४.००	२४३४८४.००
	Dia 700mm	गोटा	१८१२७४.००	१८१२७४.००	१८१२७४.००
	Dia 600mm	गोटा	१०९३०३.००	१०९३०३.००	१०९३०३.००
	Dia 500mm	गोटा	७४५४९.००	७४५४९.००	७४५४९.००
	Dia 400mm	गोटा	४८९३२.००	४८९३२.००	४८९३२.००
	Dia 300mm	गोटा	२८०४८.००	२८०४८.००	२८०४८.००
	Dia 250mm	गोटा	२०१९६.००	२०१९६.००	२०१९६.००
	Dia 200mm	गोटा	१४४४५.००	१४४४५.००	१४४४५.००
	Dia 150mm	गोटा	९५५५.००	९५५५.००	९५५५.००
६	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा	१०३६११.००	१०३६११.००	१०३६११.००
	Dia 900mm	गोटा	८३९९६.००	८३९९६.००	८३९९६.००
	Dia 800mm	गोटा	६८४२२.००	६८४२२.००	६८४२२.००
	Dia 700mm	गोटा	५५५२७.००	५५५२७.००	५५५२७.००
	Dia 600mm	गोटा	४२८२७.००	४२८२७.००	४२८२७.००
	Dia 500mm	गोटा	३२८९५.००	३२८९५.००	३२८९५.००
	Dia 450mm	गोटा	२६७२८.००	२६७२८.००	२६७२८.००
	Dia 400mm	गोटा	२२२७६.००	२२२७६.००	२२२७६.००
	Dia 350mm	गोटा	१७५८६.००	१७५८६.००	१७५८६.००
	Dia 300mm	गोटा	१३०९३.००	१३०९३.००	१३०९३.००
	Dia 250mm	गोटा	१०४४१.००	१०४४१.००	१०४४१.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp of the District Office, Kathmandu.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	Dia 200mm	गोटा	७६७५.००	७६७५.००	७६७५.००
	Dia 150mm	गोटा	५६२८.००	५६२८.००	५६२८.००
	Dia 100mm	गोटा	३४६५.००	३४६५.००	३४६५.००
	Dia 80mm	गोटा	३१८१.००	३१८१.००	३१८१.००
	Dia 65mm	गोटा	२२०५.००	२२०५.००	२२०५.००
७	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा	२६६५७७.००	२६६५७७.००	२६६५७७.००
	Dia 900mm	गोटा	२०८४४७.००	२०८४४७.००	२०८४४७.००
	Dia 800mm	गोटा	१६२८०२.००	१६२८०२.००	१६२८०२.००
	Dia 700mm	गोटा	१३७३३९.००	१३७३३९.००	१३७३३९.००
	Dia 600mm	गोटा	१०९०२७.००	१०९०२७.००	१०९०२७.००
	Dia 500mm	गोटा	८५८७९.००	८५८७९.००	८५८७९.००
	Dia 450mm	गोटा	६६४३५.००	६६४३५.००	६६४३५.००
	Dia 400mm	गोटा	५४०४४.००	५४०४४.००	५४०४४.००
	Dia350mm	गोटा	४१७९७.००	४१७९७.००	४१७९७.००
	Dia 300mm	गोटा	३२४२७.००	३२४२७.००	३२४२७.००
	Dia 250mm	गोटा	२४१२८.००	२४१२८.००	२४१२८.००
	Dia 200mm	गोटा	१७४०९.००	१७४०९.००	१७४०९.००
	Dia 150mm	गोटा	१३६२४.००	१३६२४.००	१३६२४.००
	Dia 100mm	गोटा	८१०६.००	८१०६.००	८१०६.००
	Dia 80mm	गोटा	७०३५.००	७०३५.००	७०३५.००
८	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा	५०६२७.००	५०६२७.००	५०६२७.००
	Dia 700mm	गोटा	३२४२७.००	३२४२७.००	३२४२७.००
	Dia 600mm	गोटा	२११४३.००	२११४३.००	२११४३.००
	Dia 500mm	गोटा	१६९८३.००	१६९८३.००	१६९८३.००
	Dia 450mm	गोटा	१४७०५.००	१४७०५.००	१४७०५.००
	Dia 400mm	गोटा	१४३७२.००	१४३७२.००	१४३७२.००
	Dia350mm	गोटा	११२२१.००	११२२१.००	११२२१.००
	Dia 300mm	गोटा	७९८०.००	७९८०.००	७९८०.००
	Dia 250mm	गोटा	६४४७.००	६४४७.००	६४४७.००
	Dia 200mm	गोटा	४५७८.००	४५७८.००	४५७८.००
	Dia 150mm	गोटा	३६६४.००	३६६४.००	३६६४.००
	Dia 100mm	गोटा	२२६८.००	२२६८.००	२२६८.००
	Dia 80mm	गोटा	२०५८.००	२०५८.००	२०५८.००
	Dia65mm	गोटा	२०५८.००	२०५८.००	२०५८.००

Handwritten signatures and stamps at the bottom of the page, including the official stamp of the Kathmandu District Office.



DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९ ८०	आ.व.०८० ८१	आ.व.०८१ ८२
९	DI basket type strainer (FE xFE) with all complete nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा	१६६९८४.००	१६६९८४.००	१६६९८४.००
	Dia 350mm	गोटा	१२६१४३.००	१२६१४३.००	१२६१४३.००
	Dia 300mm	गोटा	६९३४९.००	६९३४९.००	६९३४९.००
	Dia 250mm	गोटा	४६९२४.००	४६९२४.००	४६९२४.००
	Dia 200mm	गोटा	२९२४४.००	२९२४४.००	२९२४४.००
	Dia 150mm	गोटा	१६८७९.००	१६८७९.००	१६८७९.००
	Dia 100mm	गोटा	८३५८.००	८३५८.००	८३५८.००
१०	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा	७५४६८.००	७५४६८.००	७५४६८.००
	900 mm dia	गोटा	७३२२२.००	७३२२२.००	७३२२२.००
	800 mm dia	गोटा	६०५१२.००	६०५१२.००	६०५१२.००
	700 mm dia	गोटा	४८६८२.००	४८६८२.००	४८६८२.००
	600 mm dia	गोटा	३९८५२.००	३९८५२.००	३९८५२.००
	500 mm dia	गोटा	२९४४२.००	२९४४२.००	२९४४२.००
	450 mm dia	गोटा	२४७१०.००	२४७१०.००	२४७१०.००
	400 mm dia	गोटा	२०६०२.००	२०६०२.००	२०६०२.००
	350 mm dia	गोटा	१७०६६.००	१७०६६.००	१७०६६.००
	300 mm dia	गोटा	१३४६८.००	१३४६८.००	१३४६८.००
	250 mm dia	गोटा	१०७०१.००	१०७०१.००	१०७०१.००
	200 mm dia	गोटा	८०७४.००	८०७४.००	८०७४.००
	150 mm dia	गोटा	५९८५.००	५९८५.००	५९८५.००
	100 mm dia	गोटा	४४१०.००	४४१०.००	४४१०.००
	80 mm dia	गोटा	३८२२.००	३८२२.००	३८२२.००
	DI Flange Bell Mouth				
	Dia 700mm	गोटा	७५८२८.००	७५८२८.००	७५८२८.००
	Dia 600mm	गोटा	५४८७८.००	५४८७८.००	५४८७८.००
	Dia 500mm	गोटा	३८५५२.००	३८५५२.००	३८५५२.००
	Dia 450mm	गोटा	१७६४८.००	१७६४८.००	१७६४८.००
	Dia 400mm	गोटा	१७२४३.००	१७२४३.००	१७२४३.००
	Dia 350mm	गोटा	१३४६८.००	१३४६८.००	१३४६८.००
	Dia 300mm	गोटा	९५७६.००	९५७६.००	९५७६.००
	Dia 250mm	गोटा	७७३८.००	७७३८.००	७७३८.००
	Dia 200mm	गोटा	५४९९.००	५४९९.००	५४९९.००
	Dia 150mm	गोटा	४३९९.००	४३९९.००	४३९९.००
	Dia 100mm	गोटा	२७९९.००	२७९९.००	२७९९.००
	Dia 80mm	गोटा	२४६७.००	२४६७.००	२४६७.००
	Dia 65mm	गोटा	२४६७.००	२४६७.००	२४६७.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side with text 'सुदूर पश्चिम प्रदेश' and 'जिल्ला आधिकारी'.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९ ८०	आ.व.०८० ८१	आ.व.०८१ ८२
	DI Strainer				
	1200 mm dia	गोटा	३७०७२९.००	३७०७२९.००	३७०७२९.००
	1100 mm dia	गोटा	२९२००५.००	२९२००५.००	२९२००५.००
	1000 mm dia	गोटा	२१३२७१.००	२१३२७१.००	२१३२७१.००
	900 mm dia	गोटा	१६०१७०.००	१६०१७०.००	१६०१७०.००
११	Supply of double flanged butterfly vaive PN16 as per specification all complete				
	Dia 1000mm	गोटा	७४२१५२.००	७४२१५२.००	७४२१५२.००
	Dia 900mm	गोटा	५९२५६९.००	५९२५६९.००	५९२५६९.००
	Dia 800mm	गोटा	४२४६४६.००	४२४६४६.००	४२४६४६.००
	Dia 700mm	गोटा	३४३७८०.००	३४३७८०.००	३४३७८०.००
	Dia 600mm	गोटा	२३०२०३.००	२३०२०३.००	२३०२०३.००
	Dia 500mm	गोटा	१७३८२८.००	१७३८२८.००	१७३८२८.००
	Dia 450mm	गोटा	१३०१४१.००	१३०१४१.००	१३०१४१.००
	Dia 400mm	गोटा	१०३७१३.००	१०३७१३.००	१०३७१३.००
	Dia 350mm	गोटा	७६८७६.००	७६८७६.००	७६८७६.००
	Dia 300mm	गोटा	६३०९६.००	६३०९६.००	६३०९६.००
	Dia 250mm	गोटा	४९६७०.००	४९६७०.००	४९६७०.००
	Dia 200mm	गोटा	४०८३०.००	४०८३०.००	४०८३०.००
	Dia 150mm	गोटा	१६०२६.००	१६०२६.००	१६०२६.००
१२	Supply of double flanged Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा	५२७०८५.००	५२७०८५.००	५२७०८५.००
	Dia 500mm	गोटा	२९१३८३.००	२९१३८३.००	२९१३८३.००
	Dia 450mm	गोटा	२०१७६६.००	२०१७६६.००	२०१७६६.००
	Dia 400mm	गोटा	१४२२२८.००	१४२२२८.००	१४२२२८.००
	Dia 350mm	गोटा	१०४२२३.००	१०४२२३.००	१०४२२३.००
	Dia 300mm	गोटा	६४०८६.००	६४०८६.००	६४०८६.००
	Dia 250mm	गोटा	४८१९३.००	४८१९३.००	४८१९३.००
	Dia 350mm	गोटा	९५९६०.००	९५९६०.००	९५९६०.००
	Dia 300mm	गोटा	५८८२२.००	५८८२२.००	५८८२२.००
	Dia 250mm	गोटा	४५०००.००	४५०००.००	४५०००.००
	Dia 200mm	गोटा	२६८५२.००	२६८५२.००	२६८५२.००
	Dia 150mm	गोटा	२०६४४.००	२०६४४.००	२०६४४.००
	Dia 125mm	गोटा	१७१६०.००	१७१६०.००	१७१६०.००
	Dia 100mm	गोटा	१८५६४.००	१८५६४.००	१८५६४.००
	Dia 80mm	गोटा	१३३८०.००	१३३८०.००	१३३८०.००
	Dia 65mm	गोटा	१०१५३.००	१०१५३.००	१०१५३.००
	Dia 50mm	गोटा	९०८४.००	९०८४.००	९०८४.००
१३	Fire Hydrant				
	Dia 80mm	गोटा	११९२८.००	११९२८.००	११९२८.००
	Dia 100mm	गोटा	२३९६९.००	२३९६९.००	२३९६९.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side with text in Nepali: 'जिल्ला बस्नेत, प्रमुख जिल्ला अधिकारी'.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
१४	160mm dia CI ROAD SURFACE BOX	गोटा	३३०७.००	३३०७.००	३३०७.००
१५	Ball Valve				
	15mm	गोटा	१९१.००	१९१.००	१९१.००
	25mm	गोटा	३४१.००	३४१.००	३४१.००
	32mm	गोटा	९०६.००	९०६.००	९०६.००
	40mm	गोटा	१४०७.००	१४०७.००	१४०७.००
	50mm	गोटा	२३१०.००	२३१०.००	२३१०.००
१६	Check valve (Horizontal Flow)				
	15mm	गोटा	५५४.००	५५४.००	५५४.००
	20mm	गोटा	८७४.००	८७४.००	८७४.००
	25mm	गोटा	१४८०.००	१४८०.००	१४८०.००
१७	Check valve (vertical Flow)				
	15mm	गोटा	३४१.००	३४१.००	३४१.००
	20mm	गोटा	४३७.००	४३७.००	४३७.००
	25mm	गोटा	४७९.००	४७९.००	४७९.००
१८	Check valve				
	150mm	गोटा	१८६८८.००	१८६८८.००	१८६८८.००
	200mm	गोटा	२८०२८.००	२८०२८.००	२८०२८.००
	250mm	गोटा	४२०४७.००	४२०४७.००	४२०४७.००
	300mm	गोटा	६२४६९.००	६२४६९.००	६२४६९.००
१९	Pressure Gauge (Pressure up to) including Fitting & accessories				
	PN10	गोटा	२५७२.००	२५७२.००	२५७२.००
	PN15	गोटा	३३६०.००	३३६०.००	३३६०.००
	PN30	गोटा	४८३०.००	४८३०.००	४८३०.००
	PN45	गोटा	५७७५.००	५७७५.००	५७७५.००
२०	Bulk Water Meter				
	300mm	गोटा	१५६७१२.००	१५६७१२.००	१५६७१२.००
	200mm	गोटा	१०४४७८.००	१०४४७८.००	१०४४७८.००
	150mm	गोटा	७८०१२.००	७८०१२.००	७८०१२.००
	100mm	गोटा	४५४४८.००	४५४४८.००	४५४४८.००
	80mm	गोटा	३०२९५.००	३०२९५.००	३०२९५.००
	65mm	गोटा	२०१९६.००	२०१९६.००	२०१९६.००
	15mm	गोटा	१५७५.००	१५७५.००	१५७५.००
२१	Supply of water meter volumetric type including fittings and accessories				
	15mm	गोटा	१६९०.००	१६९०.००	१६९०.००
	20mm	गोटा	२४०४.००	२४०४.००	२४०४.००
	25mm	गोटा	६२३७.००	६२३७.००	६२३७.००
२२	Float Valve				
	15mm	गोटा	७७८.००	७७८.००	७७८.००

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp on the right side.



DI पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामग्रीहरूको विवरण/आकार	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	20mm	गोटा	१४८०.००	१४८०.००	१४८०.००
	25mm	गोटा	२४३६.००	२४३६.००	२४३६.००
२३	GM Gate/ Globe Valve				
	15mm	गोटा	८२०.००	८२०.००	८२०.००
	20mm	गोटा	११४४.००	११४४.००	११४४.००
	25mm	गोटा	१७६४.००	१७६४.००	१७६४.००
	32mm	गोटा	२३४१.००	२३४१.००	२३४१.००
	40mm	गोटा	२७०९.००	२७०९.००	२७०९.००
	50mm	गोटा	४४८८.००	४४८८.००	४४८८.००
	65mm	गोटा	९१२४.००	९१२४.००	९१२४.००
	80mm	गोटा	१२०६४.००	१२०६४.००	१२०६४.००
	100mm	गोटा	१७०५६.००	१७०५६.००	१७०५६.००
२४	DI Sluice Valve				
	65mm(2-1/2")	गोटा	१२७३०.००	१२७३०.००	१२७३०.००
	80mm(3")	गोटा	१७७३०.००	१७७३०.००	१७७३०.००
	100mm(4")	गोटा	२५०००.००	२५०००.००	२५०००.००
	125mm(5")	गोटा	३०४५०.००	३०४५०.००	३०४५०.००
	150mm(6")	गोटा	३७५००.००	३७५००.००	३७५००.००

Handwritten signatures and stamps. A circular stamp on the right contains the text: **जितेन्द्र बस्नेत**, प्रमुख जिल्ला अधिकारी.

PE Electro Fusion Fittings and Combination Accessories



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	गोटा	१०२.००	१०२.००	१०२.००
	25mm	गोटा	१२७.००	१२७.००	१२७.००
	32mm	गोटा	१३७.००	१३७.००	१३७.००
	40mm	गोटा	२६७.००	२६७.००	२६७.००
	50mm	गोटा	२५४.००	२५४.००	२५४.००
	63mm	गोटा	२६३.००	२६३.००	२६३.००
	75mm	गोटा	४०५.००	४०५.००	४०५.००
	90mm	गोटा	४७३.००	४७३.००	४७३.००
	110mm	गोटा	६३६.००	६३६.००	६३६.००
	125mm	गोटा	८५५.००	८५५.००	८५५.००
	140mm	गोटा	१३२३.००	१३२३.००	१३२३.००
	160mm	गोटा	१४९०.००	१४९०.००	१४९०.००
	180mm	गोटा	२२३६.००	२२३६.००	२२३६.००
	200mm	गोटा	२६४८.००	२६४८.००	२६४८.००
	225mm	गोटा	३६४३.००	३६४३.००	३६४३.००
	250mm	गोटा	५७९४.००	५७९४.००	५७९४.००
	280mm	गोटा	६९५३.००	६९५३.००	६९५३.००
	Electrofusion Reducer				
	50mm x 40mm	गोटा	२१७.००	२१७.००	२१७.००
	63mm x 50mm	गोटा	२५३.००	२५३.००	२५३.००
	75mm x 63mm	गोटा	५०४.००	५०४.००	५०४.००
	90mm x 75mm	गोटा	६२७.००	६२७.००	६२७.००
	90mm x 63mm	गोटा	६८७.००	६८७.००	६८७.००
	90mm x 50mm	गोटा	९४१.००	९४१.००	९४१.००
	110mm x 63mm	गोटा	८२७.००	८२७.००	८२७.००
	110mm x 75mm	गोटा	१५२१.००	१५२१.००	१५२१.००
	110mm x 90mm	गोटा	८९५.००	८९५.००	८९५.००
	125mm x 63mm	गोटा	१०६९.००	१०६९.००	१०६९.००
	125mm x 75mm	गोटा	१७७८.००	१७७८.००	१७७८.००
	125mm x 90mm	गोटा	११५१.००	११५१.००	११५१.००
	125mm x 110mm	गोटा	९००.००	९००.००	९००.००
	140mm x 90mm	गोटा	३५६४.००	३५६४.००	३५६४.००
	140mm x 110mm	गोटा	४१७३.००	४१७३.००	४१७३.००
	140mm x 125mm	गोटा	४६४१.००	४६४१.००	४६४१.००
	160mm x 90mm	गोटा	४५३५.००	४५३५.००	४५३५.००
	160mm x 110mm	गोटा	४८१४.००	४८१४.००	४८१४.००
	160mm x 125mm	गोटा	५३६५.००	५३६५.००	५३६५.००
	160mm x 140mm	गोटा	६०७८.००	६०७८.००	६०७८.००
	180mm x 90mm	गोटा	६४३३.००	६४३३.००	६४३३.००
	180mm x 125mm	गोटा	६७११.००	६७११.००	६७११.००

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp of the 'Prasut District Office' (प्रसुत जिल्ला अधिकारी) and various handwritten notes and initials.

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	180mm × 140mm	गोटा	७६१३.००	७६१३.००	७६१३.००
	180mm × 160mm	गोटा	८४५२.००	८४५२.००	८४५२.००
	200mm × 110mm	गोटा	७००२.००	७००२.००	७००२.००
	200mm × 140mm	गोटा	९०१४.००	९०१४.००	९०१४.००
	200mm × 160mm	गोटा	९४७३.००	९४७३.००	९४७३.००
	200mm × 180mm	गोटा	११०६५.००	११०६५.००	११०६५.००
	225mm × 90mm	गोटा	१०१८७.००	१०१८७.००	१०१८७.००
	225mm × 110mm	गोटा	९९२८.००	९९२८.००	९९२८.००
	225mm × 225mm	गोटा	१५६१४.००	१५६१४.००	१५६१४.००
	225mm × 160mm	गोटा	११७३९.००	११७३९.००	११७३९.००
	225mm × 180mm	गोटा	१३६०५.००	१३६०५.००	१३६०५.००
	225mm × 200mm	गोटा	१४९५९.००	१४९५९.००	१४९५९.००
	250mm × 160mm	गोटा	१४९९१.००	१४९९१.००	१४९९१.००
	225mm × 180mm	गोटा	१७३३१.००	१७३३१.००	१७३३१.००
	225mm × 200mm	गोटा	१८२६८.००	१८२६८.००	१८२६८.००
	225mm × 225mm	गोटा	२१०८६.००	२१०८६.००	२१०८६.००
	280mm × 180mm	गोटा	२०६६५.००	२०६६५.००	२०६६५.००
	280mm × 200mm	गोटा	२२०७४.००	२२०७४.००	२२०७४.००
	280mm × 225mm	गोटा	२४१३१.००	२४१३१.००	२४१३१.००
	280mm × 250mm	गोटा	२९२२५.००	२९२२५.००	२९२२५.००
	Electrofusion Elbow 45°				
	50mm	गोटा	३१६.००	३१६.००	३१६.००
	63mm	गोटा	४६४.००	४६४.००	४६४.००
	75mm	गोटा	१२१६.००	१२१६.००	१२१६.००
	90mm	गोटा	१०४७.००	१०४७.००	१०४७.००
	110mm	गोटा	३१३३.००	३१३३.००	३१३३.००
	125mm	गोटा	४३२६.००	४३२६.००	४३२६.००
	140mm	गोटा	५८४७.००	५८४७.००	५८४७.००
	160mm	गोटा	७५३५.००	७५३५.००	७५३५.००
	180mm	गोटा	१०८११.००	१०८११.००	१०८११.००
	200mm	गोटा	१३६१२.००	१३६१२.००	१३६१२.००
	225mm	गोटा	१८५९३.००	१८५९३.००	१८५९३.००
	250mm	गोटा	२६७७५.००	२६७७५.००	२६७७५.००
	280mm	गोटा	३५३५०.००	३५३५०.००	३५३५०.००
	90				
	50mm	गोटा	२६३.००	२६३.००	२६३.००
	63mm	गोटा	४१९.००	४१९.००	४१९.००
	75mm	गोटा	५५२.००	५५२.००	५५२.००
	90mm	गोटा	१०६६.००	१०६६.००	१०६६.००
	110mm	गोटा	१४२६.००	१४२६.००	१४२६.००
	125mm	गोटा	१८००.००	१८००.००	१८००.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with Nepali text and the name 'जिल्ला बस्नेत प्रमुख जिल्ला अधिकारी'.

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७१/७०	आ.व.०८०/७१	आ.व.०८१/७२
	140mm	गोटा	६७०.००	६७०.००	६७०.००
	160mm	गोटा	८५२२.००	८५२२.००	८५२२.००
	180mm	गोटा	१२४२४.००	१२४२४.००	१२४२४.००
	200mm	गोटा	१६५४७.००	१६५४७.००	१६५४७.००
	225mm	गोटा	२१२३८.००	२१२३८.००	२१२३८.००
	250mm	गोटा	३१२१०.००	३१२१०.००	३१२१०.००
	280mm	गोटा	४४५४६.००	४४५४६.००	४४५४६.००
	Electrofusion End Cap				
	50mm	गोटा	३४९.००	३४९.००	३४९.००
	63mm	गोटा	४३३.००	४३३.००	४३३.००
	75mm	गोटा	६१७.००	६१७.००	६१७.००
	90mm	गोटा	७९२.००	७९२.००	७९२.००
	110mm	गोटा	१४१९.००	१४१९.००	१४१९.००
	125mm	गोटा	१२२२.००	१२२२.००	१२२२.००
	140mm	गोटा	२४९०.००	२४९०.००	२४९०.००
	160mm	गोटा	३६०८.००	३६०८.००	३६०८.००
	180mm	गोटा	५१७०.००	५१७०.००	५१७०.००
	200mm	गोटा	६७६८.००	६७६८.००	६७६८.००
	225mm	गोटा	८७६९.००	८७६९.००	८७६९.००
	250mm	गोटा	१२४४.००	१२४४.००	१२४४.००
	280mm	गोटा	१६०९६.००	१६०९६.००	१६०९६.००
	Electrofusion Equal Tee				
	50mm	गोटा	३४८.००	३४८.००	३४८.००
	63mm	गोटा	५००.००	५००.००	५००.००
	75mm	गोटा	७८९.००	७८९.००	७८९.००
	90mm	गोटा	१२४५.००	१२४५.००	१२४५.००
	110mm	गोटा	१६०४.००	१६०४.००	१६०४.००
	125mm	गोटा	१९८५.००	१९८५.००	१९८५.००
	140mm	गोटा	७९२४.००	७९२४.००	७९२४.००
	160mm	गोटा	१०८९६.००	१०८९६.००	१०८९६.००
	180mm	गोटा	१५४१६.००	१५४१६.००	१५४१६.००
	200mm	गोटा	१९४९७.००	१९४९७.००	१९४९७.००
	225mm	गोटा	२६५३५.००	२६५३५.००	२६५३५.००
	250mm	गोटा	३८४४३.००	३८४४३.००	३८४४३.००
	280mm	गोटा	५४६५७.००	५४६५७.००	५४६५७.००
	Electrofusion Saddle Clamp				
	50mm×40mm	गोटा	७५७.००	७५७.००	७५७.००
	75-225mm×50mm	गोटा	९९०.००	९९०.००	९९०.००
	HDPE Adopter PN 16				
	50mm	गोटा	२८०.००	२८०.००	२८०.००
	63mm	गोटा	३५३.००	३५३.००	३५३.००
	75mm	गोटा	४९९.००	४९९.००	४९९.००
	90mm	गोटा	६४४.००	६४४.००	६४४.००

Page 124

 जितनर बुम्सेल

 प्रमुख जिल्ला-आर्थिकारी

PE Electro Fusion Pipes and Combination Accessories



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	110mm	गोटा	८९४.००	८९४.००	८९४.००
	125mm	गोटा	९८८.००	९८८.००	९८८.००
	140mm	गोटा	१३५२.००	१३५२.००	१३५२.००
	160mm	गोटा	१९४४.००	१९४४.००	१९४४.००
	180mm	गोटा	२७८७.००	२७८७.००	२७८७.००
	200mm	गोटा	३०४७.००	३०४७.००	३०४७.००
	225mm	गोटा	३९५२.००	३९५२.००	३९५२.००
	250mm	गोटा	५२४९.००	५२४९.००	५२४९.००
	280mm	गोटा	७२४८.००	७२४८.००	७२४८.००

जतिन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी

High Pressure Valve & Fittings



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm², Seat 55 kg/cm², including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा	21918.00	21918.00	21918.00
	DN 50	गोटा	29612.00	29612.00	29612.00
	DN 65	गोटा	35535.00	35535.00	35535.00
	DN 80	गोटा	41457.00	41457.00	41457.00
	DN 100	गोटा	47380.00	47380.00	47380.00
	DN 125	गोटा	59225.00	59225.00	59225.00
	DN 150	गोटा	76992.00	76992.00	76992.00
	DN 200	गोटा	105570.00	105570.00	105570.00
	DN 250	गोटा	152490.00	152490.00	152490.00
	DN 300	गोटा	205275.00	205275.00	205275.00
	DN 350	गोटा	322575.00	322575.00	322575.00
	Cast Steel Non Return Valve (NRV), Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm², Seat 55 kg/cm², including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा	23690.00	23690.00	23690.00
	DN 50	गोटा	31394.00	31394.00	31394.00
	DN 65	गोटा	37316.00	37316.00	37316.00
	DN 80	गोटा	43239.00	43239.00	43239.00
	DN 100	गोटा	49161.00	49161.00	49161.00
	DN 125	गोटा	61006.00	61006.00	61006.00
	DN 150	गोटा	78774.00	78774.00	78774.00
	DN 200	गोटा	107334.00	107334.00	107334.00
	DN 250	गोटा	154254.00	154254.00	154254.00
	DN 300	गोटा	207039.00	207039.00	207039.00
	DN 350	गोटा	324339.00	324339.00	324339.00
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा	412.00	412.00	412.00
	DN 50	गोटा	442.00	442.00	442.00
	DN 65	गोटा	597.00	597.00	597.00
	DN 80	गोटा	648.00	648.00	648.00
	DN 100	गोटा	669.00	669.00	669.00
	DN 150	गोटा	772.00	772.00	772.00
	DN 125	गोटा	906.00	906.00	906.00
	DN 200	गोटा	1483.00	1483.00	1483.00
	DN 250	गोटा	2224.00	2224.00	2224.00
	DN 300	गोटा	2667.00	2667.00	2667.00
	DN 350	गोटा	3677.00	3677.00	3677.00

Page 126

जिल्ला बाहेक
 मुकुड जिल्ला अधिकारी

High Pressure Valves & Fittings



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	MS Blind Flange, ISOD 16mm thick				
	DN 40	गोटा	535.00	535.00	535.00
	DN 50	गोटा	576.00	576.00	576.00
	DN 65	गोटा	772.00	772.00	772.00
	DN 80	गोटा	844.00	844.00	844.00
	DN 100	गोटा	875.00	875.00	875.00
	DN 125	गोटा	999.00	999.00	999.00
	DN 150	गोटा	1184.00	1184.00	1184.00
	DN 200	गोटा	1926.00	1926.00	1926.00
	DN 250	गोटा	2894.00	2894.00	2894.00
	DN 300	गोटा	3460.00	3460.00	3460.00
	DN 350	गोटा	4768.00	4768.00	4768.00
	MS Flange, ISOD 22mm thick				
	DN 40	गोटा	947.00	947.00	947.00
	DN 50	गोटा	1019.00	1019.00	1019.00
	DN 65	गोटा	1308.00	1308.00	1308.00
	DN 80	गोटा	1483.00	1483.00	1483.00
	DN 100	गोटा	1781.00	1781.00	1781.00
	DN 125	गोटा	2132.00	2132.00	2132.00
	DN 150	गोटा	2729.00	2729.00	2729.00
	DN 200	गोटा	4459.00	4459.00	4459.00
	DN 250	गोटा	5819.00	5819.00	5819.00
	DN 300	गोटा	8569.00	8569.00	8569.00
	DN 350	गोटा	9599.00	9599.00	9599.00
	MS Blind Flange, ISOD 32mm thick				
	DN 40	गोटा	1236.00	1236.00	1236.00
	DN 50	गोटा	1328.00	1328.00	1328.00
	DN 65	गोटा	1689.00	1689.00	1689.00
	DN 80	गोटा	1926.00	1926.00	1926.00
	DN 100	गोटा	2307.00	2307.00	2307.00
	DN 125	गोटा	2770.00	2770.00	2770.00
	DN 150	गोटा	3543.00	3543.00	3543.00
	DN 200	गोटा	5809.00	5809.00	5809.00
	DN 250	गोटा	7580.00	7580.00	7580.00
	DN 300	गोटा	11134.00	11134.00	11134.00
	DN 350	गोटा	12473.00	12473.00	12473.00
	Seamless (90°-22°) CARBON STEEL BEND, size dia				
	2"	गोटा	339.00	339.00	339.00
	2 1/2"	गोटा	597.00	597.00	597.00

Page 127

High Pressure Valves & Fittings



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	3"	गोटा	854.00	854.00	854.00
	4"	गोटा	1421.00	1421.00	1421.00
	5"	गोटा	2605.00	2605.00	2605.00
	6"	गोटा	3615.00	3615.00	3615.00
	8"	गोटा	6756.00	6756.00	6756.00
	10"	गोटा	13266.00	13266.00	13266.00
	12"	गोटा	18364.00	18364.00	18364.00
	14"	गोटा	20733.00	20733.00	20733.00
	Seamless REDUCER ASTM-40, (size dia larger dia.)				
	2"	गोटा	267.00	267.00	267.00
	2 1/2"	गोटा	473.00	473.00	473.00
	3"	गोटा	690.00	690.00	690.00
	4"	गोटा	1133.00	1133.00	1133.00
	5"	गोटा	2080.00	2080.00	2080.00
	6"	गोटा	2894.00	2894.00	2894.00
	8"	गोटा	5397.00	5397.00	5397.00
	10"	गोटा	10609.00	10609.00	10609.00
	12"	गोटा	14687.00	14687.00	14687.00
	14"	गोटा	16583.00	16583.00	16583.00
	Nut & Bolt (FORZED, Size, set/kg)	गोटा	309.00	309.00	309.00
	3 mm thick Gasket liner	गोटा	2636.00	2636.00	2636.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी

पोलिप्रोपिलिन रेण्डम (PP-R) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	PP-R Pipe (PN-10)				
	20mm outer, 1.9 mm thick, 0.107 kg/m	र.मि	५६.००	५६.००	५६.००
	25mm " 2.3 mm thick 0.164kg/m	र.मि	८६.००	८६.००	८६.००
	32mm 2.9 mm thick 0.26kg/m	र.मि	१३७.००	१३७.००	१३७.००
	40mm 3.7 mm thick 0.412kg/m	र.मि	२१७.००	२१७.००	२१७.००
	50mm 4.6 mm thick 0.638kg/m	र.मि	३३६.००	३३६.००	३३६.००
	63 mm 8.6 mm thick 0.638kg/m	र.मि	५३३.००	५३३.००	५३३.००
	75 mm OD	र.मि	७४३.००	७४३.००	७४३.००
	90 mm OD	र.मि	१०७०.००	१०७०.००	१०७०.००
	110 mm OD	र.मि	१५८८.००	१५८८.००	१५८८.००
२	PP-R Pipe (PN-16)				
	20mm OD 2.80 mm thick 0.148kg/m	र.मि	७५.००	७५.००	७५.००
	25mm OD 3.50 mm thick 0.26kg/m	र.मि	११८.००	११८.००	११८.००
	32mm OD 3.7 mm thick 0.230kg/m	र.मि	१८८.००	१८८.००	१८८.००
	40mm OD 5.50 mm thick 0.575kg/m	र.मि	३०३.००	३०३.००	३०३.००
	50mm OD 6.90 mm thick 0.896kg/m	र.मि	४७३.००	४७३.००	४७३.००
	63 mm OD 4.6 mm thick 0.638kg/m	र.मि	७४३.००	७४३.००	७४३.००
	75 mm OD	र.मि	१०६१.००	१०६१.००	१०६१.००
	90 mm OD	र.मि	१५१४.००	१५१४.००	१५१४.००
	110 mm OD	र.मि	२२६९.००	२२६९.००	२२६९.००
३	PP-R Pipe (PN-20)				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	९०.००	९०.००	९०.००
	25mm 4.20 mm thick 0.266kg/m	र.मि	१४०.००	१४०.००	१४०.००
	32mm 5.40 mm thick 0.434kg/m	र.मि	२२८.००	२२८.००	२२८.००
	40mm 6.70 mm thick 0.671kg/m	र.मि	३५४.००	३५४.००	३५४.००
	50mm 8.30 mm thick 1.04kg/m	र.मि	५४९.००	५४९.००	५४९.००
	63mm 8.6mm thick 1.04kg/m	र.मि	८७०.००	८७०.००	८७०.००
	75 mm OD	र.मि	१२३४.००	१२३४.००	१२३४.००
	90 mm OD	र.मि	१७७२.००	१७७२.००	१७७२.००
	110 mm OD	र.मि	२६४३.००	२६४३.००	२६४३.००
४	PP-R Pipe Accessories				
	Elbow (87.5 °)				
	20mm	गोटा	२३.००	२३.००	२३.००
	25mm	गोटा	४३.००	४३.००	४३.००
	32mm	गोटा	७०.००	७०.००	७०.००
	40mm	गोटा	१४८.००	१४८.००	१४८.००
	50mm	गोटा	२४९.००	२४९.००	२४९.००
	63 mm	गोटा	४३९.००	४३९.००	४३९.००
	75 mm	गोटा	८४३.००	८४३.००	८४३.००
	90 mm	गोटा	१३७६.००	१३७६.००	१३७६.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side with text 'जिल्ला अधिकारी' and 'काठमाण्डौ'.

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	110 mm	गोटा	२५५८.००	२५५८.००	२५५८.००
	Elbow (90 °)				
	20mm	गोटा	११.००	११.००	११.००
	25mm	गोटा	२२.००	२२.००	२२.००
	32mm	गोटा	३८.००	३८.००	३८.००
	40mm	गोटा	८०.००	८०.००	८०.००
	50mm	गोटा	१३५.००	१३५.००	१३५.००
	63 mm	गोटा	२३८.००	२३८.००	२३८.००
	75 mm	गोटा	४४६.००	४४६.००	४४६.००
	90 mm	गोटा	७५४.००	७५४.००	७५४.००
	110 mm	गोटा	१४०५.००	१४०५.००	१४०५.००
५	Equal Tee				
	20mm	गोटा	१५.००	१५.००	१५.००
	25mm	गोटा	२७.००	२७.००	२७.००
	32mm	गोटा	४७.००	४७.००	४७.००
	40mm	गोटा	९२.००	९२.००	९२.००
	50mm	गोटा	१५७.००	१५७.००	१५७.००
	63mm	गोटा	२८६.००	२८६.००	२८६.००
	75 mm	गोटा	४९६.००	४९६.००	४९६.००
	90 mm	गोटा	९०९.००	९०९.००	९०९.००
	110 mm	गोटा	१५७८.००	१५७८.००	१५७८.००
६	Coupler				
	20mm	गोटा	९.००	९.००	९.००
	25mm	गोटा	११.००	११.००	११.००
	32mm	गोटा	२२.००	२२.००	२२.००
	40mm	गोटा	४३.००	४३.००	४३.००
	50mm	गोटा	७३.००	७३.००	७३.००
	63 mm	गोटा	१२८.००	१२८.००	१२८.००
	75 mm	गोटा	२४८.००	२४८.००	२४८.००
	90 mm	गोटा	३६६.००	३६६.००	३६६.००
	110 mm	गोटा	६७०.००	६७०.००	६७०.००
७	45 Degree Elbow				
	20 mm	गोटा	१५.००	१५.००	१५.००
	25 mm	गोटा	२५.००	२५.००	२५.००
	32 mm	गोटा	३८.००	३८.००	३८.००
	40 mm	गोटा	७३.००	७३.००	७३.००
	50 mm	गोटा	१२२.००	१२२.००	१२२.००
	63 mm	गोटा	२०२.००	२०२.००	२०२.००
	75 mm	गोटा	३९७.००	३९७.००	३९७.००
	90 mm	गोटा	६७०.००	६७०.००	६७०.००

Handwritten signatures and stamps at the bottom of the page. One stamp reads 'जितेन्द्र बस्नेत' and 'जिल्ला अधिकारी'.

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	110 mm	गोटा	११७.००	११७.००	११७.००
८	Union (Plastic)				
	20mm	गोटा	५९.००	५९.००	५९.००
	25mm	गोटा	१०१.००	१०१.००	१०१.००
	32mm	गोटा	१६३.००	१६३.००	१६३.००
	40mm	गोटा	२४७.००	२४७.००	२४७.००
	50mm	गोटा	३८७.००	३८७.००	३८७.००
	63mm	गोटा	४६२.००	४६२.००	४६२.००
९	Reducing Coupler				
	25mm*20mm	गोटा	१६.००	१६.००	१६.००
	32mm*20mm	गोटा	२०.००	२०.००	२०.००
	32mm*25mm	गोटा	२३.००	२३.००	२३.००
	40mm*20mm	गोटा	३४.००	३४.००	३४.००
	40mm*25mm	गोटा	३५.००	३५.००	३५.००
	40mm*32mm	गोटा	४७.००	४७.००	४७.००
	50mm*20mm	गोटा	६४.००	६४.००	६४.००
	50mm*25mm	गोटा	६९.००	६९.००	६९.००
	50mm*32mm	गोटा	७०.००	७०.००	७०.००
	50mm*40mm	गोटा	७३.००	७३.००	७३.००
	63mm*20mm	गोटा	१००.००	१००.००	१००.००
	63mm*25mm	गोटा	१२३.००	१२३.००	१२३.००
	63mm*32mm	गोटा	१२४.००	१२४.००	१२४.००
	63mm*40mm	गोटा	१२४.००	१२४.००	१२४.००
	63mm*50mm	गोटा	१२४.००	१२४.००	१२४.००
	75mm*40mm	गोटा	२४८.००	२४८.००	२४८.००
	75mm*50mm	गोटा	२५३.००	२५३.००	२५३.००
	75mm*63mm	गोटा	२५६.००	२५६.००	२५६.००
	90mm*50mm	गोटा	४७२.००	४७२.००	४७२.००
	90mm*63mm	गोटा	५०६.००	५०६.००	५०६.००
	90mm*75mm	गोटा	५९५.००	५९५.००	५९५.००
	110mm*75mm	गोटा	८३४.००	८३४.००	८३४.००
	110mm*90mm	गोटा	९२८.००	९२८.००	९२८.००
	75mm	गोटा	४७६.००	४७६.००	४७६.००
	90mm	गोटा	७३८.००	७३८.००	७३८.००
	110mm	गोटा	१२५१.००	१२५१.००	१२५१.००
१०	Reducing Tee				
	25*20*25 mm	गोटा	२९.००	२९.००	२९.००
	32*20*32 mm	गोटा	४४.००	४४.००	४४.००
	32*25*32 mm	गोटा	४७.००	४७.००	४७.००
	40*20*40 mm	गोटा	६४.००	६४.००	६४.००
	40*25*40 mm	गोटा	७२.००	७२.००	७२.००
	40*32*40 mm	गोटा	७६.००	७६.००	७६.००
	50*20*50 mm	गोटा	१३०.००	१३०.००	१३०.००
	50*25*50 mm	गोटा	१३४.००	१३४.००	१३४.००
	50*32*50 mm	गोटा	१४४.००	१४४.००	१४४.००

जि.स.क. कार्यालय
प्रमुख जिल्ला अधिकारी

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	50*40*50 mm	गोटा	१४८.००	१४८.००	१४८.००
	63*20*63 mm	गोटा	१८८.००	१८८.००	१८८.००
	63*25*63 mm	गोटा	२०९.००	२०९.००	२०९.००
	63*32*63 mm	गोटा	२२३.००	२२३.००	२२३.००
	63*40*63 mm	गोटा	२२७.००	२२७.००	२२७.००
	63*50*63 mm	गोटा	२३५.००	२३५.००	२३५.००
	75*50*75 mm	गोटा	५५३.००	५५३.००	५५३.००
	75*63*75 mm	गोटा	५५५.००	५५५.००	५५५.००
	90*63*90 mm	गोटा	९१४.००	९१४.००	९१४.००
	90*75*90 mm	गोटा	१०१०.००	१०१०.००	१०१०.००
	110*75*110 mm	गोटा	१६३६.००	१६३६.००	१६३६.००
	110*90*110 mm	गोटा	१६८४.००	१६८४.००	१६८४.००
	75mm	गोटा	१०३९.००	१०३९.००	१०३९.००
	90mm	गोटा	१७४५.००	१७४५.००	१७४५.००
	110mm	गोटा	२९६८.००	२९६८.००	२९६८.००
११	Reducing Elbow				
	25mm*20mm	गोटा	२२.००	२२.००	२२.००
	32mm*20mm	गोटा	४०.००	४०.००	४०.००
	32mm*25mm	गोटा	५०.००	५०.००	५०.००
	40*20mm	गोटा	१४०.००	१४०.००	१४०.००
	40*25mm	गोटा	१५२.००	१५२.००	१५२.००
	40*32mm	गोटा	१८८.००	१८८.००	१८८.००
	75mm	गोटा	१००७.००	१००७.००	१००७.००
	90mm	गोटा	१३७५.००	१३७५.००	१३७५.००
	110mm	गोटा	२६१३.००	२६१३.००	२६१३.००
	U CLAMP LONG				
	20mm	गोटा	३०.००	३०.००	३०.००
	25mm	गोटा	३४.००	३४.००	३४.००
	32mm	गोटा	४६.००	४६.००	४६.००
	40mm	गोटा	५२.००	५२.००	५२.००
	50mm	गोटा	७०.००	७०.००	७०.००
	63mm	गोटा	७८.००	७८.००	७८.००
	U CLAMP				
	20mm	गोटा	१३.००	१३.००	१३.००
	25mm	गोटा	१६.००	१६.००	१६.००
	32mm	गोटा	३०.००	३०.००	३०.००
	40mm	गोटा	३७.००	३७.००	३७.००
	50mm	गोटा	५९.००	५९.००	५९.००
	63mm	गोटा	७६.००	७६.००	७६.००

[Handwritten signatures and marks]

[Handwritten signatures and marks]

[Handwritten signature and official stamp]

पोलिप्रोपोलिन रेण्डम पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	PLUG				
	20mm	गोटा	१३.००	१३.००	१३.००
	25mm	गोटा	२१.००	२१.००	२१.००
	32mm	गोटा	२६.००	२६.००	२६.००
	CAPS				
	20mm	गोटा	३१.००	३१.००	३१.००
	25mm	गोटा	४६.००	४६.००	४६.००
	32mm	गोटा	७०.००	७०.००	७०.००
	40mm	गोटा	१११.००	१११.००	१११.००
	50mm	गोटा	१८७.००	१८७.००	१८७.००
	63mm	गोटा	३३८.००	३३८.००	३३८.००
	75mm	गोटा	५१५.००	५१५.००	५१५.००
	90mm	गोटा	५७६.००	५७६.००	५७६.००
	110mm	गोटा	११८२.००	११८२.००	११८२.००
	CROSS OVER				
	20mm	गोटा	१४२.००	१४२.००	१४२.००
	25mm	गोटा	२०३.००	२०३.००	२०३.००
	32mm	गोटा	२९४.००	२९४.००	२९४.००
१२	High Footed Pipe Clip				
	20mm	गोटा	१२.००	१२.००	१२.००
	25mm	गोटा	१४.००	१४.००	१४.००
	32mm	गोटा	२२.००	२२.००	२२.००
	40mm	गोटा	२५.००	२५.००	२५.००
	50mm	गोटा	२७.००	२७.००	२७.००
	63 mm	गोटा	३६.००	३६.००	३६.००
१३	Low Footed Pipe Clip				
	20mm	गोटा	६.००	६.००	६.००
	25mm	गोटा	७.००	७.००	७.००
	32mm	गोटा	१४.००	१४.००	१४.००
	40mm	गोटा	२०.००	२०.००	२०.००
	50mm	गोटा	३१.००	३१.००	३१.००
	63 mm	गोटा	३९.००	३९.००	३९.००
१४	"Y" type Pipe Clip				
	20mm	गोटा	२०.००	२०.००	२०.००
	25mm	गोटा	२३.००	२३.००	२३.००
	32mm	गोटा	२८.००	२८.००	२८.००
	40 mm	गोटा	५५.००	५५.००	५५.००
१५	End Plug (short)				
	20mm	गोटा	६.००	६.००	६.००

[Handwritten signatures and marks]

[Handwritten signatures and marks]

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

पोलिप्रोपिलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७१/७०	आ.व.०८०/७१	आ.व.०८१/७२
	25mm	गोटा	१०.००	१०.००	१०.००
	32mm	गोटा	१३.००	१३.००	१३.००
१६	End Plug with Ring				
	20mm	गोटा	२२.००	२२.००	२२.००
१७	End Plug (long)	गोटा			
	20mm	गोटा	१०.००	१०.००	१०.००
१८	End Cap				
	20mm	गोटा	१२.००	१२.००	१२.००
	25mm	गोटा	२०.००	२०.००	२०.००
	32mm	गोटा	३०.००	३०.००	३०.००
	40mm	गोटा	४४.००	४४.००	४४.००
	50mm	गोटा	७८.००	७८.००	७८.००
	63 mm	गोटा	१५१.००	१५१.००	१५१.००
	75 mm	गोटा	२४३.००	२४३.००	२४३.००
१९	Cross Tee				
	20mm	गोटा	२६.००	२६.००	२६.००
	25mm	गोटा	३८.००	३८.००	३८.००
	32mm	गोटा	६८.००	६८.००	६८.००
२०	Short Passover				
	20mm	गोटा	७५.००	७५.००	७५.००
	25mm	गोटा	१०९.००	१०९.००	१०९.००
	32mm	गोटा	१६९.००	१६९.००	१६९.००
२१	Long Bypass				
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१४४.००	१४४.००	१४४.००
	32mm	गोटा	२११.००	२११.००	२११.००
२२	Male Tee				
	20mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	20mmx3/4"	गोटा	१४६.००	१४६.००	१४६.००
	25mmx1/2"	गोटा	१५१.००	१५१.००	१५१.००
	25mmx3/4"	गोटा	१८१.००	१८१.००	१८१.००
	32mmx1/2"	गोटा	१५४.००	१५४.००	१५४.००
	32mmx3/4"	गोटा	२२७.००	२२७.००	२२७.००
	32mmx1"	गोटा	३९६.००	३९६.००	३९६.००
	40mm*1/2"	गोटा	६७३.००	६७३.००	६७३.००
	40mm*5/4"	गोटा	६५५.००	६५५.००	६५५.००
	50mm*6/4"	गोटा	१०३८.००	१०३८.००	१०३८.००
	63mm*1"	गोटा	१२३५.००	१२३५.००	१२३५.००
	63mm*2"	गोटा	१३४१.००	१३४१.००	१३४१.००
२३	Female Tee				
	20mmx1/2"	गोटा	११६.००	११६.००	११६.००

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९१८०	आ.व.०८०१८१	आ.व.०८११८२
	20mmx3/4"	गोटा	१३१.००	१३१.००	१३१.००
	25mmx1/2"	गोटा	१५१.००	१५१.००	१५१.००
	25mmx3/4"	गोटा	१७६.००	१७६.००	१७६.००
	32mmx1/2"	गोटा	१७३.००	१७३.००	१७३.००
	32mmx3/4"	गोटा	२०३.००	२०३.००	२०३.००
	32mmx1"	गोटा	३४२.००	३४२.००	३४२.००
	40mm*1/2"	गोटा	५३०.००	५३०.००	५३०.००
	40mm*5/4"	गोटा	५२१.००	५२१.००	५२१.००
	50mm*6/4"	गोटा	७९०.००	७९०.००	७९०.००
	63mm*1"	गोटा	९९२.००	९९२.००	९९२.००
	63mm*2"	गोटा	१०४८.००	१०४८.००	१०४८.००
२४	Male elbow				
	20mmx1/2"	गोटा	१३८.००	१३८.००	१३८.००
	25mmx1/2"	गोटा	१५१.००	१५१.००	१५१.००
	25mmx3/4"	गोटा	१८५.००	१८५.००	१८५.००
	32mmx1/2"	गोटा	३१२.००	३१२.००	३१२.००
	32mmx3/4"	गोटा	२४८.००	२४८.००	२४८.००
	32mmx1"	गोटा	४११.००	४११.००	४११.००
	40mm*5/4"	गोटा	५९२.५०	५९२.५०	५९२.५०
२५	Female elbow				
	20mmx1/2"	गोटा	११३.००	११३.००	११३.००
	25mmx1/2"	गोटा	१८४.००	१८४.००	१८४.००
	25mmx3/4"	गोटा	१५१.००	१५१.००	१५१.००
	32mmx1/2"	गोटा	२०२.००	२०२.००	२०२.००
	32mmx3/4"	गोटा	२३८.००	२३८.००	२३८.००
	32mmx1"	गोटा	३३३.००	३३३.००	३३३.००
	40mm*5/4"	गोटा	६७५.००	६७५.००	६७५.००
	50mm*6/4"	गोटा	७७५.००	७७५.००	७७५.००
	63mm*2"	गोटा	८९२.००	८९२.००	८९२.००
	MALE SOCKET				
	20mm*1/2"	गोटा	१४५.००	१४५.००	१४५.००
	20mm*3/4"	गोटा	१७५.००	१७५.००	१७५.००
	25mm*1/2"	गोटा	१५५.००	१५५.००	१५५.००
	25mm*3/4"	गोटा	१७६.००	१७६.००	१७६.००
	32mm*1/2"	गोटा	१९६.००	१९६.००	१९६.००
	32mm*3/4"	गोटा	२०६.००	२०६.००	२०६.००
	32mm*1"	गोटा	३९२.००	३९२.००	३९२.००
	40mm*5/4"	गोटा	६४९.००	६४९.००	६४९.००
	50mm*6/4"	गोटा	१०४८.००	१०४८.००	१०४८.००
	63mm*2"	गोटा	१३९५.००	१३९५.००	१३९५.००
	75mm	गोटा	३४८०.००	३४८०.००	३४८०.००

Page 135

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	90mm	गोटा	४७६९.००	४७६९.००	४७६९.००
	110mm	गोटा	८९६८.००	८९६८.००	८९६८.००
	FEMALE SOCKET				
	20mm*1/2"	गोटा	११०.००	११०.००	११०.००
	20mm*3/4"	गोटा	१२५.००	१२५.००	१२५.००
	25mm*1/2"	गोटा	१३५.००	१३५.००	१३५.००
	25mm*3/4"	गोटा	१३७.००	१३७.००	१३७.००
	32mm*1/2"	गोटा	१३९.००	१३९.००	१३९.००
	32mm*3/4"	गोटा	१४९.००	१४९.००	१४९.००
	32mm*1"	गोटा	३०६.००	३०६.००	३०६.००
	40mm*5/4"	गोटा	५७०.००	५७०.००	५७०.००
	50mm*6/4"	गोटा	७९१.००	७९१.००	७९१.००
	63mm*2"	गोटा	१०७०.००	१०७०.००	१०७०.००
	75mm	गोटा	३०४२.००	३०४२.००	३०४२.००
	90mm	गोटा	४९८४.००	४९८४.००	४९८४.००
	110mm	गोटा	७९००.००	७९००.००	७९००.००
२६	Male Coupling				
	20mmx1/2"	गोटा	१३४.००	१३४.००	१३४.००
	20mmx3/4"	गोटा	१४२.००	१४२.००	१४२.००
	25mmx1/2"	गोटा	१६३.००	१६३.००	१६३.००
	25mmx3/4"	गोटा	१८७.००	१८७.००	१८७.००
	32mmx1/2"	गोटा	१६९.००	१६९.००	१६९.००
	32mmx3/4"	गोटा	१८१.००	१८१.००	१८१.००
	32mmx1"	गोटा	३६३.००	३६३.००	३६३.००
	40mmx1-1/4"	गोटा	६१४.००	६१४.००	६१४.००
	50mmx1-1/2"	गोटा	९२५.००	९२५.००	९२५.००
	63mmx2"	गोटा	१२२१.००	१२२१.००	१२२१.००
	75mmx2-1/2"	गोटा	३०३७.००	३०३७.००	३०३७.००
२७	Female Coupling				
	20mmx1/2"	गोटा	१०९.००	१०९.००	१०९.००
	20mmx3/4"	गोटा	१२८.००	१२८.००	१२८.००
	25mmx1/2"	गोटा	१४४.००	१४४.००	१४४.००
	25mmx3/4"	गोटा	१४६.००	१४६.००	१४६.००
	32mmx1/2"	गोटा	१२३.००	१२३.००	१२३.००
	32mmx3/4"	गोटा	१३२.००	१३२.००	१३२.००
	32mmx1"	गोटा	३११.००	३११.००	३११.००
	40mmx1-1/4"	गोटा	५३९.००	५३९.००	५३९.००
	50mmx1-1/2"	गोटा	६९८.००	६९८.००	६९८.००
	63mmx2"	गोटा	९३६.००	९३६.००	९३६.००
	75mmx2-1/2"	गोटा	२७७९.००	२७७९.००	२७७९.००
२८	Male Union				
	20mmx1/2"	गोटा	३०२.००	३०२.००	३०२.००

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङहरू



सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	25mmx3/4"	गोटा	४३५.००	४३५.००	४३५.००
	32mmx1"	गोटा	६३९.००	६३९.००	६३९.००
	40mmx1 ^{1/4} "	गोटा	११५१.००	११५१.००	११५१.००
	50mmx1/2"	गोटा	१५३९.००	१५३९.००	१५३९.००
	63mmx2"	गोटा	३९७०.००	३९७०.००	३९७०.००
२९	Female Union				
	20mmx1/2"	गोटा	२९२.००	२९२.००	२९२.००
	25mmx3/4"	गोटा	३७८.००	३७८.००	३७८.००
	32mmx1"	गोटा	६११.००	६११.००	६११.००
	40mmx1 ^{1/4} "	गोटा	८४३.००	८४३.००	८४३.००
	50mmx1/2"	गोटा	१४४१.००	१४४१.००	१४४१.००
	63mmx2"	गोटा	२६३०.००	२६३०.००	२६३०.००
३०	Stop Valve				
	20 mm	गोटा	३४९.००	३४९.००	३४९.००
	25 mm	गोटा	४६०.००	४६०.००	४६०.००
	32 mm	गोटा	५५५.००	५५५.००	५५५.००
	40mm	गोटा	५९५.००	५९५.००	५९५.००
	50 mm	गोटा	९९२.००	९९२.००	९९२.००
	63 mm	गोटा	१४९१.००	१४९१.००	१४९१.००
	75 mm	गोटा	२८४०.००	२८४०.००	२८४०.००
	90 mm	गोटा	३१०९.००	३१०९.००	३१०९.००
	110 mm	गोटा	४२४९.००	४२४९.००	४२४९.००
	MALE SEATED ELBOW				
	20mm*1/2"	गोटा	१५५.००	१५५.००	१५५.००
	25mm*1/2"	गोटा	१७८.००	१७८.००	१७८.००
	25mm*3/4"	गोटा	१९८.००	१९८.००	१९८.००
	FEMALE SEATED ELBOW				
	20mm*1/2"	गोटा	१६८.००	१६८.००	१६८.००
	25mm*1/2"	गोटा	२१०.००	२१०.००	२१०.००
	25mm*3/4"	गोटा	२२०.००	२२०.००	२२०.००
३१	Male base elbow				
	20mm x 1/2"	गोटा	१५६.००	१५६.००	१५६.००
	25mm x 1/2"	गोटा	१९३.००	१९३.००	१९३.००
	25mm x 3/4"	गोटा	१९३.००	१९३.००	१९३.००
३२	Female base elbow				
	20mm x 1/2"	गोटा	१५३.००	१५३.००	१५३.००
	25mm x 1/2"	गोटा	१८८.००	१८८.००	१८८.००
	25mm x 3/4"	गोटा	१८५.००	१८५.००	१८५.००
३३	Metal Ball valve (double)				
	20mmx1/2"	गोटा	६४५.००	६४५.००	६४५.००


पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	25mmx3/4"	गोटा	९४५.००	९४५.००	९४५.००
	32mmx1"	गोटा	११६७.००	११६७.००	११६७.००
	40mmx1-1/4"	गोटा	३३२३.००	३३२३.००	३३२३.००
	50mmx1-1/2"	गोटा	४५६६.००	४५६६.००	४५६६.००
३४	Metal Ball valve (Single)				
	20mmx1/2"	गोटा	५९५.००	५९५.००	५९५.००
	25mmx3/4"	गोटा	७७५.००	७७५.००	७७५.००
	32mmx1"	गोटा	१३१५.००	१३१५.००	१३१५.००
३५	Conceal Valve (Lux)				
	20mm	गोटा	१११३.००	१११३.००	१११३.००
३६	Conceal Valve (Nor)				
	20mm	गोटा	९३७.००	९३७.००	९३७.००
३७	Ball Valve (Plastic)				
	20mm	गोटा	९४.००	९४.००	९४.००
	25mm	गोटा	१२८.००	१२८.००	१२८.००
	32mm	गोटा	२१९.००	२१९.००	२१९.००
	40mm	गोटा	४७६.००	४७६.००	४७६.००
	50mm	गोटा	६९०.००	६९०.००	६९०.००
	63 mm	गोटा	११६७.००	११६७.००	११६७.००
	75 mm	गोटा	१६३३.००	१६३३.००	१६३३.००
	90 mm	गोटा	३२३७.००	३२३७.००	३२३७.००
	110 mm	गोटा	४४२७.००	४४२७.००	४४२७.००
३८	Ball Valve (Brass)				
	20mm	गोटा	३४२.००	३४२.००	३४२.००
	25mm	गोटा	४२२.००	४२२.००	४२२.००
	32mm	गोटा	५७३.००	५७३.००	५७३.००
	40mm	गोटा	९४८.००	९४८.००	९४८.००
	TANK NIPPLE				
	32mm	गोटा	२६५.००	२६५.००	२६५.००
	40mm	गोटा	३२७.००	३२७.००	३२७.००
	PIPE TANK NIPPLE				
	32mm	गोटा	१४८.००	१४८.००	१४८.००
	BALL VALVE METAL BODY				
	20mm	गोटा	५९२.००	५९२.००	५९२.००
	25mm	गोटा	८०४.००	८०४.००	८०४.००
	32mm	गोटा	११६६.००	११६६.००	११६६.००
	40mm	गोटा	१५५२.००	१५५२.००	१५५२.००
	50mm	गोटा	१९४१.००	१९४१.००	१९४१.००
	63mm	गोटा	२४८५.००	२४८५.००	२४८५.००
	75mm	गोटा	६७२४.००	६७२४.००	६७२४.००
	90mm	गोटा	१०८८५.००	१०८८५.००	१०८८५.००

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp on the right side with text in Nepali: 'विशाल बस्नेत, प्रमुख जिल्ला अधिकारी'.


पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	110mm	गोटा	१३०६२.००	१३०६२.००	१३०६२.००
	BALL VALVE FEMALE				
	20mm	गोटा	५९२.००	५९२.००	५९२.००
	25mm	गोटा	८०४.००	८०४.००	८०४.००
	32mm	गोटा	११६६.००	११६६.००	११६६.००
	40mm	गोटा	१५५२.००	१५५२.००	१५५२.००
	50mm	गोटा	१९४१.००	१९४१.००	१९४१.००
	63mm	गोटा	२४८५.००	२४८५.००	२४८५.००
	75mm	गोटा	६७२४.००	६७२४.००	६७२४.००
	90mm	गोटा	१०८८५.००	१०८८५.००	१०८८५.००
	110mm	गोटा	१३०६२.००	१३०६२.००	१३०६२.००
	PLUG NIPPLE				
	20mm	गोटा	११.००	११.००	११.००
	DOUBLE FEMALE ELBOW				
	20mm*1/2"	गोटा	२५६.००	२५६.००	२५६.००
	25mm*1/2"	गोटा	२९४.००	२९४.००	२९४.००

अतिरिक्त बस्नेत
 प्रमुख जिल्ला अधिकारी

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
A	UPVC Pipes				
१	UPVC Pipe NS 206/046 - 2.5 kg /cm ² Pressure				
	90 mm	र.मी	१६६.००	१६६.००	१६६.००
	110 mm	र.मी	२४७.००	२४७.००	२४७.००
	125 mm	र.मी	३१५.००	३१५.००	३१५.००
	140 mm	र.मी	३८९.००	३८९.००	३८९.००
	160 mm	र.मी	५०८.००	५०८.००	५०८.००
	180 mm	र.मी	६५१.००	६५१.००	६५१.००
	200 mm	र.मी	७९६.००	७९६.००	७९६.००
२	UPVC Pipe NS 206/046 - 4 kg /cm ² Pressure				
	63mm	र.मी	१३२.००	१३२.००	१३२.००
	75mm	र.मी	१८१.००	१८१.००	१८१.००
	90 mm	र.मी	२६०.००	२६०.००	२६०.००
	110 mm	र.मी	३५७.००	३५७.००	३५७.००
	125 mm	र.मी	४९२.००	४९२.००	४९२.००
	140 mm	र.मी	६२५.००	६२५.००	६२५.००
	160 mm	र.मी	८०८.००	८०८.००	८०८.००
	180 mm	र.मी	१०४०.००	१०४०.००	१०४०.००
	200 mm	र.मी	१२६२.००	१२६२.००	१२६२.००
३	UPVC Pipe NS 206/046 - 6 kg /cm ² Pressure				
	40mm	र.मी	७७.००	७७.००	७७.००
	50mm	र.मी	११७.००	११७.००	११७.००
	63mm	र.मी	१८९.००	१८९.००	१८९.००
	75mm	र.मी	२६३.००	२६३.००	२६३.००
	90 mm	र.मी	३७८.००	३७८.००	३७८.००
	110 mm	र.मी	५४८.००	५४८.००	५४८.००
	125 mm	र.मी	७३०.००	७३०.००	७३०.००
	140 mm	र.मी	९०९.००	९०९.००	९०९.००
	160 mm	र.मी	११६४.००	११६४.००	११६४.००
	180 mm	र.मी	१४८५.००	१४८५.००	१४८५.००
	200 mm	र.मी	१८१९.००	१८१९.००	१८१९.००
४	UPVC Pipe NS 206/046 - 10 kg /cm ² Pressure				
	20 mm	र.मी	३०.००	३०.००	३०.००
	25 mm	र.मी	४७.००	४७.००	४७.००
	32mm	र.मी	७७.००	७७.००	७७.००
	40mm	र.मी	११६.००	११६.००	११६.००
	50mm	र.मी	१८३.००	१८३.००	१८३.००
	63mm	र.मी	२९२.००	२९२.००	२९२.००
	75mm	र.मी	४१५.००	४१५.००	४१५.००
	90 mm	र.मी	५९३.००	५९३.००	५९३.००
	110 mm	र.मी	८८०.००	८८०.००	८८०.००
	125 mm	र.मी	११२६.००	११२६.००	११२६.००
	140 mm	र.मी	१४२२.००	१४२२.००	१४२२.००



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	160 mm	र.मी	१८३०.००	१८३०.००	१८३०.००
	180 mm	र.मी	२३३२.००	२३३२.००	२३३२.००
	200 mm	र.मी	२८८३.००	२८८३.००	२८८३.००
	UPVC PIPE AS PER IS 13592				
	50mm	र.मी	८८.००	८८.००	८८.००
	75mm	र.मी	१४१.००	१४१.००	१४१.००
	110mm	र.मी	२७८.००	२७८.००	२७८.००
	160mm	र.मी	५८६.००	५८६.००	५८६.००
	200mm	र.मी	९०५.००	९०५.००	९०५.००
	DURADRAIN				
	110mm SN 8	र.मी	४२४.००	४२४.००	४२४.००
	75mm SN 8	र.मी	२१०.००	२१०.००	२१०.००
B	UPVC fittings				
१	Coupler				
	50 mm	गोटा	३६.००	३६.००	३६.००
	75 mm	गोटा	८८.००	८८.००	८८.००
	110 mm	गोटा	१५०.००	१५०.००	१५०.००
२	Bend 87.5 degree				
	50 mm	गोटा	५४.००	५४.००	५४.००
	75 mm	गोटा	१२६.००	१२६.००	१२६.००
	110 mm	गोटा	२३५.००	२३५.००	२३५.००
३	Bend 45 degree				
	50 mm	गोटा	५२.००	५२.००	५२.००
	75 mm	गोटा	१०३.००	१०३.००	१०३.००
	110 mm	गोटा	१८५.००	१८५.००	१८५.००
४	Single Tee				
	50 mm	गोटा	७९.००	७९.००	७९.००
	75 mm	गोटा	१७२.००	१७२.००	१७२.००
	110 mm	गोटा	३२७.००	३२७.००	३२७.००
५	Pipe clip				
	50 mm	गोटा	१६.००	१६.००	१६.००
	75 mm	गोटा	३२.००	३२.००	३२.००
	110 mm	गोटा	४३.००	४३.००	४३.००
६	Bend 87.5 degree with door				
	75 mm	गोटा	१६३.००	१६३.००	१६३.००
	110 mm	गोटा	२८४.००	२८४.००	२८४.००
७	Single Tee with door				
	75 mm	गोटा	२३२.००	२३२.००	२३२.००
	110 mm	गोटा	४३३.००	४३३.००	४३३.००
८	Double Tee				
	75 mm	गोटा	३७८.००	३७८.००	३७८.००
	110 mm	गोटा	५९९.००	५९९.००	५९९.००
९	Double Tee with door				
	75 mm	गोटा	५०१.००	५०१.००	५०१.००

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	110 mm	गोटा	७७८.००	७७८.००	७७८.००
१०	Vent cowl				
	75 mm	गोटा	६२.००	६२.००	६२.००
	110 mm	गोटा	१०२.००	१०२.००	१०२.००
११	Socket plug				
	75 mm	गोटा	७७.००	७७.००	७७.००
	110 mm	गोटा	१२६.००	१२६.००	१२६.००
१२	Single "Y"				
	75 mm	गोटा	१९७.००	१९७.००	१९७.००
	110 mm	गोटा	४२६.००	४२६.००	४२६.००
१३	Single "Y" with door				
	75 mm	गोटा	२७०.००	२७०.००	२७०.००
	110 mm	गोटा	५१४.००	५१४.००	५१४.००
१४	Double "Y"				
	75 mm	गोटा	२९७.००	२९७.००	२९७.००
	110 mm	गोटा	५८६.००	५८६.००	५८६.००
१५	Double "Y" with door				
	75 mm	गोटा	३८२.००	३८२.००	३८२.००
	110 mm	गोटा	६१४.००	६१४.००	६१४.००
१६	Cleaning pipe				
	75 mm	गोटा	१७२.००	१७२.००	१७२.००
	110 mm	गोटा	३३३.००	३३३.००	३३३.००
१७	Reducer				
	110x 75 mm	गोटा	१५३.००	१५३.००	१५३.००
	75x50 mm	गोटा	८१.००	८१.००	८१.००
१८	P -Trap				
	125mmx110mm	गोटा	६३३.००	६३३.००	६३३.००
	110mmx110mm	गोटा	५९३.००	५९३.००	५९३.००
	75mmx75mm	गोटा	२२६.००	२२६.००	२२६.००
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	३२९.००	३२९.००	३२९.००
२०	Nahani-Trap				
	110mmx75mm	गोटा	२९९.००	२९९.००	२९९.००
२२	W.C. Connector (bent type)	गोटा	३०६.००	३०६.००	३०६.००
२३	Square tile with jali	गोटा	९८.००	९८.००	९८.००
२४	Round jali	गोटा	४४.००	४४.००	४४.००
२५	End cap 50mm	गोटा	२९.००	२९.००	२९.००

जिल्ला प्रमुख अधिकारी

पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाँहकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2" dia. (42.19 Kg/cm2)	र.मि	१२१.००	१२१.००	१२१.००
	3/4" dia. (33.75 Kg/cm2)	र.मि	१५६.००	१५६.००	१५६.००
	1" dia. (31.64 Kg/cm2)	र.मि	२४०.००	२४०.००	२४०.००
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	२९७.००	२९७.००	२९७.००
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	३६४.००	३६४.००	३६४.००
	2" dia. (19.69 Kg/cm2)	र.मि	४९७.००	४९७.००	४९७.००
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	७२२.००	७२२.००	७२२.००
	3" dia. (18.28 Kg/cm2)	र.मि	९१२.००	९१२.००	९१२.००
	4" dia. (15.47 Kg/cm2)	र.मि	१३१८.००	१३१८.००	१३१८.००
	6" dia. (12.66 Kg/cm2)	र.मि	२७४६.००	२७४६.००	२७४६.००
	PVC FITTINGS as per ASTM D 2466				
	PVC Tee - Soc				
	1/2"	गोटा	३४.००	३४.००	३४.००
	3/4"	गोटा	४६.००	४६.००	४६.००
	1"	गोटा	७३.००	७३.००	७३.००
	1-1/4"	गोटा	११६.००	११६.००	११६.००
	1-1/2"	गोटा	१५२.००	१५२.००	१५२.००
	2"	गोटा	२३५.००	२३५.००	२३५.००
	2-1/2"	गोटा	६७४.००	६७४.००	६७४.००
	3"	गोटा	८८६.००	८८६.००	८८६.००
	4"	गोटा	१५७८.००	१५७८.००	१५७८.००
	6"	गोटा	८७५२.००	८७५२.००	८७५२.००
	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	६७.००	६७.००	६७.००
	1 x 1/2	गोटा	१०३.००	१०३.००	१०३.००
	1 x 3/4	गोटा	१०३.००	१०३.००	१०३.००
	1-1/2 X 1/2	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 X 3/4	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 X 1	गोटा	३५०.००	३५०.००	३५०.००
	1-1/2 X 1-1/4	गोटा	३५०.००	३५०.००	३५०.००
	2 X 1/2	गोटा	४३२.००	४३२.००	४३२.००
	2 X 3/4	गोटा	४३२.००	४३२.००	४३२.००
	2 X 1	गोटा	४३२.००	४३२.००	४३२.००
	2 X 1-1/4	गोटा	४३२.००	४३२.००	४३२.००
	2 X 1-1/2	गोटा	४३२.००	४३२.००	४३२.००
	2-1/2 X 1/2	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 X 3/4	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 X 1	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 X 1-1/4	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 X 1-1/2	गोटा	१०९५.००	१०९५.००	१०९५.००
	2-1/2 X 2	गोटा	१०९५.००	१०९५.००	१०९५.००

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right that reads 'जितनन्द बस्नेत प्रमुख जिल्ला अधिकारी'.

पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. ०७९।८०	आ. व. ०८०।८१	आ. व. ०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	3 X 1/2	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 3/4	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1-1/4	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 1-1/2	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 2	गोटा	१५९९.००	१५९९.००	१५९९.००
	3 X 2-1/2	गोटा	१५९९.००	१५९९.००	१५९९.००
	6 X 1-1/4	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 1-1/2	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 2	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 2-1/2	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 3	गोटा	८४०७.००	८४०७.००	८४०७.००
	6 X 4	गोटा	८४०७.००	८४०७.००	८४०७.००
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	गोटा	१७१.००	१७१.००	१७१.००
	3/4"	गोटा	३११.००	३११.००	३११.००
	3/4" X 1/2"	गोटा	२५२.००	२५२.००	२५२.००
	1" X 1/2"	गोटा	४४७.००	४४७.००	४४७.००
	PVC 90° Elbow - Soc				
	1/2"	गोटा	२७.००	२७.००	२७.००
	3/4"	गोटा	३१.००	३१.००	३१.००
	1"	गोटा	५६.००	५६.००	५६.००
	1-1/4"	गोटा	९९.००	९९.००	९९.००
	1-1/2"	गोटा	११६.००	११६.००	११६.००
	2"	गोटा	१७८.००	१७८.००	१७८.००
	2-1/2"	गोटा	५२८.००	५२८.००	५२८.००
	3"	गोटा	६३३.००	६३३.००	६३३.००
	4"	गोटा	१२७६.००	१२७६.००	१२७६.००
	6"	गोटा	५३७७.००	५३७७.००	५३७७.००
	PVC Brass 90° Elbow Soc x Fipt SCH 80				०.००
	1/2"	गोटा	१८४.००	१८४.००	१८४.००
	3/4"	गोटा	२५८.००	२५८.००	२५८.००
	3/4" X 1/2"	गोटा	२६६.००	२६६.००	२६६.००
	PVC 45° Elbow - Soc				
	1/2"	गोटा	५८.००	५८.००	५८.००
	3/4"	गोटा	९१.००	९१.००	९१.००
	1"	गोटा	१०८.००	१०८.००	१०८.००
	1-1/4"	गोटा	१५२.००	१५२.००	१५२.००
	1-1/2"	गोटा	१९१.००	१९१.००	१९१.००
	2"	गोटा	२४९.००	२४९.००	२४९.००
	2-1/2"	गोटा	७३३.००	७३३.००	७३३.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

पि.भि.सि. पाईप तथा फिटिङ्गहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु. अंकित सामग्रीको दररेट		
			आ. व. ०७१।८०	आ. व. ०८०।८१	आ. व. ०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	3"	गोटा	१०९२.००	१०९२.००	१०९२.००
	4"	गोटा	१९५९.००	१९५९.००	१९५९.००
	6"	गोटा	५३९१.००	५३९१.००	५३९१.००
	PVC Coupling - Soc				
	1/2"	गोटा	१८.००	१८.००	१८.००
	3/4"	गोटा	२७.००	२७.००	२७.००
	1"	गोटा	४३.००	४३.००	४३.००
	1-1/4"	गोटा	५९.००	५९.००	५९.००
	1-1/2"	गोटा	८१.००	८१.००	८१.००
	2"	गोटा	१२४.००	१२४.००	१२४.००
	2-1/2"	गोटा	२६३.००	२६३.००	२६३.००
	3"	गोटा	४११.००	४११.००	४११.००
	4"	गोटा	६४३.००	६४३.००	६४३.००
	6"	गोटा	२५४१.००	२५४१.००	२५४१.००
	PVC Reducer Coupling - Soc				
	3/4 X 1/2	गोटा	४४.००	४४.००	४४.००
	1 X 3/4	गोटा	७७.००	७७.००	७७.००
	1-1/2 X 1-1/4	गोटा	१३९.००	१३९.००	१३९.००
	2 X 1-1/2	गोटा	२२१.००	२२१.००	२२१.००
	4 x 2	गोटा	१४६१.००	१४६१.००	१४६१.००
	4 X 3	गोटा	१४६१.००	१४६१.००	१४६१.००
	6 X 4	गोटा	३०३९.००	३०३९.००	३०३९.००
	PVC Reducer Bushing - (Flush Style)				
	3/4 X 1/2	गोटा	३७.००	३७.००	३७.००
	1 X 1/2	गोटा	५३.००	५३.००	५३.००
	1 X 3/4	गोटा	५३.००	५३.००	५३.००
	1-1/4 X 1/2	गोटा	९१.००	९१.००	९१.००
	1-1/4 X 3/4	गोटा	९१.००	९१.००	९१.००
	1-1/4 X 1	गोटा	९१.००	९१.००	९१.००
	1-1/2 X 1/2	गोटा	९५.००	९५.००	९५.००
	1-1/2 X 3/4	गोटा	९५.००	९५.००	९५.००
	1-1/2 X 1	गोटा	९५.००	९५.००	९५.००
	1-1/2 X 1-1/4	गोटा	९५.००	९५.००	९५.००
	2 X 1/2	गोटा	१७५.००	१७५.००	१७५.००
	2 X 3/4	गोटा	१७५.००	१७५.००	१७५.००
	2 X 1	गोटा	१७५.००	१७५.००	१७५.००
	2 X 1-1/4	गोटा	१७५.००	१७५.००	१७५.००
	2 X 1-1/2	गोटा	१७५.००	१७५.००	१७५.००
	2-1/2 X 1-1/4	गोटा	२४७.००	२४७.००	२४७.००
	2-1/2 X 1-1/2	गोटा	२४७.००	२४७.००	२४७.००
	2-1/2 X 2	गोटा	२४७.००	२४७.००	२४७.००

Handwritten signatures and stamps are present at the bottom of the page. On the right, there is a stamp that reads 'जिबिन बस्नेत प्रमुख जिल्ला अधिकाारी' (Jibin Basnet, Chief District Officer).

पि.भि.सि. पाईप तथा फिटिङहरू



सि.नं.	सामग्रीहरूको विवरण	एकाई	मु.अ.क.सं. बाहिकको दररेट		
			आ.व.०७९१८०	आ.व.०८०१८१	आ.व.०८११८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	3 X 1-1/2	गोटा	३६६.००	३६६.००	३६६.००
	3 X 2	गोटा	३६६.००	३६६.००	३६६.००
	3 X 2-1/2	गोटा	३६६.००	३६६.००	३६६.००
	4 X 2	गोटा	७२०.००	७२०.००	७२०.००
	4 X 3	गोटा	७२०.००	७२०.००	७२०.००
	6 X 2	गोटा	२३८४.००	२३८४.००	२३८४.००
	6 X 3	गोटा	२३८४.००	२३८४.००	२३८४.००
	6 X 4	गोटा	२३८४.००	२३८४.००	२३८४.००
	PVC Cap - Soc				
	1/2"	गोटा	२५.००	२५.००	२५.००
	3/4"	गोटा	३१.००	३१.००	३१.००
	1"	गोटा	४४.००	४४.००	४४.००
	1-1/4"	गोटा	६३.००	६३.००	६३.००
	1-1/2"	गोटा	७०.००	७०.००	७०.००
	2"	गोटा	८४.००	८४.००	८४.००
	2-1/2"	गोटा	२७०.००	२७०.००	२७०.००
	3"	गोटा	२९६.००	२९६.००	२९६.००
	4"	गोटा	६७४.००	६७४.००	६७४.००
	6"	गोटा	२६२२.००	२६२२.००	२६२२.००
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	गोटा	२७०.००	२७०.००	२७०.००
	3/4"	गोटा	३१०.००	३१०.००	३१०.००
	1"	गोटा	३१७.००	३१७.००	३१७.००
	1-1/4"	गोटा	१०२३.००	१०२३.००	१०२३.००
	1-1/2"	गोटा	१०५१.००	१०५१.००	१०५१.००
	2"	गोटा	१४१७.००	१४१७.००	१४१७.००
	2-1/2"	गोटा	१९८३.००	१९८३.००	१९८३.००
	3"	गोटा	३१६८.००	३१६८.००	३१६८.००
	4"	गोटा	४३८६.००	४३८६.००	४३८६.००
	PVC Male Adaptor - Soc x MBSP				
	1/2"	गोटा	४९.००	४९.००	४९.००
	3/4"	गोटा	५७.००	५७.००	५७.००
	1"	गोटा	७५.००	७५.००	७५.००
	1-1/4"	गोटा	९२.००	९२.००	९२.००
	1-1/2"	गोटा	१२९.००	१२९.००	१२९.००
	2"	गोटा	१६६.००	१६६.००	१६६.००
	2-1/2"	गोटा	५८१.००	५८१.००	५८१.००
	3"	गोटा	६९०.००	६९०.००	६९०.००
	4"	गोटा	१०७६.००	१०७६.००	१०७६.००
	6"	गोटा	२४७६.००	२४७६.००	२४७६.००
	PVC Brass Male Adaptor - Soc x Mipt SCH 80				

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.

पि.भि.सि. पाईप तथा फिटिङ्गहरु




सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क्र.बि.सि.को दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2"	गोटा	२७९.००	२७९.००	२७९.००
	3/4"	गोटा	३७३.००	३७३.००	३७३.००
	1"	गोटा	५६१.००	५६१.००	५६१.००
	PVC Female Adaptor - Soc x FBSP				
	1/2"	गोटा	६२.००	६२.००	६२.००
	3/4"	गोटा	६५.००	६५.००	६५.००
	1"	गोटा	६८.००	६८.००	६८.००
	1-1/4"	गोटा	१७८.००	१७८.००	१७८.००
	1-1/2"	गोटा	२६१.००	२६१.००	२६१.००
	2"	गोटा	२५३.००	२५३.००	२५३.००
	PVC Brass Female Adapter - Soc x Fipt SCH 80				
	1/2"	गोटा	२३४.००	२३४.००	२३४.००
	3/4"	गोटा	३३१.००	३३१.००	३३१.००
	1"	गोटा	४२५.००	४२५.००	४२५.००
	PVC Ball Valve - Soc				
	1/2"	गोटा	९२५.००	९२५.००	९२५.००
	3/4"	गोटा	११००.००	११००.००	११००.००
	1"	गोटा	१५३९.००	१५३९.००	१५३९.००
	1-1/4"	गोटा	२०८४.००	२०८४.००	२०८४.००
	1-1/2"	गोटा	३१७८.००	३१७८.००	३१७८.००
	2"	गोटा	४०१९.००	४०१९.००	४०१९.००
	2-1/2"	गोटा	६६३९.००	६६३९.००	६६३९.००
	3"	गोटा	१०४१८.००	१०४१८.००	१०४१८.००
	4"	गोटा	१७२१८.००	१७२१८.००	१७२१८.००
	6"	गोटा	३७३९९.००	३७३९९.००	३७३९९.००
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML	गोटा	३२१.००	३२१.००	३२१.००
	237ML	गोटा	४६०.००	४६०.००	४६०.००
	473ML	गोटा	८३४.००	८३४.००	८३४.००
	946ML	गोटा	१३७३.००	१३७३.००	१३७३.००
	PVC Adhesive Solution (Heavy Bonded 717)				
	118ML	गोटा	५१६.००	५१६.००	५१६.००
	237ML	गोटा	६८१.००	६८१.००	६८१.००
	473ML	गोटा	११९४.००	११९४.००	११९४.००
	946ML	गोटा	२०६७.००	२०६७.००	२०६७.००

जितेंद्र बस्नेत

 प्रमुख जिल्ला अधिकारी


पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
1	Class 500 PVC-O pipes-PN 12.5				
	90 mm	र.मि	७३०.००	७३०.००	७३०.००
	110 mm	र.मि	१०५०.००	१०५०.००	१०५०.००
	125 mm	र.मि	१४५०.००	१४५०.००	१४५०.००
	140 mm	र.मि	१७५०.००	१७५०.००	१७५०.००
	160 mm	र.मि	२२००.००	२२००.००	२२००.००
	200 mm	र.मि	३५००.००	३५००.००	३५००.००
	225 mm	र.मि	४४००.००	४४००.००	४४००.००
	250 mm	र.मि	५२००.००	५२००.००	५२००.००
	315 mm	र.मि	८५००.००	८५००.००	८५००.००
	355 mm	र.मि	१०८००.००	१०८००.००	१०८००.००
	400 mm	र.मि	१३७७८.००	१३७७८.००	१३७७८.००
	450 mm	र.मि	१९०००.००	१९०००.००	१९०००.००
	500 mm	र.मि	२२७००.००	२२७००.००	२२७००.००
	630 mm	र.मि	३६०००.००	३६०००.००	३६०००.००
	800 mm	र.मि	५८०००.००	५८०००.००	५८०००.००
	1000 mm	र.मि	११००००.००	११००००.००	११००००.००
	1200 mm	र.मि	१५००००.००	१५००००.००	१५००००.००
2	Class 500 PVC-O pipes-PN 16				
	90 mm	र.मि	८५४.४०	८५४.४०	८५४.४०
	110 mm	र.मि	१२६०.००	१२६०.००	१२६०.००
	125 mm	र.मि	१५५०.००	१५५०.००	१५५०.००
	140 mm	र.मि	१९५०.००	१९५०.००	१९५०.००
	160 mm	र.मि	२६००.००	२६००.००	२६००.००
	180 mm	र.मि			२९००.००
	200 mm	र.मि	४०००.००	४०००.००	४०००.००
	225 mm	र.मि	४९५०.००	४९५०.००	४९५०.००
	250 mm	र.मि	६३००.००	६३००.००	६३००.००
	315 mm	र.मि	९६००.००	९६००.००	९६००.००
	355 mm	र.मि	१२७००.००	१२७००.००	१२७००.००
	400 mm	र.मि	१५९४७.००	१५९४७.००	१५९४७.००
	450 mm	र.मि	२०९३९.००	२०९३९.००	२०९३९.००
	500 mm	र.मि	२४५९९.००	२४५९९.००	२४५९९.००
	630 mm	र.मि	३८४९२.००	३८४९२.००	३८४९२.००
	800 mm	र.मि	५९३८२.००	५९३८२.००	५९३८२.००
	1000 mm	र.मि	९६०००.००	९६०००.००	९६०००.००
	1200 mm	र.मि	१४००००.००	१४००००.००	१४००००.००
3	Class 500 PVC-O pipes-PN 25				
	90 mm	र.मि	१७००.००	१७००.००	१७००.००
	110 mm	र.मि	२५००.००	२५००.००	२५००.००
	125 mm	र.मि	२७००.००	२७००.००	२७००.००
	140 mm	र.मि	३९००.००	३९००.००	३९००.००
	160 mm	र.मि	३८००.००	३८००.००	३८००.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'जितेन्द्र बस्नेत प्रमुख जिल्ला अधिका'.

पि.भि.सि.ओ. पाइप तथा फिटिङ्गहरु




सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	200 mm	र.मि	५३९७.००	५३९७.००	५३९७.००
	225 mm	र.मि	६५६६.००	६५६६.००	६५६६.००
	250 mm	र.मि	७६८८.००	७६८८.००	७६८८.००
	315 mm	र.मि	१०८९५.०४	१०८९५.०४	१०८९५.०४
	355 mm	र.मि	१४०४०.००	१४०४०.००	१४०४०.००
	400 mm	र.मि	१९४२०.१३	१९४२०.१३	१९४२०.१३
	450 mm	र.मि	२५७०५.५०	२५७०५.५०	२५७०५.५०
	500 mm	र.मि	३१२५५.६८	३१२५५.६८	३१२५५.६८
	630 mm	र.मि	४८१७९.१४	४८१७९.१४	४८१७९.१४
	PVC-O Fittings				
	Elbow 11.25° (PN 16)				
	110	गोटा	६९६९.००	६९६९.००	६९६९.००
	160	गोटा	१४९९६.८४	१४९९६.८४	१४९९६.८४
	200	गोटा	२७५४५.२८	२७५४५.२८	२७५४५.२८
	250	गोटा	४१९४३.१६	४१९४३.१६	४१९४३.१६
	315	गोटा	७९६२४.००	७९६२४.००	७९६२४.००
	400	गोटा	१४७१८५.००	१४७१८५.००	१४७१८५.००
	Elbow 22.5° (PN 16)				
	110	गोटा	७२४८.००	७२४८.००	७२४८.००
	160	गोटा	१५८३०.३५	१५८३०.३५	१५८३०.३५
	200	गोटा	२८६४७.०९	२८६४७.०९	२८६४७.०९
	250	गोटा	४३६२०.८९	४३६२०.८९	४३६२०.८९
	315	गोटा	८२८०९.००	८२८०९.००	८२८०९.००
	400	गोटा	१५३०७३.००	१५३०७३.००	१५३०७३.००
	Elbow 45° (PN 16)				
	110	गोटा	८०१८.००	८०१८.००	८०१८.००
	160	गोटा	१७३८१.९८	१७३८१.९८	१७३८१.९८
	200	गोटा	३१५०३.७३	३१५०३.७३	३१५०३.७३
	250	गोटा	५१६७०.६०	५१६७०.६०	५१६७०.६०
	315	गोटा	९०७९९.००	९०७९९.००	९०७९९.००
	400	गोटा	१७४१८४.००	१७४१८४.००	१७४१८४.००
	Elbow 90° (PN 16)				
	110	गोटा	११२७८.५६	११२७८.५६	११२७८.५६
	160	गोटा	२२५९७.४८	२२५९७.४८	२२५९७.४८
	200	गोटा	४०६३८.६९	४०६३८.६९	४०६३८.६९
	250	गोटा	६७०३८.००	६७०३८.००	६७०३८.००
	315	गोटा	१०३४०३.००	१०३४०३.००	१०३४०३.००
	400	गोटा	२०७२८१.००	२०७२८१.००	२०७२८१.००
	COUPLER (PN 16)				
	110	गोटा	६९५४.००	६९५४.००	६९५४.००
	160	गोटा	१२२८३.०९	१२२८३.०९	१२२८३.०९
	200	गोटा	१७७५४.२०	१७७५४.२०	१७७५४.२०
	250	गोटा	३३२३०.२७	३३२३०.२७	३३२३०.२७

Handwritten signatures and stamps at the bottom of the page, including a stamp from the Ministry of Pulp and Paper, Government of Nepal.

पि.भि.सि.ओ. पाईप तथा फिटिङहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	315	गोटा	६२३८३.००	६२३८३.००	६२३८३.००
	400	गोटा	१३६९२७.००	१३६९२७.००	१३६९२७.००
	SLIDING COUPLER (PN 16)				
	110	गोटा	६९५४.००	६९५४.००	६९५४.००
	160	गोटा	१२२८३.०९	१२२८३.०९	१२२८३.०९
	200	गोटा	१७७५४.२०	१७७५४.२०	१७७५४.२०
	250	गोटा	३३२३०.२७	३३२३०.२७	३३२३०.२७
	315	गोटा	६२३८३.००	६२३८३.००	६२३८३.००
	400	गोटा	१३६९२७.००	१३६९२७.००	१३६९२७.००
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा	८६८८.००	८६८८.००	८६८८.००
	160 to 110	गोटा	१४१२६.२३	१४१२६.२३	१४१२६.२३
	200 to 160	गोटा	१४१६६.५८	१४१६६.५८	१४१६६.५८
	250 to 200	गोटा	२४४३६.१३	२४४३६.१३	२४४३६.१३
	315 to 250	गोटा	५४०५६.००	५४०५६.००	५४०५६.००
	400 to 315	गोटा	१११११८.००	१११११८.००	१११११८.००



 जितेंद्र बस्नेत


 प्रमुख जिल्ला अधिकारी

CP Accessories




सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९१८०	आ.व.०८०१८१	आ.व.०८११८२
	Chrome plated Accessories - (संबन्धित उत्पादक राक्षको गुणस्तर चिन्ह प्राप्त)				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	१०४२.००	१०४२.००	१०४२.००
३	3) Towel rod ½"×18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३६	Self Cleaning Rainfall Showers 9"	गोटा		३९९०.००	३९९०.००

CP Accessories



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
३७	C.P. Angle Cock				
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००
३८	C.P. Conceal Stop Cock				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३९	C.P. Basin Mixer				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९१.००	३८९१.००	३८९१.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२१.००	२०२१.००	२०२१.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand Shower With 1.50 m. PVC Tube	गोटा	१७९१.००	१७९१.००	१७९१.००
	15 mm Telephonic Hand Shower With 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
४०	Deep Scrub Sink				
	28"x28"x24" deep+ 6" splash with	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५१५.००	१५१५.००	१५१५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००

CP Accessories



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	म. व. क बाहेकको दररेट		
			आ. व. ०७९।८०	आ. व. ०८०।८१	आ. व. ०८१।८२
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Wall mounted Sensor mixer for operation theater (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२१.००	१६२२१.००	१६२२१.००
	Sensor valve for Urinal	गोटा	१०६५१.००	१०६५१.००	१०६५१.००
	Basin cock Sensor	गोटा	१४४१८.००	१४४१८.००	१४४१८.००
	15mm U shaped sink cock	गोटा	१७१२.००	१७१२.००	१७१२.००
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२१७१.००	२१७१.००	२१७१.००
४१	European Pattern C.P. Grab Bar for disable				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६१३.००	५६१३.००	५६१३.००
	c) 60 cm long bend type	गोटा	७१८८.००	७१८८.००	७१८८.००

Handwritten signatures and initials in black ink, including names like 'जितेन्द्र बस्नेत' and others.

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	CPVC Pipe SDR 13.5 (22.5 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	१२२.००	१२२.००	१२२.००
	3/4" dia	र.मि	१७०.००	१७०.००	१७०.००
	1" dia	र.मि	२२३.००	२२३.००	२२३.००
	1-1/4" dia	र.मि	२७८.००	२७८.००	२७८.००
	1-1/2" dia	र.मि	३९०.००	३९०.००	३९०.००
	2" dia	र.मि	५९६.००	५९६.००	५९६.००
	CPVC Pipe SDR 11 (28.1 Kg/cm²)-ASTM F-493 2846				
	1/2" dia	र.मि	१३९.००	१३९.००	१३९.००
	3/4" dia	र.मि	१८९.००	१८९.००	१८९.००
	1" dia	र.मि	२६४.००	२६४.००	२६४.००
	1-1/4" dia	र.मि	३१९.००	३१९.००	३१९.००
	1-1/2" dia	र.मि	४४५.००	४४५.००	४४५.००
	2" dia	र.मि	७२१.००	७२१.००	७२१.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	र.मि	२३५.००	२३५.००	२३५.००
	3/4"	र.मि	३६३.००	३६३.००	३६३.००
	1"	र.मि	५९७.००	५९७.००	५९७.००
	1-1/4"	र.मि	१०५९.००	१०५९.००	१०५९.००
	1-1/2"	र.मि	१७२५.००	१७२५.००	१७२५.००
	2"	र.मि	२२२२.००	२२२२.००	२२२२.००
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	गोटा	१४७.००	१४७.००	१४७.००
	1" X 1/2"	गोटा	१९२.००	१९२.००	१९२.००
	CPVC Tee				
	1/2"	गोटा	३८.००	३८.००	३८.००
	3/4"	गोटा	८२.००	८२.००	८२.००
	1"	गोटा	१२४.००	१२४.००	१२४.००
	1-1/4"	गोटा	२३४.००	२३४.००	२३४.००
	1-1/2"	गोटा	३४१.००	३४१.००	३४१.००
	2"	गोटा	७३२.००	७३२.००	७३२.००
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	गोटा	७४.००	७४.००	७४.००
	3/4" x 3/4" x 1/2"	गोटा	११४.००	११४.००	११४.००
	3/4" x 1/2" x 3/4"	गोटा	१४२.००	१४२.००	१४२.००
	3/4" x 1/2" x 1/2"	गोटा	१६३.००	१६३.००	१६३.००
	1" x 1" x 3/4"	गोटा	१७१.००	१७१.००	१७१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२६७.००	२६७.००	२६७.००
	2" x 2" x 1"	गोटा	४६४.००	४६४.००	४६४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१५१.००	१५१.००	१५१.००

Page 154

 जितेन्द्र बास्कोटा

 प्रमुख जिल्ला

सि.पि.भि.सि. पाईप फिटिङ्गहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	1-1/4" x 1-1/4" x 1"	गोटा	१६३.००	१६३.००	१६३.००
	2" x 2" x 1/2"	गोटा	४५६.००	४५६.००	४५६.००
	1" x 1" x 1/2"	गोटा	१०६.००	१०६.००	१०६.००
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	गोटा	१२७.००	१२७.००	१२७.००
	3/4" x 3/4" x 1/2"	गोटा	१३३.००	१३३.००	१३३.००
	1" x 1" x 1/2"	गोटा	१४८.००	१४८.००	१४८.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५३४.००	५३४.००	५३४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२९०.००	२९०.००	२९०.००
	CPVC Elbow 90°				
	1/2"	गोटा	१८.००	१८.००	१८.००
	3/4"	गोटा	३३.००	३३.००	३३.००
	1"	गोटा	६१.००	६१.००	६१.००
	1-1/4"	गोटा	१२४.००	१२४.००	१२४.००
	1-1/2"	गोटा	१८०.००	१८०.००	१८०.००
	2"	गोटा	३९६.००	३९६.००	३९६.००
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	गोटा	५६.००	५६.००	५६.००
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	गोटा	२३९.००	२३९.००	२३९.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२८७.००	२८७.००	२८७.००
	1" X 1/2"	गोटा	४२४.००	४२४.००	४२४.००
	1" X 1"	गोटा	५०२.००	५०२.००	५०२.००
	1-1/4" x 1-1/4"	गोटा	९१९.००	९१९.००	९१९.००
	CPVC Elbow 45°				
	1/2"	गोटा	३१.००	३१.००	३१.००
	3/4"	गोटा	५७.००	५७.००	५७.००
	1"	गोटा	८२.००	८२.००	८२.००
	1-1/4"	गोटा	१४५.००	१४५.००	१४५.००
	1-1/2"	गोटा	२१०.००	२१०.००	२१०.००
	2"	गोटा	४५५.००	४५५.००	४५५.००
	CPVC Male Adapter (CPVC Threads)				
	1/2"	गोटा	२३.००	२३.००	२३.००
	3/4"	गोटा	४१.००	४१.००	४१.००
	1"	गोटा	६२.००	६२.००	६२.००
	1-1/4"	गोटा	११३.००	११३.००	११३.००
	1-1/2"	गोटा	१५८.००	१५८.००	१५८.००
	2"	गोटा	३०९.००	३०९.००	३०९.००
	CPVC Reducing Male Adapter (CPVC Threads)				
	3/4" x 1/2"	गोटा	४३.००	४३.००	४३.००


Handwritten signatures and stamps at the bottom of the page, including a circular stamp with text 'जितेन्द्र बस्नेत' and 'सामुख किल्पा अधिकारी'.

सि.पि.भि.सि. पाईप तथा फिटिङहरू

सि.नं.	निर्माण सामाग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	CPVC Male Adapters (Brass Threads)				
	1/2"	गोटा	२१९.००	२१९.००	२१९.००
	3/4"	गोटा	२८४.००	२८४.००	२८४.००
	1"	गोटा	४४८.००	४४८.००	४४८.००
	1-1/4"	गोटा	९८७.००	९८७.००	९८७.००
	1-1/2"	गोटा	११५१.००	११५१.००	११५१.००
	2"	गोटा	२३७१.००	२३७१.००	२३७१.००
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	गोटा	२४४.००	२४४.००	२४४.००
	CPVC Female Adapter (CPVC Threads)				
	1/2"	गोटा	३३.००	३३.००	३३.००
	3/4"	गोटा	५४.००	५४.००	५४.००
	1"	गोटा	८२.००	८२.००	८२.००
	CPVC Female Adapters Brass Threads				
	1/2"	गोटा	२११.००	२११.००	२११.००
	3/4"	गोटा	२८६.००	२८६.००	२८६.००
	1"	गोटा	३७२.००	३७२.००	३७२.००
	1-1/4"	गोटा	९७७.००	९७७.००	९७७.००
	1-1/2"	गोटा	१०७१.००	१०७१.००	१०७१.००
	2"	गोटा	२०९३.००	२०९३.००	२०९३.००
	CPVC Caps				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	२६.००	२६.००	२६.००
	1"	गोटा	३९.००	३९.००	३९.००
	1-1/4"	गोटा	७६.००	७६.००	७६.००
	1-1/2"	गोटा	११३.००	११३.००	११३.००
	2"	गोटा	२३९.००	२३९.००	२३९.००
	CPVC Union				
	1/2"	गोटा	२८७.००	२८७.००	२८७.००
	3/4"	गोटा	४२४.००	४२४.००	४२४.००
	1"	गोटा	५०२.००	५०२.००	५०२.००
	1-1/4"	गोटा	९१९.००	९१९.००	९१९.००
	1-1/2"	गोटा	१००४.००	१००४.००	१००४.००
	2"	गोटा	१४१९.००	१४१९.००	१४१९.००
	CPVC Cross Tee				
	1/2"	गोटा	५२.००	५२.००	५२.००
	3/4"	गोटा	११३.००	११३.००	११३.००
	CPVC Step Over Bend				
	1/2"	गोटा	६७.००	६७.००	६७.००
	3/4"	गोटा	११०.००	११०.००	११०.००
	CPVC Ball Valve (CTS Sockets)				

जितिम्व बस्नेत
मुख्य जिल्ला अधिकारी

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/८०	आ.व.०८०/८१	आ.व.०८१/८२
	1/2"	गोटा	७०४.००	७०४.००	७०४.००
	3/4"	गोटा	८५८.००	८५८.००	८५८.००
	1"	गोटा	९८१.००	९८१.००	९८१.००
	1-1/4"	गोटा	१९७२.००	१९७२.००	१९७२.००
	1-1/2"	गोटा	२५१०.००	२५१०.००	२५१०.००
	2"	गोटा	३२२८.००	३२२८.००	३२२८.००
	CPVC Solvent Cement				
	50ML	गोटा	२१२.००	२१२.००	२१२.००
	118ML	गोटा	३५०.००	३५०.००	३५०.००
	237ML	गोटा	५६८.००	५६८.००	५६८.००
	473ML	गोटा	८९३.००	८९३.००	८९३.००
	946ML	गोटा	१५४४.००	१५४४.००	१५४४.००
	Plastic Strap				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१९.००	१९.००	१९.००
	Metal Strap				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१७.००	१७.००	१७.००
	1"	गोटा	२२.००	२२.००	२२.००
	1-1/4"	गोटा	२६.००	२६.००	२६.००
	1-1/2"	गोटा	२८.००	२८.००	२८.००
	2"	गोटा	३०.००	३०.००	३०.००
	Tee Holder				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००
	Elbow Holder				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	Snap Fix Repair Coupling				
	1/2"	गोटा	२४४.००	२४४.००	२४४.००
	3/4"	गोटा	२६४.००	२६४.००	२६४.००
	End plug threaded 1/2"	गोटा	११.००	११.००	११.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp that reads "जितनन्द बस्नेत प्रमुख जिल्ला अधिकारी" (Jitannand Basnet, Chief District Officer).

GRP and HDPE/DWC Pipes


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
A)	PN-3, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5317.00	5317.00	5317.00
	350 mm dia	मिटर	6124.00	6124.00	6124.00
	400 mm dia	मिटर	8261.00	8261.00	8261.00
	450 mm dia	मिटर	9793.00	9793.00	9793.00
	500 mm dia	मिटर	11911.00	11911.00	11911.00
	600 mm dia	मिटर	14077.00	14077.00	14077.00
	700 mm dia	मिटर	20482.00	20482.00	20482.00
	800 mm dia	मिटर	26705.00	26705.00	26705.00
	900 mm dia	मिटर	28465.00	28465.00	28465.00
	1000 mm dia	मिटर	34343.00	34343.00	34343.00
	1100 mm dia	मिटर	46440.00	46440.00	46440.00
	1200 mm dia	मिटर	54019.00	54019.00	54019.00
	1300 mm dia	मिटर	66307.00	66307.00	66307.00
	1400 mm dia	मिटर	71324.00	71324.00	71324.00
	1500 mm dia	मिटर	81063.00	81063.00	81063.00
	1600 mm dia	मिटर	87965.00	87965.00	87965.00
	1700 mm dia	मिटर	99172.00	99172.00	99172.00
	1800 mm dia	मिटर	109192.00	109192.00	109192.00
	1900 mm dia	मिटर	120289.00	120289.00	120289.00
	2000 mm dia	मिटर	131388.00	131388.00	131388.00
	2100 mm dia	मिटर	146542.00	146542.00	146542.00
	2200 mm dia	मिटर	161695.00	161695.00	161695.00
	2300 mm dia	मिटर	176916.00	176916.00	176916.00
	2400 mm dia	मिटर	192137.00	192137.00	192137.00
B)	PN-6, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5717.00	5717.00	5717.00
	350 mm dia	मिटर	6585.00	6585.00	6585.00
	400 mm dia	मिटर	8884.00	8884.00	8884.00
	450 mm dia	मिटर	10430.00	10430.00	10430.00
	500 mm dia	मिटर	12807.00	12807.00	12807.00
	600 mm dia	मिटर	15137.00	15137.00	15137.00
	700 mm dia	मिटर	22025.00	22025.00	22025.00
	800 mm dia	मिटर	28715.00	28715.00	28715.00
	900 mm dia	मिटर	30609.00	30609.00	30609.00
	1000 mm dia	मिटर	36929.00	36929.00	36929.00
	1100 mm dia	मिटर	49935.00	49935.00	49935.00
	1200 mm dia	मिटर	58085.00	58085.00	58085.00
	1300 mm dia	मिटर	71297.00	71297.00	71297.00
	1400 mm dia	मिटर	76692.00	76692.00	76692.00
	1500 mm dia	मिटर	87164.00	87164.00	87164.00
	1600 mm dia	मिटर	94586.00	94586.00	94586.00
	1700 mm dia	मिटर	105601.00	105601.00	105601.00



Page 158

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	1800 mm dia	मिटर	117410.00	117410.00	117410.00
	1900 mm dia	मिटर	129344.00	129344.00	129344.00
	2000 mm dia	मिटर	141277.00	141277.00	141277.00
	2100 mm dia	मिटर	157571.00	157571.00	157571.00
	2200 mm dia	मिटर	173866.00	173866.00	173866.00
	2300 mm dia	मिटर	190233.00	190233.00	190233.00
	2400 mm dia	मिटर	206599.00	206599.00	206599.00
	PN-9, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	6175.00	6175.00	6175.00
	350 mm dia	मिटर	7112.00	7112.00	7112.00
	400 mm dia	मिटर	9594.00	9594.00	9594.00
	450 mm dia	मिटर	11264.00	11264.00	11264.00
	500 mm dia	मिटर	13832.00	13832.00	13832.00
	600 mm dia	मिटर	16347.00	16347.00	16347.00
	700 mm dia	मिटर	23786.00	23786.00	23786.00
	800 mm dia	मिटर	31012.00	31012.00	31012.00
	900 mm dia	मिटर	33057.00	33057.00	33057.00
	1000 mm dia	मिटर	39882.00	39882.00	39882.00
	1100 mm dia	मिटर	53411.00	53411.00	53411.00
	1200 mm dia	मिटर	62732.00	62732.00	62732.00
	1300 mm dia	मिटर	77001.00	77001.00	77001.00
	1400 mm dia	मिटर	82828.00	82828.00	82828.00
	1500 mm dia	मिटर	94137.00	94137.00	94137.00
	1600 mm dia	मिटर	102153.00	102153.00	102153.00
	1700 mm dia	मिटर	114049.00	114049.00	114049.00
	1800 mm dia	मिटर	126803.00	126803.00	126803.00
	1900 mm dia	मिटर	139691.00	139691.00	139691.00
	2000 mm dia	मिटर	152579.00	152579.00	152579.00
	2100 mm dia	मिटर	170177.00	170177.00	170177.00
	2200 mm dia	मिटर	187775.00	187775.00	187775.00
	2300 mm dia	मिटर	205451.00	205451.00	205451.00
	2400 mm dia	मिटर	223128.00	223128.00	223128.00
D)	PN-12, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	6730.00	6730.00	6730.00
	350 mm dia	मिटर	7753.00	7753.00	7753.00
	400 mm dia	मिटर	10458.00	10458.00	10458.00
	450 mm dia	मिटर	12278.00	12278.00	12278.00
	500 mm dia	मिटर	15076.00	15076.00	15076.00
	600 mm dia	मिटर	17819.00	17819.00	17819.00
	700 mm dia	मिटर	25927.00	25927.00	25927.00
	800 mm dia	मिटर	33803.00	33803.00	33803.00



Page 159

 जितेन्द्र बस्नेत

 मध्य जिल्ला अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	900 mm dia	मिटर	36032.00	36032.00	36032.00
	1000 mm dia	मिटर	43473.00	43473.00	43473.00
	1100 mm dia	मिटर	58219.00	58219.00	58219.00
	1200 mm dia	मिटर	68378.00	68378.00	68378.00
	1300 mm dia	मिटर	83932.00	83932.00	83932.00
	1400 mm dia	मिटर	90282.00	90282.00	90282.00
	1500 mm dia	मिटर	102610.00	102610.00	102610.00
	1600 mm dia	मिटर	110266.00	110266.00	110266.00
	1700 mm dia	मिटर	124314.00	124314.00	124314.00
	1800 mm dia	मिटर	138216.00	138216.00	138216.00
	1900 mm dia	मिटर	152263.00	152263.00	152263.00
	2000 mm dia	मिटर	166312.00	166312.00	166312.00
	2100 mm dia	मिटर	185494.00	185494.00	185494.00
	2200 mm dia	मिटर	204675.00	204675.00	204675.00
	2300 mm dia	मिटर	223942.00	223942.00	223942.00
	2400 mm dia	मिटर	243208.00	243208.00	243208.00
E)	PN-15, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	7403.00	7403.00	7403.00
	350 mm dia	मिटर	8528.00	8528.00	8528.00
	400 mm dia	मिटर	11394.00	11394.00	11394.00
	450 mm dia	मिटर	13506.00	13506.00	13506.00
	500 mm dia	मिटर	16584.00	16584.00	16584.00
	600 mm dia	मिटर	19601.00	19601.00	19601.00
	700 mm dia	मिटर	28519.00	28519.00	28519.00
	800 mm dia	मिटर	37184.00	37184.00	37184.00
	900 mm dia	मिटर	39636.00	39636.00	39636.00
	1000 mm dia	मिटर	47820.00	47820.00	47820.00
	1100 mm dia	मिटर	64041.00	64041.00	64041.00
	1200 mm dia	मिटर	75216.00	75216.00	75216.00
	1300 mm dia	मिटर	92325.00	92325.00	92325.00
	1400 mm dia	मिटर	99310.00	99310.00	99310.00
	1500 mm dia	मिटर	111775.00	111775.00	111775.00
	1600 mm dia	मिटर	121293.00	121293.00	121293.00
	1700 mm dia	मिटर	136745.00	136745.00	136745.00
	1800 mm dia	मिटर	152037.00	152037.00	152037.00
	1900 mm dia	मिटर	167490.00	167490.00	167490.00
	2000 mm dia	मिटर	182943.00	182943.00	182943.00
	2100 mm dia	मिटर	204042.00	204042.00	204042.00
	2200 mm dia	मिटर	225143.00	225143.00	225143.00
	2300 mm dia	मिटर	246337.00	246337.00	246337.00
	2400 mm dia	मिटर	267530.00	267530.00	267530.00

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
F)	PN-3, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	6922.00	6922.00	6922.00
	350 mm dia	मिटर	7974.00	7974.00	7974.00
	400 mm dia	मिटर	10654.00	10654.00	10654.00
	450 mm dia	मिटर	12628.00	12628.00	12628.00
	500 mm dia	मिटर	15508.00	15508.00	15508.00
	600 mm dia	मिटर	18328.00	18328.00	18328.00
	700 mm dia	मिटर	26668.00	26668.00	26668.00
	800 mm dia	मिटर	34770.00	34770.00	34770.00
	900 mm dia	मिटर	37063.00	37063.00	37063.00
	1000 mm dia	मिटर	44715.00	44715.00	44715.00
	1100 mm dia	मिटर	59884.00	59884.00	59884.00
	1200 mm dia	मिटर	70333.00	70333.00	70333.00
	1300 mm dia	मिटर	86332.00	86332.00	86332.00
	1400 mm dia	मिटर	92863.00	92863.00	92863.00
	1500 mm dia	मिटर	104519.00	104519.00	104519.00
	1600 mm dia	मिटर	113418.00	113418.00	113418.00
	1700 mm dia	मिटर	127868.00	127868.00	127868.00
	1800 mm dia	मिटर	142167.00	142167.00	142167.00
	1900 mm dia	मिटर	156616.00	156616.00	156616.00
	2000 mm dia	मिटर	171067.00	171067.00	171067.00
	2100 mm dia	मिटर	190797.00	190797.00	190797.00
	2200 mm dia	मिटर	210528.00	210528.00	210528.00
	2300 mm dia	मिटर	230345.00	230345.00	230345.00
	2400 mm dia	मिटर	250163.00	250163.00	250163.00
G)	PN-6, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	8004.00	8004.00	8004.00
	350 mm dia	मिटर	9220.00	9220.00	9220.00
	400 mm dia	मिटर	12318.00	12318.00	12318.00
	450 mm dia	मिटर	14601.00	14601.00	14601.00
	500 mm dia	मिटर	17930.00	17930.00	17930.00
	600 mm dia	मिटर	21192.00	21192.00	21192.00
	700 mm dia	मिटर	30834.00	30834.00	30834.00
	800 mm dia	मिटर	40201.00	40201.00	40201.00
	900 mm dia	मिटर	42852.00	42852.00	42852.00
	1000 mm dia	मिटर	51700.00	51700.00	51700.00
	1100 mm dia	मिटर	69237.00	69237.00	69237.00
	1200 mm dia	मिटर	81319.00	81319.00	81319.00
	1300 mm dia	मिटर	99817.00	99817.00	99817.00
	1400 mm dia	मिटर	106327.00	106327.00	106327.00
	1500 mm dia	मिटर	120846.00	120846.00	120846.00

GRP and HDPE/DWC Pipes


सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	1600 mm dia	मिटर	131135.00	131135.00	131135.00
	1700 mm dia	मिटर	147841.00	147841.00	147841.00
	1800 mm dia	मिटर	164375.00	164375.00	164375.00
	1900 mm dia	मिटर	181081.00	181081.00	181081.00
	2000 mm dia	मिटर	197788.00	197788.00	197788.00
	2100 mm dia	मिटर	220600.00	220600.00	220600.00
	2200 mm dia	मिटर	243412.00	243412.00	243412.00
	2300 mm dia	मिटर	266326.00	266326.00	266326.00
	2400 mm dia	मिटर	289239.00	289239.00	289239.00
H)	PN-9, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	9336.00	9336.00	9336.00
	350 mm dia	मिटर	10651.00	10651.00	10651.00
	400 mm dia	मिटर	14368.00	14368.00	14368.00
	450 mm dia	मिटर	17032.00	17032.00	17032.00
	500 mm dia	मिटर	20914.00	20914.00	20914.00
	600 mm dia	मिटर	24718.00	24718.00	24718.00
	700 mm dia	मिटर	35965.00	35965.00	35965.00
	800 mm dia	मिटर	46890.00	46890.00	46890.00
	900 mm dia	मिटर	49983.00	49983.00	49983.00
	1000 mm dia	मिटर	59723.00	59723.00	59723.00
	1100 mm dia	मिटर	80759.00	80759.00	80759.00
	1200 mm dia	मिटर	94851.00	94851.00	94851.00
	1300 mm dia	मिटर	115296.00	115296.00	115296.00
	1400 mm dia	मिटर	124019.00	124019.00	124019.00
	1500 mm dia	मिटर	140954.00	140954.00	140954.00
	1600 mm dia	मिटर	152956.00	152956.00	152956.00
	1700 mm dia	मिटर	172443.00	172443.00	172443.00
	1800 mm dia	मिटर	191726.00	191726.00	191726.00
	1900 mm dia	मिटर	211213.00	211213.00	211213.00
	2000 mm dia	मिटर	230700.00	230700.00	230700.00
	2100 mm dia	मिटर	257308.00	257308.00	257308.00
	2200 mm dia	मिटर	283917.00	283917.00	283917.00
	2300 mm dia	मिटर	310643.00	310643.00	310643.00
	2400 mm dia	मिटर	337369.00	337369.00	337369.00
I)	PN-12, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	10176.00	10176.00	10176.00
	350 mm dia	मिटर	11610.00	11610.00	11610.00
	400 mm dia	मिटर	15661.00	15661.00	15661.00
	450 mm dia	मिटर	18565.00	18565.00	18565.00
	500 mm dia	मिटर	22796.00	22796.00	22796.00
	600 mm dia	मिटर	26943.00	26943.00	26943.00

Handwritten signatures and initials at the bottom of the page.

जितनन्द बस्नेत
प्रमुख जिल्ला अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	700 mm dia	मिटर	39202.00	39202.00	39202.00
	800 mm dia	मिटर	51110.00	51110.00	51110.00
	900 mm dia	मिटर	53957.00	53957.00	53957.00
	1000 mm dia	मिटर	65099.00	65099.00	65099.00
	1100 mm dia	मिटर	88027.00	88027.00	88027.00
	1200 mm dia	मिटर	102384.00	102384.00	102384.00
	1300 mm dia	मिटर	125673.00	125673.00	125673.00
	1400 mm dia	मिटर	135181.00	135181.00	135181.00
	1500 mm dia	मिटर	153640.00	153640.00	153640.00
	1600 mm dia	मिटर	166723.00	166723.00	166723.00
	1700 mm dia	मिटर	187962.00	187962.00	187962.00
	1800 mm dia	मिटर	208982.00	208982.00	208982.00
	1900 mm dia	मिटर	230222.00	230222.00	230222.00
	2000 mm dia	मिटर	251462.00	251462.00	251462.00
	2100 mm dia	मिटर	280466.00	280466.00	280466.00
	2200 mm dia	मिटर	309470.00	309470.00	309470.00
	2300 mm dia	मिटर	338601.00	338601.00	338601.00
	2400 mm dia	मिटर	367732.00	367732.00	367732.00
J) PN-15, SN-5000 (248 Kpa)					
	300 mm dia	मिटर	11087.00	11087.00	11087.00
	350 mm dia	मिटर	12772.00	12772.00	12772.00
	400 mm dia	मिटर	17227.00	17227.00	17227.00
	450 mm dia	मिटर	20421.00	20421.00	20421.00
	500 mm dia	मिटर	25076.00	25076.00	25076.00
	600 mm dia	मिटर	29637.00	29637.00	29637.00
	700 mm dia	मिटर	43122.00	43122.00	43122.00
	800 mm dia	मिटर	55681.00	55681.00	55681.00
	900 mm dia	मिटर	59353.00	59353.00	59353.00
	1000 mm dia	मिटर	71608.00	71608.00	71608.00
	1100 mm dia	मिटर	95890.00	95890.00	95890.00
	1200 mm dia	मिटर	112623.00	112623.00	112623.00
	1300 mm dia	मिटर	138240.00	138240.00	138240.00
	1400 mm dia	मिटर	148700.00	148700.00	148700.00
	1500 mm dia	मिटर	169004.00	169004.00	169004.00
	1600 mm dia	मिटर	183394.00	183394.00	183394.00
	1700 mm dia	मिटर	206759.00	206759.00	206759.00
	1800 mm dia	मिटर	229880.00	229880.00	229880.00
	1900 mm dia	मिटर	253244.00	253244.00	253244.00
	2000 mm dia	मिटर	276609.00	276609.00	276609.00
	2100 mm dia	मिटर	308513.00	308513.00	308513.00
	2200 mm dia	मिटर	340416.00	340416.00	340416.00



[Handwritten signatures and marks]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

जितेन्द्र बस्नेत
मुख्य जिल्ला अधिकारी

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1. GRP PIPES AS PER IS:12709:1994					
	2300 mm dia	मिटर	372461.00	372461.00	372461.00
	2400 mm dia	मिटर	404505.00	404505.00	404505.00
2. HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN)					
1	100mm dia.	मिटर	556.00	556.00	556.00
2	150mm dia.	मिटर	1112.00	1112.00	1112.00
3	200mm dia.	मिटर	1668.00	1668.00	1668.00
4	250mm dia.	मिटर	2113.00	2113.00	2113.00
5	300mm dia.	मिटर	3515.00	3515.00	3515.00
6	400mm dia.	मिटर	4527.00	4527.00	4527.00
7	500mm dia.	मिटर	5406.00	5406.00	5406.00
8	600mm dia.	मिटर	9310.00	9310.00	9310.00
9	800mm dia.	मिटर	14985.00	14985.00	14985.00
10	1000mm dia.	मिटर	22572.00	22572.00	22572.00




 Multiple handwritten signatures and stamps are present below the table. One prominent stamp reads "जितेन्द्र बस्नेत" (Jitendra Basnet) and "प्रमुख जिल्ला अधिकारी" (Chief District Officer). Other signatures are less legible but appear to be official approvals.

किचन र बाथरूम प्रयोग हुने सामानहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Porcelain Clay Sanitaryware (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
१	White glazed porcelain pan				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२७४१.००	२७४१.००	२७४१.००
	580 mm size orrisa Pan	सेट	३३७१.००	३३७१.००	३३७१.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	Porcelain Clay Cistern				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	Commode				
	Supplying of white vitreous Flexio Washdown one piece commode with soft closing seat cover Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट	२४८००.००	२४८००.००	२४८००.००
	Supplying of white vitreous Concept Washdown wall hung commode with soft closing seat cover Size: (365x560x352mm) with concealed cistern	सेट	२७९००.००	२७९००.००	२७९००.००
	Supplying of white vitreous Compact Codie Washdown, rimless wall hung commode with soft closing seat cover Size: (368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट	२६१५०.००	२६१५०.००	२६१५०.००
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's' \ p trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
४	Bidet set				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	Urinal set				
	Porcelain clay white glaze large flat back urinal 61x41x38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००
	Porcelain clay small Urinal (46.5x35.5x26.5) cm size)	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35x35x44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९१.००	१००२९१.००	१००२९१.००

किचन र बाथरूममा प्रयोग हुने सामानहरु




सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, Size: (L355xP320xH615mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) ,	सेट	३१८६०.००	३१८६०.००	३१८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	६०५३०.००	६०५३०.००	६०५३०.००
	Porcelain clay white glaze large flat back urinal 385*320*615 mm size	सेट		४३२०.००	४३२०.००
	Porcelain clay Small Urinal 315*280*465 size	सेट		२५४०.००	२५४०.००
	Wall mounted Urinal with sensor complete set(280*250*500)MM	सेट		१६४७०.००	१६४७०.००
	Porcelain clay white glaze large flat back with spreader urinal 400*380*610 mm size	सेट		५०७०.००	५०७०.००
	Porcelain clay flat back medium Urinal 300*250*500 size	सेट		३५८०.००	३५८०.००
५	Porcelain Clay Urinal Squatting Plate				
	white glaze squatting plate Small Size (45x35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९१५.००	९१५.००	९१५.००
६	Wash basin				
	Porcelain clay white glaze wash basin (500x400) mm size regular.	सेट	१०९५.००	१०७०.००	१०७०.००
	Porcelain clay white glaze wash basin (50x40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45x32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,complete.	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay O-counter wash basin,(63x50)cm	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, Size: (380x550x175mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	१७२७५.००	१७२७५.००	१७२७५.००
	Supplying of white vitreous Winston Wall hung Basin, Size: (506x460x194mm) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२०६७५.००	२०६७५.००	२०६७५.००
	Supplying of white vitreous Flexio Counter Top Basin, Size: (499x449x181mm) made of sanitary ceramics with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट	१९२५५.००	१९२५५.००	१९२५५.००
	Supplying of white vitreous Acacia E semi recessed Basin, Size: (W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२३१५०.००	२३१५०.००	२३१५०.००
७	Pedestal:				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००

Page 166

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी


किचन र बाथरूममा प्रयोग हुने सामानहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	White glazed Porcelain clay half pedestal complete set.	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
८	Urinal Partition	सेट			
	White glaze porcelain clay (68x30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
९	Lab sink				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००
	Porcelain clay white glaze small size	सेट	१६५३.००	१६५३.००	१६५३.००
	Porcelain clay janitor sink 58x71x43.5 size	सेट	२७५५.३०	२७५५.३०	२७५५.३०
१०	Super lab sink	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
११	Kitchen sink				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Soap dish	सेट	६६१.००	६६१.००	६६१.००
	iv) White glaze foot rest	सेट	४१९.००	४१९.००	४१९.००
	v) White glaze Toilet paper holder	सेट	११५७.००	११५७.००	११५७.००
१२	Super kitchen sink				
	super kitchen sink large size	गोटा	७४६५.००	७४६५.००	७४६५.००
	super kitchen sink small size	गोटा	६७५६.००	६७५६.००	६७५६.००
१३	PVC Cistern Set				
	single flush	सेट	१९७३.००	१९७३.००	१९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००
	Dual flush 6/3 lit. cistern complete set.	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set	सेट	१६६६२.००	१६६६२.००	१६६६२.००
	32 mm pvc bottle trap set.	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector set.	पिस	१४३.००	१४३.००	१४३.००
	Bakelite toilet seat cover set.	पिस	२७६.००	२७६.००	२७६.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflusing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट	१००००.००	१००००.००	१००००.००

Handwritten signatures and stamps at the bottom of the page. One stamp reads 'जितेन्द्र बस्नेत' and 'प्रमुख प्रविष्टा अधिकारी'.

किचन र बाथरूममा प्रयोग हुने सामानहरू



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९१।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern.,Cutting and making good the walls wherever required.	सेट	१६०००.००	१६०००.००	१६०००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern.,Cutting and making good the walls wherever required.	सेट	१८०००.००	१८०००.००	१८०००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt, Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	२५००.००	२५००.००	२५००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	२५००.००	२५००.००	२५००.००
१४	Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.				
	Stainless steel Deep sink 45×45×30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever)with hand shower	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	२५७६४.००	२५७६४.००	२५७६४.००

[Handwritten signatures and stamps]

[Handwritten signatures and stamps]

किचन र बाथरूममा प्रयोग हुने सामानहरू




सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मू.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Wall mixer (single control) bath faucet with hand shower(conceal system)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve(Grohe, Rak, American standard or equivalent)	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"x16" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 36" * 18"size	पिस	१३९१७.००	१३९१७.००	१३९१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe(connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer(single control)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३१.००	३३१.००	३३१.००
	110 mm dia	पिस	४४१.००	४४१.००	४४१.००
	160 mm dia	पिस	७७१.००	७७१.००	७७१.००
	Stainless steel telephonic shower	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap	गोटा	६४७.००	६४७.००	६४७.००
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , with concealed body and Shower Head with arm and Bath Spout		१८०५५.००	१८०५५.००	१८०५५.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer with IColor Chrome Hand Shower & Hose ,complete as required,		२०५३०.००	२०५३०.००	२०५३०.००
१५	Modern Sanitaryware: -(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Hand dryer Germany	गोटा	१९३९७.००	१९३९७.००	१९३९७.००
	Hand Dryer Chinese	गोटा	७९६४.००	७९६४.००	७९६४.००
	Indian Mark Brand Flush valve	गोटा	५७३९.००	५७३९.००	५७३९.००
	Auto sensor for basin	गोटा	३५२६७.००	३५२६७.००	३५२६७.००
	European pattern liquid soap container stainless steel	गोटा	६०६२.००	६०६२.००	६०६२.००
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	१४५९.००	१४५९.००	१४५९.००

Handwritten signatures and notes at the bottom left of the page.

Handwritten signatures and notes at the bottom center of the page.

Handwritten signatures and notes at the bottom right of the page, including a stamp that reads 'जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकाारी'.


किचन र बाथरूममा प्रयोग हुने सामानहरु



सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९/१८०	आ.व.०८०/८१	आ.व.०८१/८२
	Supplying of C.P. brass Angle valve connection 1/2" plastic handle marking , complete as required,with easy clean, eco start, twist free and Water Saving features.	गोटा	७५०.००	७५०.००	७५०.००
	Supplying of Hygiene Spray with hose and flexible pipe , complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा	२१२५.००	२१२५.००	२१२५.००
	Supplying of Winston Wall Bib Tap (Cross Handle), complete as required,with easy clean, eco start, twist free and Water Saving features.	गोटा	२४८०.००	२४८०.००	२४८०.००
	Supplying of High Speed automatic Hand Dryer, complete as required,ready for operation.	गोटा	३७१७०.००	३७१७०.००	३७१७०.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap, complete as required, ready for operation.	गोटा	३४००.००	३४००.००	३४००.००
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	गोटा	२८३०.००	२८३०.००	२८३०.००
	Supplying of Chrome plated Seva Robe Hook, Model (WF-6581.908.50) complete as required, ready for operation.	गोटा	२१२५.००	२१२५.००	२१२५.००
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	गोटा	३७००.००	३७००.००	३७००.००
	Supplying of Chrome plated Seva Glass Holder, complete as required, ready for operation.	गोटा	२६२०.००	२६२०.००	२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar, size (580x220mm), OD: 32mm Make	गोटा	८६००.००	८६००.००	८६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा	३०००.००	३०००.००	३०००.००
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा	५०००.००	५०००.००	५०००.००
१६	Electric & Solar Geyser				
	i) 10 lit. cap. electric water heater	गोटा	१०९१४.००	१०९१४.००	१०९१४.००
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap electric water heater	गोटा	२०९१९.००	२०९१९.००	२०९१९.००
	iv) 50 lit cap electric water heater	गोटा	२५०११.००	२५०११.००	२५०११.००
	iv) Gas water heater with cylinder	गोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा	१५०००.००	१५०००.००	१५०००.००
१७	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads "जितेन्द्र बस्नेज प्रमुख जिला अधिकारी" (Jitendra Basnet, Chief District Officer).

विभिन्न प्रकारका वाटर टैंक र पम्पहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९१८०	आ.व.०८०१८१	आ.व.०८११८२
1	G.I. Water Tank (17 Gauge)				
	100 gls	गोटा	८४७८.००	८४७८.००	८४७८.००
	200 gls	गोटा	१३१९२.००	१३१९२.००	१३१९२.००
	300 gls	गोटा	१६५९३.००	१६५९३.००	१६५९३.००
	400 gls	गोटा	१९९२१.००	१९९२१.००	१९९२१.००
	500 gls	गोटा	२३२५९.००	२३२५९.००	२३२५९.००
2	Roof Top PVC Water Tank				
	200 lit – 5000 lit cap.	लीटर	१०.००	१०.००	१०.००
	5000 lit – 10,000 lit cap	लीटर	११.००	११.००	११.००
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
3	Stainless steel water tank with accessories				
	Capacity 500 ltr	गोटा	१३११४.००	१३११४.००	१३११४.००
	Capacity 1000 ltr	गोटा	१९३२३.००	१९३२३.००	१९३२३.००
	Capacity 1500 ltr	गोटा	२९६८१.००	२९६८१.००	२९६८१.००
	Capacity 2000 ltr	गोटा	३५८९०.००	३५८९०.००	३५८९०.००
	Capacity 3000 ltr	गोटा	५३३२३.००	५३३२३.००	५३३२३.००
	Capacity 4000 ltr	गोटा	७११००.००	७११००.००	७११००.००
	Capacity 5000 ltr	गोटा	९३४३१.००	९३४३१.००	९३४३१.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा	११७५२.००	११७५२.००	११७५२.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा	१५०८०.००	१५०८०.००	१५०८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा	२२८८०.००	२२८८०.००	२२८८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा	३४८४०.००	३४८४०.००	३४८४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा	४२६४०.००	४२६४०.००	४२६४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा	६९०१०.००	६९०१०.००	६९०१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा	१०६०८०.००	१०६०८०.००	१०६०८०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा	२७०४०.००	२७०४०.००	२७०४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा	३९०००.००	३९०००.००	३९०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा	४७८४०.००	४७८४०.००	४७८४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा	७५१९०.००	७५१९०.००	७५१९०.००

जितेन्द्र श्रेष्ठ
 प्रमुख जिल्ला अधिकारी

विभिन्न प्रकारका वाटर टैंक र पम्पहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा	११६२०.००	११६२०.००	११६२०.००
4	Plastic Water Tank प्लास्टिक वाटर ट्यांक				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर	१४.००	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर	१२.००	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर	१३.००	१३.००	१३.००
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा	१३०००.००	१३०००.००	१३०००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres).	गोटा	१९२४०.००	१९२४०.००	१९२४०.००
5	Water Pumps/Hand Pumps				
	Indian Mark-III , Deep Well Hand Pump	गोटा	१२८५४.००	१२८५४.००	१२८५४.००
	6 No. hand pump	गोटा	१६६१.००	१६६१.००	१६६१.००
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	११३२०.००	११३२०.००	११३२०.००
	ii) ½ H.P. Water Pump mono block type	सेट	६५७०.००	६५७०.००	६५७०.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४८२८.००	१४८२८.००	१४८२८.००
	iv) 1.0 H.P. water pump (mono block type)	सेट	९९३८.००	९९३८.००	९९३८.००
	v) 2.0 H.P. water pump	सेट	२३४९०.००	२३४९०.००	२३४९०.००
	vi) 2.0 H.P. 3 phase water pump	सेट	२४८००.००	२४८००.००	२४८००.००
	vii) 5.0 HP 3 phase water pump	सेट	२९८०२.००	२९८०२.००	२९८०२.००
	Jet Water Pump				
	i) 1.10 H.P.	सेट	२२४९५.००	२२४९५.००	२२४९५.००
	ii) Double Stage jet 1.10 H.P.	सेट	२६९९४.००	२६९९४.००	२६९९४.००
	ii) 1.5 H.P.	सेट	३०३६९.००	३०३६९.००	३०३६९.००
	Super Sunction				
	i) 0.50 H.P	सेट	९३६८.००	९३६८.००	९३६८.००
	ii) 0.75 H.P.	सेट	८७४४.००	८७४४.००	८७४४.००
	iii) 1.0 H.P.	सेट	१४८४७.००	१४८४७.००	१४८४७.००
	Water Pump (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1.0 H.P. Single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८९३०.००	१८९३०.००	१८९३०.००
	2 H.P. single pump set single pump set with Booster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	३०४०२.००	३०४०२.००	३०४०२.००

Page 172


जितेन्द्र बस्नेत
मुख्य जिल्ला अधिकारी

विभिन्न प्रकारका वाटर टैंक र पम्पहरु

सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Submersible Pump (Italian)				
	i) 1.0 H.P.	सेट	२७१३२.००	२७१३२.००	२७१३२.००
	ii) 2.0 H.P.	सेट	५०३३२.००	५०३३२.००	५०३३२.००
	Electric Water Pump (Chinese)				
	i) ½ H.P	सेट	१७८८.००	१७८८.००	१७८८.००
	ii) ¾ H.P.	सेट	२३२९.००	२३२९.००	२३२९.००
	iii) 1.0 H.P.	सेट	३४३३.००	३४३३.००	३४३३.००
	Submersible Pump Indian				
	i) ½ H.P open well type	सेट	१७३२१.००	१७३२१.००	१७३२१.००
	ii) 1.1 H.P open well type	सेट	२५३६३.००	२५३६३.००	२५३६३.००
	iii) 1.5 H.P open well type	सेट	३०९३०.००	३०९३०.००	३०९३०.००
	Vertical Submersible Pump	सेट			
	i) 1.1 H.P	सेट	२८३४४.००	२८३४४.००	२८३४४.००
	iii) 1.5 H.P	सेट	३४२४९.००	३४२४९.००	३४२४९.००


जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी



साधारण हाते औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
1	Adjustable spanner				
	10"	गोटा	२६५.००	२६५.००	२६५.००
	12"	गोटा	५०१.००	५०१.००	५०१.००
	15"	गोटा	१४४३.००	१४४३.००	१४४३.००
	18"	गोटा	१७०८.००	१७०८.००	१७०८.००
2	Blow Torch				
	1/2 pint	गोटा	१४९१.००	१४९१.००	१४९१.००
	1 pint	गोटा	१८३७.००	१८३७.००	१८३७.००
3	Building Trowel	गोटा	८२.००	८२.००	८२.००
4	Chain Pipe wrench				
	50mm	गोटा	१७०८.००	१७०८.००	१७०८.००
	75mm	गोटा	२०३३.००	२०३३.००	२०३३.००
	100mm	गोटा	२३८६.००	२३८६.००	२३८६.००
	150mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	200mm	गोटा	५७१४.००	५७१४.००	५७१४.००
5	Chain Pulley in Ton				
	3 ton	गोटा	१८२६४.००	१८२६४.००	१८२६४.००
	5 ton	गोटा	३०१६५.००	३०१६५.००	३०१६५.००
6	Stone Chisel 1"x12"	गोटा	३८३.००	३८३.००	३८३.००
7	Die teeth oil with cane (250 ml size)	गोटा	२९४.००	२९४.००	२९४.००
8	Smooth steel file half round				
	8"	गोटा	५६०.००	५६०.००	५६०.००
	10"	गोटा	१०७२.००	१०७२.००	१०७२.००
	Fiat file 10"	गोटा	५६०.००	५६०.००	५६०.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	२००.००	२००.००	२००.००
11	Handle die set				
	25 mm	गोटा	३३२९.००	३३२९.००	३३२९.००
	50 mm	गोटा	३७७१.००	३७७१.००	३७७१.००
	60 mm	गोटा	१००१६.००	१००१६.००	१००१६.००
12	Heating Plate				
	80 mm	गोटा	१००१.००	१००१.००	१००१.००
	100 mm	गोटा	११४९.००	११४९.००	११४९.००
	125 mm	गोटा	१४७२.००	१४७२.००	१४७२.००
	150 mm	गोटा	१७५५.००	१७५५.००	१७५५.००
	200 mm	गोटा	२८४०.००	२८४०.००	२८४०.००
	250 mm	गोटा	३४४०.००	३४४०.००	३४४०.००
	300 mm	गोटा	४०१८.००	४०१८.००	४०१८.००
13	Iron Brush 12"	गोटा	७६.००	७६.००	७६.००
14	Iron Pan (madium)	गोटा	२७१.००	२७१.००	२७१.००
15	Pick Axe 1.7 Kg.	गोटा	४४८.००	४४८.००	४४८.००
16	Pipe Cutter				
	15-50 mm	गोटा	२१२०.००	२१२०.००	२१२०.००
	65-80 mm	गोटा	३२९८.००	३२९८.००	३२९८.००




साधारण हाते औजारहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	100 mm	गोटा	५३०२.००	५३०२.००	५३०२.००
	125 mm	गोटा	५८९१.००	५८९१.००	५८९१.००
	150 mm	गोटा	१०४८७.००	१०४८७.००	१०४८७.००
17	Pipe Jack Machine (Heavy)	गोटा	३३५८२.००	३३५८२.००	३३५८२.००
18	Pipe Vice				
	2"	गोटा	२५९२.००	२५९२.००	२५९२.००
	3"	गोटा	३७७१.००	३७७१.००	३७७१.००
	4"	गोटा	५६८५.००	५६८५.००	५६८५.००
	5"	गोटा	१०५४५.००	१०५४५.००	१०५४५.००
19	Pipe Wrench				
	10"	गोटा	३२९.००	३२९.००	३२९.००
	12"	गोटा	६१२.००	६१२.००	६१२.००
	14"	गोटा	७३०.००	७३०.००	७३०.००
	18"	गोटा	११६१.००	११६१.००	११६१.००
	24"	गोटा	१६०२.००	१६०२.००	१६०२.००
	36"	गोटा	५६५५.००	५६५५.००	५६५५.००
	48"	गोटा	१००१६.००	१००१६.००	१००१६.००
20	Plumb Bob Line	गोटा	९४.००	९४.००	९४.००
21	Ratchet Die Set				
	1/2"-1"	गोटा	४४७७.००	४४७७.००	४४७७.००
	1 1/4"-2"	गोटा	८३६५.००	८३६५.००	८३६५.००
	2 1/2"-3"	गोटा	१८२६४.००	१८२६४.००	१८२६४.००
22	Round File 10"	गोटा	३८३.००	३८३.००	३८३.००
23	Screw Driver 12"	गोटा	२१२.००	२१२.००	२१२.००
24	Shovel 1.5 Kg	गोटा	३८३.००	३८३.००	३८३.००
25	Slide wrench				
	10"	गोटा	३७७.००	३७७.००	३७७.००
	12"	गोटा	५०६.००	५०६.००	५०६.००
	15"	गोटा	१४७८.००	१४७८.००	१४७८.००
26	Spade	गोटा	४५९.००	४५९.००	४५९.००
27	Spare Die Teeth				
	15 mm	गोटा	६१२.००	६१२.००	६१२.००
	20 mm	गोटा	६१२.००	६१२.००	६१२.००
	25 mm	गोटा	६१२.००	६१२.००	६१२.००
	32 mm	गोटा	९७२.००	९७२.००	९७२.००
	40 mm	गोटा	१६६१.००	१६६१.००	१६६१.००
	50 mm	गोटा	१६७९.००	१६७९.००	१६७९.००
	65 mm	गोटा	१९४३.००	१९४३.००	१९४३.००
	80 mm	गोटा	२१७९.००	२१७९.००	२१७९.००
28	Telflon Cover				
	5'x5'	गोटा	३२४.००	३२४.००	३२४.००
	7'x7'	गोटा	४४२.००	४४२.००	४४२.००
29	Telflon Cloth	र.मि	३५६५.००	३५६५.००	३५६५.००
30	Telflon Tape 10 mm	रोल	१८.००	१८.००	१८.००
31	Thermochrome Crayon				


साधारण तिर्ने औजारहरु


सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Indian	गोटा	७९५.००	७९५.००	७९५.००
32	Tool Box (14"x8"x22")	गोटा	२१८६.००	२१८६.००	२१८६.००



 Multiple handwritten signatures and stamps are present below the table. A prominent stamp on the right side reads "जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी" (Jitendra Basnet, Chief District Officer). Other signatures are scattered across the page, some overlapping the stamp.


RCC Ring and Boring Work

सि.नं.	सामग्रीहरूको विवरण	एकाई	मु. व. क बाहेकको दररेट		
			आ. व. ०७९।८०	आ. व. ०८०।८१	आ. व. ०८१।८२
१	RCC Ring for well and Toilets				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	645.00	645.00	645.00
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	800.00	800.00	800.00
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	930.00	930.00	930.00
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	1231.00	1231.00	1231.00
२	RCC cover				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1950.00	1950.00	1950.00
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2583.00	2583.00	2583.00
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2833.00	2833.00	2833.00
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	3385.00	3385.00	3385.00
३	Drilling of tube well by DTH Method				
	Drilling of hole in all formation (6 inch)	मी.	5904.00	5904.00	5904.00
	Drilling of hole in all formation (8 inch)	मी.	6906.00	6906.00	6906.00









जितेन्द्र बस्नत
प्रमुख जिल्ला अधिकारी

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	Cold Water Pipe (White)				
	12-16 mm ½"	र.मि	१०६.००	१०६.००	१०६.००
	14-18 mm ½"	र.मि	११६.००	११६.००	११६.००
	16-20 mm ½"	र.मि	१२४.००	१२४.००	१२४.००
	20-25 mm ¾"	र.मि	१८९.००	१८९.००	१८९.००
	26-32 mm 1"	र.मि	२९५.००	२९५.००	२९५.००
	32-40 mm 1¼"	र.मि	४६८.००	४६८.००	४६८.००
	41-50 mm 1½"	र.मि	६८५.००	६८५.००	६८५.००
२	Hot Water Pipe (Orange)				
	12-16 mm ½"	र.मि	११६.००	११६.००	११६.००
	14-18 mm ½"	र.मि	१२९.००	१२९.००	१२९.००
	16-20 mm ½"	र.मि	१४८.००	१४८.००	१४८.००
	20-25 mm ¾"	र.मि	२१८.००	२१८.००	२१८.००
	26-32 mm 1"	र.मि	३१७.००	३१७.००	३१७.००
	32-40 mm 1¼"	र.मि	४८८.००	४८८.००	४८८.००
३	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	र.मि	९१.००	९१.००	९१.००
	14-18 mm ½"	र.मि	९१.००	९१.००	९१.००
४	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½"ø (16mm ø)	गोटा	१३९.००	१३९.००	१३९.००
	½"ø (18mm ø)	गोटा	१४७.००	१४७.००	१४७.००
	½"ø (20mm ø)	गोटा	१६१.००	१६१.००	१६१.००
	¾"ø (25 mm ø)	गोटा	२३६.००	२३६.००	२३६.००
	1"ø (32 mm ø)	गोटा	३६८.००	३६८.००	३६८.००
	1¼"ø (40 mm ø)	गोटा	१३६०.००	१३६०.००	१३६०.००
	1½"ø (50 mm ø)	गोटा	२०५५.००	२०५५.००	२०५५.००
	b. Unequal Straight Union				
	25 - 16 mm ø	गोटा	२६४.००	२६४.००	२६४.००
	25 - 18 mm ø	गोटा	२७४.००	२७४.००	२७४.००
	25 - 20 mm ø	गोटा	२८८.००	२८८.००	२८८.००
	32 - 16 mm ø	गोटा	३५४.००	३५४.००	३५४.००
	32 - 18 mm ø	गोटा	३७३.००	३७३.००	३७३.००
	32 - 20 mm ø	गोटा	४०२.००	४०२.००	४०२.००
	32 - 25 mm ø	गोटा	४३०.००	४३०.००	४३०.००
	40 - 32 mm ø	गोटा	११७७.००	११७७.००	११७७.००
	50 - 20 mm ø	गोटा	१७१५.००	१७१५.००	१७१५.००
	50 - 32 mm ø	गोटा	२०५५.००	२०५५.००	२०५५.००
	50 - 40 mm ø	गोटा	१९३७.००	१९३७.००	१९३७.००
	c. Male Union				
	16mm x ½"M	गोटा	९९.००	९९.००	९९.००
	18mm x ½"M	गोटा	११५.००	११५.००	११५.००

Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेटमाथि		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	20mm x 1/2"M	गोटा	१३२.००	१३२.००	१३२.००
	25mm x 1/2"M	गोटा	१६०.००	१६०.००	१६०.००
	25mm x 3/4"M	गोटा	२०३.००	२०३.००	२०३.००
	25mm x 1"M	गोटा	२६०.००	२६०.००	२६०.००
	32mm x 3/4"M	गोटा	२९८.००	२९८.००	२९८.००
	32mm x 1"M	गोटा	३२६.००	३२६.००	३२६.००
	32mm x 1 1/2"M	गोटा	३३०.००	३३०.००	३३०.००
	40mm x 1"M	गोटा	१०४४.००	१०४४.००	१०४४.००
	40mm x 1 1/2"M	गोटा	१०८१.००	१०८१.००	१०८१.००
	50mm x 1"M	गोटा	१६४१.००	१६४१.००	१६४१.००
	50mm x 1 1/2"M	गोटा	१६६९.००	१६६९.००	१६६९.००
	50mm x 1 1/2"M	गोटा	२२६८.००	२२६८.००	२२६८.००
	50mm x 2"M	गोटा	१७०४.००	१७०४.००	१७०४.००
d. Female Straight Union					
	16mm x 1/2"F	गोटा	१०९.००	१०९.००	१०९.००
	18mm x 1/2"F	गोटा	११८.००	११८.००	११८.००
	20mm x 1/2"F	गोटा	१२८.००	१२८.००	१२८.००
	25mm x 1/2"F	गोटा	१७०.००	१७०.००	१७०.००
	25mm x 3/4"F	गोटा	२०३.००	२०३.००	२०३.००
	25mm x 1"F	गोटा	२०७.००	२०७.००	२०७.००
	32mm x 1/2"F	गोटा	२१३.००	२१३.००	२१३.००
	32mm x 3/4"F	गोटा	२१७.००	२१७.००	२१७.००
	32mm x 1"F	गोटा	३०७.००	३०७.००	३०७.००
	40mm x 1 1/2"F	गोटा	१२२६.००	१२२६.००	१२२६.००
	50mm x 1 1/4"F	गोटा	१६५३.००	१६५३.००	१६५३.००
	50mm x 1 1/2"F	गोटा	२२६८.००	२२६८.००	२२६८.००
	50mm x 2"F	गोटा	१७१९.००	१७१९.००	१७१९.००
e. Equal Elbow					
	1/2"Ø (16mm Ø)	गोटा	१३२.००	१३२.००	१३२.००
	1/2"Ø (18mm Ø)	गोटा	१६०.००	१६०.००	१६०.००
	1/2"Ø (20mm Ø)	गोटा	२१७.००	२१७.००	२१७.००
	3/4"Ø (25mm Ø)	गोटा	३३०.००	३३०.००	३३०.००
	1"Ø (32mm Ø)	गोटा	५३४.००	५३४.००	५३४.००
	1 1/4"Ø (40mm Ø)	गोटा	१७३८.००	१७३८.००	१७३८.००
	1 1/2"Ø (50mm Ø)	गोटा	२६९३.००	२६९३.००	२६९३.००
f. Unequal Elbow					
	40 - 32 mm Ø	गोटा	१९२७.००	१९२७.००	१९२७.००
	50 - 20 mm Ø	गोटा	२२२०.००	२२२०.००	२२२०.००
	50 - 40 mm Ø	गोटा	२२६३.००	२२६३.००	२२६३.००
g. Female Elbow					
	16mm x 1/2"F	गोटा	१७५.००	१७५.००	१७५.००
	18mm x 1/2"F	गोटा	१९४.००	१९४.००	१९४.००
	20mm x 1/2"F	गोटा	२१३.००	२१३.००	२१३.००

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the left and a rectangular stamp on the right that reads 'जिम्मेवार अधिकारी' (Responsible Officer) and 'प्रमुख जिल्ला अधिकारी' (Chief District Officer).

Multilayer Composite Pipe



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	25mm x 1/2"F	गोटा	२३६.००	२३६.००	२३६.००
	25mm x 3/4"F	गोटा	२९२.००	२९२.००	२९२.००
	25mm x 1"F	गोटा	३२१.००	३२१.००	३२१.००
	32mm x 3/4"F	गोटा	३४५.००	३४५.००	३४५.००
	32mm x 1"F	गोटा	४३०.००	४३०.००	४३०.००
	50mm x 1 1/2"F	गोटा	२२२०.००	२२२०.००	२२२०.००
	h. Male Elbow				
	25mm x 3/4"M	गोटा	२३६.००	२३६.००	२३६.००
	25mm x 1"M	गोटा	३०७.००	३०७.००	३०७.००
	32mm x 3/4"M	गोटा	२३२.००	२३२.००	२३२.००
	32mm x 1"M	गोटा	३९२.००	३९२.००	३९२.००
	40mm x 1"M	गोटा	१२७५.००	१२७५.००	१२७५.००
	50mm x 1"M	गोटा	१८१८.००	१८१८.००	१८१८.००
	i. Equal Tee				
	1/2"Ø (16mm Ø)	गोटा	२३६.००	२३६.००	२३६.००
	1/2"Ø (18mm Ø)	गोटा	२६४.००	२६४.००	२६४.००
	1/2"Ø (20mm Ø)	गोटा	३३०.००	३३०.००	३३०.००
	3/4" Ø (25 mm Ø)	गोटा	४७७.००	४७७.००	४७७.००
	1" Ø (32 mm Ø)	गोटा	७४६.००	७४६.००	७४६.००
	1 1/4" Ø (40 mm Ø)	गोटा	२७९०.००	२७९०.००	२७९०.००
	1 1/2" Ø (50 mm Ø)	गोटा	४०७८.००	४०७८.००	४०७८.००
	j. Unequal Tee				
	20 mm x 16 mm x 20 mm	गोटा	२१३.००	२१३.००	२१३.००
	20 mm x 18 mm x 20 mm	गोटा	२३६.००	२३६.००	२३६.००
	25 mm x 16 mm x 25 mm	गोटा	३५४.००	३५४.००	३५४.००
	25 mm x 18 mm x 25 mm	गोटा	४०२.००	४०२.००	४०२.००
	25 mm x 20 mm x 25 mm	गोटा	४१५.००	४१५.००	४१५.००
	32 mm x 16 mm x 32 mm	गोटा	६८५.००	६८५.००	६८५.००
	32 mm x 18 mm x 32 mm	गोटा	७०८.००	७०८.००	७०८.००
	32 mm x 20 mm x 32 mm	गोटा	७३७.००	७३७.००	७३७.००
	32 mm x 25 mm x 32 mm	गोटा	७५६.००	७५६.००	७५६.००
	40 mm x 32 mm x 32 mm	गोटा	२०६५.००	२०६५.००	२०६५.००
	40 mm x 32 mm x 40 mm	गोटा	२३९१.००	२३९१.००	२३९१.००
	50 mm x 20 mm x 50 mm	गोटा	३२६०.००	३२६०.००	३२६०.००
	50 mm x 32 mm x 32 mm	गोटा	२१४९.००	२१४९.००	२१४९.००
	50 mm x 32 mm x 50 mm	गोटा	३२९३.००	३२९३.००	३२९३.००
	50 mm x 40 mm x 40 mm	गोटा	३३०४.००	३३०४.००	३३०४.००
	50 mm x 40 mm x 50 mm	गोटा	३७७४.००	३७७४.००	३७७४.००
	k. Female Tee				
	16mm x 1/2"F x 16mm	गोटा	२३६.००	२३६.००	२३६.००
	18mm x 1/2"F x 18mm	गोटा	२४५.००	२४५.००	२४५.००
	20mm x 1/2"F x 20mm	गोटा	२६४.००	२६४.००	२६४.००

(Handwritten signature)

(Multiple handwritten signatures and initials)

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी



Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.वी.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	25mm x 1/2"F x 25mm	गोटा	२४८.००	२४८.००	२४८.००
	25mm x 3/4"F x 25mm	गोटा	२७४.००	२७४.००	२७४.००
	25mm x 1"F x 25mm	गोटा	३५४.००	३५४.००	३५४.००
	32mm x 1/2"F x 32mm	गोटा	३८३.००	३८३.००	३८३.००
	32mm x 3/4"F x 32mm	गोटा	३९२.००	३९२.००	३९२.००
	32mm x 1"F x 32mm	गोटा	५३२.००	५३२.००	५३२.००
	40mm x 3/4"F x 32mm	गोटा	१५७०.००	१५७०.००	१५७०.००
	50mm x 3/4"F x 40mm	गोटा	२३२९.००	२३२९.००	२३२९.००
I. Equal Ball Valve Union					
	1/2"Ø (16mm Ø)	गोटा	२७५.००	२७५.००	२७५.००
	1/2"Ø (18mm Ø)	गोटा	३०५.००	३०५.००	३०५.००
	1/2"Ø (20mm Ø)	गोटा	४०२.००	४०२.००	४०२.००
	3/4" Ø (25 mm Ø)	गोटा	६६६.००	६६६.००	६६६.००
	1" Ø (32 mm Ø)	गोटा	९२६.००	९२६.००	९२६.००
	1 1/4" Ø (40 mm Ø)	गोटा	३०२६.००	३०२६.००	३०२६.००
	1 1/2" Ø (50 mm Ø)	गोटा	४३६६.००	४३६६.००	४३६६.००
m. Female Ball Valve Union					
	16mm x 1/2"F	गोटा	२५६.००	२५६.००	२५६.००
	18mm x 1/2"F	गोटा	२९४.००	२९४.००	२९४.००
	20mm x 1/2"F	गोटा	३२८.००	३२८.००	३२८.००
	20mm x 3/4"F	गोटा	३६८.००	३६८.००	३६८.००
	25mm x 3/4"F	गोटा	६८५.००	६८५.००	६८५.००
	25mm x 1"F	गोटा	६९९.००	६९९.००	६९९.००
	32mm x 1"F	गोटा	७३७.००	७३७.००	७३७.००
n. Plug					
	1 1/4" Ø (40 mm Ø)	गोटा	१५१२.००	१५१२.००	१५१२.००
	1 1/2" Ø (50 mm Ø)	गोटा	२०७९.००	२०७९.००	२०७९.००
p. Wall Plated Female Elbow					
	16mm x 1/2"F	गोटा	१९८.००	१९८.००	१९८.००
	18mm x 1/2"F	गोटा	२१७.००	२१७.००	२१७.००
	20mm x 1/2"F	गोटा	२३६.००	२३६.००	२३६.००
Nipple					
	N 1/2F*1/2F	गोटा	५१.००	५१.००	५१.००
	N 1/2M*1/2M	गोटा	५१.००	५१.००	५१.००
	N 3/4F*1/2F	गोटा	७१.००	७१.००	७१.००
	N 1F*1/2F	गोटा	८०.००	८०.००	८०.००
	N 1F*3/4F	गोटा	९१.००	९१.००	९१.००
	N 3/4M*1/2M	गोटा	७१.००	७१.००	७१.००
	N 1M*1/2M	गोटा	८०.००	८०.००	८०.००
	N 1M*3/4M	गोटा	९१.००	९१.००	९१.००
	N 1/2F*1/2M	गोटा	६१.००	६१.००	६१.००
	N 1/2F*3/4M	गोटा	७१.००	७१.००	७१.००
	N 1/2F*1M	गोटा	११२.००	११२.००	११२.००

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]


[Handwritten signature]

[Handwritten signature]

जिनाक बस्नेत
प्रमुख जिल्ला अधिकारी

Multilayer Composite Pipe

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	N 1/2M*3/4F	गोटा	७१.००	७१.००	७१.००
	N 1/2M*1F	गोटा	११७.००	११७.००	११७.००
	N 3/4F*3/4M	गोटा	९१.००	९१.००	९१.००
	N 3/4F*1M	गोटा	१००.००	१००.००	१००.००
	N 3/4M*1F	गोटा	१३३.००	१३३.००	१३३.००


 Multiple handwritten signatures and stamps are present below the table. On the right side, there is a circular stamp with a signature inside, and a rectangular stamp that reads "जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी" (Jitendra Basnet, Chief District Officer). Other signatures are scattered across the lower half of the page.

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	140 mm Dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	166.00	166.00	166.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	269.00	269.00	269.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	369.00	369.00	369.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	453.00	453.00	453.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	453.00	453.00	453.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	99.00	99.00	99.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	320.00	320.00	320.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	80.00	80.00	80.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	52.00	52.00	52.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	33.00	33.00	33.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	80.00	80.00	80.00
	RUBBER GASKET To provide leak proof joints.	गोटा	31.00	31.00	31.00
२	75 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	66.00	66.00	66.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	39.00	39.00	39.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	132.00	132.00	132.00
	180 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	317.00	317.00	317.00

Rainwater Collection System



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	JOINT BRACKET To connect two lengths of roof water	गोटा	375.00	375.00	375.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	543.00	543.00	543.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	621.00	621.00	621.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	621.00	621.00	621.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	147.00	147.00	147.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	445.00	445.00	445.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	113.00	113.00	113.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	95.00	95.00	95.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	53.00	53.00	53.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	115.00	115.00	115.00
	RUBBER GASKET To provide leak proof joints.	गोटा	43.00	43.00	43.00
३	110 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	71.00	71.00	71.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	46.00	46.00	46.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	255.00	255.00	255.00
४	250 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	614.00	614.00	614.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	644.00	644.00	644.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	1013.00	1013.00	1013.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	1456.00	1456.00	1456.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	1456.00	1456.00	1456.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	317.00	317.00	317.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	842.00	842.00	842.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	315.00	315.00	315.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	172.00	172.00	172.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	128.00	128.00	128.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	333.00	333.00	333.00
	RUBBER GASKET To provide leak proof joints.	गोटा	174.00	174.00	174.00
५	160 mm dia.				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	86.00	86.00	86.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	200.00	200.00	200.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	458.00	458.00	458.00
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	259.00	259.00	259.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	459.00	459.00	459.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	275.00	275.00	275.00


Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	493.00	493.00	493.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	469.00	469.00	469.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	706.00	706.00	706.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	496.00	496.00	496.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	730.00	730.00	730.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	1006.00	1006.00	1006.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	1255.00	1255.00	1255.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	1073.00	1073.00	1073.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	1417.00	1417.00	1417.00
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	147.00	147.00	147.00
	DWV Bend 87.5 Degree	गोटा	185.00	185.00	185.00
	DWV Bend 87.5 Degree with Door	गोटा	85.00	85.00	85.00
	DWV Socket Plug	गोटा	198.00	198.00	198.00
	DWV Cleansing Pipe	गोटा	119.00	119.00	119.00
	DWV Coupler	गोटा	212.00	212.00	212.00
	DWV Single Tee	गोटा	233.00	233.00	233.00
	DWV Single Tee with Door	गोटा	366.00	366.00	366.00
	DWV Cross Tee	गोटा	515.00	515.00	515.00
	DWV Cross Tee with Door	गोटा	379.00	379.00	379.00
	DWV Double 'Y'	गोटा	505.00	505.00	505.00
	DWV Double 'Y' with Door	गोटा	237.00	237.00	237.00
	DWV Single 'Y'	गोटा	302.00	302.00	302.00
	DWV Single 'Y' with Door	गोटा	12.00	12.00	12.00
	DWV Pipe Clip	गोटा	26.00	26.00	26.00
	DWV Vent Cowel	गोटा	241.00	241.00	241.00
	DWV Bend 45 Degree 110mm size	गोटा	296.00	296.00	296.00
	DWV Bend 87.5 Degree	गोटा	339.00	339.00	339.00
	DWV Bend 87.5 Degree with Door	गोटा	108.00	108.00	108.00
	DWV Socket Plug	गोटा	388.00	388.00	388.00
	DWV Cleansing Pipe	गोटा	216.00	216.00	216.00
	DWV Coupler	गोटा	718.00	718.00	718.00
	DWV Double 'Y'	गोटा	848.00	848.00	848.00
	DWV Double 'Y' with Door	गोटा	594.00	594.00	594.00
	DWV Cross Tee	गोटा	674.00	674.00	674.00
	DWV Cross Tee with Door	गोटा	388.00	388.00	388.00

Rainwater Collection System

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.व.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	DWV Single Tee	गोटा	458.00	458.00	458.00
	DWV Single Tee with Door	गोटा	475.00	475.00	475.00
	DWV Single 'Y'	गोटा	498.00	498.00	498.00
	DWV Single 'Y' with Door	गोटा	49.00	49.00	49.00
	DWV Vent Cowel	गोटा	169.00	169.00	169.00
	DWV Reducer 110*75 mm	गोटा	37.00	37.00	37.00
	DWV Pipe Clip 110mm size	गोटा	457.00	457.00	457.00
	DWV W.C. Connectore (Straight type)	गोटा	365.00	365.00	365.00
	DWV W.C. Connectore (Bend type)	गोटा	182.00	182.00	182.00
	DWV Nahani Trap - 3" Height without Jali 75 mm	गोटा	25.00	25.00	25.00
	DWV Nahani Trap Jali	गोटा	565.00	565.00	565.00
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	811.00	811.00	811.00
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	243.00	243.00	243.00
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	493.00	493.00	493.00
	DWV Reducer 60*110 mm	गोटा	471.00	471.00	471.00
	DWV Coupler 160mm size	गोटा	1130.00	1130.00	1130.00
	DWV Single Tee	गोटा	1214.00	1214.00	1214.00
	DWV Single Tee with Door	गोटा	2116.00	2116.00	2116.00
	DWV Single 'Y'	गोटा	2223.00	2223.00	2223.00
	DWV Single 'Y' with Door	गोटा	779.00	779.00	779.00
	DWV Bend 87.5 Degree	गोटा	1037.00	1037.00	1037.00
	DWV Bend 87.5 Degree with Door	गोटा	907.00	907.00	907.00
६	FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	613.00	613.00	613.00
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	636.00	636.00	636.00
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	661.00	661.00	661.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	622.00	622.00	622.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	634.00	634.00	634.00
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	1131.00	1131.00	1131.00
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	1176.00	1176.00	1176.00
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	1221.00	1221.00	1221.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	1150.00	1150.00	1150.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	1171.00	1171.00	1171.00
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	1772.00	1772.00	1772.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	1803.00	1803.00	1803.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	1833.00	1833.00	1833.00
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	2941.00	2941.00	2941.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	2991.00	2991.00	2991.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	3043.00	3043.00	3043.00
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	3894.00	3894.00	3894.00

Rainwater Collection System



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	3961.00	3961.00	3961.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	4029.00	4029.00	4029.00
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	4812.00	4812.00	4812.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	4896.00	4896.00	4896.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	4980.00	4980.00	4980.00
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	612.00	612.00	612.00
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	627.00	627.00	627.00
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	643.00	643.00	643.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	623.00	623.00	623.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	635.00	635.00	635.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	1130.00	1130.00	1130.00
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	1164.00	1164.00	1164.00
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	1195.00	1195.00	1195.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	1151.00	1151.00	1151.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	1171.00	1171.00	1171.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	1772.00	1772.00	1772.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	1803.00	1803.00	1803.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	1834.00	1834.00	1834.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	2941.00	2941.00	2941.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	2991.00	2991.00	2991.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	3042.00	3042.00	3042.00
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	3894.00	3894.00	3894.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	3961.00	3961.00	3961.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	4029.00	4029.00	4029.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	4812.00	4812.00	4812.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	4896.00	4896.00	4896.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	4980.00	4980.00	4980.00
	DWV Coupler SN-8 110mm	गोटा	308.00	308.00	308.00
	DWV Coupler SN-4 160 mm	गोटा	743.00	743.00	743.00
	DWV Coupler SN-4 200 mm	गोटा	1519.00	1519.00	1519.00
	DWV Coupler SN-4 250 mm	गोटा	2831.00	2831.00	2831.00
	DWV Coupler SN-2 315mm	गोटा	4554.00	4554.00	4554.00
	DWV Coupler SN-4 315 mm	गोटा	4972.00	4972.00	4972.00
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	1051.00	1051.00	1051.00
	DWV Long Radius Bend - 90 Degree SN-4 160 mm	गोटा	2926.00	2926.00	2926.00
	DWV Long Radius Bend - 90 Degree SN-4 200mm	गोटा	5465.00	5465.00	5465.00
	DWV Long Radius Bend - 90 Degree SN-4 250 mm	गोटा	12251.00	12251.00	12251.00
	DWV Long Radius Bend - 90 Degree SN-4 315 mm	गोटा	29090.00	29090.00	29090.00

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी

सिचाई संबन्धि कार्य



सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	म.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५७.००	१५७.००	१५७.००
२	Supply of Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३१.००	३१.००	३१.००
३	SPRINKLERS & ACCESSORIES				
	Unispray	गोटा	६९३.००	६९३.००	६९३.००
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover 15SST	गोटा	१२६०.००	१२६०.००	१२६०.००
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with multifunctional wiper seal with small exposed cover PA series	गोटा	१२६०.००	१२६०.००	१२६०.००
	Gear rotors 5004	गोटा	३२५५.००	३२५५.००	३२५५.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.	गोटा	४०९.००	४०९.००	४०९.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyethylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.	गोटा	५०४.००	५०४.००	५०४.००
	Providing and fixing of HDPE service saddle of varying size	गोटा	८९२.००	८९२.००	८९२.००
४	VALVES & ACCESSORIES				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३९९०.००	३९९०.००	३९९०.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२२०५.००	२२०५.००	२२०५.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७८७५.००	७८७५.००	७८७५.००
	6"Round box.	गोटा	१३१२.००	१३१२.००	१३१२.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१४०४०.००	१४०४०.००	१४०४०.००
	Key threads into top of QCV to provide water access 33DK	गोटा	१०२३७.००	१०२३७.००	१०२३७.००

Handwritten signatures and stamps. A circular stamp on the right contains the text: "जिल्ला प्रमुख जिल्ला अधिकारी" (District Executive District Officer).


Plastic Dustbin, Compost Bin, Planter & Road Divider

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९१८०	आ.व.०८०१८१	आ.व.०८११८२
१	LLDPE PLASTIC DUSTBIN - SMALL SIZE (ःfgj 8:6ljg) (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	३१२०.००	३१२०.००	३१२०.००
२	LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मफीला डस्टबिन) (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	४१६०.००	४१६०.००	४१६०.००
३	LLDPE PLASTIC LARGE WHEEL DUSTBIN (पंघावाला लार्ज डस्टबिन) (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा	७२८०.००	७२८०.००	७२८०.००
४	LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (पंघावाला एक्स्ट्रा लार्ज डस्टबिन) (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा	८३२०.००	८३२०.००	८३२०.००
५	M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG	गोटा	६२४०.००	६२४०.००	६२४०.००
६	M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा	८३२०.००	८३२०.००	८३२०.००
७	LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोस्ट बिन फिटिङ सहित) BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT).	गोटा	४१६०.००	४१६०.००	४१६०.००
८	LLDPE ROAD-DIVIDER - SMALL (रोड डिभाइडर, सानो साइज) WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा	३१२०.००	३१२०.००	३१२०.००
९	LLDPE ROAD-DIVIDER - LARGE (रोड डिभाइडर, ठूलो साइज) WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा	१७९६०.००	१७९६०.००	१७९६०.००
१०	LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमसा) WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा	५७२०.००	५७२०.००	५७२०.००

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी

Sewage Treatment Plant

सि.नं.	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७९।०८०	आ.व.०८०।८१	आ.व.०८१।८२
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा	१२०७३६.००	१२०७३६.००	१२०७३६.००
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO certified.	गोटा	१६१३९२.००	१६१३९२.००	१६१३९२.००
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified,	गोटा	२१५६००.००	२१५६००.००	२१५६००.००
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified.	गोटा	२७२२७२.००	२७२२७२.००	२७२२७२.००
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified,	गोटा	३२१५५२.००	३२१५५२.००	३२१५५२.००
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.	गोटा	३७५७६०.००	३७५७६०.००	३७५७६०.००
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा	४४९६८०.००	४४९६८०.००	४४९६८०.००
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified	गोटा	४८६६४०.००	४८६६४०.००	४८६६४०.००



जितेन्द्र बस्नेत
 प्रयाग जिल्ला अधिकारी

मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	C.I. Manhole Cover including frame.				
१	Square Frame Medium Duty				
	i) 10" x 10" (4 Kg.)	सेट	६७५.००	६७५.००	६७५.००
	ii) 12" x 12" (5 Kg.)	सेट	८३५.००	८३५.००	८३५.००
	iii) 14" x 14" (7 Kg.)	सेट	१२४७.००	१२४७.००	१२४७.००
	v) 16" x 16" (10 Kg.)	सेट	१६७१.००	१६७१.००	१६७१.००
	vi) 18" x 18" (14 Kg.)	सेट	२५९८.००	२५९८.००	२५९८.००
	viii) 20" x 20" (16 Kg.)	सेट	२९३०.००	२९३०.००	२९३०.००
	ix) 22" x 22" (20 Kg.)	सेट	३३५३.००	३३५३.००	३३५३.००
	x) 24" x 24" (24 Kg.)	सेट	४६५९.००	४६५९.००	४६५९.००
	xi) 27" x 27" (31 Kg.)	सेट	५८७१.००	५८७१.००	५८७१.००
२	Square Frame Heavy Duty				
	iii) 14" x 14" (14 Kg.)	सेट	२५४१.००	२५४१.००	२५४१.००
	viii) 20" x 20" (16 Kg.)		४१४३.००	४१४३.००	४१४३.००
	ix) 22" x 22" (22 Kg.)	सेट	५६६५.००	५६६५.००	५६६५.००
	xi) 27" x 27" (45 Kg.)	सेट	८१०४.००	८१०४.००	८१०४.००
३	Rounded Manhole Cover				
	Round Manhole cover medium 450mm(22")		४४८७.००	४४८७.००	४४८७.००
	Round Manhole cover Heavy 450mm(22")		८८४८.००	८८४८.००	८८४८.००
	Round Manhole cover medium 500 mm(24")		७०६३.००	७०६३.००	७०६३.००
	Round Manhole cover Heavy 500 mm(24")		१०५६५.००	१०५६५.००	१०५६५.००
	Rounded Manhole Cover with square frame				
	i) 18" dia. with square frame (60 Kg.)	सेट	१००५०.००	१००५०.००	१००५०.००
	ii) 20" dia. with square frame (70 Kg.)	,,	११७२२.००	११७२२.००	११७२२.००
	iii) 20" dia. with square frame (100 Kg.)	,,	१६७४७.००	१६७४७.००	१६७४७.००
	iv) 22" dia. Medium class. (125 Kg.)	,,	२१०३९.००	२१०३९.००	२१०३९.००
	v) 22" dia. Heavy class. (208Kg.)	,,	३४९०२.००	३४९०२.००	३४९०२.००
	vi) 24" dia. Medium class. (70 Kg.)	,,	१२०५३.००	१२०५३.००	१२०५३.००
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	,,	१४५४९.००	१४५४९.००	१४५४९.००
	viii) 24" with square frame (IS:1726) (70 Kg.)	,,	११७७९.००	११७७९.००	११७७९.००
	ix) 26" with square frame (IS:1726) (85 Kg.)	,,	१४३०८.००	१४३०८.००	१४३०८.००
	xi) 28" with square frame (IS:1726) (116 Kg.)	,,	१९७४६.००	१९७४६.००	१९७४६.००
	x) 30" with square frame (IS:1726) (100 Kg.)		१६८२७.००	१६८२७.००	१६८२७.००
	xi) 30" with square frame (IS:1726) (116 Kg.)		१९७४६.००	१९७४६.००	१९७४६.००
	xi) 32" with square frame (IS:1726) (208Kg.)		३४९०२.००	३४९०२.००	३४९०२.००
४	C.I. Tank Cover Locking Types- Round				

मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	18" (8 Kg.)	सेट	१९३४.००	१९३४.००	१९३४.००
	20" (12 Kg.)	,,	२८३७.००	२८३७.००	२८३७.००
	22" (14 Kg.)	,,	३२२२.००	३२२२.००	३२२२.००
	24" (16 Kg.)	,,	३८६८.००	३८६८.००	३८६८.००
	28" (24 Kg.)	,,	५८०२.००	५८०२.००	५८०२.००
५	C.I. Tank Cover Locking Types- Rectangular				
	18" x 18" (13 Kg.)	सेट	३२२२.००	३२२२.००	३२२२.००
	24" x 24" (50 Kg.)	सेट	११६०४.००	११६०४.००	११६०४.००
	18" x 24" (27 Kg.)	सेट	६४४८.००	६४४८.००	६४४८.००
६	C.I. Gully Gratings & Jali strip-Medium Duty				
	4"	सेट	११५.००	११५.००	११५.००
	5"	सेट	१५४.००	१५४.००	१५४.००
	6"	सेट	२०६.००	२०६.००	२०६.००
	10"	सेट	७०८.००	७०८.००	७०८.००
७	C.I. Gully Gratings & Jali Strip- Medium Duty				
	4" x 4"	सेट	१०२.००	१०२.००	१०२.००
	5" x 5"	सेट	१२९.००	१२९.००	१२९.००
	6" x 6"	सेट	१५४.००	१५४.००	१५४.००
	9" x 9"	सेट	४५९.००	४५९.००	४५९.००
	10" x 10"	सेट	५८०.००	५८०.००	५८०.००
	12" x 12"	सेट	८३८.००	८३८.००	८३८.००
८	C.I. Gully Gratings				
	i) 15" x 18" Medium (18 Kg.)	सेट	४२५५.००	४२५५.००	४२५५.००
	ii) 15" x 18" Heavy (25 Kg.)	सेट	५८०२.००	५८०२.००	५८०२.००
९	Grit Cover - फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१८७.००	१८७.००	१८७.००
१०	Aluminum Grating 4" dia.	गोटा	४८.००	४८.००	४८.००
११	SMC Manhole Cover				
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)- Round-Yellow and Grey (50 Ton Capacity)	गोटा	२७७४३.००	२८२९७.००	२८२९७.००
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)- Round-Yellow and Grey (40 Ton Capacity)	गोटा	१८९८२.००	१९३६९.००	२०३६९.००
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) - Round-Yellow and Grey (10 Ton Capacity)	गोटा	१८३००.००	१८३००.००	१८३००.००
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा	१०२२९.००	१०४२५.००	११४२५.००

मेनहोल कभरहरु



सि.नं.	सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७९।८०	आ.व.०८०।८१	आ.व.०८१।८२
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	१३४९७.००	१२२७२.००	१२२७२.००
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (Overlapping 50 Ton Capacity)	गोटा	२००००.००	२००००.००	२००००.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	७९००.००	७८४८.००	७८४८.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा	६७५०.००	६५९९.००	६५९९.००
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (Overlapping 15 Ton Capacity)	गोटा	१२०००.००	१२०००.००	१२०००.००
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा	५२५६.००	५३६१.००	५३६१.००
	Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	२७२५.००	२७७९.००	२७७९.००
	Frame Size 400mm*400mm - Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा	७८००.००	७८००.००	७८००.००
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट	७५००.००	७५००.००	७५००.००
	SMC water tank shield and footpath cover 610 mm x 510 mm-rectangular black cover.	गोटा		६२४५.००	६२४५.००
	Manhole Cover Lock Set	सेट	२०००.००	१५००.००	१५००.००
	Plastic Prefab Manholes				
	LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2.5 mtr	गोटा		११४६००.००	११४६००.००
	Height 3 mtr	गोटा		१२४५५०.००	१२४५५०.००
	LLOPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा		७९९००.००	७९९००.००
	LLDPE PLASTIC MANHOLE (DN 600MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 2 mtr	गोटा		४०८००.००	४०८००.००
	Height 4 mtr	गोटा		५९५००.००	५९५००.००
	LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, 2nos Gasket & End Cap				
	Height 4 mtr	गोटा		४२५००.००	४२५००.००

Page 194

 जितेन्द्र नबरसिंह

 प्रमुख जिल्ला अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
A	SWITCH & OUTLETS				
1	SWITCH SOCKET- (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	58.00	58.00	58.00
	One Gang two way switch	सेट	69.00	69.00	69.00
	One way bell switch	सेट	72.00	72.00	72.00
	Two gang one way switch	सेट	96.00	96.00	96.00
	Two gang one way switch with one bell push	सेट	105.00	105.00	105.00
	Two gang Full two way switch	सेट	107.00	107.00	107.00
	Three Gang one way switch	सेट	127.00	127.00	127.00
	Four gang one way switch	सेट	161.00	161.00	161.00
	Six gang one way switch (3x5)	सेट	253.00	253.00	253.00
	Eight gang one way switch	सेट	304.00	304.00	304.00
	Dimmer single 300 watt	सेट	309.00	309.00	309.00
	Dimmer single 750 watt	सेट	459.00	459.00	459.00
	5 Step humming free dimmer	सेट	407.00	407.00	407.00
	16Amp 3 Pin Plug Top	सेट	121.00	121.00	121.00
	1 switch with dimmer	सेट	368.00	368.00	368.00
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	151.00	151.00	151.00
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	169.00	169.00	169.00
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	371.00	371.00	371.00
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	206.00	206.00	206.00
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611.00	611.00	611.00
	Blanking plate single	सेट	40.00	40.00	40.00
	Telephone socket single	सेट	118.00	118.00	118.00
	Telephone socket Double	सेट	169.00	169.00	169.00
	Angle / bottom holder	सेट	35.00	35.00	35.00
	Ceiling Rose	सेट	35.00	35.00	35.00
	Buzzer	सेट	97.00	97.00	97.00
	Musical bell	सेट	222.00	222.00	222.00
	T.V. antenna single Socket	सेट	82.00	82.00	82.00
	6A 2/3 Pin unshuttered multi switch socket	सेट	128.00	128.00	128.00
	RJ 45 Computer Socket for modem	सेट	234.00	234.00	234.00
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	35.00	35.00	35.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	63.00	63.00	63.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	98.00	98.00	98.00
2	Switch / socket outlet, Plate series having round switch buttons & white surrounding plate, suitable to fix on box size 3"x3" . -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	83.00	83.00	83.00
	10A 2gang 1way Switch	सेट	163.00	163.00	163.00
	10A 3gang 1way Switch	सेट	216.00	216.00	216.00
	10A 4gang 1way Switch	सेट	350.00	350.00	350.00
	10A 5gang 1way Switch	सेट	371.00	371.00	371.00
	10A 6gang 1way Switch	सेट	617.00	617.00	617.00



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	10A 1gang 2way Switch	सेट	144.00	144.00	144.00
	10A 2gang 2way Switch	सेट	278.00	278.00	278.00
	10A 3gang 2way Switch	सेट	407.00	407.00	407.00
	10A 4gang 2way Switch	सेट	613.00	613.00	613.00
	T V Socket outlet	सेट	299.00	299.00	299.00
	Telephone Socket	सेट	268.00	268.00	268.00
	13A Universal socket outlet	सेट	464.00	464.00	464.00
	13A Socket	सेट	273.00	273.00	273.00
	15A switched Socket outlet	सेट	443.00	443.00	443.00
	5A Socket	सेट	340.00	340.00	340.00
	RJ 45 8way Computer Socket	सेट	824.00	824.00	824.00
	TV and Telephone Socket	सेट	592.00	592.00	592.00
	7+2 PIN SOCKET OUTLET	सेट	927.00	927.00	927.00
	3+2 PIN SOCKET OUTLET	सेट	577.00	577.00	577.00
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	783.00	783.00	783.00
	SCHUKO SOCKET WITH ONE SWITCH	सेट	505.00	505.00	505.00
	Bell Press	सेट	237.00	237.00	237.00
	Blank Plate	सेट	93.00	93.00	93.00
	400W Light Dimmer W/ Switch	सेट	906.00	906.00	906.00
	400W Fan Controller / Multi Step Dimmer	सेट	917.00	917.00	917.00
	5 Step Fan Controller	सेट	896.00	896.00	896.00
	2 Pin Socket W/ Switch	सेट	453.00	453.00	453.00
	13A Twin Socket	सेट	680.00	680.00	680.00
3	MODULAR SWITCH PLATES (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1 MODULAR PLATE	सेट	148.00	148.00	148.00
	2 MODULAR PLATE	सेट	148.00	148.00	148.00
	3 MODULAR PLATE	सेट	192.00	192.00	192.00
	4 MODULAR PLATE	सेट	221.00	221.00	221.00
	6 MODULAR PLATE	सेट	301.00	301.00	301.00
	8 MODULAR PLATE	सेट	354.00	354.00	354.00
	12 MODULAR PLATE	सेट	482.00	482.00	482.00
	16 MODULAR PLATE	सेट	562.00	562.00	562.00
	18 MODULAR PLATE	सेट	593.00	593.00	593.00
4	SWITCHES (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1 WAY SWITCH	सेट	130.00	130.00	130.00
	10A 2 WAY SWITCH	सेट	239.00	239.00	239.00
	16A 1 WAY SWITCH WITH INDICATOR	सेट	283.00	283.00	283.00
	16A 1 WAY SWITCH	सेट	252.00	252.00	252.00
	20A DP SWITCH WITH INDICATOR	सेट	546.00	546.00	546.00
	32A DP SWITCH WITH INDICATOR	सेट	655.00	655.00	655.00
	10A BELL PUSH	सेट	252.00	252.00	252.00
	10A 2 MODULAR BELL PUSH	सेट	372.00	372.00	372.00
	25A MOTOR STATER	सेट	1162.00	1162.00	1162.00
	400W 1 MODULAR DIMMER	सेट	673.00	673.00	673.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



विद्युतीय सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	100W 2 MODULAR DIMMER	सेट	1313.00	1313.00	1313.00
	STEP REGULATOR 4 STEP DIMMER	सेट	690.00	690.00	690.00
	20A 2 WAY SWITCH 1M	सेट	396.00	396.00	396.00
	20A 1 WAY SWITCH WITH IND 1M	सेट	480.00	480.00	480.00
5	SOCKETS (संबन्धित उत्पादक राष्ट्रको गुणस्तर बिन्द प्राप्त)				0.00
	6A 2 PIN SOCKET	सेट	212.00	212.00	212.00
	13A UNIVERSAL SOCKET	सेट	279.00	279.00	279.00
	6/16A 3 PIN SOCKET	सेट	429.00	429.00	429.00
	RJ11 SOCKET	सेट	282.00	282.00	282.00
	TV SOCKET	सेट	226.00	226.00	226.00
	USB CHARGER	सेट	2155.00	2155.00	2155.00
	BUZZER OFF	सेट	536.00	536.00	536.00
	BLANK OFF	सेट	50.00	50.00	50.00
	LED FOOT LIGHT 2M	सेट	1085.00	1085.00	1085.00
	LED PHASE INDICATOR	सेट	285.00	285.00	285.00
	RJ 45 SOCKET	सेट	819.00	819.00	819.00
	CALL BELL INDICATOR	सेट	2031.00	2031.00	2031.00
	MOVEMENT SENSOR	सेट	7230.00	7230.00	7230.00
6	HOSPITALITY				
	SAVER SOCKET 4M	सेट	6296.00	6296.00	6296.00
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट	1500.00	1500.00	1500.00
	DND MMR INSIDE ROOM UNIT	सेट	1301.00	1301.00	1301.00
	DND MMR OUTSIDE ROOM UNIT	सेट	925.00	925.00	925.00
7	MODULAR SWITCH IN GANG MODULE WHITE				
	1 GANG ONE WAY SWITCH	सेट	278.00	278.00	278.00
	2 GANG ONE WAY SWITCH	सेट	408.00	408.00	408.00
	3 GANG ONE WAY SWITCH	सेट	582.00	582.00	582.00
	4 GANG ONE WAY SWITCH	सेट	741.00	741.00	741.00
	6 GANG ONE WAY SWITCH	सेट	1081.00	1081.00	1081.00
	8 GANG ONE WAY SWITCH	सेट	1394.00	1394.00	1394.00
	12 GANG ONE WAY SWITCH	सेट	2042.00	2042.00	2042.00
	16 GANG ONE WAY SWITCH	सेट	2642.00	2642.00	2642.00
	18 GANG ONE WAY SWITCH	सेट	2933.00	2933.00	2933.00
	1 GANG TWO WAY SWITCH	सेट	387.00	387.00	387.00
	16A POWER SOCKET SET	सेट	873.00	873.00	873.00
	13A UNIVERSAL SOCKET SET	सेट	723.00	723.00	723.00
	400W DIMMER SET	सेट	821.00	821.00	821.00
	1000W DIMMER SET	सेट	1464.00	1464.00	1464.00
	RJ45 SOCKET SET	सेट	967.00	967.00	967.00
	RJ11 SOCKET SET	सेट	430.00	430.00	430.00
	BLANK PLATE	सेट	50.00	50.00	50.00
	TV SOCKET SET	सेट	374.00	374.00	374.00
	BELL PUSH SET	सेट	400.00	400.00	400.00
	20A DP SWITCH WITH INDICATOR SET	सेट	694.00	694.00	694.00
	32A D.P SWITCH WITH INDICATOR SET	सेट	803.00	803.00	803.00



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
8	GI METAL BOX RATES				
	GI METAL BOX 1/2 MODULE 3*3	सेट	103.00	103.00	103.00
	GI METAL BOX 3 MODULE 3*4	सेट	128.00	128.00	128.00
	GI METAL BOX 4 MODULE 3*5	सेट	141.00	141.00	141.00
	GI METAL BOX 6 MODULE 3*8	सेट	210.00	210.00	210.00
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट	267.00	267.00	267.00
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट	267.00	267.00	267.00
	GI METAL BOX 12/16 MODULE 6*8	सेट	405.00	405.00	405.00
	GI METAL BOX 18 MODULE 8*8	सेट	462.00	462.00	462.00
9	NON MODULAR SWITCHES LOCAL BRAND				
	16A MULTI POWER SOCKET	सेट	325.00	325.00	325.00
	16A POWER MULTI SOCKET + USB	सेट	800.00	800.00	800.00
	16A DOUBLE MULTI POWER SOCKET	सेट	665.00	665.00	665.00
	2 GANG + SOCKET SWITCH	सेट	320.00	320.00	320.00
	4 GANG + SOCKET SWITCH	सेट	525.00	525.00	525.00
	6 GANG + SOCKET SWITCH	सेट	640.00	640.00	640.00
	1 GANG SWITCH	सेट	135.00	135.00	135.00
	2 GANG SWITCH	सेट	200.00	200.00	200.00
	3 GANG SWITCH	सेट	267.00	267.00	267.00
	4 GANG SWITCH	सेट	350.00	350.00	350.00
	6 GANG SWITCH	सेट	525.00	525.00	525.00
	8 GANG SWITCH	सेट	655.00	655.00	655.00
	10 GANG SWITCH	सेट	800.00	800.00	800.00
	DIMMER KNOB	सेट	445.00	445.00	445.00
	2 PIN SOCKET KNOB	सेट	100.00	100.00	100.00
	2 WAY SWITCH KNOB	सेट	94.00	94.00	94.00
	DOOR BELL KNOB	सेट	94.00	94.00	94.00
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट	175.00	175.00	175.00
	20A D.P SWITCH	सेट	445.00	445.00	445.00
	45A D.P SWITCH	सेट	660.00	660.00	660.00
	TV SOCKET	सेट	206.00	206.00	206.00
	TELEPHONE SOCKET	सेट	206.00	206.00	206.00
	RJ45 SOCKET KNOB	सेट	290.00	290.00	290.00
	TV+ TELEPHONE SOCKET	सेट	275.00	275.00	275.00
	1 GANG PLATE	सेट	94.00	94.00	94.00
	2 GANG PLATE	सेट	94.00	94.00	94.00
	3X3 WOODEN PLATE	सेट	125.00	125.00	125.00
	3X5 WOODEN PLATE	सेट	165.00	165.00	165.00
10	White Plate series modular type(polycarbonate) SWITCH SOCKET (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	100.00	100.00	100.00
	One Gang two way switch	सेट	112.00	112.00	112.00
	One way bell switch	सेट	112.00	112.00	112.00
	Two gang one way switch	सेट	133.00	133.00	133.00
	Two gang one way switch with one bell push	सेट	146.00	146.00	146.00

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Two gang Full two way switch	सेट	158.00	158.00	158.00
	Three Gang one way switch	सेट	167.00	167.00	167.00
	Four gang one way switch	सेट	202.00	202.00	202.00
	Six gang one way switch	सेट	307.00	307.00	307.00
	Eight gang one way switch	सेट	374.00	374.00	374.00
	Dimmer single 400 watt	सेट	486.00	486.00	486.00
	1 switch with dimmer	सेट	499.00	499.00	499.00
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	260.00	260.00	260.00
	6/13 Amp , Power sockets with switch , indicator	सेट	263.00	263.00	263.00
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	354.00	354.00	354.00
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391.00	391.00	391.00
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474.00	474.00	474.00
	Blanking plate single	सेट	62.00	62.00	62.00
	Telephone socket single	सेट	152.00	152.00	152.00
	Telephone socket Double	सेट	249.00	249.00	249.00
	T.V. antenna single Socket	सेट	142.00	142.00	142.00
	RJ 45 Computer Socket for modem	सेट	206.00	206.00	206.00
	CAT-6 Computer Socket for modem	सेट	321.00	321.00	321.00
11	Modular Type Switch Socket set (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1P – 6A/10A 1 way switch	गोटा	139.00	139.00	139.00
	1P – 16A/20A 1 way switch	गोटा	223.00	223.00	223.00
	1P – 25A 1 way switch	गोटा	326.00	326.00	326.00
	1P – 6A/10A 2 way switch	गोटा	167.00	167.00	167.00
	1P – 16A/20A 2 way switch	गोटा	253.00	253.00	253.00
	1P – 6A push button	गोटा	184.00	184.00	184.00
	1 gang blanking module	गोटा	43.00	43.00	43.00
	2 gang blanking module	गोटा	86.00	86.00	86.00
12	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	638.00	638.00	638.00
	60 – 500 W dimmer	गोटा	797.00	797.00	797.00
	1000 W dimmer	गोटा	1524.00	1524.00	1524.00
13	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	240.00	240.00	240.00
	6/16A twin socket 3 pin (flushed)	गोटा	332.00	332.00	332.00
	6/16A twin socket 3 pin (projected)	गोटा	332.00	332.00	332.00
	25A 3 pin socket	गोटा	401.00	401.00	401.00
	13A 3 pin socket	गोटा	270.00	270.00	270.00
	RJ 11 telephone jack	गोटा	159.00	159.00	159.00
	RJ 45 cat.6e computer socket	गोटा	557.00	557.00	557.00
	TV socket	गोटा	161.00	161.00	161.00
	HOSPITALITY RANGE				0.00
	250V/110V shaver socket	गोटा	4355.00	4355.00	4355.00
	Indicator (DO NOT DISTUURB)	गोटा	180.00	180.00	180.00

जिल्ला प्रशासन कार्यालय
काठमाण्डौ



विद्युत्तय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED yellow night lamp	गोटा	560.00	560.00	560.00
	LED Blue night lamp	गोटा	560.00	560.00	560.00
14	FRONT PLATE (COMPATIBLE TO MARKET BOXES)	गोटा			0.00
	1 module front plate	गोटा	72.00	72.00	72.00
	2 module front plate	गोटा	77.00	77.00	77.00
	3 module front plate	गोटा	84.00	84.00	84.00
	4 module front plate	गोटा	89.00	89.00	89.00
	6 module front plate	गोटा	162.00	162.00	162.00
	8 module front plate(4+4)	गोटा	217.00	217.00	217.00
	8 module front plate (Horizontal)	गोटा	174.00	174.00	174.00
	12 module front plate	गोटा	260.00	260.00	260.00
	18 module front plate	गोटा	350.00	350.00	350.00
15	Modular Type Switch Socket रसंवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	गोटा	90.00	90.00	90.00
	1P – 16A/20A 1 way switch	गोटा	150.00	150.00	150.00
	1P – 6A/10A 2 way switch	गोटा	139.00	139.00	139.00
	1P – 16A/20A 2 way switch	गोटा	182.00	182.00	182.00
	1P – 6A push button	गोटा	139.00	139.00	139.00
	1 gang blanking module	गोटा	42.00	42.00	42.00
	2 gang blanking module	गोटा	81.00	81.00	81.00
	Modular Switch, Sockets, Plates				0.00
	6A SWITCH 1W 1 MODULE	गोटा	137.60	137.60	137.60
	6A SWITCH 2W 1 MODULE	गोटा	265.60	265.60	265.60
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा	265.60	265.60	265.60
	10A SWITCH 1W 2 MODULE	गोटा	323.20	323.20	323.20
	10A SWITCH 2W 2 MODULE	गोटा	380.80	380.80	380.80
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा	2153.60	2153.60	2153.60
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	412.80	412.80	412.80
	16A SWITCH 1W 1 MODULE	गोटा	300.80	300.80	300.80
	16A SWITCH 2W 1 MODULE	गोटा	377.60	377.60	377.60
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा	390.40	390.40	390.40
	20A SWITCH 1W 1 MODULE	गोटा	441.60	441.60	441.60
	20A DP SWITCH 1W 2 MODULE	गोटा	649.60	649.60	649.60
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	662.40	662.40	662.40
	20A SWITCH 2W 2 MODULE	गोटा	742.40	742.40	742.40
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा	460.80	460.80	460.80
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा	896.00	896.00	896.00
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा	483.20	483.20	483.20
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा	950.40	950.40	950.40
	MULTISTANDARD SOCKET6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा	505.60	505.60	505.60
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा	390.40	390.40	390.40



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	6/16 A SOCKET 3 MODULE	गोटा	598.40	598.40	598.40
	6/16 A SOCKET 2 MODULE	गोटा	505.60	505.60	505.60
	6/16A EURO SOCKET 2 MODULE	गोटा	524.80	524.80	524.80
	25A SOCKET 2 MODULE	गोटा	505.60	505.60	505.60
	6A 3 PIN ISI SOCKET 2M	गोटा	252.80	252.80	252.80
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा	899.20	899.20	899.20
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा	1148.80	1148.80	1148.80
	REMOVABLE LED LAMP 2 MODULE	गोटा	3696.00	3696.00	3696.00
	LED SKIRTING LIGHT 3 MODULE	गोटा	771.00	771.00	771.00
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS	गोटा	816.00	816.00	816.00
	BELL CALL INDICATOR 240V 1 MODULE	गोटा	1529.60	1529.60	1529.60
	BUZZER 230 V 1 MODULE	गोटा	1027.20	1027.20	1027.20
	INFRARED SENSOR 400W 2 MODULE	गोटा	2444.80	2444.80	2444.80
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा	5869.00	5869.00	5869.00
	REMOTE CONTROL HAND UNIT	गोटा	908.00	908.00	908.00
	16A KEY CARD SWITCH 2 MODULE	गोटा	4950.40	4950.40	4950.40
	CREDIT CARD SIZE KEY FOB	गोटा	166.40	166.40	166.40
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा	544.00	544.00	544.00
	INTERNAL CONTROL UNIT FOR DND & MMR 1+1 MODULE	गोटा	441.60	441.60	441.60
	SHAVAR SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा	3804.80	3804.80	3804.80
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा	761.60	761.60	761.60
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा	1068.80	1068.80	1068.80
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा	2057.60	2057.60	2057.60
	PRETERMINATED HDMI SOCKET 1 MODULE	गोटा	2528.00	2528.00	2528.00
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा	2528.00	2528.00	2528.00
	VOLUME CONTROLLER 2 MODULE	गोटा	1625.60	1625.60	1625.60
	16A MOTOR STARTER 2 MODULE	गोटा	976.00	976.00	976.00
	25A MOTOR STARTER 2 MODULE	गोटा	976.00	976.00	976.00
	VOLTAGE SURGE PROTECTOR 230V 1 MODULE	गोटा	3084.80	3084.80	3084.80
	16A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	20A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	32A SP MCB 1 C CURVE 1 M	गोटा	646.40	646.40	646.40
	USB CHARGER 1000 mA 1 MODULAR TYPE A	गोटा	1616.00	1616.00	1616.00
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा	1551.00	1551.00	1551.00
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा	3744.00	3744.00	3744.00
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा	1798.40	1798.40	1798.40
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा	4316.80	4316.80	4316.80
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा	4752.00	4752.00	4752.00
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	गोटा	2825.60	2825.60	2825.60
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	गोटा	3763.20	3763.20	3763.20
	WIRELESS CHARGER +TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W	गोटा	10256.00	10256.00	10256.00



विद्युत सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W	गोटा	3260.80	3260.80	3260.80
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा	7190.40	7190.40	7190.40
	ROTARY LED DIMMER 50 W	गोटा	3324.80	3324.80	3324.80
	6A TOUCH SWITCH 1W 2 MODULE	गोटा	4956.80	4956.80	4956.80
	6A TOUCH SWITCH 2W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	16A TOUCH SWITCH 1W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	6A TOUCH BELL PUSH 2 MODULE	गोटा	4956.80	4956.80	4956.80
	TOUCH FAN REGULATOR 100W 2 MODULE	गोटा	5728.00	5728.00	5728.00
	300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE	गोटा	5728.00	5728.00	5728.00
	READING LIGHT RED	गोटा	2873.60	2873.60	2873.60
	CABLE OUTLET 8 mm 1 MODULE	गोटा	246.40	246.40	246.40
	BLANKING PLATE 1 MODULE	गोटा	63.00	63.00	63.00
	BLANKING PLATE 2 MODULE	गोटा	86.40	86.40	86.40
	CLASSIC WHITE PLATE+ FRAME 1 M	गोटा	201.60	201.60	201.60
	CLASSIC WHITE PLATE+ FRAME 2 M	गोटा	201.60	201.60	201.60
	CLASSIC WHITE PLATE+ FRAME 3 M	गोटा	259.20	259.20	259.20
	CLASSIC WHITE PLATE+ FRAME 4 M	गोटा	291.20	291.20	291.20
	CLASSIC WHITE PLATE + FRAME 6M	गोटा	361.60	361.60	361.60
	CLASSIC WHITE PLATE+ FRAME 8 M (H)	गोटा	464.00	464.00	464.00
	CLASSIC WHITE PLATE + FRAME 2 X 4M	गोटा	489.60	489.60	489.60
	CLASSIC WHITE PLATE+ FRAME 9M	गोटा	518.40	518.40	518.40
	CLASSIC WHITE PLATE+ FRAME 12 M	गोटा	675.20	675.20	675.20
	CLASSIC WHITE PLATE+ FRAME 16M	गोटा	784.00	784.00	784.00
	CLASSIC WHITE PLATE+ FRAME 18 M	गोटा	1062.40	1062.40	1062.40
	BRUSHED SILVER PLATE+ FRAME 1M	गोटा	265.60	265.60	265.60
	BRUSHED SILVER PLATE+ FRAME 2M	गोटा	265.60	265.60	265.60
	BRUSHED SILVER PLATE+ FRAME 3M	गोटा	371.20	371.20	371.20
	BRUSHED SILVER PLATE+ FRAME 4M	गोटा	384.00	384.00	384.00
	BRUSHED SILVER PLATE+ FRAME 6M	गोटा	496.00	496.00	496.00
	BRUSHED SILVER PLATE+ FRAME 8M(H)	गोटा	646.40	646.40	646.40
	BRUSHED SILVER PLATE+ FRAME 2X 4M	गोटा	646.40	646.40	646.40
	BRUSHED SILVER PLATE+ FRAME 9M	गोटा	700.80	700.80	700.80
	BRUSHED SILVER PLATE+ FRAME 12M	गोटा	928.00	928.00	928.00
	BRUSHED SILVER PLATE+ FRAME 16M	गोटा	1068.80	1068.80	1068.80
	BRUSHED SILVER PLATE+ FRAME 18M	गोटा	1446.40	1446.40	1446.40
	ALU SUN SET PLATE + FRAME 1M	गोटा	259.20	259.20	259.20
	ALU SUN SET PLATE + FRAME 2M	गोटा	259.20	259.20	259.20
	ALU SUN SET PLATE + FRAME 3M	गोटा	355.20	355.20	355.20
	ALU SUN SET PLATE + FRAME 4M	गोटा	380.80	380.80	380.80
	ALU SUN SET PLATE + FRAME 6M	गोटा	489.60	489.60	489.60
	ALU SUN SET PLATE + FRAME 8M(H)	गोटा	627.20	627.20	627.20
	ALU SUN SET PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	630.40
	ALU SUN SET PLATE + FRAME 9M	गोटा	678.40	678.40	678.40
	ALU SUN SET PLATE + FRAME 12M	गोटा	896.00	896.00	896.00

जितेन्द्र बस्नेत
जिल्ला अधिकारी



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	ALU SUN SET PLATE + FRAME 16M	गोटा	1027.20	1027.20	1027.20
	ALU SUN SET PLATE + FRAME 18M	गोटा	1420.80	1420.80	1420.80
	CHAMPAGNE PLATE + FRAME 1M	गोटा	259.20	259.20	259.20
	CHAMPAGNE PLATE + FRAME 2M	गोटा	259.20	259.20	259.20
	CHAMPAGNE PLATE + FRAME 3M	गोटा	355.20	355.20	355.20
	CHAMPAGNE PLATE + FRAME 4M	गोटा	380.80	380.80	380.80
	CHAMPAGNE PLATE + FRAME 6M	गोटा	489.60	489.60	489.60
	CHAMPAGNE PLATE + FRAME 8M(H)	गोटा	627.20	627.20	627.20
	CHAMPAGNE PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	630.40
	CHAMPAGNE PLATE + FRAME 9M	गोटा	678.40	678.40	678.40
	CHAMPAGNE PLATE + FRAME 12M	गोटा	896.00	896.00	896.00
	CHAMPAGNE PLATE + FRAME 16M	गोटा	1027.20	1027.20	1027.20
	CHAMPAGNE PLATE + FRAME 18M	गोटा	1420.80	1420.80	1420.80
	MATT SILVER PLATE + FRAME 1M	गोटा	259.20	259.20	259.20
	MATT SILVER PLATE + FRAME 2M	गोटा	259.20	259.20	259.20
	MATT SILVER PLATE + FRAME 3M	गोटा	355.20	355.20	355.20
	MATT SILVER PLATE + FRAME 4M	गोटा	380.80	380.80	380.80
	MATT SILVER PLATE + FRAME 6M	गोटा	489.60	489.60	489.60
	MATT SILVER PLATE + FRAME 8M(H)	गोटा	627.20	627.20	627.20
	MATT SILVER PLATE + FRAME 2 X 4 M	गोटा	630.40	630.40	630.40
	MATT SILVER PLATE + FRAME 9M	गोटा	678.40	678.40	678.40
	MATT SILVER PLATE + FRAME 12M	गोटा	896.00	896.00	896.00
	MATT SILVER PLATE + FRAME 16M	गोटा	1027.20	1027.20	1027.20
	MATT SILVER PLATE + FRAME 18M	गोटा	1420.80	1420.80	1420.80
16	FAN REGULATOR / DIMMER				
	Step type fan regulator	गोटा	731.00	731.00	731.00
	60 – 500 W dimmer	गोटा	623.00	623.00	623.00
	FAN STEP REGULATOR 100W 1 MODULE	गोटा	822.40	822.40	822.40
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा	1017.60	1017.60	1017.60
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा	1164.80	1164.80	1164.80
	FAN STEP REGULATOR 70W 2 MODULE	गोटा	1113.60	1113.60	1113.60
	FAN REGULATOR 100W 8 STEP 2M	गोटा	915.20	915.20	915.20
17	SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS				
	6A – multi socket 5 pin	गोटा	193.00	193.00	193.00
	6/16A twin socket 3 pin (flushed)	गोटा	300.00	300.00	300.00
	6/16A twin socket 3 pin (projected)	गोटा	300.00	300.00	300.00
	13A 3 pin socket	गोटा	193.00	193.00	193.00
	RJ 11 telephone jack	गोटा	150.00	150.00	150.00
	RJ 45 cat.6e computer socket	गोटा	247.00	247.00	247.00
	TV COAXIAL SOCKET 1 MODULE	गोटा	290.00	290.00	290.00
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा	277.00	277.00	277.00
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा	474.00	474.00	474.00
18	TV socket	गोटा	150.00	150.00	150.00
	1 module front plate	गोटा	118.00	118.00	118.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2 module front plate	गोटा	118.00	118.00	118.00
	3 module front plate	गोटा	154.00	154.00	154.00
	4 module front plate	गोटा	172.00	172.00	172.00
	6 module front plate	गोटा	237.00	237.00	237.00
	8 module front plate(4+4)	गोटा	318.00	318.00	318.00
	8 module front plate (Horizontal)	गोटा	326.00	326.00	326.00
	12 module front plate	गोटा	379.00	379.00	379.00
	18 module front plate	गोटा	473.00	473.00	473.00
19	BELL INDICATOR				
	4 way bell indicator with plate	सेट	1255.00	1255.00	1255.00
	6 way " " " "	सेट	2049.00	2049.00	2049.00
	8 way " " " "	सेट	2851.00	2851.00	2851.00
	12 way " " " "	सेट	4395.00	4395.00	4395.00
	6A PUSH BUTTON SP 1 MODULE	सेट	214.00	214.00	214.00
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट	314.00	314.00	314.00
	6A BELL PUSH 1 MODULE	सेट	281.00	281.00	281.00
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट	332.00	332.00	332.00
	6A BELL PUSH 2 MODULE	सेट	377.00	377.00	377.00
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट	556.00	556.00	556.00
	BELL CALL INDICATOR 240V 1 MODULE	सेट	1530.00	1530.00	1530.00
20	Flush mounting galvanized Metal box for modular type switch & socket-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1 module metal box having L x B x Depth =(78x78x45)mm	सेट	54.00	54.00	54.00
	2 module " " " =(78x78x45)mm	सेट	54.00	54.00	54.00
	3 gang " " " =(78x100x45)mm	सेट	58.00	58.00	58.00
	4 gang " " " =(78x140x50)mm	सेट	71.00	71.00	71.00
	5 gang " " " =(78x205x50)mm	सेट	139.00	139.00	139.00
	6 gang " " " =(78x205x50)mm	सेट	142.00	142.00	142.00
	8 module metal box (4+4) =(78x230x60)mm	सेट	189.00	189.00	189.00
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	189.00	189.00	189.00
	12 module metal box =(135x120x60)mm	सेट	241.00	241.00	241.00
	TV socket metal box	सेट	54.00	54.00	54.00
	Telephone socket metal box	सेट	54.00	54.00	54.00
23	METAL Junction BOX				
	4"x4"	सेट	104.00	104.00	104.00
	4"x6"	सेट	156.00	156.00	156.00
	6"x8"	सेट	247.00	247.00	247.00
	8"x10"	सेट	364.00	364.00	364.00
	8"x12"	सेट	364.00	364.00	364.00
24	PVC Junction Box	सेट	35.00	35.00	35.00
	4"x6"	सेट	32.00	32.00	32.00
	6"x8"	सेट	48.00	48.00	48.00
	8"x10"	सेट	69.00	69.00	69.00
	8" x12"	सेट	134.00	134.00	134.00
	PVC Junction box cover	सेट	150.00	150.00	150.00



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
25	PVC Box for MCB				
	1-pole PVC box GPS	सेट	84.00	84.00	84.00
	2-pole PVC " "	सेट	84.00	84.00	84.00
	3 and 4-pole PVC " "	सेट	135.00	135.00	135.00
26	Industrial Plug & Sockets				
	Industrial type Plug & Socket with required IP protection				
	16/20 Amp 3 Pin Socket with required IP protection	गोटा	3848.00	3848.00	3848.00
	16/20 Amp 4 Pin Socket with required IP protection	गोटा	4223.00	4223.00	4223.00
	16/20 Amp 5 Pin Socket with required IP protection	गोटा	4223.00	4223.00	4223.00
	32 Amp 3 Pin Socket with required IP protection	गोटा	4375.00	4375.00	4375.00
	32 Amp 4 Pin Socket with required IP protection	गोटा	4913.00	4913.00	4913.00
	32 Amp 5 Pin Socket with required IP protection	गोटा	4913.00	4913.00	4913.00
	63 Amp 3 Pin Socket with required IP protection	गोटा	11182.00	11182.00	11182.00
	63 Amp 4 Pin Socket with required IP protection	गोटा	10192.00	10192.00	10192.00
	63 Amp 5 Pin Socket with required IP protection	गोटा	10192.00	10192.00	10192.00
	16/20 Amp 3 Pin Plug with required IP protection	गोटा	1941.00	1941.00	1941.00
	16/20 Amp 4 Pin Plug with required IP protection	गोटा	2714.00	2714.00	2714.00
	16/20 Amp 5 Pin Plug with required IP protection	गोटा	2269.00	2269.00	2269.00
	32 Amp 3 Pin Plug with required IP protection	गोटा	3345.00	3345.00	3345.00
	32 Amp 4 Pin Plug with required IP protection	गोटा	3415.00	3415.00	3415.00
	32 Amp 5 Pin Plug with required IP protection	गोटा	2795.00	2795.00	2795.00
	63 Amp 3 Pin Plug with required IP protection	गोटा	10095.00	10095.00	10095.00
	63 Amp 4 Pin Plug with required IP protection	गोटा	8095.00	8095.00	8095.00
	63 Amp 5 Pin Plug with required IP protection	गोटा	7089.00	7089.00	7089.00
27	Outdoor Junction Box: IP 66/IP67/IP69 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, made out of PC-GFS Polycarbonate/ Polypropylene including the required number of cable glands with following standards: • VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. • Fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent.				
	93 x 93 x 62, Dimensions(mm)	गोटा	1427.00	1427.00	1427.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1684.00	1684.00	1684.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1754.00	1754.00	1754.00
	130 x 130 x 77, Dimensions(mm)	गोटा	2292.00	2292.00	2292.00
	130 x 130 x 77, Dimensions(mm)	गोटा	3193.00	3193.00	3193.00
	130 x 180 x 77, Dimensions(mm)	गोटा	3731.00	3731.00	3731.00
	130 x 180 x 77, Dimensions(mm)	गोटा	4094.00	4094.00	4094.00
	155 x 210 x 92, Dimensions(mm)	गोटा	4761.00	4761.00	4761.00
	155 x 210 x 92, Dimensions(mm)	गोटा	5334.00	5334.00	5334.00
	205 x 255 x 112, Dimensions(mm)	गोटा	28649.00	28649.00	28649.00
	225 x 295 x 122, Dimensions(mm)	गोटा	30099.00	30099.00	30099.00
	255 x 355 x 122, Dimensions(mm)	गोटा	8376.00	8376.00	8376.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			भा.व. २०७९/८०	भा.व. २०८०/८१	भा.व. २०८१/८२
28	Junction Box for Underground/Underwater Application: IP 68 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for installation in the ground (underground – buried applications) without traffic loads. The junction box shall fulfill the following standards: IEC 60670-22: Particular requirements for connecting boxes and enclosures. IEC 60695 – 2 – 11: Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. DIN VDE V 0606 – 22 – 100: Cable junction boxes for encapsulating				
	93 x 93 x 62, Dimensions(mm)	गोटा	10028.00	10028.00	10028.00
	104 x 104 x 70, Dimensions(mm)	गोटा	12044.00	12044.00	12044.00
	104 x 104 x 70, Dimensions(mm)	गोटा	12160.00	12160.00	12160.00
	130 x 130 x 77, Dimensions(mm)	गोटा	15608.00	15608.00	15608.00
	130 x 130 x 77, Dimensions(mm)	गोटा	16074.00	16074.00	16074.00
	130 x 180 x 77, Dimensions(mm)	गोटा	19126.00	19126.00	19126.00
	130 x 180 x 77, Dimensions(mm)	गोटा	20407.00	20407.00	20407.00
29	Encapsulating/Waterproofing Gel Compound: Gel, suitable for Low voltage, free from halogen & silicon content, with self-life of 2 years, dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time).				
	350 ml, Packet	गोटा	9073.00	9073.00	9073.00
	500 ml, Packet	गोटा	10925.00	10925.00	10925.00
	850 ml, Packet	गोटा	14490.00	14490.00	14490.00
	1200 ml, Drum	गोटा	16726.00	16726.00	16726.00
	2000 ml, Drum	गोटा	14979.00	14979.00	14979.00
	5000 ml, Drum	गोटा	33849.00	33849.00	33849.00
	10000 ml, Drum	गोटा	66183.00	66183.00	66183.00
30	DB Box Condensation Protection Passive Measure: for preventing condensation in panels and DB's, having performance range temperature range of -30 deg C to +90 deg C. The Condensation Bag/Pouch shall be Environment friendly and can be disposed of in regular trash.				
	50 x 75 , Dimensions(mm)	गोटा	605.00	605.00	605.00
	75 x 100, Dimensions(mm)	गोटा	1118.00	1118.00	1118.00
	100 x 150, Dimensions(mm)	गोटा	2154.00	2154.00	2154.00
	150 x 150, Dimensions(mm)	गोटा	3203.00	3203.00	3203.00
31	Polycarbonate Thermoplastic Box: IP 64/IP65/IP66 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 featured with UV resistance in accordance with IEC 61439-1, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	300 x 150 x 170, Dimensions(mm)	गोटा	7008.00	7008.00	7008.00
	300 x 300 x 170, Dimensions(mm)	गोटा	10113.00	10113.00	10113.00
	300 x 450 x 170, Dimensions(mm)	गोटा	13185.00	13185.00	13185.00
	300 x 600 x 170, Dimensions(mm)	गोटा	16353.00	16353.00	16353.00
	450 x 600 x 170, Dimensions(mm)	गोटा	28700.00	28700.00	28700.00
	600 x 600 x 170, Dimensions(mm)	गोटा	36201.00	36201.00	36201.00
	300 x 300 x 214, Dimensions(mm)	गोटा	10762.00	10762.00	10762.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'जिल्ला अधिकारी' (District Officer) and 'जिल्ला' (District).



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	300 x 450 x 214, Dimensions(mm)	गोटा	14327.00	14327.00	14327.00
	300 x 600 x 214, Dimensions(mm)	गोटा	17879.00	17879.00	17879.00
	300 x 300 x 180, Dimensions(mm)	गोटा	11624.00	11624.00	11624.00
32	Cable Glands and Locknuts: IP 68 Cable Glands and Locknuts Made from Polyamide Material				
	M 12 x 1.5	गोटा	77.00	77.00	77.00
	M 16 x 1.5	गोटा	79.00	79.00	79.00
	M 20 x 1.5	गोटा	107.00	107.00	107.00
	M 25 x 1.5	गोटा	187.00	187.00	187.00
	M 32 x 1.5	गोटा	255.00	255.00	255.00
	M 40 x 1.5	गोटा	531.00	531.00	531.00
	M 50 x 1.5	गोटा	823.00	823.00	823.00
	M 63 x 1.5	गोटा	1289.00	1289.00	1289.00
B	LT- PANELS				
	General & Mid Segment				
33	Distribution board (DB)- factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 way SPN DB Double Cover	सेट	1130.00	1130.00	1130.00
	6 way SPN DB " "	सेट	1185.00	1185.00	1185.00
	8 way SPN DB " "	सेट	1479.00	1479.00	1479.00
	12 way SPN DB " "	सेट	1753.00	1753.00	1753.00
	16 way SPN DB " "	सेट	1874.00	1874.00	1874.00
	3-4 way TPN DB Double Cover	सेट	2786.00	2786.00	2786.00
	6 way TPN " " "	सेट	3131.00	3131.00	3131.00
	8 way TPN " " " Vertical	सेट	6057.00	6057.00	6057.00
	12 way TPN " " " Vertical	सेट	8070.00	8070.00	8070.00
	Standard Segment				
32	Distribution Box : factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof (IP 43 & IK 09 ingress protection) double door vertical/horizontal type Distribution Boards conforming IEC: 61439-3, fabricated from 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3135.00	3135.00	3135.00
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3870.00	3870.00	3870.00
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट	4652.00	4652.00	4652.00
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट	5902.00	5902.00	5902.00
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट	6036.00	6036.00	6036.00
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट	7322.00	7322.00	7322.00
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट	2356.00	2356.00	2356.00



विद्युत सामग्रीहरू

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट	2874.00	2874.00	2874.00
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट	3398.00	3398.00	3398.00
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट	4150.00	4150.00	4150.00
	20 WAY SPN DB BOX(SINGLE DOOR)				
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट	7660.00	7660.00	7660.00
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट	9539.00	9539.00	9539.00
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट	11392.00	11392.00	11392.00
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट	17062.00	17062.00	17062.00
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट	21152.00	21152.00	21152.00
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट	29612.00	29612.00	29612.00
	2 ROW OF 14M DB (DOUBLE DOOR)	सेट	9816.00	9816.00	9816.00
	3 ROW OF 14M DB (DOUBLE DOOR)	सेट	11737.00	11737.00	11737.00
	4 ROW OF 14M DB (DOUBLE DOOR)	सेट	12785.00	12785.00	12785.00
	3 ROW OF 14M DB +MCCB (DOUBLE DOOR)	सेट	12782.00	12782.00	12782.00
	4WAY +12 TPN DB'S (DOUBLE DOOR)	सेट	22883.00	22883.00	22883.00
	6WAY +18 TPN DB'S (DOUBLE DOOR)	सेट	25997.00	25997.00	25997.00
	8WAY +24 TPN DB'S (DOUBLE DOOR)	सेट	28614.00	28614.00	28614.00
	12WAY +36 TPN DB'S (DOUBLE DOOR)	सेट	39010.00	39010.00	39010.00
	4WAY +12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	27469.00	27469.00	27469.00
	4WAY +12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	31443.00	31443.00	31443.00
	4WAY +12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	36355.00	36355.00	36355.00
	4WAY +12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	41004.00	41004.00	41004.00
	63A-160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	6818.00	6818.00	6818.00
	250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	12057.00	12057.00	12057.00
	100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	3643.00	3643.00	3643.00
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	1213.00	1213.00	1213.00
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	1213.00	1213.00	1213.00
	Panel Board Thermoplastic Polycarbonate				
33	Distribution Board Thermoplastic Polycarbonate: IP 65 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 made of Thermoplastics PS Polystyrene Outdoor MCB Distribution Boards suitable for 1-54 MCB modules with fixed plug-in terminal for PE/N, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	3 Modules	गोटा	3986.00	3986.00	3986.00
	4 Modules	गोटा	5033.00	5033.00	5033.00
	6 Modules	गोटा	5762.00	5762.00	5762.00
	9 Modules	गोटा	7197.00	7197.00	7197.00
	12 Modules	गोटा	11811.00	11811.00	11811.00
	18 Modules	गोटा	14105.00	14105.00	14105.00
	24 Modules	गोटा	16773.00	16773.00	16773.00
	2 row 36 Modules	गोटा	21665.00	21665.00	21665.00
	3 row 36 Modules	गोटा	21047.00	21047.00	21047.00

जितendra बस्नेत
विद्युत अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	4 row 48 Modules	गोटा	27396.00	27396.00	27396.00
	3 row 54 Modules	गोटा	30366.00	30366.00	30366.00
34	Panel Board:- wall/floor Mounted, IP rated conforming IS: 8623 and IS: 13032 double door, powder coated encloser (40-60microns), treated with seven (7) tank process with push button lock, safety Arcilic Sheet Cover with warning sign at exposed portion , DB name embossed in Metal tag, ferruling, Spreader, and made of 1.6/2 mm metal sheet including Copper neutral bar, phase bar and earth bus bar with adequate space for incomming and outgoing cable with complete internal wiring excluding the cost of switchgears and measuring instrument:				
	60/75/100 AMP, 9"x36"x48" size	सेट	22366.00	22366.00	22366.00
	60/75/100 AMP "12"x36"x48" size	सेट	26627.00	26627.00	26627.00
	60/75/100 AMP 9"x48"x60" size	सेट	37278.00	37278.00	37278.00
	60/75/100 AMP 12"x49"x60" size	सेट	44378.00	44378.00	44378.00
	150/200 AMP 9"x38"x52" size	सेट	24851.00	24851.00	24851.00
	150/200 AMP 12"x38"x52" size	सेट	24851.00	24851.00	24851.00
	150/200 AMP 9"x42"x56" size	सेट	27675.00	27675.00	27675.00
	150/200 AMP 12"x42"x56" size	सेट	29432.00	29432.00	29432.00
	250/300AMP 12"x48"x60"size	सेट	36040.00	36040.00	36040.00
	250/300AMP 12"x52"x62" size	सेट	40344.00	40344.00	40344.00
	400 AMP 12"x52"x66" size	सेट	42947.00	42947.00	42947.00
35	Manual Change over Panel Type - (G+j)Gwt pTkfbs /fi6«sf] u'Of:t/ lrGx klfKt				
	63 Amp FP	गोटा	12135.00	12135.00	12135.00
	80 Amp FP	गोटा	13426.00	13426.00	13426.00
	100 Amp FP	गोटा	19020.00	19020.00	19020.00
	125 Amp FP	गोटा	20053.00	20053.00	20053.00
	160 Amp FP	गोटा	26336.00	26336.00	26336.00
	200 Amp FP	गोटा	27196.00	27196.00	27196.00
	250 Amp FP	गोटा	28918.00	28918.00	28918.00
	315 Amp FP	गोटा	36578.00	36578.00	36578.00
	OPEN EXECUTION				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा	10027.00	10027.00	10027.00
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा	13218.00	13218.00	13218.00
	CHANGEOVER SD CO FRI 125A OPEN EXECUTION	गोटा	20101.00	20101.00	20101.00
	CHANGEOVER SD CO FRI 160A OPEN EXECUTION	गोटा	21725.00	21725.00	21725.00
	CHANGEOVER SD CO FRI 200A OPEN EXECUTION	गोटा	26384.00	26384.00	26384.00
	CHANGEOVER SD CO FRI 250A OPEN EXECUTION	गोटा	38818.00	38818.00	38818.00
	CHANGEOVER SD CO FRI 315A OPEN EXECUTION	गोटा	40881.00	40881.00	40881.00
	CHANGEOVER SD CO FRI 400A OPEN EXECUTION	गोटा	60257.00	60257.00	60257.00
	CHANGEOVER SD CO FRI 630A OPEN EXECUTION	गोटा	71026.00	71026.00	71026.00
	CHANGEOVER SD CO FRI 800A OPEN EXECUTION	गोटा	102883.00	102883.00	102883.00
	CHANGEOVER SD CO FRI 1000A OPEN EXECUTION	गोटा	184354.00	184354.00	184354.00
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा	244935.00	244935.00	244935.00
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा	289848.00	289848.00	289848.00
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा	394716.00	394716.00	394716.00
	Sheet Steel Enclosure				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा	14555.00	14555.00	14555.00
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा	18565.00	18565.00	18565.00

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp with the text 'जितानन्द बस्नार' and 'सब जिल्ला अधिकारी'.



बिद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा	27052.00	27052.00	27052.00
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा	30196.00	30196.00	30196.00
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा	34917.00	34917.00	34917.00
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा	49357.00	49357.00	49357.00
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा	51734.00	51734.00	51734.00
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा	75392.00	75392.00	75392.00
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा	89827.00	89827.00	89827.00
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा	135774.00	135774.00	135774.00
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा	238668.00	238668.00	238668.00
	Panel Board Thermoplastic Polycarbonate				
36	Panel Board Thermoplastic Polycarbonate : IP 65/54 rated Panel Boards in accordance with IEC 60 439-1 (IS8623) and IEC 60 439-2 for power switchgear and control gear assembly, made of high quality Polycarbonate PC-GFS, Shock Proof, Polyurethane gaskets, ferruling, rust free, corrosion free, acid and chemical resistant, fire retardant, self-extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument.				
	60/75/100 Amp, 9"x36"x48" size	सेट	163836.00	163836.00	163836.00
	60/75/100 AMP, 12"x36"x48" size	सेट	163836.00	163836.00	163836.00
	60/75/100 AMP, 9"x48"x60" size	सेट	274932.00	274932.00	274932.00
	60/75/100 AMP, 15"x49"x60" size	सेट	274932.00	274932.00	274932.00
	150/200 AMP, 9"x38"x52" size	सेट	174468.00	174468.00	174468.00
	150/200 AMP, 12"x38"x52" size	सेट	174468.00	174468.00	174468.00
	150/200 AMP, 9"x42"x56" size	सेट	210120.00	210120.00	210120.00
	150/200 AMP, 12"x42"x56" size	सेट	210120.00	210120.00	210120.00
	250/300 AMP, 12"x48"x60" size	सेट	274932.00	274932.00	274932.00
	250/300 AMP, 12"x52"x62" size	सेट	296004.00	296004.00	296004.00
	400 AMP, 12"x52"x66" size	सेट	317124.00	317124.00	317124.00
37	Panel Board measurement instrument				
	0-500 volt meter	पिस	1068.00	1068.00	1068.00
	60/100 Amp meter .	पिस	1022.00	1022.00	1022.00
	Panel Indicator	पिस	247.00	247.00	247.00
	2 Amp glass fuse with holder 12 mm size	पिस	139.00	139.00	139.00
	AMP meter selector switch	पिस	677.00	677.00	677.00
	volt meter selector switch	पिस	742.00	742.00	742.00
	60/100 Amp C.T. coil per set 3 Pcs	पिस	1495.00	1495.00	1495.00
	150-200AMP C.T coil. 3 PC / Set	गोटा	1861.00	1861.00	1861.00
	250-300 AMP	गोटा	2528.00	2528.00	2528.00
	400/500/600AMP	गोटा	3712.00	3712.00	3712.00
	Kilo watt hour energy meter single phase	पिस	2372.00	2372.00	2372.00
	Kilo watt hour energy meter 3 phase direct	पिस	10683.00	10683.00	10683.00
C	SWITCH GEARS				
38	Miniature Circuits Breaker (MCB) , (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				



वित्तिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Single Pole				
	6-32 amp MCB SP (single pole)	गोटा	215.00	215.00	215.00
	40A SP 10 KA MCB	गोटा	782.00	782.00	782.00
	63A SP 10 KA MCB	गोटा	853.00	853.00	853.00
	Double Pole				
	6-32 amp MCB DP (Double pole)	गोटा	1065.00	1065.00	1065.00
	40A DP 10 KA MCB	गोटा	1671.00	1671.00	1671.00
	63A DP 10 KA MCB	गोटा	1880.00	1880.00	1880.00
	Three Pole				
	6-32 amp MCB TP (Triple pole)	गोटा	1744.00	1744.00	1744.00
	40A TP 10 KA MCB	गोटा	2559.00	2559.00	2559.00
	63A TP 10 KA MCB	गोटा	2705.00	2705.00	2705.00
	Four Pole				
	10-32 amp MCB FP (Four pole)	गोटा	2235.00	2235.00	2235.00
	40A FP 10 KA MCB	गोटा	3269.00	3269.00	3269.00
	63A FP 10 KA MCB	गोटा	3342.00	3342.00	3342.00
39	Miniature Circuits Breaker (MCB) (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	0.5-5 amp MCB SP (single pole)	गोटा	269.00	269.00	269.00
	6-32 amp MCB SP (single pole)	गोटा	172.00	172.00	172.00
	6-32 amp MCB DP (Double pole)	गोटा	645.00	645.00	645.00
	6-32 amp MCB TP (Triple pole)	गोटा	1291.00	1291.00	1291.00
	32 amp MCB TPN	गोटा	1560.00	1560.00	1560.00
	40-63 amp MCB DP	गोटा	1022.00	1022.00	1022.00
	40-63 amp MCB TP	गोटा	1452.00	1452.00	1452.00
	40-63 amp MCB TPN	गोटा	1936.00	1936.00	1936.00
40	Residual Current Circuit Breaker (RCCB) (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	2873.00	2873.00	2873.00
	25A 100mA 2 POLE RCCB	गोटा	3890.00	3890.00	3890.00
	25A 300mA DP RCCB	गोटा	3890.00	3890.00	3890.00
	40A30mA DP RCCB	गोटा	4204.00	4204.00	4204.00
	40A 100mA DP RCCB	गोटा	4449.00	4449.00	4449.00
	40A 300mA DP RCCB	गोटा	4449.00	4449.00	4449.00
	63A 30mA DP RCCB	गोटा	5238.00	5238.00	5238.00
	63A 300mA DP RCCB	गोटा	5368.00	5368.00	5368.00
	Four Pole				
	25A 30mA Four Pole RCCB	गोटा	4919.00	4919.00	4919.00
	25A 100mA Four Pole RCCB	गोटा	5097.00	5097.00	5097.00
	25A 300mA Four Pole RCCB	गोटा	5097.00	5097.00	5097.00
	40A 30mA Four Pole RCCB	गोटा	4940.00	4940.00	4940.00
	40A 100mA Four Pole RCCB	गोटा	5175.00	5175.00	5175.00
	40A 300mA Four Pole RCCB	गोटा	5175.00	5175.00	5175.00
	63A 30mA Four Pole RCCB	गोटा	5666.00	5666.00	5666.00

[Handwritten signatures and marks]

[Handwritten signatures and marks]
 जितल बस्नेत
 मन्त्र जिल्ला अधिकारी



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	63A 100mA Four Pole RCCB	गोटा	5948.00	5948.00	5948.00
	63A 300mA Four Pole RCCB	गोटा	5948.00	5948.00	5948.00
	100A 300mA Four Pole RCCB	गोटा	9974.00	9974.00	9974.00
41	Moulded Case Circuit Breaker (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	15 A-100 A 3 POLE, 10 KA	गोटा	4132.00	4132.00	4132.00
	15 A-100 A 4 POLE, 19 KA	गोटा	6067.00	6067.00	6067.00
	16A-63A 3P MCCB 10 KA FTFM	गोटा	3723.00	3723.00	3723.00
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा	4334.00	4334.00	4334.00
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा	4334.00	4334.00	4334.00
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा	6143.00	6143.00	6143.00
	15 A-100 A 3 POLE, 10 KA	गोटा	8500.00	8500.00	8500.00
	125 A 3 POLE, 16 KA	गोटा	9196.00	9196.00	9196.00
	160 A 3 POLE, 16 KA	गोटा	11858.00	11858.00	11858.00
	15 A-100 A 4 POLE, 19 KA	गोटा	11330.00	11330.00	11330.00
	125 A 4 POLE, 16 KA	गोटा	11402.00	11402.00	11402.00
	160 A 4 POLE, 16 KA	गोटा	14928.00	14928.00	14928.00
	125A 3P MCCB 18 KA TM 9 PIN	गोटा	13420.00	13420.00	13420.00
42	Moulded Case Circuit Breaker (As per IS/IEC 60947-2 and Utilization Catagorie -B, Icu=Ics=100% with spreader)				
	16A 3P MCCB 16/25 KA	गोटा	9936.00	9936.00	9936.00
	20A-63A 3P MCCB 16/25 KA	गोटा	10153.00	10153.00	10153.00
	80A 3P MCCB 16/25 KA	गोटा	10648.00	10648.00	10648.00
	100A 3P MCCB 16/25 KA	गोटा	10648.00	10648.00	10648.00
	125A 3P MCCB 16/25 KA	गोटा	14454.00	14454.00	14454.00
	160A 3P MCCB 16/25 KA	गोटा	22220.00	22220.00	22220.00
	200A 3P MCCB 25 KA	गोटा	30250.00	30250.00	30250.00
	250A 3P MCCB 25 KA	गोटा	32318.00	32318.00	32318.00
	16A - 100 A 3P MCCB 36 KA	गोटा	12592.00	12592.00	12592.00
	125A 3P MCCB 36 KA	गोटा	19981.00	19981.00	19981.00
	160A 3P MCCB 36 KA	गोटा	26559.00	26559.00	26559.00
	200A 3P MCCB 36 KA	गोटा	31581.00	31581.00	31581.00
	250A 3P MCCB 36 KA	गोटा	35541.00	35541.00	35541.00
	320A 3P MCCB 36 KA	गोटा	41222.00	41222.00	41222.00
	400A 3P MCCB 36 KA	गोटा	41258.00	41258.00	41258.00
	500A 3P MCCB 36 KA	गोटा	47641.00	47641.00	47641.00
	630A 3P MCCB 36 KA	गोटा	54010.00	54010.00	54010.00
	800A 3P MCCB 36 KA	गोटा	79653.00	79653.00	79653.00
	1000A 3P MCCB 36 KA	गोटा	103968.00	103968.00	103968.00
	1250A 3P MCCB 36 KA	गोटा	148555.00	148555.00	148555.00
	125A 3P MCCB 50 KA	गोटा	25927.00	25927.00	25927.00
	160A 3P MCCB 50 KA	गोटा	32642.00	32642.00	32642.00
	200A 3P MCCB 50 KA	गोटा	30723.00	30723.00	30723.00
	250A 3P MCCB 50 KA	गोटा	33805.00	33805.00	33805.00
	320A 3P MCCB 50 KA	गोटा	39557.00	39557.00	39557.00

Page 210



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	400A 3P MCCB 50 KA	गोटा	39688.00	39688.00	39688.00
	500A 3P MCCB 50 KA	गोटा	47146.00	47146.00	47146.00
	630A 3P MCCB 50 KA	गोटा	61050.00	61050.00	61050.00
	800A 3P MCCB 50 KA	गोटा	94743.00	94743.00	94743.00
	1000A 3P MCCB 50 KA	गोटा	150300.00	150300.00	150300.00
	1250A 3P MCCB 50 KA	गोटा	183903.00	183903.00	183903.00
	800 A 3 POLE, 70 KA	गोटा	142236.00	142236.00	142236.00
	1000 A 3 POLE, 70 KA	गोटा	215390.00	215390.00	215390.00
	1250A 3 POLE, 70 KA	गोटा	220656.00	220656.00	220656.00
	16A 4P MCCB 16/25 KA	गोटा	13812.00	13812.00	13812.00
	20A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	25A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	32A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	40A 4P MCCB 16/25 KA	गोटा	14195.00	14195.00	14195.00
	50A 4P MCCB 16/25 KA	गोटा	16978.00	16978.00	16978.00
	63A 3P MCCB 16/25 KA	गोटा	13812.00	13812.00	13812.00
	80A 4P MCCB 16/25 KA	गोटा	16978.00	16978.00	16978.00
	100A 4P MCCB 16/25 KA	गोटा	17308.00	17308.00	17308.00
	125A 4P MCCB 16/25 KA	गोटा	21472.00	21472.00	21472.00
	160A 4P MCCB 16/25 KA	गोटा	27555.00	27555.00	27555.00
	200A 4P MCCB 25 KA	गोटा	38445.00	38445.00	38445.00
	250A 4P MCCB 25 KA	गोटा	40529.00	40529.00	40529.00
	16A - 100 A 4P MCCB 36 KA	गोटा	15712.00	15712.00	15712.00
	125A 4P MCCB 36 KA	गोटा	24810.00	24810.00	24810.00
	160A 4P MCCB 36 KA	गोटा	31548.00	31548.00	31548.00
	200A 4P MCCB 36 KA	गोटा	38852.00	38852.00	38852.00
	250A 4P MCCB 36 KA	गोटा	43417.00	43417.00	43417.00
	320A 4P MCCB 36 KA	गोटा	51480.00	51480.00	51480.00
	400A 4P MCCB 36 KA	गोटा	52332.00	52332.00	52332.00
	500A 4P MCCB 36 KA	गोटा	64916.00	64916.00	64916.00
	630A 4P MCCB 36 KA	गोटा	71940.00	71940.00	71940.00
	800A 4P MCCB 36 KA	गोटा	89616.00	89616.00	89616.00
	1000A 4P MCCB 36 KA	गोटा	131436.00	131436.00	131436.00
	1250A 4P MCCB 36 KA	गोटा	158119.00	158119.00	158119.00
	125A 4P MCCB 50 KA	गोटा	29073.00	29073.00	29073.00
	200A 4P MCCB 50 KA	गोटा	38406.00	38406.00	38406.00
	250A 4P MCCB 50 KA	गोटा	41474.00	41474.00	41474.00
	320A 4P MCCB 50 KA	गोटा	48886.00	48886.00	48886.00
	400A 4P MCCB 50 KA	गोटा	49562.00	49562.00	49562.00
	500A 4P MCCB 50 KA	गोटा	59536.00	59536.00	59536.00
	630A 4P MCCB 50 KA	गोटा	63467.00	63467.00	63467.00
	800A 4P MCCB 50 KA	गोटा	108020.00	108020.00	108020.00
	1000A 4P MCCB 50 KA	गोटा	209456.00	209456.00	209456.00
	1250A 4P MCCB 50 KA	गोटा	264550.00	264550.00	264550.00
	800 A 4 POLE, 70 KA	गोटा	164896.00	164896.00	164896.00

Page 211

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	1000 A 4 POLE, 70 KA	गोटा	304968.00	304968.00	304968.00
	1250A 4 POLE, 70 KA	गोटा	351662.00	351662.00	351662.00
43	MCB/ISOLATOR संबन्धित उत्पादक राष्ट्रको गुणस्तर बिन्ध प्राप्त				
	B CURVE MCB SP 6A-32A	गोटा	249.00	249.00	249.00
	B CURVE MCB SP 40A	गोटा	293.00	293.00	293.00
	B CURVE MCB SP 50A-63A	गोटा	293.00	293.00	293.00
	C CURVE MCB SP 0.5-4A	गोटा	293.00	293.00	293.00
	C CURVE MCB SP 6-32A	गोटा	249.00	249.00	249.00
	C CURVE MCB SP 40A	गोटा	465.00	465.00	465.00
	C CURVE MCB SP 50-63A	गोटा	465.00	465.00	465.00
	C CURVE MCB SPN 0.5-4A	गोटा	500.00	500.00	500.00
	C CURVE MCB SPN 6-32A	गोटा	535.00	535.00	535.00
	C CURVE MCB SPN 40A	गोटा	585.00	585.00	585.00
	C CURVE MCB SPN 50-63A	गोटा	585.00	585.00	585.00
	C CURVE MCB DP 0.5-4A	गोटा	644.00	644.00	644.00
	C CURVE MCB DP 6-32A	गोटा	589.00	589.00	589.00
	C CURVE MCB DP 40A	गोटा	644.00	644.00	644.00
	C CURVE MCB DP 50-63A	गोटा	644.00	644.00	644.00
	C CURVE MCB TP 0.5-4A	गोटा	966.00	966.00	966.00
	C CURVE MCB TP 6-32A	गोटा	884.00	884.00	884.00
	C CURVE MCB TP 40A	गोटा	966.00	966.00	966.00
	C CURVE MCB TP 50-63A	गोटा	966.00	966.00	966.00
	C CURVE MCB TPN 0.5-4A	गोटा	1259.00	1259.00	1259.00
	C CURVE MCB TPN 6-32A	गोटा	1152.00	1152.00	1152.00
	C CURVE MCB TPN 40A	गोटा	1259.00	1259.00	1259.00
	C CURVE MCB TPN 50-63A	गोटा	1259.00	1259.00	1259.00
	C CURVE MCB FP 0.5-4A	गोटा	1347.00	1347.00	1347.00
	C CURVE MCB FP 6-32A	गोटा	1232.00	1232.00	1232.00
	C CURVE MCB FP 40A	गोटा	1347.00	1347.00	1347.00
	C CURVE MCB FP 50-63A	गोटा	1347.00	1347.00	1347.00
	ISOLATOR DP 40A	गोटा	575.00	575.00	575.00
	ISOLATOR DP 63A	गोटा	575.00	575.00	575.00
	ISOLATOR DP 80-100A	गोटा	601.00	601.00	601.00
	ISOLATOR DP 125A	गोटा	638.00	638.00	638.00
	ISOLATOR FP 40A	गोटा	942.00	942.00	942.00
	ISOLATOR FP 63A	गोटा	942.00	942.00	942.00
	ISOLATOR FP 80-100A	गोटा	1042.00	1042.00	1042.00
	ISOLATOR FP 125A	गोटा	1042.00	1042.00	1042.00
	RCCB DP 25A 30mA	गोटा	3704.00	3704.00	3704.00
	RCCB DP 40A 30mA	गोटा	3704.00	3704.00	3704.00
	RCCB DP 63A 30mA	गोटा	3704.00	3704.00	3704.00
	RCCB DP 25A 100mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 40A 100mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 63A 100mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 25A 300mA	गोटा	3493.00	3493.00	3493.00


Handwritten signatures and stamps at the bottom of the page, including a circular stamp with the text 'जिल्ला प्रमुख अधिकारी' (District Chief Officer).

विद्युतिय सामाग्रीहरु




सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	RCCB DP 40A 300mA	गोटा	3493.00	3493.00	3493.00
	RCCB DP 63A 300mA	गोटा	3493.00	3493.00	3493.00
	RCCB FP 25A 30mA	गोटा	4339.00	4339.00	4339.00
	RCCB FP 40A 30mA	गोटा	4339.00	4339.00	4339.00
	RCCB FP 63A 30mA	गोटा	4339.00	4339.00	4339.00
	RCCB FP 25A 100mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 40A 100mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 63A 100mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 25A 300mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 40A 300mA	गोटा	4182.00	4182.00	4182.00
	RCCB FP 63A 300mA	गोटा	4182.00	4182.00	4182.00
44	MCB/ISOLATOR/RCCB (As per IS/IEC 60898-1(2002) for MCB; IEC 60947-3 for Isolator, IS 12640-1 for RCCB, Icu=Ics=100%, 10kA)				
	B-Curve, MCB 6-32A (SINGLE POLE)	गोटा	323.00	323.00	323.00
	C-Curve, MCB 6-32A (SINGLE POLE)	गोटा	537.00	537.00	537.00
	C-Curve, MCB 40A (SINGLE POLE)	गोटा	1189.00	1189.00	1189.00
	C-Curve, MCB 63A (SINGLE POLE)	गोटा	1189.00	1189.00	1189.00
	MCB 6-32A (DOUBLE POLE)	गोटा	1654.00	1654.00	1654.00
	MCB 40A (DOUBLE POLE)	गोटा	2663.00	2663.00	2663.00
	MCB 63A (DOUBLE POLE)	गोटा	2663.00	2663.00	2663.00
	MCB 6-32A (TRIPPLE POLE)	गोटा	2701.00	2701.00	2701.00
	MCB 40A (TRIPPLE POLE)	गोटा	4124.00	4124.00	4124.00
	MCB 63A (TRIPPLE POLE)	गोटा	4124.00	4124.00	4124.00
	MCB 6-32A (FOUR POLE)	गोटा	3646.00	3646.00	3646.00
	MCB 40A (FOUR POLE)	गोटा	5258.00	5258.00	5258.00
	MCB 63A (FOUR POLE)	गोटा	5258.00	5258.00	5258.00
	ISOLATOR 32A 240V (DOUBLE POLE)	गोटा	899.00	899.00	899.00
	ISOLATOR 40A 240v (DOUBLE POLE)	गोटा	992.00	992.00	992.00
	ISOLATOR 63A 240v (DOUBLE POLE)	गोटा	1309.00	1309.00	1309.00
	ISOLATOR 32A 415v (TRIPPLE POLE)	गोटा	1610.00	1610.00	1610.00
	ISOLATOR 40A 415v (TRIPPLE POLE)	गोटा	1724.00	1724.00	1724.00
	ISOLATOR 63A 415v (TRIPPLE POLE)	गोटा	2041.00	2041.00	2041.00
	ISOLATOR 32A 415v (FOUR POLE)	गोटा	1768.00	1768.00	1768.00
	ISOLATOR 40A 415v (FOUR POLE)	गोटा	2195.00	2195.00	2195.00
	ISOLATOR 63A 415v (FOUR POLE)	गोटा	2406.00	2406.00	2406.00
	RCBO 10A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCBO 16A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCBO 20A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCBO 25A 30MA-2M SPN (DOUBLE POLE)	गोटा	8339.00	8339.00	8339.00
	RCBO 32A 30MA-2M SPN (DOUBLE POLE)	गोटा	8757.00	8757.00	8757.00
	RCBO 16A 30mA 4M (DOUBLE POLE)	गोटा	6868.00	6868.00	6868.00
	RCBO 25A 30mA 4M (DOUBLE POLE)	गोटा	6868.00	6868.00	6868.00
	RCBO 32A 30MA 4M (DOUBLE POLE)	गोटा	7520.00	7520.00	7520.00
	RCBO 40A 30MA 4M (DOUBLE POLE)	गोटा	8944.00	8944.00	8944.00

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	RCBO 16A 30mA 7M (FOUR POLE)	गोटा	9682.00	9682.00	9682.00
	RCBO 25A 30mA 7M (FOUR POLE)	गोटा	9682.00	9682.00	9682.00
	RCBO 32A 30MA 7M (FOUR POLE)	गोटा	9987.00	9987.00	9987.00
	RCBO 40A 30MA 7M (FOUR POLE)	गोटा	10137.00	10137.00	10137.00
	RCBO 63A 30MA 7M (FOUR POLE)	गोटा	12005.00	12005.00	12005.00
	RCCB 25A 30MA 2M (DOUBLE POLE)	गोटा	5852.00	5852.00	5852.00
	RCCB 40A 30MA 2M (DOUBLE POLE)	गोटा	6851.00	6851.00	6851.00
	RCCB 63A 30MA 2M (DOUBLE POLE)	गोटा	8188.00	8188.00	8188.00
	RCCB 25A 30MA 240v 4M (FOUR POLE)	गोटा	8061.00	8061.00	8061.00
	RCCB 40A 30MA 240v 4M (FOUR POLE)	गोटा	7961.00	7961.00	7961.00
	RCCB 63A 30MA 240v 4M (FOUR POLE)	गोटा	9238.00	9238.00	9238.00
D	WIRES, CABLE & ACCESSERIES				
45	CABLE SHOE				
	16 sq.mm cable shoe	गोटा	66.00	66.00	66.00
	25 sq.mm " "	गोटा	86.00	86.00	86.00
	35 sq.mm " "	गोटा	66.00	66.00	66.00
	50 sq.mm " "	गोटा	78.00	78.00	78.00
	70 sq.mm " "	गोटा	96.00	96.00	96.00
	95 sq.mm " "	गोटा	149.00	149.00	149.00
	150 sq.mm " "	गोटा	224.00	224.00	224.00
	195 sq.mm " "	गोटा	318.00	318.00	318.00
	250 sq.mm " "	गोटा	506.00	506.00	506.00
46	COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	990.00	990.00	990.00
	3/22 " " " "	क्वायल	1183.00	1183.00	1183.00
	3/20 " " " "	क्वायल	1883.00	1883.00	1883.00
	7/22 " " " "	क्वायल	2636.00	2636.00	2636.00
	7/20 " " " "	क्वायल	4303.00	4303.00	4303.00
	7/18 " " " "	क्वायल	6777.00	6777.00	6777.00
	7/16 " " " "	क्वायल	13985.00	13985.00	13985.00
	19/18 " " " "	क्वायल	18827.00	18827.00	18827.00
	19/16 " " " "	क्वायल	37654.00	37654.00	37654.00

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2\20 " " "	क्वायल	1430.00	1430.00	1430.00
	2\22 " " "	क्वायल	968.00	968.00	968.00
47	FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	22.00	22.00	22.00
	Size 1 C *1 SQMM	र.मी	31.00	31.00	31.00
	Size 1 C *1.5 SQMM	र.मी	45.00	45.00	45.00
	Size 1 C *2.5SQMM	र.मी	75.00	75.00	75.00
	Size 1 C *4SQMM	र.मी	109.00	109.00	109.00
	Size 1 C *6SQMM	र.मी	166.00	166.00	166.00
48	FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	25.00	25.00	25.00
	Size 1 C *1 SQMM	र.मी	33.00	33.00	33.00
	Size 1 C *1.5 SQMM	र.मी	49.00	49.00	49.00
	Size 1 C *2.5SQMM	र.मी	79.00	79.00	79.00
	Size 1 C *4SQMM	र.मी	116.00	116.00	116.00
	Size 1 C *6SQMM	र.मी	175.00	175.00	175.00
49	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1.0 mm PVC insulated Copper wire	क्वायल	1075.00	1075.00	1075.00
	1.5 mm PVC insulated Copper wire	क्वायल	1721.00	1721.00	1721.00
	2.5 mm PVC insulated Copper wire	क्वायल	2528.00	2528.00	2528.00
	4.0 mm PVC insulated Copper wire	क्वायल	4088.00	4088.00	4088.00
	6.0 mm PVC insulated Copper wire	क्वायल	6455.00	6455.00	6455.00
	10.0mm PVC insulated Copper wire	क्वायल	10758.00	10758.00	10758.00
50	Concentric Cable NS marked Eqv.				
	4mm size concentric cable	र.मी	24.00	24.00	24.00
	6mm size " "	र.मी	27.00	27.00	27.00
	10mm size concentric cable	र.मी	40.00	40.00	40.00
	16mm size " "	र.मी	69.00	69.00	69.00
	25mm size " "	र.मी	92.00	92.00	92.00
51	Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				

जितेन्द्र बस्नेत
 प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	a) 2 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	107.00	112.00	112.00
	2.5 mm ²	र.मी	145.00	152.00	152.00
	4.0 mm ²	र.मी	199.00	211.00	211.00
	6.0 mm ²	र.मी	257.00	273.00	273.00
	10.0 mm ²	र.मी	387.00	413.00	413.00
	16.0 mm ²	र.मी	515.00	574.00	574.00
	25.0 mm ²	र.मी	753.00	852.00	852.00
	35.0 mm ²	र.मी	1000.00	1141.00	1141.00
	50.0 mm ²	र.मी	1398.00	1534.00	1534.00
	70.0 mm ²	र.मी		2163.00	2163.00
	95.0 mm ²	र.मी		2956.00	2956.00
	120.0 mm ²	र.मी		3733.00	3733.00
	150.0 mm ²	र.मी		4613.00	4613.00
	185.0 mm ²	र.मी		5675.00	5675.00
	240.0 mm ²	र.मी		7378.00	7378.00
	300.0 mm ²	र.मी		9259.00	9259.00
	400.0 mm ²	र.मी		12384.00	12384.00
	b) 3 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	134.00	140.00	140.00
	2.5 mm ²	र.मी	188.00	196.00	196.00
	4.0 mm ²	र.मी	269.00	280.00	280.00
	6.0 mm ²	र.मी	344.00	372.00	372.00
	10.0 mm ²	र.मी	515.00	577.00	577.00
	16.0 mm ²	र.मी	720.00	806.00	806.00
	25.0 mm ²	र.मी	1097.00	1237.00	1237.00
	35.0 mm ²	र.मी	1452.00	1673.00	1673.00
	50.0 mm ²	र.मी	1990.00	2259.00	2259.00
	70.0 mm ²	र.मी	2797.00	3197.00	3197.00
	95.0 mm ²	र.मी	3765.00	4393.00	4393.00
	120.0 mm ²	र.मी	4733.00	5554.00	5554.00
	150.0 mm ²	र.मी	5809.00	6846.00	6846.00
	185.0 mm ²	र.मी		8450.00	8450.00
	240.0 mm ²	र.मी		11009.00	11009.00
	300.0 mm ²	र.मी		13809.00	13809.00
	400.0 mm ²	र.मी		18489.00	18489.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right that reads 'जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी'.



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	c) 3.5 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	1312.00	1484.00	1484.00
	35.0 mm ²	र.मी	1668.00	1934.00	1934.00
	50.0 mm ²	र.मी	2344.00	2667.00	2667.00
	70.0 mm ²	र.मी	3227.00	3761.00	3761.00
	95.0 mm ²	र.मी	4303.00	5145.00	5145.00
	120.0 mm ²	र.मी	5648.00	6629.00	6629.00
	150.0 mm ²	र.मी	6670.00	7933.00	7933.00
	185.0 mm ²	र.मी	8283.00	9934.00	9934.00
	240.0 mm ²	र.मी	10865.00	12883.00	12883.00
	300.0 mm ²	र.मी	13770.00	16119.00	16119.00
	400.0 mm ²	र.मी	18074.00	21493.00	21493.00
	d) 4 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	161.00	168.00	168.00
	2.5 mm ²	र.मी	230.00	243.00	243.00
	4.0 mm ²	र.मी	333.00	354.00	354.00
	6.0 mm ²	र.मी	430.00	484.00	484.00
	10.0 mm ²	र.मी	645.00	728.00	728.00
	16.0 mm ²	र.मी	941.00	1054.00	1054.00
	25.0 mm ²	र.मी	1398.00	1627.00	1627.00
	35.0 mm ²	र.मी	1883.00	2212.00	2212.00
	50.0 mm ²	र.मी	2689.00	3002.00	3002.00
	70.0 mm ²	र.मी	3657.00	4247.00	4247.00
	95.0 mm ²	र.मी	4948.00	5830.00	5830.00
	120.0 mm ²	र.मी	6239.00	7388.00	7388.00
	150.0 mm ²	र.मी	7746.00	9119.00	9119.00
	185.0 mm ²	र.मी	9467.00	11250.00	11250.00
	240.0 mm ²	र.मी	12910.00	14661.00	14661.00
	300.0 mm ²	र.मी	15492.00	18399.00	18399.00
	400.0 mm ²	र.मी	20978.00	24637.00	24637.00
52	Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	a) 1 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	10.0 mm ²	र.मी	44.00	174.00	174.00
	16.0 mm ²	र.मी	67.00	258.00	258.00
	25.0 mm ²	र.मी	79.00	397.00	397.00
	35.0 mm ²	र.मी	95.00	543.00	543.00

[Handwritten signatures and marks]

[Handwritten signatures and marks]
 जितनन्द बस्नेत
 पृथ्वी जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	50.0 mm ²	र.मी	126.00	738.00	738.00
	70.0 mm ²	र.मी	165.00	1039.00	1039.00
	95.0 mm ²	र.मी	223.00	1444.00	1444.00
	120.0 mm ²	र.मी	271.00	1828.00	1828.00
	150.0 mm ²	र.मी	321.00	2256.00	2256.00
	185.0 mm ²	र.मी		2782.00	2782.00
	240.0 mm ²	र.मी		3628.00	3628.00
	300.0 mm ²	र.मी		4560.00	4560.00
	400.0 mm ²	र.मी		6161.00	6161.00
	b) 2 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	75.00	82.00	82.00
	2.5 mm ²	र.मी	107.00	115.00	115.00
	4.0 mm ²	र.मी	150.00	171.00	171.00
	6.0 mm ²	र.मी	204.00	233.00	233.00
	10.0 mm ²	र.मी	322.00	367.00	367.00
	16.0 mm ²	र.मी	446.00	515.00	515.00
	25.0 mm ²	र.मी	688.00	797.00	797.00
	35.0 mm ²	र.मी	935.00	1082.00	1082.00
	50.0 mm ²	र.मी	1291.00	1475.00	1475.00
	70.0 mm ²	र.मी	1291.00	2095.00	2095.00
	95.0 mm ²	र.मी	2421.00	2878.00	2878.00
	120.0 mm ²	र.मी	3174.00	3646.00	3646.00
	150.0 mm ²	र.मी	3980.00	4513.00	4513.00
	185.0 mm ²	र.मी		5570.00	5570.00
	240.0 mm ²	र.मी		7261.00	7261.00
	300.0 mm ²	र.मी		9128.00	9128.00
	400.0 mm ²	र.मी		12235.00	12235.00
	c) 3 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	97.00	109.00	109.00
	2.5 mm ²	र.मी	139.00	159.00	159.00
	4.0 mm ²	र.मी	204.00	233.00	233.00
	6.0 mm ²	र.मी	290.00	326.00	326.00
	10.0 mm ²	र.मी	457.00	521.00	521.00
	16.0 mm ²	र.मी	667.00	756.00	756.00
	25.0 mm ²	र.मी	1022.00	1187.00	1187.00
	35.0 mm ²	र.मी	1376.00	1621.00	1621.00
	50.0 mm ²	र.मी	1936.00	2200.00	2200.00
	70.0 mm ²	र.मी	2689.00	3132.00	3132.00
	95.0 mm ²	र.मी	3657.00	4324.00	4324.00
	120.0 mm ²	र.मी	4626.00	5483.00	5483.00

Handwritten signatures and stamps are present at the bottom of the page, including a circular stamp with the text 'जिल्ला बस्ती प्रमुख किल्ला अधिकारी'.



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	150.0 mm ²	र.मी	5701.00	6772.00	6772.00
	185.0 mm ²	र.मी		8370.00	8370.00
	240.0 mm ²	र.मी		10932.00	10932.00
	300.0 mm ²	र.मी		13732.00	13732.00
	400.0 mm ²	र.मी		18411.00	18411.00
	d) 3.5 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	1258.00	1447.00	1447.00
	35.0 mm ²	र.मी	1613.00	1884.00	1884.00
	50.0 mm ²	र.मी	2259.00	2615.00	2615.00
	70.0 mm ²	र.मी	3147.00	3708.00	3708.00
	95.0 mm ²	र.मी	4250.00	5096.00	5096.00
	120.0 mm ²	र.मी	5594.00	6592.00	6592.00
	150.0 mm ²	र.मी	6616.00	7884.00	7884.00
	185.0 mm ²	र.मी		9897.00	9897.00
	240.0 mm ²	र.मी		12870.00	12870.00
	300.0 mm ²	र.मी		16615.00	16615.00
	400.0 mm ²	र.मी		21530.00	21530.00
	e) 4 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी	118.00	134.00	134.00
	2.5 mm ²	र.मी	177.00	199.00	199.00
	4.0 mm ²	र.मी	263.00	298.00	298.00
	6.0 mm ²	र.मी	365.00	419.00	419.00
	10.0 mm ²	र.मी	580.00	679.00	679.00
	16.0 mm ²	र.मी	882.00	1017.00	1017.00
	25.0 mm ²	र.मी	1376.00	1589.00	1589.00
	35.0 mm ²	र.मी	1850.00	2172.00	2172.00
	50.0 mm ²	र.मी	2582.00	2962.00	2962.00
	70.0 mm ²	र.मी	3604.00	4219.00	4219.00
	95.0 mm ²	र.मी	4895.00	5808.00	5808.00
	120.0 mm ²	र.मी	6186.00	7378.00	7378.00
	150.0 mm ²	र.मी	7692.00	9128.00	9128.00
	185.0 mm ²	र.मी	9467.00	11282.00	11282.00
	240.0 mm ²	र.मी	12802.00	14719.00	14719.00
	300.0 mm ²	र.मी	15492.00	18495.00	18495.00
	400.0 mm ²	र.मी	20978.00	24795.00	24795.00
53	Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				

Handwritten signatures and stamps at the bottom of the page, including a stamp that reads 'जिल्ला बस्ती प्रमुख जिल्ला अधिकारी'.



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	a) 2 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	97.00	96.00	96.00
	4.0 mm ²	र.मी	123.00	114.00	114.00
	6.0 mm ²	र.मी	139.00	132.00	132.00
	10.0 mm ²	र.मी	167.00	160.00	160.00
	16.0 mm ²	र.मी	188.00	181.00	181.00
	25.0 mm ²	र.मी	225.00	220.00	220.00
	35.0 mm ²	र.मी	257.00	248.00	248.00
	50.0 mm ²	र.मी	333.00	305.00	305.00
	70.0 mm ²	र.मी	414.00	397.00	397.00
	95.0 mm ²	र.मी	527.00	493.00	493.00
	120.0 mm ²	र.मी		592.00	592.00
	150.0 mm ²	र.मी		723.00	723.00
	185.0 mm ²	र.मी		882.00	882.00
	240.0 mm ²	र.मी		1070.00	1070.00
	300.0 mm ²	र.मी		1314.00	1314.00
	400.0 mm ²	र.मी		1661.00	1661.00
	b) 3 Core, Aluminium Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी			0.00
	2.5 mm ²	र.मी	112.00	111.00	111.00
	4.0 mm ²	र.मी	139.00	132.00	132.00
	6.0 mm ²	र.मी	155.00	153.00	153.00
	10.0 mm ²	र.मी	188.00	192.00	192.00
	16.0 mm ²	र.मी	215.00	210.00	210.00
	25.0 mm ²	र.मी	290.00	284.00	284.00
	35.0 mm ²	र.मी	349.00	330.00	330.00
	50.0 mm ²	र.मी	446.00	412.00	412.00
	70.0 mm ²	र.मी	565.00	539.00	539.00
	95.0 mm ²	र.मी	515.00	695.00	695.00
	120.0 mm ²	र.मी	871.00	836.00	836.00
	150.0 mm ²	र.मी	1048.00	1006.00	1006.00
	185.0 mm ²	र.मी	1291.00	1244.00	1244.00
	240.0 mm ²	र.मी	1581.00	1544.00	1544.00
	300.0 mm ²	र.मी	1936.00	1877.00	1877.00
	400.0 mm ²	र.मी	2421.00	2390.00	2390.00
	c) 3.5 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	333.00	330.00	330.00

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	35.0 mm ²	र.मी	387.00	387.00	387.00
	50.0 mm ²	र.मी	510.00	496.00	496.00
	70.0 mm ²	र.मी	655.00	656.00	656.00
	95.0 mm ²	र.मी	838.00	829.00	829.00
	120.0 mm ²	र.मी	1022.00	1031.00	1031.00
	150.0 mm ²	र.मी	1226.00	1215.00	1215.00
	185.0 mm ²	र.मी	1484.00	1495.00	1495.00
	240.0 mm ²	र.मी	1850.00	1860.00	1860.00
	300.0 mm ²	र.मी	2313.00	2260.00	2260.00
	400.0 mm ²	र.मी	2904.00	2790.00	2790.00
	d) 4 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	129.00	128.00	128.00
	4.0 mm ²	र.मी	161.00	153.00	153.00
	6.0 mm ²	र.मी	188.00	188.00	188.00
	10.0 mm ²	र.मी	204.00	206.00	206.00
	16.0 mm ²	र.मी	263.00	260.00	260.00
	25.0 mm ²	र.मी	355.00	355.00	355.00
	35.0 mm ²	र.मी	419.00	415.00	415.00
	50.0 mm ²	र.मी	572.00	546.00	546.00
	70.0 mm ²	र.मी	731.00	708.00	708.00
	95.0 mm ²	र.मी	941.00	889.00	889.00
	120.0 mm ²	र.मी	1130.00	1105.00	1105.00
	150.0 mm ²	र.मी	1430.00	1346.00	1346.00
	185.0 mm ²	र.मी	1699.00	1629.00	1629.00
	240.0 mm ²	र.मी	2129.00	2040.00	2040.00
	300.0 mm ²	र.मी	2636.00	2472.00	2472.00
	400.0 mm ²	र.मी	3335.00	3165.00	3165.00
54	Aluminium conductor unarmoured (power) cable NS marked or eqv.				
	a) 1 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	16.0 mm ²	र.मी	54.00	54.00	54.00
	25.0 mm ²	र.मी	75.00	75.00	75.00
	35.0 mm ²	र.मी	91.00	93.00	93.00
	50.0 mm ²	र.मी	118.00	118.00	118.00
	70.0 mm ²	र.मी	150.00	153.00	153.00
	95.0 mm ²	र.मी	204.00	203.00	203.00
	120.0 mm ²	र.मी	247.00	248.00	248.00
	150.0 mm ²	र.मी	408.00	308.00	308.00
	185.0 mm ²	र.मी	377.00	383.00	383.00

(Handwritten signature)

(Handwritten signature)

जिल्ला बस्ती प्रमुख जिल्ला अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७९/८०	आ. व. २०८०/८१	आ. व. २०८१/८२
	240.0 mm ²	र.मी	462.00	468.00	468.00
	300.0 mm ²	र.मी	559.00	581.00	581.00
	400.0 mm ²	र.मी		737.00	737.00
	630.0 mm ²	र.मी		1215.00	1215.00
	b) 2 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	54.00	50.00	50.00
	4.0 mm ²	र.मी	64.00	64.00	64.00
	6.0 mm ²	र.मी	80.00	82.00	82.00
	10.0 mm ²	र.मी	102.00	104.00	104.00
	16.0 mm ²	र.मी	107.00	139.00	139.00
	25.0 mm ²	र.मी	150.00	156.00	156.00
	35.0 mm ²	र.मी	193.00	185.00	185.00
	50.0 mm ²	र.मी	247.00	238.00	238.00
	70.0 mm ²	र.मी	312.00	316.00	316.00
	95.0 mm ²	र.मी	419.00	400.00	400.00
	120.0 mm ²	र.मी		493.00	493.00
	150.0 mm ²	र.मी		613.00	613.00
	185.0 mm ²	र.मी		758.00	758.00
	240.0 mm ²	र.मी		936.00	936.00
	300.0 mm ²	र.मी		1162.00	1162.00
	400.0 mm ²	र.मी		1491.00	1491.00
	c) 3 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	2.5 mm ²	र.मी	64.00	57.00	57.00
	4.0 mm ²	र.मी	75.00	75.00	75.00
	6.0 mm ²	र.मी	91.00	93.00	93.00
	10.0 mm ²	र.मी	129.00	124.00	124.00
	16.0 mm ²	र.मी	150.00	167.00	167.00
	25.0 mm ²	र.मी	215.00	252.00	252.00
	35.0 mm ²	र.मी	269.00	270.00	270.00
	50.0 mm ²	र.मी	355.00	344.00	344.00
	70.0 mm ²	र.मी	473.00	461.00	461.00
	95.0 mm ²	र.मी	623.00	613.00	613.00
	120.0 mm ²	र.मी	775.00	752.00	752.00
	150.0 mm ²	र.मी	925.00	921.00	921.00
	185.0 mm ²	र.मी	1161.00	1155.00	1155.00
	240.0 mm ²	र.मी	1441.00	1452.00	1452.00
	300.0 mm ²	र.मी	1828.00	1785.00	1785.00
	400.0 mm ²	र.मी		2302.00	2302.00

Page 222

 जितन बस्नेत

 प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	d) 3.5 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	25.0 mm ²	र.मी	269.00	273.00	273.00
	35.0 mm ²	र.मी	322.00	330.00	330.00
	50.0 mm ²	र.मी	430.00	436.00	436.00
	70.0 mm ²	र.मी	592.00	596.00	596.00
	95.0 mm ²	र.मी	775.00	772.00	772.00
	120.0 mm ²	र.मी	968.00	988.00	988.00
	150.0 mm ²	र.मी	1161.00	1158.00	1158.00
	185.0 mm ²	र.मी	1452.00	1452.00	1452.00
	240.0 mm ²	र.मी	1828.00	1848.00	1848.00
	300.0 mm ²	र.मी	2259.00	2266.00	2266.00
	400.0 mm ²	र.मी		2914.00	2914.00
	e) 4 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm ²	र.मी			
	2.5 mm ²	र.मी	75.00	64.00	64.00
	4.0 mm ²	र.मी	85.00	89.00	89.00
	6.0 mm ²	र.मी	102.00	107.00	107.00
	10.0 mm ²	र.मी	139.00	160.00	160.00
	16.0 mm ²	र.मी	204.00	216.00	216.00
	25.0 mm ²	र.मी	300.00	302.00	302.00
	35.0 mm ²	र.मी	365.00	372.00	372.00
	50.0 mm ²	र.मी	505.00	504.00	504.00
	70.0 mm ²	र.मी	667.00	666.00	666.00
	95.0 mm ²	र.मी	882.00	864.00	864.00
	120.0 mm ²	र.मी	1075.00	1095.00	1095.00
	150.0 mm ²	र.मी	1345.00	1356.00	1356.00
	185.0 mm ²	र.मी	1668.00	1661.00	1661.00
	240.0 mm ²	र.मी	2098.00	2107.00	2107.00
	300.0 mm ²	र.मी	2582.00	2581.00	2581.00
	400.0 mm ²			3342.00	3342.00
E	CABLE MANAGEMENT				
	Pregalvanized Cable Tray & Raceways				
55	LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)				
	Pre Galvanized (275Gsm) Bolted Rungs Type 100mm ladder Cable Tray	र.मी	3368.00	3368.00	3368.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 150mm ladder Cable Tray	र.मी	2611.00	2611.00	2611.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 200mm ladder Cable Tray	र.मी	1932.00	1932.00	1932.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 300mm ladder Cable Tray	र.मी	1723.00	1723.00	1723.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 400mm ladder Cable Tray	र.मी	1514.00	1514.00	1514.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
56	Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts -- 2500MM Long				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी	2689.00	2689.00	2689.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी	3394.00	3394.00	3394.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र.मी	3655.00	3655.00	3655.00
57	Perforated Cable Tray 1.6mm Thick--2500mm Long,Pre Galvanized				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)		1350.00	1350.00	1350.00
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)		1680.00	1680.00	1680.00
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)		2040.00	2040.00	2040.00
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)		2400.00	2400.00	2400.00
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)		3660.00	3660.00	3660.00
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)		4680.00	4680.00	4680.00
58	Perforated Cable Tray 2mm Thick--2500mm Long, Pre Galvanized (275 Gsm)				
	Perforated Cable Tray PCT 100MM Pre-Galvanized (275GSM)	र.मी	1222.00	1222.00	1222.00
	Perforated Cable Tray PCT 150MM Pre-Galvanized (275GSM)	र.मी	1508.00	1508.00	1508.00
	Perforated Cable Tray PCT 200MM Pre-Galvanized (275GSM)	र.मी	1846.00	1846.00	1846.00
	Perforated Cable Tray PCT 300MM Pre-Galvanized (275GSM)	र.मी	2132.00	2132.00	2132.00
	Perforated Cable Tray PCT 450MM Pre-Galvanized (275GSM)	र.मी	3286.00	3286.00	3286.00
	Perforated Cable Tray PCT 600MM Pre-Galvanized (275GSM)	र.मी	4191.00	4191.00	4191.00
59	Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long				
	Perforated Cable Tray with 2mm Thk Cover PCT 100MM Pre-Galvanized	र.मी	2055.00	2055.00	2055.00
	Perforated Cable Tray with 2mm Thk Cover PCT 300MM Pre-Galvanized	र.मी	4212.00	4212.00	4212.00
	Perforated Cable Tray with 2mm Thk Cover PCT 450MM Pre-Galvanized	र.मी	6500.00	6500.00	6500.00
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
60	CABLE SUPPORT SYSTEM - FINISH - (275GSM)				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी	835.00	835.00	835.00
	Rung slotted "C CHANEL" - Pre Galvanized (PG 275)	र.मी	548.00	548.00	548.00
	Punched Flate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी	783.00	783.00	783.00
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा	574.00	574.00	574.00
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा	600.00	600.00	600.00
	M8-Threaded rod Electroplated,1000 mm long	र.मी	198.00	198.00	198.00
	M10-Threaded rod Electroplated,1000 mm long	र.मी	302.00	302.00	302.00
	Rod coupler, M-8,Electroplated	गोटा	99.00	99.00	99.00
	Rod coupler, M-10,Electroplated	गोटा	109.00	109.00	109.00
	WDJ Coupler 100,150 & 200 mm	गोटा	600.00	600.00	600.00
	275 gsm Pregalvanized Junction Box	गोटा	2611.00	2611.00	2611.00

[Handwritten signatures and initials]



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Coupler for BRT 900,750,450,300 & 150MM	गोटा	261.00	261.00	261.00
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा	287.00	287.00	287.00
	Bottle Bracket for BRT 100 X50MM	गोटा	261.00	261.00	261.00
	Bottle Bracket for BRT 150 X50MM	गोटा	417.00	417.00	417.00
	Bottle Bracket for PCT 200 X50MM	गोटा	574.00	574.00	574.00
	METAL GRIP/FASTNER	गोटा	94.00	94.00	94.00
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा	5222.00	5222.00	5222.00
	BRT Hardware/PCT Hardware	गोटा	31.00	31.00	31.00
	uPVC CONDUITS & ACCESSERIES				
61	FRLS Conduit of MEDIUM/HEAVY MECHANICAL STRESS(MMS)				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/Blue/Green, FRLS Conduit	र.मी	115.00	115.00	115.00
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit	र.मी	144.00	144.00	144.00
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit	र.मी	271.00	271.00	271.00
	Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5°C to +60°C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	93.00	93.00	93.00
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	104.00	104.00	104.00
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	222.00	222.00	222.00
62	DEEP TYPE				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	150.00	150.00	150.00
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	178.00	178.00	178.00
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	234.00	234.00	234.00
63	SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR				
	20/25MM Round U Clip/Space Bar saddle	गोटा	43.00	43.00	43.00
	20/25MM Coupler	गोटा	26.00	26.00	26.00
	20/25 mm slip type Bend	गोटा	92.00	92.00	92.00
	20/25mm Round Elbow	गोटा	45.00	45.00	45.00
	20/25mm Round Tee	गोटा	63.00	63.00	63.00
	20/25mm Male/female Bush Adaptor	गोटा	41.00	41.00	41.00
64	POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE				
	16/20/25 MM Flexiable conduits pipe	र.मी	94.00	94.00	94.00
	32/40mm flexiable conduits pipe	र.मी	183.00	183.00	183.00
65	FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी	124.00	124.00	124.00
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी	213.00	213.00	213.00
66	FLEXIABLE PIPE GLAND				
	16/20/25MM PVC GLAND	गोटा	78.00	78.00	78.00
	32/40MM PVC GLAND	गोटा	111.00	111.00	111.00
67	uPVC MINI/MAXI TRUNKING PROFILE(LISTY) made with unplasticides polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance, fire retardant,corrosion free, thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी	46.00	46.00	46.00
	25x15mm	र.मी	60.00	60.00	60.00
	50x50mm	र.मी	499.00	499.00	499.00
	50x100mm	र.मी	1934.00	1934.00	1934.00



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
68	PVC Listy Double Lock				0.00
	½" breadth	सेट	32.00	32.00	32.00
	¾"	सेट	48.00	48.00	48.00
	1"	सेट	69.00	69.00	69.00
	1 1/2"	सेट	134.00	134.00	134.00
	2"	सेट	150.00	150.00	150.00
69	Accessories				
	½"-2" size Saddle	र.मी	8.00	8.00	8.00
	Grips (Denmark)	गोटा	6.00	6.00	6.00
	Steel screws	गोटा	2.00	2.00	2.00
	PVC Tape	गोटा	15.00	15.00	15.00
70	TABLE FAN, CEILING FANS & EXHAUST Fans, (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	36" size ceiling Fan	गोटा	2259.00	2259.00	2259.00
	42" size " "	गोटा	2366.00	2366.00	2366.00
	48" size " "	गोटा	2151.00	2151.00	2151.00
	56" size " "	गोटा	2689.00	2689.00	2689.00
	6" Exhaust Fan	गोटा	1560.00	1560.00	1560.00
	8" EXHAUST FAN PLASTIC WHITE	गोटा	1984.00	1984.00	1984.00
	9" Exhaust Fan	गोटा	2365.00	2365.00	2365.00
	10" EXHAUST FAN PLASTIC WHITE	गोटा	2151.00	2151.00	2151.00
	16" size wall fan	गोटा	2959.00	2959.00	2959.00
	12" size exhaust fan	गोटा	2736.00	2736.00	2736.00
	16" TABLE FAN	गोटा	2747.00	2747.00	2747.00
	18" TABLE FAN GOLD	गोटा	3013.00	3013.00	3013.00
	16" WALL FAN	गोटा	2334.00	2334.00	2334.00
	18" STAND FAN GOLD	गोटा	3446.00	3446.00	3446.00
	16" STAND FAN	गोटा	2778.00	2778.00	2778.00
	16" STAND FAN 3 BLADES	गोटा	2376.00	2376.00	2376.00
	18" WALL FAN REMOTE	गोटा	3300.00	3300.00	3300.00
71	Decorative Fans				
	56" Ceiling Fan	गोटा	3975.00	3975.00	3975.00
	48" Ceiling Fan	गोटा	3425.00	3425.00	3425.00
72	Economy Plain Fans				
	56" Ceiling Fan	गोटा	3700.00	3700.00	3700.00
	48" Power Saver Ceiling Fan -50 W	गोटा	3800.00	3800.00	3800.00
	36" Ceiling Fan	गोटा	2900.00	2900.00	2900.00
	24" Ceiling Fan (High Speed)	गोटा	2800.00	2800.00	2800.00
73	Table / Pedestal / Wall Fans				
	18" Table/Pedstal/Wall Fan	गोटा	6900.00	6900.00	6900.00
	20" Table/ Pedstal/Wall Fan	गोटा	7480.00	7480.00	7480.00
	16" Pedestal Fan	गोटा	5150.00	5150.00	5150.00
	16" High Speed Table Fan	गोटा	4500.00	4500.00	4500.00
	16" High Speed Wall Fan	गोटा	4500.00	4500.00	4500.00
74	Ventilation / Exhaust Fans				
	6" Ventilation Exhaust Fan	गोटा	2000.00	2000.00	2000.00

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	8" Ventilation Exhaust Fan	गोटा	2090.00	2090.00	2090.00
	10" Ventilation Exhaust Fan	गोटा	2475.00	2475.00	2475.00
	4" Moduler Ventilation Exhaust	गोटा	2200.00	2200.00	2200.00
	6" Moduler Ventilation Exhaust	गोटा	2475.00	2475.00	2475.00
	9"Open Metal Exhaust	गोटा	2975.00	2975.00	2975.00
	12"Open Metal Exhaust	गोटा	3475.00	3475.00	3475.00
F	Luminaires & Fixtures				
72	LED BULB				
	0.5W , LED with E14/B22/E27 Base, Color/3000K/4000K/6500K	गोटा	63.00	63.00	63.00
	3W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	124.00	124.00	124.00
	5W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	139.00	139.00	139.00
	7W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	9W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	12W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	270.00	270.00	270.00
	14/15W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	342.00	342.00	342.00
	20/23W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	522.00	522.00	522.00
	30W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	783.00	783.00	783.00
	40W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1007.00	1007.00	1007.00
	50W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1262.00	1262.00	1262.00
	4W E14 TAIL WARM	गोटा	250.00	250.00	250.00
	4W E14 NON TAIL WARM	गोटा	230.00	230.00	230.00
	SMART LED BULB				
	3W/5W @100lm/watt dimmable with 220° Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा	455.00	455.00	455.00
73	Fluorescent Tube light (FTL) set including Tube, condenser, starter, lamp holder, channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . (;+jIGwt pTkfbs /fi6«sfl n'Of+/ lrGx kifkt				
	1x20 watt FTL (Patti fittings)	सेट	484.00	484.00	484.00
	1x40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	809.00	809.00	809.00
	1x20 watt FTL (Mirrolta) WRF 20120	सेट	914.00	914.00	914.00
	1x40 watt FTL with attractive & functional decorative battens WRF20140	सेट	1065.00	1065.00	1065.00
	1x40 watt FTL box fittings	सेट	1210.00	1210.00	1210.00
	2x40 watt FTL box fittings	सेट	1828.00	1828.00	1828.00
	1x40 watt FTL Industrial channel	सेट	1861.00	1861.00	1861.00
	2x40 watt FTL Industrial channel	सेट	2388.00	2388.00	2388.00
	1x40 watt FTL, opalite with opal Arcylic dissuser .	सेट	1936.00	1936.00	1936.00
	2x40 watt FTL, oplite with opal Arcylic dissuser	सेट	3227.00	3227.00	3227.00
	4x20 watt FTL, oplite WCF 93418	सेट	5650.00	5650.00	5650.00
	4x20 watt FTL <u>mirror optic</u> , surface/recessed mounting	सेट	5650.00	5650.00	5650.00
	1x40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	3712.00	3712.00	3712.00
	2x40 watt FTL <u>mirror optic</u> , surface/recessed mounting with electronic choke	सेट	4518.00	4518.00	4518.00
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luvor Complete set	सेट	9800.00	9800.00	9800.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	8611.00	8611.00	8611.00
74	Compact Fluorescent Lamp (CFL) based Luminaries set all complete (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	2 x 18 W CFL recessed/surface mounting mirror Optic Complete Set	सेट	2678.00	2678.00	2678.00
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	1914.00	1914.00	1914.00
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	2366.00	2366.00	2366.00
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with louver Complete set	सेट	6336.00	6336.00	6336.00
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	7127.00	7127.00	7127.00
	Recess mounting Direct Indirect LED luninare	सेट	11296.00	11296.00	11296.00
	Recess mounting Direct Indirect LED luninare	सेट	14685.00	14685.00	14685.00
	Recess Surface mounted LED luminate	सेट	13932.00	13932.00	13932.00
	Hight efficiency circular LED Down Lighter	सेट	3389.00	3389.00	3389.00
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	15249.00	15249.00	15249.00
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	1130.00	1130.00	1130.00
	Circular LED wall/Dome Light suitable for true ceiling	सेट	3389.00	3389.00	3389.00
	Square LED Wall/Dome light suitable for true ceiling	सेट	3389.00	3389.00	3389.00
	Recess mounted indirect and direct luminare	सेट	6401.00	6401.00	6401.00
	2x36 Watt CFL Surface Mirror Optic	सेट	6401.00	6401.00	6401.00
75	LUMINARIES Accessories-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	500 watt halogen rod	गोटा	242.00	242.00	242.00
	1000 watt halogen rod	गोटा	290.00	290.00	290.00
	70Watt SON Lamp (Sodium Vapour)	गोटा	871.00	871.00	871.00
	150 watt sodium vapour bulb	गोटा	1355.00	1355.00	1355.00
	250 watt sodium vapour bulb	गोटा	1775.00	1775.00	1775.00
	20-40 watt FTL rod	गोटा	83.00	83.00	83.00
	20-40 watt FTL Copper chowk.	गोटा	269.00	269.00	269.00
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	430.00	430.00	430.00
	Acryle cover for 4x20 FTL	गोटा	1033.00	1033.00	1033.00
	FTL starter	गोटा	19.00	19.00	19.00
	8 W to11W, C.F.L.Direct fit	गोटा	242.00	242.00	242.00
	13 to 22W , C.F.L.Direct fit	गोटा	312.00	312.00	312.00
	15-100 watt bulb.(ISI)	गोटा	27.00	27.00	27.00
	9W/86 (CFL)	गोटा	172.00	172.00	172.00
	11W/86 (CFL)	गोटा	182.00	182.00	182.00
	36W/86 (CFL)	गोटा	435.00	435.00	435.00
	125W HPL-N (Mercury Vapour)	गोटा	387.00	387.00	387.00
	250W HPL-N	गोटा	914.00	914.00	914.00
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	377.00	377.00	377.00
	12V/3W LED bulb	गोटा	430.00	430.00	430.00
	12V/4W LED bulb	गोटा	484.00	484.00	484.00

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
76	DOME/DOOM LIGHT				
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा	2976.00	2976.00	2976.00
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा	2976.00	2976.00	2976.00
	20W DOOM LIGHT LIPER RD 2700K	गोटा	1827.00	1827.00	1827.00
	20W DOOM LIGHT LIPER RD 6500K	गोटा	1827.00	1827.00	1827.00
	30W DOOM LIGHT LIPER RD 2700K	गोटा	2297.00	2297.00	2297.00
	30W DOOM LIGHT LIPER RD 6500K	गोटा	2297.00	2297.00	2297.00
	20W BALLKIT 6500K	गोटा	1932.00	1932.00	1932.00
	Dome light (संवन्धित उत्पादक राक्ष्दको गुणस्तर चिन्ह प्राप्त)				
	6" Milky type decorative dome light	सेट	188.00	188.00	188.00
	6 " Brass base decorative dome light	सेट	768.00	768.00	768.00
	8"Milky type decorative dome light	सेट	237.00	237.00	237.00
	8 " Brass base decorative dome light	सेट	914.00	914.00	914.00
	8" Silver cast Milky base Decorative Dome Light	सेट	1156.00	1156.00	1156.00
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	592.00	592.00	592.00
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL. (Surface Mounting Dome light)	सेट	1266.00	1266.00	1266.00
	PANEL DOWN LIGHTS				
	General Segment				
77	RECESS PANEL DOWN LIGHT				
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 70\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , $\text{CRI}\geq 70$, Burning Life $>15,000$ hours having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		372.00	372.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		464.00	464.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		640.00	640.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		700.00	700.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		756.00	756.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		800.00	800.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1008.00	1008.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1056.00	1056.00
78	SURFACE PANEL DOWN LIGHT				
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 70\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , $\text{CRI}\geq 70$, Burning Life $>15,000$ hours having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		612.00	612.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		775.20	775.20
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		880.00	880.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		940.00	940.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		996.00	996.00



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1080.00	1080.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1248.00	1248.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1296.00	1296.00
	Mid Segment				
79	RECESS PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, $\text{CRI}\geq 70$, SPD: 2KV, Burning Life $>25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		560.00	560.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		928.00	928.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1840.00	1840.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2040.00	2040.00
80	SURFACE PANEL DOWN LIGHT, EDGELIT				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, $\text{CRI}\geq 70$, SPD: 2KV, Burning Life $>25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		720.00	720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		928.00	928.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1520.00	1520.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2080.00	2080.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2480.00	2480.00
81	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, $\text{CRI}\geq 70$, SPD: 2KV, Burning Life $>25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		692.00	692.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		660.00	660.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		968.00	968.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1364.00	1364.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1680.00	1680.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1680.00	1680.00
82	SURFACE PANEL DOWN LIGHT, BACKLIT LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 75\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 15\%$, CRI ≥ 70 , SPD: 2KV, Burning Life $> 25,000$ -35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		880.00	880.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1120.00	1120.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		792.00	792.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1672.00	1672.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1796.00	1796.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1860.00	1860.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2300.00	2300.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2520.00	2520.00
	Standard Segment				
83	RECESS PANEL DOWN LIGHT, BACKLIT LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $> 40,000$ -50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1160.00	1160.00
	8/9W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1640.00	1640.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1920.00	1920.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2224.00	2224.00
	22/24W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2400.00	2400.00
84	SURFACE PANEL DOWN LIGHT, BACKLIT LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $> 40,000$ -50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1340.00	1340.00
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1584.00	1584.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1860.00	1860.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2072.00	2072.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2416.00	2416.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2668.00	2668.00
85	DEEP RECESSED DOWN LIGHT, BACKLIT LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 2.5 KV, Burning Life $> 40,000-50,000$ hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1000.00	1000.00
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1360.00	1360.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1632.00	1632.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1920.00	1920.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2224.00	2224.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2868.00	2868.00
	COB DOWN LIGHTS				
	General Segment				
86	COB DOWN LIGHT, RECESSED MOUNTED COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life $> 25,000-30,000$ hours, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		301.60	301.60
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		740.00	740.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1188.00	1188.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1220.00	1220.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1064.00	1064.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2400.00	2400.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3024.00	3024.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3392.00	3392.00
87	COB DOWN LIGHT, SURFACE MOUNTED COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: $\geq 90\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , CRI ≥ 70 , Burning Life $> 25,000-30,000$ hours, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser, having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		720.00	720.00

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1020.00	1020.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1292.00	1292.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1496.00	1496.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1688.00	1688.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2040.00	2040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2480.00	2480.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2880.00	2880.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3520.00	3520.00
	Mid Segment				
88	COB DOWN LIGHT, RECESSED MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, THD <10 %, CRI≥70, SPD: 2KV, CRI≥80, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1000.00	1000.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1040.00	1040.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2000.00	2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2760.00	2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3784.00	3784.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4640.00	4640.00
89	COB DOWN LIGHT, SURFACE MOUNTED				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, THD <10 %, CRI≥70, SPD: 2KV, CRI≥80, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		720.00	720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1520.00	1520.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1984.00	1984.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2400.00	2400.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3116.00	3116.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3600.00	3600.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4400.00	4400.00
	Standard Segment				

जितन्य बस्नेल
 प्रमुख जिल्ला अधिकारी

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
90	COB DOWN LIGHT, RECESSED MOUNTED COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRİ≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1040.00	1040.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1040.00	1040.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1432.00	1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2000.00	2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2760.00	2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4320.00	4320.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		4640.00	4640.00
91	COB DOWN LIGHT, SURFACE MOUNTED COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tilttable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRİ≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1200.00	1200.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1440.00	1440.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1760.00	1760.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2000.00	2000.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2524.00	2524.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3040.00	3040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3292.00	3292.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3840.00	3840.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		5088.00	5088.00

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the left and a rectangular stamp on the right that reads 'जितेन्द्र बस्नेत प्रमुख जिल्ला अधिकारी'.



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
92	Cylindrical COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing, Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: $\geq 70\text{lm/w}$, $\text{IP}\geq 20$ (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, $\text{CRI}\geq 80$, SPD: 2.5/4 KV, Burning Life $> 40,000$ -50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	7W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11152.00	11152.00	11152.00
	12W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11696.00	11696.00	11696.00
	15W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	12512.00	12512.00	12512.00
	18W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	13056.00	13056.00	13056.00
	COMMERCIAL LIGHTS				

Handwritten signatures and initials in black ink, including a large signature on the left, a signature in the middle, and several smaller signatures and initials on the right.

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	General & Mid Segment				
93	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Sheet Metal, Frame: Extruded aluminum, Trim Shape: Square/Rectangle, Luminous Efficacy: $\geq 100\text{lm/w}$, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , THD $< 10\%$, CRI ≥ 70 , SPD: 2.5 KV, Burning Life $> 25,000$ -30000 hours, LED Source: LED PCB with PC Lense or without having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1268.00	1268.00
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2160.00	2160.00
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2880.00	2880.00
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट		5600.00	5600.00
94	SURFACE PANEL DOWN LIGHT, BACKLIT				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		1440.00	1440.00
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		2880.00	2880.00
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		3600.00	3600.00
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट		6400.00	6400.00
	Standard Segment				
95	RECESS PANEL DOWN LIGHT, BACKLIT				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP ≥ 20 (or as Mentioned), Drive: Non-Dimmable, P.F. ≥ 0.9 , Flicker Free Light, THD $< 10\%$, CRI ≥ 80 , SPD: 4 KV, Burning Life $> 40,000$ -50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	सेट		1408.00	1408.00
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		2400.00	2400.00
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		3200.00	3200.00
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		5760.00	5760.00
	80W, 2ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	सेट		9600.00	9600.00
95	SURFACE PANEL DOWN LIGHT, BACKLIT				

जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP \geq 20 (or as Mentioned), Drive: Non-Dimmable, P.F. \geq 0.9, Flicker Free Light, THD $<$ 10 %, CRI \geq 80, SPD: 4 KV, Burning Life $>$ 40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Note: Surface mounted Frame/Templet is not allowed, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: \geq 100lm/w	सेट		1600.00	1600.00
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: \geq 120lm/w	सेट		3200.00	3200.00
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: \geq 120lm/w	सेट		4000.00	4000.00
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: \geq 120lm/w	सेट		6512.00	6512.00
	80W, 2ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: \geq 120lm/w	सेट		9680.00	9680.00
97	Clean Room LIGHT				
	Clean Room LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP \geq 20 (or as Mentioned), Drive: Non-Dimmable, P.F. \geq 0.9, Flicker Free Light, THD $<$ 10 %, CRI \geq 80, SPD: 4 KV, Burning Life $>$ 40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, with options for bottom opening, top opening compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: \geq 120lm/w	सेट	33882.00	33882.00	33882.00
	LINEAR LIGHTS				
98	DOWN LIGHTER LINEAR LIGHTS				
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface/ Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP \geq 20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F. \geq 0.9, THD $<$ 10 %, CRI \geq 80, SPD: 2.5/4 KV, Burning Life $>$ 40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट		3200.00	3200.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट		3360.00	3360.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट		4400.00	4400.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट		5200.00	5200.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट		6000.00	6000.00
99	UP-DOWN LIGHTER LINEAR LIGHTS				

जितनन्द बस्नेत
प्रमुख जिल्ला अधिकारी



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long length, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट		3680.00	3680.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट		4560.00	4560.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट		5760.00	5760.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट		6800.00	6800.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट		7600.00	7600.00
100	LED Trunking				
	LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	40W, 3000K/4000K/5700K/6000K/6500K	सेट	8470.00	8470.00	8470.00
	57W, 3000K/4000K/5700K/6000K/6500K	सेट	11670.00	11670.00	11670.00
	LED HANGING KIT	सेट	1882.00	1882.00	1882.00
101	LED TUBELIGHTS				
	4W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट		268.00	268.00
	4W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट		304.00	304.00
	8W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट		304.00	304.00
	8W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट		408.00	408.00
	18/20W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट		496.00	496.00
	18/20W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट		408.00	408.00
	36/40W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट		2376.00	2376.00
	36/40W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट		2228.00	2228.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 1X4 box type patti T-Led 1x20w	सेट		2956.00	2956.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 2X4 box type patti T-Led 2x20w	सेट		3580.00	3580.00
	Industrial Reflector 2X4 box type patti T-Led 2x20w	सेट		2956.00	2956.00
102	BATTEN LIGHTS				
	18/20W, 4 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट		496.00	496.00
	8/10W, 2Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट		464.00	464.00
	4/5W, 1 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट		360.00	360.00
	18/20W, 4 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट		624.00	624.00
	8/10W, 2 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट		544.00	544.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.व.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	4/5W,1 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट		496.00	496.00
	36/40W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	7529.00	7529.00	7529.00
	18/20W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	5647.00	5647.00	5647.00
	18 Watt, Batten 4 fLED luminaire with PIR Sensors	सेट	8381.00	8381.00	8381.00
	34 Watt Batten 4 fLED luminaire with PIR Sensors	सेट	11932.00	11932.00	11932.00
	47Watt Batten 4 fLED luminaire with PIR Sensors	सेट	15341.00	15341.00	15341.00
103	LED STRIP LIGHTS				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा	570.00	570.00	570.00
	Power adaptor 2A/5A	गोटा	2100.00	2100.00	2100.00
104	STRIP/COVE/ROPE LIGHT				
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र.मी.	538.00	538.00	538.00
	2A LED driver for strip light	गोटा	1275.00	1275.00	1275.00
	Rope light IP 66 400lm/watt LED Rope light	र.मी.	480.00	480.00	480.00
	IP 66 driver for rope light	गोटा	675.00	675.00	675.00
105	LED TRACK LIGHTS				
	3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	1450.00	1450.00	1450.00
	6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	1950.00	1950.00	1950.00
	9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	2650.00	2650.00	2650.00
	16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	4400.00	4400.00	4400.00
	24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	5350.00	5350.00	5350.00
	30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	6350.00	6350.00	6350.00
	40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	8650.00	8650.00	8650.00
	50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	9300.00	9300.00	9300.00
	Stick 1MTR for Track light	गोटा	1500.00	1500.00	1500.00
106	MAGNETIC TRACK LIGHTS				
	1 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा		3808.00	3808.00
	2 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा		7616.00	7616.00
	3 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा		11520.00	11520.00
	6W MAGNETIC LASER ,96MMX22MMX25MM TUNABLE DIMMING	गोटा		4800.00	4800.00
	12W MAGNETIC LASER ,192MMX22MMX25MM TUNABLE DIMMING	गोटा		6376.00	6376.00
	12W MAGNETIC WALL WASHER LASER TUNABLE DIMMING	गोटा		7040.00	7040.00
	7W MAGNETIC HANGING 300MM	गोटा		6080.00	6080.00

बस्नेत
जितेन्द्र अधिकारी
जिल्ला अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	10W MAGNETIC LINEAR ,300MMX22MMX25MM TUNABLE DIMMING	गोटा		4800.00	4800.00
	20W MAGNETIC LINEAR ,600MMX22MMX25MM TUNABLE DIMMING	गोटा		6880.00	6880.00
	12W MAGNETIC TRACK LIGHT ,45MMX142MM ,TUNABLE DIMMING	गोटा		6880.00	6880.00
	18W MAGNETIC TRACK LIGHT ,55MMX142MM ,TUNABLE DIMMING	गोटा		8448.00	8448.00
	L SHAPED RECESSED CONNECTOR	गोटा		2868.00	2868.00
	POWER SUPPLY	गोटा		1216.00	1216.00
	DOUBLE CONNECTOR	गोटा		2044.00	2044.00
	DIRECT CONDUCTIVE CONNECTOR SET	गोटा		2044.00	2044.00
	75W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा		3920.80	3920.80
	100W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा		5440.00	5440.00
	150W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा		7040.00	7040.00
107	Exit/Directional/ Information Signage				
	Exit/Directional/ Information Signage with slim and lightweight, visible from 20 mtrs with integral battery capacity of 3 hrs and bicoloured LED status indicator with customize symbols/letters or as required	सेट	12910.00	12910.00	12910.00
	Self Contained Emergency Down Light Recessed/Surface Mounted, with integral battery capacity of 3 hrs.	सेट	12910.00	12910.00	12910.00
	Self Contained emergency Twin Light, Wal Mounted with integral battery capacity of 3 hrs.	सेट	12910.00	12910.00	12910.00
108	Fixture Accesseries				
	2x2 Surface/Recess Frame	सेट		1288.00	1288.00
	1x1 Surface/Recess Frame	सेट		928.00	928.00
	Suspension/Hanging/Clip Kit	सेट		1040.00	1040.00
G	OUTDOOR LIGHTING				
	HIGH BAY LIGHT				
109	High Bay Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥20 (or as Mentioned), Flicker Free Light, THD<10 %, CRİ≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा		5088.00	5088.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	20800.00	5364.00	5364.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	20800.00	8000.00	8000.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	24000.00	10208.00	10208.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	27200.00	11200.00	11200.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	35200.00	20480.00	20480.00

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
110	High Bay Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥150lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा		7328.00	7328.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	20800.00	8928.00	8928.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	20800.00	10208.00	10208.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	24000.00	10848.00	10848.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	27200.00	11392.00	11392.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	35200.00	22848.00	22848.00
	FLOOD LIGHTS				
111	General				
	10W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	1780.00	920.00	920.00
	20W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	3170.00	1548.00	1548.00
	30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	3720.00	2456.00	2456.00
	50W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	6030.00	2712.00	2712.00
	100W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	10640.00	4608.00	4608.00
	150W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	16230.00	4852.00	4852.00
	200W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	27335.00	6376.00	6376.00
	10W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	2350.00	2160.00	2160.00
	20W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	3850.00	2760.00	2760.00
	30W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	4250.00	3656.00	3656.00
	50W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	4900.00	3920.00	3920.00
	Mid Segment				
112	Flood Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 07, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lens , Toughened glass cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		2492.00	2492.00
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		5760.00	5760.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		4048.00	4048.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		6064.00	6064.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		7968.00	7968.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा		10800.00	10800.00



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	गोटा		14400.00	14400.00
	400W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 100\text{lm/w}$	गोटा		17600.00	17600.00
	Standard Segment				
113	Flood Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F. ≥ 0.9 , IP ≥ 65 , IK 08, Flicker Free Light, THD $< 10\%$, CRI ≥ 70 , SPD: 4/10 K V, Burning Life > 50000 hours, Luminous Efficacy: $\geq 120\text{lm/w}$, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, Toughened glass cover, compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		3392.00	3392.00
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		5760.00	5760.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		7968.00	7968.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		8892.00	8892.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		11760.00	11760.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: $\geq 120\text{lm/w}$	गोटा		14400.00	14400.00
	Tunnel Lights				
114	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	60W	गोटा	7595.00	6680.00	6680.00
	120W	गोटा	131765.00	22240.00	22240.00
	180W	गोटा	169411.00	33920.00	33920.00
	240W	गोटा	235295.00	41600.00	41600.00
	Street Light				
115	General Segment				
	LED AC Street light 24 W with auto on-off switch and auto dimming opetion including all accesories and exluding installation	गोटा	7000.00	7000.00	7000.00
	LED AC Street light 30/36 W with auto on-off switch and auto dimming opetion including all accesories and exluding installation	सेट	5744.00	5744.00	5744.00
	LED AC Street light 50W with auto on-off switch and auto dimming opetion including all accesories and exluding installation	गोटा	9000.00	9000.00	9000.00
	LED AC Street light 100 W with auto on-off switch and auto dimming opetion including all accesories and exluding installation	गोटा	16000.00	16000.00	16000.00
	300/500 watt halogen weather proof FLOOD LIGHT with glass cover Complete set	सेट	1613.00	1613.00	1613.00
	1000 watt halogen weather proof flood light with glass cover Complete set	सेट	3227.00	3227.00	3227.00
	150 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	9682.00	9682.00	9682.00
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	1129.00	1129.00	1129.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Single Piece deep drawn aluminum POT optics road light luminaries with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5486.00	5486.00	5486.00
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2372.00	2372.00	2372.00
	1X125W HPSV street light fixture with acrylic diffuser	सेट	5346.00	5346.00	5346.00
	2X60/100W GLS aviation light fixture all complete set	सेट	5939.00	5939.00	5939.00
	50W STREET LIGHT SENSOR	सेट	6789.00	6789.00	6789.00
116	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 07, Flicker Free, THD<10 %, CRI≥70, Burning Life>25000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 1 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		1360.00	1360.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		2680.00	2680.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		4768.00	4768.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		4992.00	4992.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		6088.00	6088.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		7160.00	7160.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		10760.00	10760.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट		15240.00	15240.00
	Mid Segment				
117	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 08, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense ,compiling to IS: 16102 Part-2 IS: 16103 Part - 1, IS: 16013 Part - 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		1760.00	1760.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		2804.00	2804.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		4820.00	4820.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		5088.00	5088.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		6240.00	6240.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		8400.00	8400.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		13440.00	13440.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट		17920.00	17920.00
	Standard Segment				

जितेन्द्र बस्नेत

 प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
118	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 09, Flicker Free, THD<10 %, CRI≥70, SPD: 10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥130lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, cover compiling to IS: 16102 Part-2 IS: 16103 Part-1, IS: 16013 Part-2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		2000.00	2000.00
	40-60W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		4328.00	4328.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		5088.00	5088.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		6240.00	6240.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		7168.00	7168.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		11840.00	11840.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		19200.00	19200.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट		25600.00	25600.00
119	WALL LIGHT				
	Small Size wall Light	गोटा		1176.00	1176.00
	Medium Size wall Light	गोटा		1480.00	1480.00
	Large Size wall Light	गोटा		2000.00	2000.00
120	Wall bracket/spout light/mirror light bulk head ordinary	सेट	242.00	242.00	242.00
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	377.00	377.00	377.00
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	860.00	860.00	860.00
	1 x 11/13 watt CFL <u>DOWN LIGHT</u> with reflector & diffuser (conceal light) Complete Set	सेट	1011.00	1011.00	1011.00
	1 x 18 watt CFL <u>Down light</u> with reflector & diffuser (conceal light) Complete Set	सेट	1581.00	1581.00	1581.00
	Dining lamp.	सेट	1775.00	1775.00	1775.00
	Chandlers 6-8 lamp Medium	सेट	15761.00	15761.00	15761.00
	Chandlers 3-5 lamp Medium	सेट	11242.00	11242.00	11242.00
	Mirror Light Euro Light	सेट	484.00	484.00	484.00
	Picture light Euro Light POO2	सेट	699.00	699.00	699.00
	Wall spot Light E27 60W Euro or eqv.	सेट	377.00	377.00	377.00
	Exit Light safety sign(8.24)W	सेट	860.00	860.00	860.00
121	LED BULKHEAD				
	6W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	4090.00	2000.00	2000.00
	10W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	5500.00	2240.00	2240.00



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	12/15W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	2850.00	2320.00	2320.00
	6/10/12/16W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Plastic Housing, Full Glow/Half Glow	गोटा		1600.00	1600.00
122	FOOT LIGHT/STEP LIGHT				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation, Square/Circle/ Rectangle Shape, Louvered/NonLouverd, Die-cast Aluminium, with required IP protection from dust and water, 3000K/4000K/5700K/6000K/6500K				
	2/3W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2200.00	1584.00	1584.00
	4/5W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2850.00	2850.00	2850.00
	6/7W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2420.00	2420.00	2420.00
	12/15W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	3225.00	3225.00	3225.00
123	GARDEN SPIKE LIGHT				
	COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा	3790.00	3790.00	3790.00
	12W	गोटा	5780.00	5780.00	5780.00
124	Ground LED ground burial				
	Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	1W 12V 30D	गोटा	2258.00	2258.00	2258.00
	2W 12V 30D	गोटा	3011.00	3011.00	3011.00
	Driver & accessories price extra for 12 V.	गोटा	2258.00	2258.00	2258.00
125	LED Ground Guide				
	Multiple lighting emission windows to make space out.	गोटा			
	3W 100-240V	गोटा	4141.00	4141.00	4141.00
	6W 100-240V	गोटा	6023.00	6023.00	6023.00
126	Ground Burial				
	Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	3W 20D 100-240V	गोटा	9411.00	9411.00	9411.00
	6W 20D 100-240V	गोटा	13552.00	13552.00	13552.00
	12W 20D 100-240V	गोटा	25411.00	25411.00	25411.00
	18W 20D 100-240V	गोटा	27294.00	27294.00	27294.00
	36W 20D 100-240V	गोटा	28235.00	28235.00	28235.00
	18W 20D 24V	गोटा	30117.00	30117.00	30117.00
	18W 20D 100-240V	गोटा	21647.00	21647.00	21647.00
127	Linaer Ground Light				
	Linear Ground light makes space distinctive with more safety and convenience of installation				

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.ब.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2W 24V, RGB	गोटा	13176.00	13176.00	13176.00
	9W 24V, RGB	गोटा	17882.00	17882.00	17882.00
	7W 24V, RGB	गोटा	25411.00	25411.00	25411.00
	36W 24V, RGB, RGB	गोटा	32941.00	32941.00	32941.00
128	Bollard Light				
	Bulb Bollard Lights				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	2689.00	2689.00	2689.00
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3227.00	3227.00	3227.00
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3630.00	3630.00	3630.00
	General Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		4240.00	4240.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		5280.00	5280.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		6000.00	6000.00
	Mid Segment				0.00
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		4416.00	4416.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		5504.00	5504.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		8480.00	8480.00
	Standard Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		6288.00	6288.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		7328.00	7328.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट		15120.00	15120.00
129	TOP POST LIGHT				
	Bulb Top Lanterns				
	8" Globe type Post top Lamp complete set	सेट	1479.00	1479.00	1479.00
	10" Globe type Post top Lamp complete set	सेट	2824.00	2824.00	2824.00
	Top Post Poles				0.00
	3M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		9600.00	9600.00
	3.5-4M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		12000.00	12000.00
	3M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		11200.00	11200.00

जिससि बस्नेत
प्रमुख जिल्ला अधिकारी



विद्युतिय सामग्रीहरु

सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	3.5-4M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		14040.00	14040.00
	3M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		12400.00	12400.00
	3.5-4M, top post pole made of Cast Iron with connection terminal box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट		15600.00	15600.00
	Top Post/ Gate Post Fixtures				0.00
	Top Post/Gate Light made of Die Cast Base and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		2800.00	2800.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and PMMA/ Reflector of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		5600.00	5600.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		19200.00	19200.00
	Top Post/Gate Light made of Die Cast Base, Die Cast Arm, Spun Die Cast of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		20000.00	20000.00
	Classical/Vintage Type Top Post/Gate Light made of Die Cast Aluminium body of required wattage with IP 65 degree of protection (Fixture as per client)	सेट		22400.00	22400.00
130	Smart Lighting Fixtures:				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	4569.00	4569.00	4569.00
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	3998.00	3998.00	3998.00
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	2070.00	2070.00	2070.00
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	4998.00	4998.00	4998.00
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	2142.00	2142.00	2142.00
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा	2499.00	2499.00	2499.00
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा	1999.00	1999.00	1999.00
	LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	785.00	785.00	785.00

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			भा.व. २०७९/८०	भा.व. २०८०/८१	भा.व. २०८१/८२
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा	4212.00	4212.00	4212.00
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.	542.00	542.00	542.00
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	414.00	414.00	414.00
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा	1785.00	1785.00	1785.00
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	1106.00	1106.00	1106.00
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा	9900.00	9900.00	9900.00
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.	678.00	678.00	678.00
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा	135660.00	135660.00	135660.00
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा	18564.00	18564.00	18564.00
	Central Distribution Box: Suitable with modules	सेट	35700.00	35700.00	35700.00
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट	257040.00	257040.00	257040.00
	Software: PPS Programming software, we can also program and customize as per client request	सेट	399840.00	399840.00	399840.00
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा	99960.00	99960.00	99960.00
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switich, as per the confirmed technical details	गोटा	88536.00	88536.00	88536.00
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा	72828.00	72828.00	72828.00
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा	59976.00	59976.00	59976.00
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा	32844.00	32844.00	32844.00
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा	25704.00	25704.00	25704.00
	Distribution Box 1: Suitable with modules	सेट	64260.00	64260.00	64260.00
	Ceiling Light: Suitable with modules	गोटा	121380.00	121380.00	121380.00
131	Smart Automation and Control System:				
	Dimmable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	Dimmable-Tunable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	Dali-Dimmable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	Dali-Dimmable-Tunable Driver 6W-50W	गोटा	4212.00	4212.00	4212.00
	Smart PIR Sensor Ceiling Mount Type	गोटा	21307.00	21307.00	21307.00
	Smart PIR Sensor Surface Mount Type	गोटा	22444.00	22444.00	22444.00
	Smart PIR Sensors Recessed Mount Type	गोटा	4403.00	4403.00	4403.00
	6 Button Keypad	गोटा	63923.00	63923.00	63923.00
	4 Button Keypad	गोटा	52559.00	52559.00	52559.00
	3 Channel Relay Dali Controller	गोटा	183815.00	183815.00	183815.00
	4 Channel Relay Controller	गोटा	84662.00	84662.00	84662.00
	DMX Controller	सेट	710260.00	710260.00	710260.00
	DMX Amplirier	सेट	213078.00	213078.00	213078.00
	15 V DC 1.5 Amps regulated power supply	गोटा	62502.00	62502.00	62502.00
	TCP/IP Protocol network gateway	गोटा	134949.00	134949.00	134949.00
	PDTs Networked Touch Screen intelligent control	गोटा	560537.00	560537.00	560537.00

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा	1832470.00	1832470.00	1832470.00
H	SURVEILLANCE SYSTEM				
132	ANALOG CCTV				
	2MP, Analog Turret Camera,1080p, Smart IR, DWDR, DNR	गोटा		2327.08	2327.08
	2MP, Analog Bullet Camera,1080p, Smart IR, DWDR, 3D DNR	गोटा		2430.44	2430.44
	5MP, Analog Turret Camera, Smart IR, DWDR, DNR, BLC	गोटा		3173.81	3173.81
	5MP, Analog Bullet Camera, Smart IR, DWDR, DNR, BLC	गोटा		3173.81	3173.81
	DVR 4 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा		5148.32	5148.32
	DVR 8 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा		6614.51	6614.51
	DVR 16 channel, H.265+/H.265, 2MP, 1 SATA interface	गोटा		11767.79	11767.79
	DVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा		13759.29	13759.29
133	Mid Segment CCTV				
	2MP, IP based Turret Camera, 1080p, Smart IR, DWDR, 3D DNR,BLC, HLC	गोटा		4574.16	4574.16
	2MP, IP based Dome Camera, 1080p, Smart IR, DWDR, 3D DNR,BLC, HLC, IK10	गोटा		5001.60	5001.60
	2MP, IP based Bullet Camera, 1080p, Smart IR, DWDR, 3D DNR,BLC, HLC	गोटा		4574.16	4574.16
	2MP,IP based Turret Camera, 1080p, Color, White Light, DWDR, 3D DNR,BLC, HLC	गोटा		6686.40	6686.40
	2MP, IP based Dome Camera, 1080p, Color, White Light, DWDR, 3D DNR,BLC, HLC,IK10	गोटा		9144.07	9144.07
	2MP, IP based Bullet Camera, 1080p, Color, White Light, DWDR, 3D DNR,BLC, HLC	गोटा		6686.40	6686.40
	4/5MP, IP based Dome/Turret Camera, Smart IR, DWDR, 3D DNR, BLC,HLC	गोटा		6921.06	6921.06
	4/5MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		6983.36	6983.36
	8MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC,HLC	गोटा		11680.00	11680.00
	8MP,IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा		15429.60	15429.60
	NVR 8 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा		9391.20	9391.20
	NVR 16 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा		11824.42	11824.42
	NVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा		12533.81	12533.81
	NVR 16 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा		14188.32	14188.32
	NVR 20 channel, H.265+/H.265, 8MP, 2 SATA	गोटा		19600.00	19600.00
134	Standard Segment CCTV				
	4/5MP, AI based Dome Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption, PIRs	गोटा		46400.00	46400.00
	4/5MP, AI based Bullet Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption, PIRs	गोटा		46400.00	46400.00
	2MP, AI based PTZ Camera, 30x Optical Zoom, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encryption	गोटा		238400.00	238400.00
135	Accessories of CCTV				
	Unmanaged PoE switch 4 PoE port, 1 Uplink port	गोटा		2880.00	2880.00
	Unmanaged PoE switch 8 PoE port, 1 Uplink port	गोटा		4160.00	4160.00
	Unmanaged PoE switch 16 PoE port, 2 Gigabit Uplink ports	गोटा		10800.00	10800.00

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	KVM	गोटा		2240.00	2240.00
	1TB Surveillance hard disk	गोटा		5040.00	5040.00
	2TB Surveillance hard disk	गोटा		7360.00	7360.00
	4TB Surveillance hard disk	गोटा		11200.00	11200.00
	6TB Surveillance hard disk	गोटा		21200.00	21200.00
	8TB Surveillance hard disk	गोटा			
	17" LCD Monitor	गोटा	11247.00	6560.00	6560.00
	21" LCD Monitor	गोटा		10240.00	10240.00
	24" LCD Monitor	गोटा		11840.00	11840.00
	27" LCD Monitor	गोटा		15040.00	15040.00
	32" LCD Monitor	गोटा		19600.00	19600.00
	44" LCD Monitor	गोटा		49600.00	49600.00
	52" LCD Monitor			92000.00	92000.00
I	FIRE ALARM CONTROL PANEL				
136	Conventional Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel	सेट		11360.00	11360.00
	4 Zone Fire Alarm Control Panel	सेट		14080.00	14080.00
	6 Zone Fire Alarm Control Panel	सेट		23068.00	23068.00
	8 Zone Fire Alarm Control Panel	सेट		27852.00	27852.00
	Conventional smoke detector	गोटा		1600.00	1600.00
	Conventional heat detector	गोटा		1600.00	1600.00
	Conventional manual control point	गोटा		1520.00	1520.00
	Conventional hooter cum strobe	गोटा		4800.00	4800.00
137	Digital Addressable Type Fire Alarm Control Panel				
	2 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		36960.00	36960.00
	4 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		40080.00	40080.00
	6 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		42978.40	42978.40
	8 Zone Fire Alarm Control Panel , UL/EN Certified	सेट		46140.00	46140.00
	Digital addressable smoke detector	गोटा		2160.00	2160.00
	Digital addressable heat detector	गोटा		2240.00	2240.00
	Digital addressable manual control point	गोटा		1520.00	1520.00
	Digital addressable hooter cum strobe	गोटा		4800.00	4800.00
138	Analog Addressable Type Fire Alarm Control Panel				
	2 Loop Fire Alarm Control Panel, UL/EN Certified	सेट		171200.00	171200.00
	4 Loop Fire Alarm Control Panel, UL/EN Certified	सेट		320000.00	320000.00
	8 Loop Fire Alarm Control Panel, UL/EN Certified	सेट		480503.20	480503.20
	Analog Addressable Smoke detector with Standard Base	गोटा		3221.60	3221.60
	Analog Addressable Heat Detector with Standard Base	गोटा		3360.00	3360.00
	Analog Addressabl Hooter Sounder	गोटा		7108.00	7108.00
	Analog Addressabl Hooter with Strobe	गोटा		11364.80	11364.80
	Analog Addressable Manual Call Point	गोटा		4160.00	4160.00
	Analog Addressabl Control Module	गोटा		5760.00	5760.00
	Analog Addressabl Monitor Module	गोटा		5028.80	5028.80
J	PABX SYSTEM				
139	Telephone Drop wire (pair) cable NS marked Eqv.				



विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	² / ₂₀ Telephone drop wire	क्वायल	1033.00	1033.00	1033.00
	² / ₂₂	क्वायल	699.00	699.00	699.00
	2- pair cable wire (2×2×0.45) mm Heavy	र.मी	14.00	14.00	14.00
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	20.00	20.00	20.00
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	33.00	33.00	33.00
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	64.00	64.00	64.00
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	95.00	95.00	95.00
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	124.00	124.00	124.00
	1mm drop wire	र.मी	10.00	10.00	10.00
	50 Pair Telephone D.B.with crown tag	सेट	5688.00	5688.00	5688.00
140	1-4 Line EPABX with 1set programmable master telephone set of corresponding brand	सेट	7988.00	7988.00	7988.00
	2-6 Line EPABX "	सेट	19230.00	19230.00	19230.00
	3-8 Line EPABX "	सेट	21451.00	21451.00	21451.00
	4-12 Line EPABX "	सेट	38461.00	38461.00	38461.00
	6-16 Line EPABX "	सेट	51774.00	51774.00	51774.00
	8-24 Line EPABX "	सेट	88756.00	88756.00	88756.00
	8-48 Line EPABX "	सेट	94969.00	94969.00	94969.00
	8-72 Line EPABX "	सेट	101617.00	101617.00	101617.00
K	NETWORKING SYSEM				
141	Cables				
	RG6 Coaxial cable	र.मी	24.00	24.00	24.00
	RG59 Coaxial cable	र.मी	27.00	27.00	27.00
	UTP cat -5 networking cable	र.मी	27.00	27.00	27.00
	Cat6A, 23 AWG, Pure Copper, 10G, U/UTP, 4P, LSZH	र.मी		80.00	80.00
	Cat6, 24 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी		34.10	34.10
	Cat6, 23 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी		41.97	41.97
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 1m	गोटा		460.00	460.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 2m	गोटा		544.00	544.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 3m	गोटा		608.00	608.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 0.5m	गोटा		192.00	192.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 1m	गोटा		240.00	240.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 2m	गोटा		280.00	280.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 3m	गोटा		336.00	336.00
142	Patch Panel				
	24 Port Patch Panel	सेट		2000.00	2000.00
	48 Port Patch Panel	सेट		4160.00	4160.00
	24 Port Patch with keystone Panel	सेट		5600.00	5600.00
	48 Port Patch with keystone Panel	सेट		11200.00	11200.00
143	Network Rack				
	6U Network Rack	सेट		6640.00	6640.00
	9U Network Rack	सेट		7920.00	7920.00

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु. अ. क. बाहेकको दररेट		
			आ. व. २०७९/८०	आ. व. २०८०/८१	आ. व. २०८१/८२
	12U Network Rack	सेट		9440.00	9440.00
	27U Network Rack	सेट		54400.00	54400.00
	42U Network Rack	सेट		88000.00	88000.00
	Power Distribution Unit (PDU)	सेट		3040.00	3040.00
	Single/ Double Fan	सेट		1440.00	1440.00
	1U Cable Manager	सेट		1120.00	1120.00
144	Switch				
	5/8 Port, Fast Ethernet, Unmanaged Switch	सेट		1600.00	1600.00
	5/8 Port, Gigabit, Unmanaged Switch	सेट		2560.34	2560.34
	16 Port, Fast Ethernet, Unmanaged Switch	सेट		3200.00	3200.00
	16 Port, Gigabit, Unmanaged Switch	सेट		7200.00	7200.00
	24 Port, Fast Ethernet, Unmanaged Switch	सेट		5200.00	5200.00
	24 Port, Gigabit, Unmanaged Switch	सेट		14400.00	14400.00
	5/8 Port, Fast Ethernet, managed Switch	सेट		5600.00	5600.00
	5/8 Port, Gigabit, managed Switch	सेट		7200.00	7200.00
	16 Port, Fast Ethernet, managed Switch	सेट		10400.00	10400.00
	16 Port, Gigabit, managed Switch	सेट		12800.00	12800.00
	24 Port, Fast Ethernet, managed Switch	सेट		16000.00	16000.00
	24 Port, Gigabit, managed Switch	सेट		21600.00	21600.00
L	SECURITY SYSTEM				
145	Steel Security Gate				
	Metal detector	गोटा	17674.00	17674.00	17674.00
	Access Controller (Standard Series)	गोटा	29993.00	29993.00	29993.00
	Access Controller (General Series)	गोटा	14461.00	14461.00	14461.00
146	Steel Security Door				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	9069.00	9069.00	9069.00
	Half leaf : - 50 mm, 70 mm, 100mm	ब. मि.	10371.00	10371.00	10371.00
	Double leaf : - 50 mm, 70 mm, 100mm	ब. मि.	10835.00	10835.00	10835.00
147	Security System				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR motion detector-1, Door Sensor-1, Remote Controller -2)	गोटा	35706.00	35706.00	35706.00
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	21424.00	21424.00	21424.00
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	13390.00	13390.00	13390.00
	v) Finger print access system with software	गोटा	37492.00	37492.00	37492.00
	vi) Securty from Panic Alarm	गोटा	37492.00	37492.00	37492.00
148	Access Controller				
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	21516.00	21516.00	21516.00
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Local)	सेट	14523.00	14523.00	14523.00
149	Intrusion Detection System				
	Main Controller-CONTROL,FIRE/BURG	सेट	40579.00	40579.00	40579.00
	Door Contact-Wireless Door Contact with transmitter	सेट	2797.00	2797.00	2797.00

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4363.00	4363.00	4363.00
	Panic Switch-Wireless Panic Transmitter	सेट	5139.00	5139.00	5139.00
	Key -Wireless Key to Arm and Disarm the System	सेट	4992.00	4992.00	4992.00
	Window Contact- Wired door Contact with transmitter slim	सेट	2937.00	2937.00	2937.00
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	3761.00	3761.00	3761.00
M	AIR CONDITIONING SYSTEM				
	Single Split (1:1) Wall mounted/ Ceiling Casset type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent control, Filter Cleaning Indicator, PMV Control and power saving features included wireless remote controller, Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be included with in the cost.				
150	Wall Mounted Inverter type Split Units with Wireless remote Controller.				
	0.75 Ton	सेट		81000.00	81000.00
	1.0 Ton	सेट		56900.00	56900.00
	1.5Ton	सेट		76500.00	76500.00
	2.0 Ton	सेट		99400.00	99400.00
151	Ceiling Cassette Inverter type Split Units with Wireless remote Controller.				
	1.0 Ton	सेट		118800.00	118800.00
	1.5Ton	सेट		145800.00	145800.00
	2.0 Ton	सेट		162000.00	162000.00
	3.0 Ton	सेट		261950.00	261950.00
	4 Ton(3Ph)	सेट		265500.00	265500.00
152	Wall Mounted Non-Inverter Type Split Type AC with Wireless display remote Controller.				
	0.75 Ton	सेट		52200.00	52200.00
	1.0 Ton	सेट		51550.44	51550.44
	1.5Ton	सेट		68050.44	68050.44
	2.0 Ton	सेट		84250.44	84250.44
153	Ceiling Cassette Non- Inverter Type Split Type AC with Wireless display remote Controller.				
	1.0 Ton	सेट		86600.00	86600.00
	1.5Ton	सेट		99300.00	99300.00
	2.0 Ton	सेट		128600.00	128600.00
	3.0 Ton	सेट		176000.00	176000.00
N	TRANSFORMER and ALLIED MATERIALS				
154	Copper wound Distribution Outdoor Transformar with first filling of oil				
	15 KVA , 11/0.23kv, 3 phase,50 Hz ONAN	गोटा	212134.00	212500.00	212500.00
	25 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	273032.00	250750.00	250750.00
	50 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	389598.00	357000.00	357000.00

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	75 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	502404.00	510000.00	510000.00
	100 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	616881.00	535500.00	535500.00
	125 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	731150.00	748000.00	748000.00
	150 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	835600.00	773500.00	773500.00
	200 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	1069463.00	956250.00	956250.00
	250 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	1146234.00	1041250.00	1041250.00
	300 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	1223005.00	1130500.00	1130500.00
	400 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1275000.00	1275000.00
	500 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1402500.00	1402500.00
	630 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1530000.00	1530000.00
	750 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		2188750.00	2188750.00
	800 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		1827500.00	1827500.00
	1000 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा		2295000.00	2295000.00
155	Low Loss Transformar				
	No Load-75,Load loss 460(25 KVA)	गोटा	229790.00	229790.00	229790.00
	No Load-120,Load loss750(50 KVA)	गोटा	334240.00	334240.00	334240.00
	No Load-220,Load loss 1210(100 KVA)	गोटा	438690.00	438690.00	438690.00
156	Supply of aluminium ABC cable				
	25mm square 4 core ABC cable	रुमी	161.00	161.00	161.00
	50 mm square 4 core ABC cable	रुमी	269.00	269.00	269.00
	95 mm square 4 core ABC cable	रुमी	527.00	527.00	527.00
157	Lightening Arrester for 3 Phase .				
	0.5 KV	सेट	1291.00	1291.00	1291.00
	11 KV	सेट	4518.00	4518.00	4518.00
	Cross Arms V Channel.	गोटा	3227.00	3227.00	3227.00
	Stay set with accessories.				
	GI wire	गोटा	1234.00	1234.00	1234.00
	GI Plate	गोटा	1237.00	1237.00	1237.00
	Gay Insulator.	गोटा	58.00	58.00	58.00
	Elbow	गोटा	107.00	107.00	107.00
	Rod , Nut	गोटा	464.00	464.00	464.00
	Grip	गोटा	51.00	51.00	51.00
158	Overhead Insulators (0.4KV)	गोटा			
	Sackle Insulator	गोटा	32.00	32.00	32.00
	D-Iron	गोटा	97.00	97.00	97.00
	Nut Bolt (3" with 8 mm Ø)	गोटा	15.00	15.00	15.00
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	24.00	24.00	24.00
159	Overhead Insulators with fixing accessories (11KV)				
	Pin Insulator	गोटा	193.00	193.00	193.00
	Disc Insulator	गोटा	1033.00	1033.00	1033.00
	Cross Arms V Channel.	गोटा	2839.00	2839.00	2839.00
	Sqarrel ACSR conductor 20mm ²	रुमी	17.00	17.00	17.00
	weasel ACSR conductor 30 mm ²	रुमी	26.00	26.00	26.00
	Rabbit ACSR conductor 50 mm ²	रुमी	42.00	42.00	42.00
	Dog ACSR conductor 100 mm ²	रुमी	85.00	85.00	85.00
160	LT/HT Accessories				
	11 kv Disc insulator with grapher(3 Bolt)	सेट	1514.00	1514.00	1514.00
	11kv Pin insulator with spindel	सेट	266.00	266.00	266.00
	11 KVA Drop out fuse	सेट	12612.00	12612.00	12612.00
	D-iron det with shakte insulator	सेट	156.00	156.00	156.00

विद्युतिय सामग्रीहरु



सि.नं	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Stay Assembly Complete Set	सेट	1514.00	1514.00	1514.00
	Stay wirw (NS 7/12 guage)	केजी	106.00	106.00	106.00
	Lighting Arrester	सेट	6606.00	6606.00	6606.00
	Earthing Set	सेट	2924.00	2924.00	2924.00
	H T Tape	यान	177.00	177.00	177.00
	Stay Wire 7/12	केजी	125.00	125.00	125.00
	Stay Wire set 12x12, 6mm thick	सेट	1671.00	1671.00	1671.00
O	POLES				
161	Steel tubuler pole				
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	20419.00	20419.00	20419.00
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	18978.00	18978.00	18978.00
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	16936.00	16936.00	16936.00
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	12131.00	12131.00	12131.00
162	WOODEN POLE				
	7 mtr.length Wooden Pole	गोटा	5218.00	5218.00	5218.00
	9 mtr.length Wooden Pole	गोटा	7100.00	7100.00	7100.00
163	FRP/GRP Poles shall be ultraviolet resistance, corrosion proof, electrically insulated and shall have no reaction to direct contact with water, having FRP material ≥ 55%, thickness shall be >5.5mm for all poles with the cost of single/double GRP arm				
	3 mtr with base plate	सेट		32625.82	32625.82
	4 mtr with base plate	सेट		40120.89	40120.89
	5 mtr with base plate	सेट		42948.27	42948.27
	6 mtr with base plate	सेट		46079.38	46079.38
	7 mtr with base plate	सेट		56519.72	56519.72
	8 mtr with base plate	सेट		60725.83	60725.83
	9 mtr with base plate	सेट		64470.36	64470.36
	10 mtr with base plate	सेट		82185.98	82185.98
	11 mtr with base plate	सेट		86290.18	86290.18
	12 mtr with base plate	सेट		104331.49	104331.49
P	GENERATOR SYSTEM				
	Generator set conforming to BS 5000/IS 4722, complies with current CPCB IV+ emission norms ,Critical grade silencers, coupled and aligned with continuous rated KVA of DG, industrial type brushless AC Alternator on a common base frame in factory fabricated acoustic enclosure with all standard accessories such as 3mm thick MS painted day oil tank & valves, fully charged lead-acid batteries with angle iron stand, battery leads, engine protection unit, sensors for winding & bearing temp. monitoring, antivibration mountings complete in all respects as per manufacturer's drawing, specification and instruction				
167	Diseal Generator, Single Phase				
	0.7	सेट		77853.98	77853.98
	2	सेट		96283.19	96283.19

विद्युतिय सामाग्रीहरु



सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	2.9	सेट		189933.63	189933.63
	3.8	सेट		202345.13	202345.13
	3.8	सेट		217389.38	217389.38
	5	सेट		227168.14	227168.14
	7.5	सेट		391000.00	391000.00
	10	सेट		429250.00	429250.00
168	Diseal Generator, Three Phase with ATS panel				
	10	सेट		539750.00	539750.00
	15	सेट		539750.00	539750.00
	20	सेट		62057.52	62057.52
	30	सेट		701250.00	701250.00
	40	सेट		831194.69	831194.69
	62.5	सेट		990250.00	990250.00
	82.5	सेट		1190000.00	1190000.00
	100	सेट		1372750.00	1372750.00
	125	सेट		1429203.54	1429203.54
	160	सेट		1904000.00	1904000.00
	200	सेट		2331858.41	2331858.41
	250	सेट		2783750.00	2783750.00
	320	सेट		3485000.00	3485000.00
	400	सेट		4258500.00	4258500.00
	500	सेट		5418750.00	5418750.00
Q	EARTHING SYSTEM				
169	Earthing System				
	Copper plate per kg (sp.gr. copper =8930kg/m3)	के.जी	957.00	957.00	957.00
	6 mm thick 600mmx 600 mm G.I. Plate	गोटा	2954.00	2954.00	2954.00
	3.2 mm thick 600mmx 600 mm Copper Plate	गोटा	9940.00	9940.00	9940.00
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1130.00	1130.00	1130.00
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1130.00	1130.00	1130.00
	Copper Strip (12 x 3)mm	के.जी	1130.00	1130.00	1130.00
	Lightning rod copper conductor Air termination set	गोटा	2851.00	2851.00	2851.00
	8 SWG bare copper wire	र. मी	150.00	150.00	150.00
	Copper wire (10 SWG)	र. मी	161.00	161.00	161.00
	29 mm Diameter GI Pipe of 1m length	र. मी	263.00	263.00	263.00
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	645.00	645.00	645.00
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15.00	15.00	15.00
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	204.00	204.00	204.00
	Funneling Mechanism with pit cover (mild steel)	सेट	645.00	645.00	645.00
	Funnel with wire mesh	गोटा	377.00	377.00	377.00
	Charcoal	ब्याग	322.00	322.00	322.00
	Salt	के.जी	12.00	12.00	12.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
	Earthing System consisting of 1 Nos copper bonded steel electrode of 20/25/17/14 mm dia. with a min. coating thickness of 250 microns and length of 3 meters. 25 kgs/Electrode of earth enhancing compound needs to be considered to fill the 100-125mm augured hole surrounding to the electrode. The rate shall include excavation of earth, filling with back fill compound, and earth pit marking.				
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 20/25 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट		7772.00	7772.00
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 17/14 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट		4596.80	4596.80
	Universal Clamp of Required Size 175X50X3 mm made of SS to connect rod with flat conductor	सेट		1039.20	1039.20
	Earth enhancing compound tested as per IEC 62561-7	सेट		3118.40	3118.40
	Heavy duty Pit cover tested	सेट		2384.00	2384.00
R	MISCELLANEOUS ITEMS				
170	WATER HEATER RATES				
	15 LTRS ABS WATER HEATER	सेट	20100.00	20100.00	20100.00
	25 LTRS ABS WATER HEATER	सेट	22300.00	22300.00	22300.00
	15 LTRS METAL WATER HEATER	सेट	17900.00	17900.00	17900.00
	25 LTRS METAL WATER HEATER	सेट	19700.00	19700.00	19700.00
	3 LTR ABS INSTANT	सेट	7525.00	7525.00	7525.00
	6 LTR GAS	सेट	11725.00	11725.00	11725.00
171	Automatic Water Level Pump Controller: housed in metal enclosure with MCBs, Contactor, Phase sequence protection, Overload Protection and sensor set for single/three phase water pump with all necessary work as per drawing, specification and instruction all complete. Equivalant Nepali Make				
	Upto 1/2 HP single phase motor	सेट	4303.00	4303.00	4303.00
	Upto 1-3 HP single phase motor	सेट	5917.00	5917.00	5917.00
	Upto 1-5 HP three phase motor	सेट	9682.00	9682.00	9682.00

Handwritten signatures and initials of various officials, including the District Engineer and other project staff.

जितेन्द्र बस्नेत
प्रमुख जिल्ला अधिकारी

Solar Power



सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९।८०	आ.व. २०८०।८१	आ.व. २०८१।८२
1	Solar PV Module	प्रति.वाट	92.00	92.00	92.00
2	Solar Tubular Battery (200Ah@c20,12v)	गोटा	33063.00	33063.00	33063.00
3	Solar Tubular Battery (150 Ah@c20,12v)	गोटा	25235.00	25235.00	25235.00
4	Solar Tubular Battery (100 Ah@c20,12v)	गोटा	17510.00	17510.00	17510.00
5	Solar Tubular Battery (80 Ah@c20,12v)	गोटा	17407.00	17407.00	17407.00
6	Solar Tubular Battery (60 Ah@c20,12v)	गोटा	12566.00	12566.00	12566.00
7	Solar Tubular Battery (40 Ah@c20,12v)	गोटा	8240.00	8240.00	8240.00
8	Solar Gel Battery (200 Ah@c20,12v)	गोटा	68701.00	68701.00	68701.00
9	Solar Gel Battery (150 Ah@c20,12v)	गोटा	51706.00	51706.00	51706.00
10	Solar Gel Battery (100 Ah@c20,12v)	गोटा	37183.00	37183.00	37183.00
11	Solar Gel Battery (80 Ah@c20,12v)	गोटा	32033.00	32033.00	32033.00
12	Solar Gel Battery (75 Ah@c20,12v)	गोटा	28428.00	28428.00	28428.00
13	Solar Gel Battery (40 Ah@c20,12v)	गोटा	16274.00	16274.00	16274.00
14	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	37801.00	37801.00	37801.00
15	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	33578.00	33578.00	33578.00
16	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	19261.00	19261.00	19261.00
17	Charge controller (60A/24-48V)	गोटा	33475.00	33475.00	33475.00
18	Charge controller 45A/12-24-48 V	गोटा	24617.00	24617.00	24617.00
19	Charge controller 30A/12-24-48 V	गोटा	20394.00	20394.00	20394.00
20	Charge controller 25A/12-24-48 V	गोटा	15244.00	15244.00	15244.00
21	Charge controller 20a/12-24 V	गोटा	6180.00	6180.00	6180.00
22	Charge controller 15a/12-24 V	गोटा	5047.00	5047.00	5047.00
23	Charge controller 10a/12-24 V	गोटा	2781.00	2781.00	2781.00
24	Charge controller 5a/12-24 V	गोटा	1648.00	1648.00	1648.00
25	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	4635.00	4635.00	4635.00
26	Solar street light 40W- 12V DC with autodimming system	गोटा	14008.00	14008.00	25029.00
27	Solar street light 30W- 12V DC with autodimming system	गोटा	25029.00	25029.00	15759.00
28	Solar street light 20W- 12V DC with autodimming system	गोटा	15759.00	15759.00	14008.00
29	Solar street light 100W	गोटा	43569.00	43569.00	43569.00
30	Solar street light 80W	गोटा	36874.00	36874.00	36874.00
31	Solar street light 60W	गोटा	27604.00	27604.00	27604.00
32	Solar street light 40W	गोटा	15553.00	15553.00	15553.00
33	Solar street light 30W	गोटा	12360.00	12360.00	12360.00
34	Solar street light 20W	गोटा	8858.00	8858.00	8858.00
35	Solar street light 12W	गोटा	5768.00	5768.00	5768.00
36	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	17922.00	17922.00	17922.00
37	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	19776.00	19776.00	19776.00
38	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	22042.00	22042.00	22042.00



Solar Power

सि.नं	निर्माण सामग्रीहरूको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७९/८०	आ.व. २०८०/८१	आ.व. २०८१/८२
39	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	22351.00	22351.00	22351.00
40	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	22042.00	22042.00	22042.00
41	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	25441.00	25441.00	25441.00
42	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and and 3" for top 2m	गोटा	27707.00	27707.00	27707.00
43	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m	गोटा	29973.00	29973.00	29973.00
44	Pure sine wave inverter 250 VA /12 V	गोटा	7416.00	7416.00	7416.00
45	Pure sine wave inverter 400 VA /12 V	गोटा	13905.00	13905.00	13905.00
46	Pure sine wave inverter 850 VA /12 V	गोटा	16995.00	16995.00	16995.00
47	Pure sine wave inverter 1000 VA /12 V	गोटा	23587.00	23587.00	23587.00
48	Pure sine wave inverter 1400 VA	गोटा	25029.00	25029.00	25029.00
49	pure sine wave inverter 1400 VA	गोटा	20806.00	20806.00	20806.00
49	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	24926.00	24926.00	24926.00
50	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	73645.00	73645.00	73645.00
51	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	145860.00	145860.00	145860.00
52	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	145860.00	145860.00	145860.00
52	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	सेट	2266.00	2266.00	2266.00
53	Ms light Arms	सेट	5974.00	5974.00	5974.00
54	SPV mounting frame	सेट	4635.00	4635.00	4635.00
55	Battery box	सेट	4635.00	4635.00	4635.00
56	Battery stand	सेट	17072.00	17072.00	17072.00
57	12W SENSOR SOLAR POLE LIGHT	सेट	20321.00	20321.00	20321.00
58	18W SENSOR SOLAR POLE LIGHT				
59	Solar Lights:	गोटा	235824.00	235824.00	235824.00
	All in one solar street light - 2000 Lumens	गोटा	263568.00	263568.00	263568.00
	All in one solar street light - 3000 Lumens	गोटा	319056.00	319056.00	291312.00
	All in one solar street light - 4500 Lumens	गोटा	541008.00	541008.00	541008.00
	Solar Poles with Post Top Luminaries - 2500 Lumens	गोटा	651984.00	651984.00	651984.00
	Solar Poles with street lights luminaries 6000 Lumens	गोटा	291312.00	291312.00	319056.00
	All in One solar Street Light - 5000 Lumens	गोटा	355123.00	355123.00	355123.00
	All in one solar street light - 8500 Lumens	गोटा	393964.00	393964.00	393964.00
	All in one solar street light - 12000 lumens	गोटा	393964.00	393964.00	393964.00

जितन्व बस्नेत

 प्रमुख जिल्ला अधिकारी